

Endevor SCM 18.0
CA RS 2302 Service List

1

Service	Description	Type
LU08331	BC1PNLIB INQUIRE GETTING SOC9 ABEND	PTF
LU08450	ADD/UPD MBR/FILE PANELS DO NOT ACCEPT LINE COMMANDS AT COL 2	PTF
LU08451	ADD/UPD MBR/FILE PANELS DO NOT ACCEPT LINE COMMANDS AT COL 2	PTF
LU08472	CSV LIST TYPE OUTPUT MAY CONTAIN NON-PRINTABLE CHARACTERS	PTF
LU08547	SOC4 ABEND IN A PROGRAM THAT USES ENDEVOR API.	PTF
LU08622	ENDEVOR FOOTPRINTS ARE NOT BEING CREATED WHEN ASCM=N.	PTF
LU08638	ALLOW DISABLING EMAIL NOTIFICATION FOR PARTICULAR USERS	PTF
LU08641	PDS LOAD MODULE COPIED WITH BSTCOPY IS UNUSABLE	** PRP **
LU08642	PDS LOAD MODULE COPIED WITH BSTCOPY IS UNUSABLE	** PRP **
LU08804	TRANSFER WITH STAGE NUMBER IN TGT RESULTS IN C1G0229E	PTF
LU08806	ELEMENT SELECTION PANEL SHOWS WRONG DEPLOY FOR TEST OPTIONS	PTF
LU08807	ELEMENT SELECTION PANEL SHOWS WRONG DEPLOY FOR TEST OPTIONS	PTF
The CA RS 2302 service count for this release is 12		

Endevor SCM
CA RS 2302 Service List for CSIQI00

2

FMID	Service	Description	Type
CSIQI00	LU08331	BC1PNLIB INQUIRE GETTING SOC9 ABEND	PTF
	LU08450	ADD/UPD MBR/FILE PANELS DO NOT ACCEPT LINE COMMANDS AT COL 2	PTF
	LU08472	CSV LIST TYPE OUTPUT MAY CONTAIN NON-PRINTABLE CHARACTERS	PTF
	LU08547	SOC4 ABEND IN A PROGRAM THAT USES ENDEVOR API.	PTF
	LU08622	ENDEVOR FOOTPRINTS ARE NOT BEING CREATED WHEN ASCM=N.	PTF
	LU08638	ALLOW DISABLING EMAIL NOTIFICATION FOR PARTICULAR USERS	PTF
	LU08641	PDS LOAD MODULE COPIED WITH BSTCOPY IS UNUSABLE	** PRP **
	LU08804	TRANSFER WITH STAGE NUMBER IN TGT RESULTS IN C1G0229E	PTF
	LU08806	ELEMENT SELECTION PANEL SHOWS WRONG DEPLOY FOR TEST OPTIONS	PTF
The CA RS 2302 service count for this FMID is 9			

Endevor SCM
CA RS 2302 Service List for CSIQI01

FMID	Service	Description	Type
CSIQI01	LU08451	ADD/UPD MBR/FILE PANELS DO NOT ACCEPT LINE COMMANDS AT COL 2	PTF
	LU08807	ELEMENT SELECTION PANEL SHOWS WRONG DEPLOY FOR TEST OPTIONS	PTF
The CA RS 2302 service count for this FMID is 2			

Endevor SCM
CA RS 2302 Service List for CSIQI03

FMID	Service	Description	Type
CSIQI03	LU08642	PDS LOAD MODULE COPIED WITH BSTCOPY IS UNUSABLE	** PRP **
The CA RS 2302 service count for this FMID is 1			

Service	Details						
LU08331	LU08331 M.C.S. ENTRIES = ++PTF (LU08331) REWORK(2023003) BC1PNLIB INQUIRE GETTING SOC9 ABEND PROBLEM DESCRIPTION: When running BC1PNLIB utility with INQUIRE DDNAME = ELIB Dataset the job abends with SOC9. SYMPTOMS: BC1PNLIB Utility abending with SOC9. IMPACT: CIRCUMVENTION: REORG the ELIB. PRODUCT(S) AFFECTED: <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Release 19.0</td></tr> </table> Related Problem: ENDBAS 7846 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00715-SCM180 DESC(BC1PNLIB INQUIRE GETTING SOC9 ABEND). ++VER (Z038) FMID (CSIQI00) PRE (LU04901 LU08312 R084228 R085779 R093980) SUP (LT03799 LT08331)	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Release 19.0
Endevor Software Change Manager	Version 18.0						
Endevor Software Change Manager	Release 18.1						
Endevor	Release 19.0						

Endevor SCM 18.0
CA RS 2302 - PTF LU08450 Details

6

Service	Details																																																
LU08450	LU08450 M.C.S. ENTRIES = ++PTF (LU08450) REWORK(2023012) ADD/UPD MBR/FILE PANELS DO NOT ACCEPT LINE COMMANDS AT COL 2 PROBLEM DESCRIPTION: In ISPF Classic, the Add/Update Element panel does not accept a line command that starts in the 2nd column. SYMPTOMS: In the ADD/UPDATE panel, when choosing a member from a list and selecting a line command that is not left justified, it fails and "INVALID OPTION" is displayed. For example, if " A" or " U" are entered IMPACT: Add/update do not behave as intended when command is not left justified. CIRCUMVENTION: Type line command starts from 1st column. Type "A " to add elements, "U " to update elements in line command. PRODUCT(S) AFFECTED: <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 17783 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00716-SCM180 DESC(ADD/UPD MBR/FILE PANELS DO NOT ACCEPT LINE COMMANDS AT COL 2). ++VER (Z038) FMID (CSIQI00) PRE (LU08312 R091535) SUP (LT08450) ++IF FMID(CSIQI01) REQ(LU08451). ++HOLD (LU08450) SYSTEM FMID(CSIQI00) REASON (ACTION) DATE (23012) COMMENT (<table> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> </td><td>Endevor Software Change Manager Version 18.0 </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> SEQUENCE</td><td> Before Apply </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> PURPOSE</td><td> This PTF updates PANELS in the CSIQPENU library. </td> </tr> <tr> <td> </td><td> If you have customized the PANEL(S) delivered by this PTF, </td> </tr> <tr> <td> </td><td> you must backup your customized version of the PANEL(S) </td> </tr> <tr> <td> </td><td> before applying this PTF to avoid losing your changes. </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> USERS</td><td> All Endevor users. </td> </tr> <tr> <td> AFFECTED</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> KNOWLEDGE</td><td> 1. SMP/e </td> </tr> <tr> <td> REQUIRED</td><td> 2. Endevor Administration </td> </tr> <tr> <td> </td><td> 3. Endevor PANELS </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> ACCESS</td><td> No special access is required. </td> </tr> <tr> <td> REQUIRED</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td colspan="2">*****</td> </tr> </table>	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Version 19.0	+-----+			Endevor Software Change Manager Version 18.0	+-----+		SEQUENCE	Before Apply	+-----+		PURPOSE	This PTF updates PANELS in the CSIQPENU library.		If you have customized the PANEL(S) delivered by this PTF,		you must backup your customized version of the PANEL(S)		before applying this PTF to avoid losing your changes.	+-----+		USERS	All Endevor users.	AFFECTED		+-----+		KNOWLEDGE	1. SMP/e	REQUIRED	2. Endevor Administration		3. Endevor PANELS	+-----+		ACCESS	No special access is required.	REQUIRED		+-----+		*****	
Endevor Software Change Manager	Version 18.0																																																
Endevor Software Change Manager	Release 18.1																																																
Endevor	Version 19.0																																																
+-----+																																																	
	Endevor Software Change Manager Version 18.0																																																
+-----+																																																	
SEQUENCE	Before Apply																																																
+-----+																																																	
PURPOSE	This PTF updates PANELS in the CSIQPENU library.																																																
	If you have customized the PANEL(S) delivered by this PTF,																																																
	you must backup your customized version of the PANEL(S)																																																
	before applying this PTF to avoid losing your changes.																																																
+-----+																																																	
USERS	All Endevor users.																																																
AFFECTED																																																	
+-----+																																																	
KNOWLEDGE	1. SMP/e																																																
REQUIRED	2. Endevor Administration																																																
	3. Endevor PANELS																																																
+-----+																																																	
ACCESS	No special access is required.																																																
REQUIRED																																																	
+-----+																																																	

Service	Details
	<pre>* STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU.).</pre>

Service	Details																																																
LU08451	LU08451 M.C.S. ENTRIES = ++PTF (LU08451) REWORK(2023012) ADD/UPD MBR/FILE PANELS DO NOT ACCEPT LINE COMMANDS AT COL 2 PROBLEM DESCRIPTION: In ISPF Classic, the Add/Update Element panel does not accept a line command that starts in the 2nd column. SYMPTOMS: In the ADD/UPDATE panel, when choosing a member from a list and selecting a line command that is not left justified, it fails and "INVALID OPTION" is displayed. For example, if " A" or " U" are entered IMPACT: Add/update do not behave as intended when command is not left justified. CIRCUMVENTION: Type line command starts from 1st column. Type "A " to add elements, "U " to update elements in line command. PRODUCT(S) AFFECTED: <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 17783 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00716-SCM180 DESC(ADD/UPD MBR/FILE PANELS DO NOT ACCEPT LINE COMMANDS AT COL 2). ++VER (Z038) FMID (CSIQI01) PRE (LU08313 S000382) SUP (LT08451) ++IF FMID(CSIQI00) REQ(LU08450). ++HOLD (LU08451) SYSTEM FMID(CSIQI01) REASON (ACTION) DATE (23012) COMMENT (<table> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> </td><td>Endevor Software Change Manager Version 18.0 </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> SEQUENCE</td><td> Before Apply </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> PURPOSE</td><td> This PTF updates PANELS in the CSIQPJPN library. </td> </tr> <tr> <td> </td><td> If you have customized the PANEL(S) delivered by this PTF, </td> </tr> <tr> <td> </td><td> you must backup your customized version of the PANEL(S) </td> </tr> <tr> <td> </td><td> before applying this PTF to avoid losing your changes. </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> USERS</td><td> All Endevor users. </td> </tr> <tr> <td> AFFECTED</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> KNOWLEDGE</td><td> 1. SMP/e </td> </tr> <tr> <td> REQUIRED</td><td> 2. Endevor Administration </td> </tr> <tr> <td> </td><td> 3. Endevor PANELS </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> ACCESS</td><td> No special access is required. </td> </tr> <tr> <td> REQUIRED</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td colspan="2">*****</td> </tr> </table>	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Version 19.0	+-----+			Endevor Software Change Manager Version 18.0	+-----+		SEQUENCE	Before Apply	+-----+		PURPOSE	This PTF updates PANELS in the CSIQPJPN library.		If you have customized the PANEL(S) delivered by this PTF,		you must backup your customized version of the PANEL(S)		before applying this PTF to avoid losing your changes.	+-----+		USERS	All Endevor users.	AFFECTED		+-----+		KNOWLEDGE	1. SMP/e	REQUIRED	2. Endevor Administration		3. Endevor PANELS	+-----+		ACCESS	No special access is required.	REQUIRED		+-----+		*****	
Endevor Software Change Manager	Version 18.0																																																
Endevor Software Change Manager	Release 18.1																																																
Endevor	Version 19.0																																																
+-----+																																																	
	Endevor Software Change Manager Version 18.0																																																
+-----+																																																	
SEQUENCE	Before Apply																																																
+-----+																																																	
PURPOSE	This PTF updates PANELS in the CSIQPJPN library.																																																
	If you have customized the PANEL(S) delivered by this PTF,																																																
	you must backup your customized version of the PANEL(S)																																																
	before applying this PTF to avoid losing your changes.																																																
+-----+																																																	
USERS	All Endevor users.																																																
AFFECTED																																																	
+-----+																																																	
KNOWLEDGE	1. SMP/e																																																
REQUIRED	2. Endevor Administration																																																
	3. Endevor PANELS																																																
+-----+																																																	
ACCESS	No special access is required.																																																
REQUIRED																																																	
+-----+																																																	

Service	Details
	* STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN.).

Service	Details						
LU08472	LU08472 M.C.S. ENTRIES = ++PTF (LU08472) REWORK(2023016) CSV LIST TYPE OUTPUT MAY CONTAIN NON-PRINTABLE CHARACTERS PROBLEM DESCRIPTION: The output of the CSV utility action LIST TYPE may contain non-printable characters in the TYPE # ID field. This happens if more than 100 types are defined in a specific environment, stage and system. SYMPTOMS: The output of the CSV utility action LIST TYPE contains non-printable characters in the TYPE # ID field for type numbers that are higher than 99. When PTF LU07408 (for 18.1) or PTF LU07409 (for 19.0) is not applied, Endevor Web Services users can encounter "com.fasterxml.jackson.core.JsonParseException" in the Tomcat log when performing LIST TYPE, ADD/UPDATE ELEMENT or RETRIEVE ELEMENT requests. IMPACT: Endevor Web Services requests LIST TYPE, ADD/UPDATE ELEMENT and RETRIEVE ELEMENT may fail. CIRCUMVENTION: PTF LU07408 (for 18.1) and PTF LU07409 (for 19.0) prevent Endevor Web Services request failures, however, the type number may still contain non-printable characters in the CSV utility output. PRODUCT(S) AFFECTED: <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 18232 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00718-SCM180 DESC(CSV LIST TYPE OUTPUT MAY CONTAIN NON-PRINTABLE CHARACTERS). ++VER (Z038) FMID (CSIQI00) PRE (LU08312 R085355 R085779 R087951 R088774 R091862 R094676 S001214 S004638 S005688 S007287 S007919 S008787 S008892 S009580) SUP (LT08472 R089005 R091417 S001522 ST01522 TR89005 TR91417)	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Version 19.0
Endevor Software Change Manager	Version 18.0						
Endevor Software Change Manager	Release 18.1						
Endevor	Version 19.0						

Service	Details						
LU08547	LU08547 M.C.S. ENTRIES = ++PTF (LU08547) REWORK(2023006) SOC4 ABEND IN A PROGRAM THAT USES ENDEVOR API. PROBLEM DESCRIPTION: A program that uses the Endevor API for the LIST ELEMENT action and was compiled on an earlier release of Endevor may abend with a SOC4 if the length of the response block is much higher than allowed. SYMPTOMS: SOC4 abend when the API tries to copy data back to the caller's response area. A U0001 abend can precede the SOC4. IMPACT: The program abends. CIRCUMVENTION: Recompile the program using the most recent CSIQOPTN library and relink it OR correct it to provide a valid response area length. PRODUCT(S) AFFECTED: <table> <tr> <td>Endevor Software Change Manager</td><td>Release 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 18493 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00721-SCM180 DESC(SOC4 ABEND IN A PROGRAM THAT USES ENDEVOR API.). ++VER (Z038) FMID (CSIQI00) PRE (LU02651 LU08312 R085355 R094676 S004638 S005688 S007605 S008787) SUP (LT08547)	Endevor Software Change Manager	Release 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Version 19.0
Endevor Software Change Manager	Release 18.0						
Endevor Software Change Manager	Release 18.1						
Endevor	Version 19.0						

Service	Details
LU08622	LU08622 M.C.S. ENTRIES = ++PTF (LU08622) REWORK(2023031) ENDEVOR FOOTPRINTS ARE NOT BEING CREATED WHEN ASCM=N. PROBLEM DESCRIPTION: Programs are not footprinted even when the DD statement has FOOTPRNT=CREATE specified and ASCM=N. SYMPTOMS: No footprint created. IMPACT: Missing footprint for the dd statements which has FOOTPRNT=CREATE. CIRCUMVENTION: NA PRODUCT(S) AFFECTED: Endevor Software Change Manager Version 18.0 Endevor Software Change Manager Release 18.1 Endevor Version 19.0 Related Problem: ENDBAS 7821 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00723-SCM180 DESC(ENDEVOR FOOTPRINTS ARE NOT BEING CREATED WHEN ASCM=N.). ++VER (Z038) FMID (CSIQI00) PRE (LU00328 LU05703 LU08312 R084228 R085779 R085999 R086724 R088321 R089437 R089717 R090323 R090708 R091324 R092119 R093621 R093980 R095024 R095850 R096986 R098338 R099297 R099458 S001902 S004498 S005688 S010233) SUP (LT08622 R090039 R098516 S001343 S010086 S010731 S014419 ST01073 ST01343 ST10086 ST10731 ST14419 TR90039 TR98516)

Service	Details																																																				
LU08638	LU08638 M.C.S. ENTRIES = ++PTF (LU08638) REWORK(2023025) ALLOW DISABLING EMAIL NOTIFICATION FOR PARTICULAR USERS ENHANCEMENT DESCRIPTION: In order to disable email notification for a particular user, an administrator can specify an invalid EMAILID value (non-existing email address) in the ESMTPTBL table. However, Endevor still makes a "send email request" to the SMTP server, even though the email cannot be delivered. This enhancement introduces a new EMAILID value, '\do.not.send', which completely prevents requesting SMTP to send emails to a particular user. This enhancement also introduces support for single quotes in the EMAILID value. Each single quote in the EMAILID value must be coded as two single quotes and the whole EMAILID value should be enclosed in single quotes. PRODUCT(S) AFFECTED: <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 18495 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00724-SCM180 DESC(ALLOW DISABLING EMAIL NOTIFICATION FOR PARTICULAR USERS). ++VER (Z038) FMID (CSIQI00) PRE (LU08312 S007422) SUP (LT03483 LT03751 LT08638 LU03751 R089481 R093227 TR89481 TR93227) ++HOLD (LU08638) SYSTEM FMID(CSIQI00) REASON (ACTION) DATE (23025) COMMENT (<table> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> </td><td>Endevor Software Change Manager</td> </tr> <tr> <td> </td><td>Version 18.0</td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> SEQUENCE</td><td>Before Apply</td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> PURPOSE</td><td>This PTF updates the ESMTPTBL table in the CSIQSRC</td> </tr> <tr> <td> </td><td>library. If you have customized the ESMTPTBL table, you</td> </tr> <tr> <td> </td><td>must backup your customized version before applying this</td> </tr> <tr> <td> </td><td>PTF to avoid losing your changes.</td> </tr> <tr> <td> </td><td>If you want to make use of the new functionality</td> </tr> <tr> <td> </td><td>delivered by this enhancement, you need to reassemble</td> </tr> <tr> <td> </td><td>the ESMTPTBL table. Otherwise, you do not need to</td> </tr> <tr> <td> </td><td>reassemble any Endevor table.</td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> USERS</td><td>Administrator.</td> </tr> <tr> <td> AFFECTED</td><td></td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> KNOWLEDGE</td><td>1. SMP/e</td> </tr> <tr> <td> REQUIRED</td><td>2. Endevor Administration</td> </tr> <tr> <td> </td><td>3. Endevor TABLES</td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> ACCESS</td><td>Update access to the CSIQSRC and the CSIQAUTU library.</td> </tr> </table>	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Version 19.0	+-----+			Endevor Software Change Manager		Version 18.0	+-----+		SEQUENCE	Before Apply	+-----+		PURPOSE	This PTF updates the ESMTPTBL table in the CSIQSRC		library. If you have customized the ESMTPTBL table, you		must backup your customized version before applying this		PTF to avoid losing your changes.		If you want to make use of the new functionality		delivered by this enhancement, you need to reassemble		the ESMTPTBL table. Otherwise, you do not need to		reassemble any Endevor table.	+-----+		USERS	Administrator.	AFFECTED		+-----+		KNOWLEDGE	1. SMP/e	REQUIRED	2. Endevor Administration		3. Endevor TABLES	+-----+		ACCESS	Update access to the CSIQSRC and the CSIQAUTU library.
Endevor Software Change Manager	Version 18.0																																																				
Endevor Software Change Manager	Release 18.1																																																				
Endevor	Version 19.0																																																				
+-----+																																																					
	Endevor Software Change Manager																																																				
	Version 18.0																																																				
+-----+																																																					
SEQUENCE	Before Apply																																																				
+-----+																																																					
PURPOSE	This PTF updates the ESMTPTBL table in the CSIQSRC																																																				
	library. If you have customized the ESMTPTBL table, you																																																				
	must backup your customized version before applying this																																																				
	PTF to avoid losing your changes.																																																				
	If you want to make use of the new functionality																																																				
	delivered by this enhancement, you need to reassemble																																																				
	the ESMTPTBL table. Otherwise, you do not need to																																																				
	reassemble any Endevor table.																																																				
+-----+																																																					
USERS	Administrator.																																																				
AFFECTED																																																					
+-----+																																																					
KNOWLEDGE	1. SMP/e																																																				
REQUIRED	2. Endevor Administration																																																				
	3. Endevor TABLES																																																				
+-----+																																																					
ACCESS	Update access to the CSIQSRC and the CSIQAUTU library.																																																				

Service	Details
	<pre> REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized TABLES in CSIQSRC that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated TABLES in CSIQSRC. 4. Assemble and Link the updated TABLE to the CSIQAUTU library.).</pre>

Service	Details						
LU08641	LU08641 M.C.S. ENTRIES = ++PTF (LU08641) REWORK(2023009) PDS LOAD MODULE COPIED WITH BSTCOPY IS UNUSABLE PROBLEM DESCRIPTION: A PDS load module copied with BSTCOPY (or BSTXCOPY) is unusable. This issue occurs only when copying from one PDS to another PDS. SYMPTOMS: These messages show up in the JESMSGLG of a job that tries to use the load module: IEW4009I FETCH FAILED FOR MODULE <module> FROM DDNAME <DDname> BECAUSE OF AN I/O ERROR. IEW4005I FETCH FOR MODULE <module> FROM DDNAME <DDname> FAILED BECAUSE IEWFETCH ISSUED RC OF AND REASON 40 CSV031I LIBRARY ACCESS FAILED FOR MODULE <module>, RETURN CODE 24, REASON CODE 26080021, DDNAME <DDname> IMPACT: The module is unusable. CIRCUMVENTION: Copy the load module to a PDSE, if possible. If footprints are not necessary, copy the load module with IEBCOPY. PRODUCT(S) AFFECTED: <table> <tr> <td>CA Endevor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endevor SCM</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 19277 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00725-SCM180 DESC(PDS LOAD MODULE COPIED WITH BSTCOPY IS UNUSABLE). ++VER (Z038) FMID (CSIQI00) PRE (LU06982 LU07611 LU08312 R084228 R098338 S010233) SUP (AL07611 LT06474 LT08641 R097085 TR97085) ++IF FMID(CSIQI03) REQ(LU08642).	CA Endevor SCM	Version 18.0	CA Endevor SCM	Release 18.1	Endevor	Version 19.0
CA Endevor SCM	Version 18.0						
CA Endevor SCM	Release 18.1						
Endevor	Version 19.0						

Service	Details						
LU08642	LU08642 M.C.S. ENTRIES = ++PTF (LU08642) REWORK(2023009) PDS LOAD MODULE COPIED WITH BSTCOPY IS UNUSABLE PROBLEM DESCRIPTION: A PDS load module copied with BSTCOPY (or BSTXCOPY) is unusable. This issue occurs only when copying from one PDS to another PDS. SYMPTOMS: These messages show up in the JESMSG LG of a job that tries to use the load module: IEW4009I FETCH FAILED FOR MODULE <module> FROM DDNAME <DDname> BECAUSE OF AN I/O ERROR. IEW4005I FETCH FOR MODULE <module> FROM DDNAME <DDname> FAILED BECAUSE IEWFETCH ISSUED RC OF AND REASON 40 CSV031I LIBRARY ACCESS FAILED FOR MODULE <module>, RETURN CODE 24, REASON CODE 26080021, DDNAME <DDname> IMPACT: The module is unusable. CIRCUMVENTION: Copy the load module to a PDSE, if possible. If footprints are not necessary, copy the load module with IEBCOPY. PRODUCT(S) AFFECTED: <table> <tr> <td>CA Endevor SCM</td><td>Version 18.0</td></tr> <tr> <td>CA Endevor SCM</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 19277 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00725-SCM180 DESC(PDS LOAD MODULE COPIED WITH BSTCOPY IS UNUSABLE). ++VER (Z038) FMID (CSIQI03) PRE (LU07612 LU08315 R084735 R088186 R089907 R090324 R090618 R090623 R092047 R092161 R092258 R093068 R093154 R094677 R095246 R096613 R097274 R099459 R099862 S005426 S009150) SUP (AL07612 LT06475 LT08642) ++IF FMID(CSIQI00) REQ(LU08641).	CA Endevor SCM	Version 18.0	CA Endevor SCM	Release 18.1	Endevor	Version 19.0
CA Endevor SCM	Version 18.0						
CA Endevor SCM	Release 18.1						
Endevor	Version 19.0						

Service	Details						
LU08804	LU08804 M.C.S. ENTRIES = ++PTF (LU08804) REWORK(2023023) TRANSFER WITH STAGE NUMBER IN TGT RESULTS IN C1G0229E PROBLEM DESCRIPTION: WHEN THE TARGET LOCATION OF A TRANSFER ACTION SPECIFIES STAGE NUMBER 2 AND THE ELEMENT TYPE IS NOT DEFINED AT STAGE 1, THE REQUEST FAILS AND RETURNS C1G0229E ERROR MESSAGE. SYMPTOMS: TRANSFER ACTION FAILS WITH C1G0229E: C1G0229E TYPE type_name NOT DEFINED FOR SYSTEM system_name IMPACT: THE TRANSFER ACTION FAILS. CIRCUMVENTION: USE THE STAGE ID INSTEAD OF THE STAGE NUMBER. PRODUCT(S) AFFECTED: <table> <tr> <td>Endevor Software Change Manager</td><td>Release 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 19119 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00727-SCM180 DESC(TRANSFER WITH STAGE NUMBER IN TGT RESULTS IN C1G0229E). ++VER (Z038) FMID (CSIQI00) PRE (LU00419 LU08312 R085779 R090323 R091324 R092119 R095850 S004664 S007919 S008892) SUP (LT08515 LT08804 R094231 R096154 TR94231 TR95481 TR96154)	Endevor Software Change Manager	Release 18.0	Endevor Software Change Manager	Release 18.1	Endevor Software Change Manager	Version 19.0
Endevor Software Change Manager	Release 18.0						
Endevor Software Change Manager	Release 18.1						
Endevor Software Change Manager	Version 19.0						

Service	Details																																				
LU08806	LU08806 M.C.S. ENTRIES = ++PTF (LU08806) REWORK(2023024) ELEMENT SELECTION PANEL SHOWS WRONG DEPLOY FOR TEST OPTIONS PROBLEM DESCRIPTION: An Endevor administrator can enable the Deploy for Test (DT) option in the Optional Feature Table ENCOPTBL. This option adds the DT Deploy for Test command to the Quick Edit element selection list and enables the command. If the Deploy for Test option is not enabled, it will not display in the Quick Edit element selection list but this option will still appear on element selection list panels. SYMPTOMS: The Deploy for Test option is not enabled and the dialog commands still show the DT option in collapsed dialog commands on the ENDIE250 panel. If you scroll to the right, the other panels also display the DT option in both collapsed and expanded dialog commands (ENDIE251-ENDIE255 Panel). IMPACT: The product continues to work. CIRCUMVENTION: If the Deploy for Test option is disabled and if the DT option appears on the Quick Edit element selection list, the option will not work if selected or clicked. PRODUCT(S) AFFECTED: <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 18801 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00728-SCM180 DESC(ELEMENT SELECTION PANEL SHOWS WRONG DEPLOY FOR TEST OPTIONS). ++VER (Z038) FMID (CSIQI00) PRE (LU05591 LU08312 R092892 R094045 S000810 S006486 S008738 S009821) SUP (LT08724 LT08806) ++IF FMID(CSIQI01) REQ(LU08807). ++HOLD (LU08806) SYSTEM FMID(CSIQI00) REASON (ACTION) DATE (23024) COMMENT (<table> <tr> <td colspan="2">+-----+-----+</td></tr> <tr> <td> </td><td>Endevor Software Change Manager</td></tr> <tr> <td></td><td>Version 18.0</td></tr> <tr> <td> </td><td></td></tr> <tr> <td colspan="2">+-----+-----+</td></tr> <tr> <td> SEQUENCE</td><td> Before Apply</td></tr> <tr> <td colspan="2">+-----+-----+</td></tr> <tr> <td> PURPOSE</td><td> This PTF updates PANELS in the CSIQPENU library.</td></tr> <tr> <td> </td><td> If you have customized the PANEL(S) delivered by this PTF, </td></tr> <tr> <td> </td><td> you must backup your customized version of the PANEL(S) </td></tr> <tr> <td> </td><td> before applying this PTF to avoid losing your changes. </td></tr> <tr> <td colspan="2">+-----+-----+</td></tr> <tr> <td> USERS</td><td> All Endevor users.</td></tr> <tr> <td> AFFECTED</td><td> </td></tr> <tr> <td colspan="2">+-----+-----+</td></tr> </table>)	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Version 19.0	+-----+-----+			Endevor Software Change Manager		Version 18.0			+-----+-----+		SEQUENCE	Before Apply	+-----+-----+		PURPOSE	This PTF updates PANELS in the CSIQPENU library.		If you have customized the PANEL(S) delivered by this PTF,		you must backup your customized version of the PANEL(S)		before applying this PTF to avoid losing your changes.	+-----+-----+		USERS	All Endevor users.	AFFECTED		+-----+-----+	
Endevor Software Change Manager	Version 18.0																																				
Endevor Software Change Manager	Release 18.1																																				
Endevor	Version 19.0																																				
+-----+-----+																																					
	Endevor Software Change Manager																																				
	Version 18.0																																				
+-----+-----+																																					
SEQUENCE	Before Apply																																				
+-----+-----+																																					
PURPOSE	This PTF updates PANELS in the CSIQPENU library.																																				
	If you have customized the PANEL(S) delivered by this PTF,																																				
	you must backup your customized version of the PANEL(S)																																				
	before applying this PTF to avoid losing your changes.																																				
+-----+-----+																																					
USERS	All Endevor users.																																				
AFFECTED																																					
+-----+-----+																																					

Service	Details
	KNOWLEDGE 1. SMP/e REQUIRED 2. Endevor Administration 3. Endevor PANELS +-----+-----+ ACCESS No special access is required. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPENU that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPENU.).

Service	Details																																		
LU08807	LU08807 M.C.S. ENTRIES = ++PTF (LU08807) REWORK(2023024) ELEMENT SELECTION PANEL SHOWS WRONG DEPLOY FOR TEST OPTIONS PROBLEM DESCRIPTION: An Endevor administrator can enable the Deploy for Test (DT) option in the Optional Feature Table ENCOPTBL. This option adds the DT Deploy for Test command to the Quick Edit element selection list and enables the command. If the Deploy for Test option is not enabled, it will not display in the Quick Edit element selection list but this option will still appear on element selection list panels. SYMPTOMS: The Deploy for Test option is not enabled and the dialog commands still show the DT option in collapsed dialog commands on the ENDIE250 panel. If you scroll to the right, the other panels also display the DT option in both collapsed and expanded dialog commands (ENDIE251-ENDIE255 Panel). IMPACT: The product continues to work. CIRCUMVENTION: If the Deploy for Test option is disabled and if the DT option appears on the Quick Edit element selection list, the option will not work if selected or clicked. PRODUCT(S) AFFECTED: <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 18801 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00728-SCM180 DESC(ELEMENT SELECTION PANEL SHOWS WRONG DEPLOY FOR TEST OPTIONS). ++VER (Z038) FMID (CSIQI01) PRE (LU05592 LU08313 S000382 S005381 S006487 S008741 S009822) SUP (LT05579 LT08725 LT08807) ++IF FMID(CSIQI00) REQ(LU08806). ++HOLD (LU08807) SYSTEM FMID(CSIQI01) REASON (ACTION) DATE (23024) COMMENT (<table> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> </td><td>Endevor Software Change Manager Version 18.0 </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> SEQUENCE</td><td> Before Apply </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> PURPOSE</td><td> This PTF updates PANELS in the CSIQPJPN library. </td> </tr> <tr> <td> </td><td> If you have customized the PANEL(S) delivered by this PTF, </td> </tr> <tr> <td> </td><td> you must backup your customized version of the PANEL(S) </td> </tr> <tr> <td> </td><td> before applying this PTF to avoid losing your changes. </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> USERS</td><td> All Endevor users. </td> </tr> <tr> <td> AFFECTED</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> KNOWLEDGE</td><td> 1. SMP/e </td> </tr> </table>	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Version 19.0	+-----+			Endevor Software Change Manager Version 18.0	+-----+		SEQUENCE	Before Apply	+-----+		PURPOSE	This PTF updates PANELS in the CSIQPJPN library.		If you have customized the PANEL(S) delivered by this PTF,		you must backup your customized version of the PANEL(S)		before applying this PTF to avoid losing your changes.	+-----+		USERS	All Endevor users.	AFFECTED		+-----+		KNOWLEDGE	1. SMP/e
Endevor Software Change Manager	Version 18.0																																		
Endevor Software Change Manager	Release 18.1																																		
Endevor	Version 19.0																																		
+-----+																																			
	Endevor Software Change Manager Version 18.0																																		
+-----+																																			
SEQUENCE	Before Apply																																		
+-----+																																			
PURPOSE	This PTF updates PANELS in the CSIQPJPN library.																																		
	If you have customized the PANEL(S) delivered by this PTF,																																		
	you must backup your customized version of the PANEL(S)																																		
	before applying this PTF to avoid losing your changes.																																		
+-----+																																			
USERS	All Endevor users.																																		
AFFECTED																																			
+-----+																																			
KNOWLEDGE	1. SMP/e																																		

Service	Details		
	REQUIRED	2. Endevor Administration	
		3. Endevor PANELS	
	+-----+		
	ACCESS	No special access is required.	
	REQUIRED		
	+-----+		

	* STEPS TO PERFORM *		

	1. Backup any customized PANELS in CSIQPJPN that this PTF supplies.		
	2. APPLY this PTF.		
	3. Re-apply your customizations to the updated PANELS in CSIQPJPN.		
	).		
MCS	LU08331	STARTS ON PAGE 0002	
MCS	LU08450	STARTS ON PAGE 0002	
MCS	LU08451	STARTS ON PAGE 0004	
MCS	LU08472	STARTS ON PAGE 0005	
MCS	LU08547	STARTS ON PAGE 0006	
MCS	LU08622	STARTS ON PAGE 0007	
MCS	LU08638	STARTS ON PAGE 0008	
MCS	LU08641	STARTS ON PAGE 0010	
MCS	LU08642	STARTS ON PAGE 0011	
MCS	LU08804	STARTS ON PAGE 0011	
MCS	LU08806	STARTS ON PAGE 0012	
MCS	LU08807	STARTS ON PAGE 0014	

Endevor SCM 18.0
CA RS 2302 Product/Component Listing

22

Product Family	Product	Release
DevOps	CA ENDEVOR SCM	18.00.00
The CA RS 2302 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2302	LU08807	CSIQI01
	LU08806	CSIQI00
	LU08804	CSIQI00
	LU08642	CSIQI03
	LU08641	CSIQI00
	LU08638	CSIQI00
	LU08622	CSIQI00
	LU08547	CSIQI00
	LU08472	CSIQI00
	LU08451	CSIQI01
	LU08450	CSIQI00
	LU08331	CSIQI00
CAR2212	LU08315	CSIQI03
	LU08314	CSIQI02
	LU08313	CSIQI01
	LU08312	CSIQI00
	LU08029	CSIQI01
	LU08028	CSIQI00
	LU07914	CSIQI00
	LU07632	CSIQI00
	LU07612	CSIQI03
	LU07611	CSIQI00
	LU07468	CSIQI00
CAR2211	LU07413	CSIQI03
	LU06922	CSIQI00
	LU06912	CSIQI00
CAR2210	LU07442	CSIQI00
	LU07348	CSIQI00
	LU06982	CSIQI00
CAR2209	LU07099	CSIQI00
	LU06924	CSIQI00
	LU06689	CSIQI00
CAR2208	LU06669	CSIQI01
	LU06668	CSIQI00
	LU06439	CSIQI03
	LU05285	CSIQI00
CAR2207	LU06160	CSIQI00
CAR2206	LU05703	CSIQI00
CAR2205	SO12023	CSIQI00
	LU05592	CSIQI01
	LU05591	CSIQI00
	LU05399	CSIQI00
	LU05189	CSIQI00
	LU04901	CSIQI00
CAR2204	LU04958	CSIQI01
	LU04957	CSIQI00
	LU04917	CSIQI00

CA RS Level	Service	FMID
	LU03518	CSIQI00
CAR2203	LU04763	CSIQI00
	LU04720	CSIQI00
	LU04709	CSIQI00
	LU04070	CSIQI00
	LU04009	CSIQI00
	LU03365	CSIQI00
CAR2202	LU04285	CSIQI00
	LU03770	CSIQI00
CAR2201	LU03751	CSIQI00
	LU03665	CSIQI00
CAR2112	LU03487	CSIQI00
	LU03350	CSIQI00
	LU02651	CSIQI00
CAR2111	LU03138	CSIQI03
	LU00096	CSIQI00
CAR2109	LU02359	CSIQI03
	LU01963	CSIQI00
CAR2108	LU02148	CSIQI00
	LU01305	CSIQI00
CAR2107	LU01851	CSIQI00
	LU01668	CSIQI03
	LU01598	CSIQI00
	LU01557	CSIQI00
	LU01555	CSIQI00
CAR2106	LU01334	CSIQI00
	LU01262	CSIQI03
	LU01261	CSIQI00
	LU01218	CSIQI00
	LU01134	CSIQI00
CAR2105	S016007	CSIQI00
	LU01037	CSIQI00
	LU01011	CSIQI00
	LU00969	CSIQI00
	LU00419	CSIQI00
	LU00116	CSIQI00
	LU00099	CSIQI00
CAR2104	LU00328	CSIQI00
CAR2103	S016170	CSIQI00
	S015853	CSIQI00
	S012209	CSIQI00
CAR2102	S015979	CSIQI03
	S015963	CSIQI00
	S013955	CSIQI00
CAR2012	S015539	CSIQI03
	S015437	CSIQI00
	S015430	CSIQI00

CA RS Level	Service	FMID
	S014470	CSIQI03
CAR2011	S014747	CSIQI00
	R093444	CSIQI00
CAR2009	S014512	CSIQI00
	S014419	CSIQI00
	S013911	CSIQI00
	S013803	CSIQI00
CAR2008	S013318	CSIQI00
CAR2007	S013558	CSIQI03
	S013267	CSIQI00
	S013063	CSIQI00
	R097886	CSIQI00
CAR2006	S013069	CSIQI00
	S012888	CSIQI00
CAR2005	S012545	CSIQI00
	S012342	CSIQI00
	S012193	CSIQI01
	S012192	CSIQI00
	S012021	CSIQI00
CAR2004	S012311	CSIQI00
	S012303	CSIQI00
	S012294	CSIQI03
	S012146	CSIQI01
	S012145	CSIQI00
CAR2003	S011707	CSIQI01
	S011657	CSIQI00
	S011256	CSIQI00
CAR2002	S011466	CSIQI03
	S011268	CSIQI03
	S010944	CSIQI00
CAR2001	S011167	CSIQI03
CAR1912	S011034	CSIQI01
	S011033	CSIQI00
	S010928	CSIQI00
	S010731	CSIQI00
	S010686	CSIQI03
	S010086	CSIQI00
CAR1911	S010368	CSIQI01
	S010367	CSIQI00
	S010233	CSIQI00
	S010230	CSIQI00
	S010229	CSIQI00
	S009989	CSIQI00
CAR1910	S010123	CSIQI00
	S010013	CSIQI03
	S009838	CSIQI01
	S009837	CSIQI00

CA RS Level	Service	FMID
	S009581	CSIQI03
	S009580	CSIQI00
	S009280	CSIQI00
	S009241	CSIQI00
	S009150	CSIQI03
	S009149	CSIQI00
CAR1909	S009822	CSIQI01
	S009821	CSIQI00
	S009735	CSIQI00
	S009627	CSIQI03
	S009506	CSIQI00
	S008892	CSIQI00
	S008381	CSIQI00
CAR1908	S009229	CSIQI00
	S009155	CSIQI00
	S008741	CSIQI01
	S008738	CSIQI00
	S008402	CSIQI00
	S005297	CSIQI01
	S005296	CSIQI00
CAR1907	S008898	CSIQI03
	S008873	CSIQI02
	S008806	CSIQI00
	S008788	CSIQI03
	S008787	CSIQI00
	S008774	CSIQI00
	S008365	CSIQI00
	S001902	CSIQI00
CAR1906	S008258	CSIQI00
	S007892	CSIQI01
	S007891	CSIQI00
	S007890	CSIQI00
	S005041	CSIQI01
	S005040	CSIQI00
CAR1905	S008210	CSIQI03
	S008044	CSIQI00
	S007919	CSIQI00
	S007455	CSIQI00
	S004664	CSIQI00
CAR1904	S007880	CSIQI00
	S007730	CSIQI03
	S007729	CSIQI00
	S007606	CSIQI03
	S007605	CSIQI00
	S007588	CSIQI02
	S007353	CSIQI00
	S005868	CSIQI00

CA RS Level	Service	FMID
CAR1903	S007454	CSIQI03
	S007422	CSIQI00
	S007346	CSIQI00
	S007309	CSIQI03
	S007287	CSIQI00
	S007210	CSIQI00
	S007195	CSIQI03
	S007098	CSIQI00
	S006831	CSIQI00
	S001871	CSIQI00
CAR1902	S007085	CSIQI03
	S007084	CSIQI00
	S007026	CSIQI00
	S006918	CSIQI03
	S006886	CSIQI02
	S006627	CSIQI00
	S005720	CSIQI00
	S004498	CSIQI00
CAR1901	S006595	CSIQI00
	S006586	CSIQI03
	S006487	CSIQI01
	S006486	CSIQI00
	S006434	CSIQI03
	S006259	CSIQI00
	S005963	CSIQI00
CAR1812	S006450	CSIQI00
	S005925	CSIQI00
	S005426	CSIQI03
	S005425	CSIQI00
CAR1811	S005867	CSIQI00
	S005689	CSIQI03
	S005688	CSIQI00
	S003995	CSIQI00
CAR1810	S005552	CSIQI02
	S005387	CSIQI03
	S005381	CSIQI01
	S005380	CSIQI00
	S005293	CSIQI00
	S004925	CSIQI00
	S004906	CSIQI00
CAR1809	S004974	CSIQI00
	S004674	CSIQI00
	S004663	CSIQI00
	S004639	CSIQI03
	S004638	CSIQI00
	S004550	CSIQI00
CAR1808	S004496	CSIQI00

CA RS Level	Service	FMID
	S004386	CSIQI03
	S004116	CSIQI00
CAR1807	S004105	CSIQI00
	S003951	CSIQI00
	S003929	CSIQI03
	S003928	CSIQI00
	S003851	CSIQI00
	S003777	CSIQI00
	S001167	CSIQI00
CAR1806	S003571	CSIQI00
	S001901	CSIQI03
	S001900	CSIQI01
	S001899	CSIQI00
	S001827	CSIQI00
	S001821	CSIQI00
	S001802	CSIQI00
	S001783	CSIQI00
	S001758	CSIQI01
	S001757	CSIQI00
	S001685	CSIQI01
	S001684	CSIQI00
	S001643	CSIQI03
	S001587	CSIQI00
	S001573	CSIQI00
	S001522	CSIQI00
	S000985	CSIQI00
	S000135	CSIQI00
	R099130	CSIQI00
CAR1805	S001688	CSIQI03
	S001581	CSIQI00
	S001542	CSIQI03
	S001521	CSIQI00
	S001463	CSIQI00
	S001367	CSIQI03
	S001361	CSIQI00
	S001358	CSIQI02
	S001343	CSIQI00
	S001295	CSIQI03
	S001278	CSIQI00
	S001214	CSIQI00
	S001161	CSIQI03
	S000888	CSIQI03
	S000887	CSIQI00
	S000810	CSIQI00
	S000760	CSIQI00
	S000668	CSIQI00
	S000203	CSIQI00

CA RS Level	Service	FMID
	R099862	CSIQI03
	R099861	CSIQI00
	R099687	CSIQI02
CAR1804	S000864	CSIQI00
	S000709	CSIQI00
	S000571	CSIQI03
	S000246	CSIQI00
	S000094	CSIQI00
	R098987	CSIQI00
CAR1803	S000549	CSIQI03
	S000501	CSIQI00
	S000495	CSIQI00
	S000382	CSIQI01
	S000334	CSIQI01
	S000333	CSIQI00
	S000192	CSIQI00
	S000161	CSIQI00
	R099647	CSIQI00
	R099518	CSIQI01
	R099377	CSIQI00
	R099297	CSIQI00
CAR1802	R099621	CSIQI01
	R099616	CSIQI00
	R099600	CSIQI00
CAR1801	R099481	CSIQI01
	R099480	CSIQI00
	R099459	CSIQI03
	R099458	CSIQI00
	R099408	CSIQI00
CAR1712	R099175	CSIQI00
	R099020	CSIQI00
	R098989	CSIQI00
	R098877	CSIQI00
	R098359	CSIQI00
	R096433	CSIQI00
CAR1711	R098516	CSIQI00
	R098451	CSIQI02
	R098338	CSIQI00
	R098328	CSIQI00
	R098266	CSIQI00
	R098240	CSIQI00
	R098110	CSIQI03
	R098066	CSIQI00
	R097085	CSIQI00
CAR1710	R097945	CSIQI02
	R097885	CSIQI00
	R097821	CSIQI02

CA RS Level	Service	FMID
	R097799	CSIQI00
	R097621	CSIQI00
	R097546	CSIQI00
	R097274	CSIQI03
	R097273	CSIQI00
	R093621	CSIQI00
CAR1709	R097754	CSIQI00
	R097635	CSIQI01
	R097634	CSIQI00
	R097521	CSIQI00
	R097485	CSIQI00
	R097456	CSIQI00
	R097442	CSIQI00
	R097361	CSIQI00
	R097341	CSIQI03
	R097338	CSIQI01
	R097337	CSIQI00
	R097293	CSIQI00
	R097088	CSIQI00
	R096901	CSIQI00
CAR1708	R097043	CSIQI03
	R096986	CSIQI00
	R096937	CSIQI00
	R096310	CSIQI00
	R096154	CSIQI00
CAR1707	R096613	CSIQI03
	R096612	CSIQI00
	R096552	CSIQI01
	R096551	CSIQI00
	R096514	CSIQI03
	R096469	CSIQI00
	R096450	CSIQI00
	R096093	CSIQI00
	R094798	CSIQI00
CAR1706	R096244	CSIQI00
	R096087	CSIQI00
	R096086	CSIQI00
	R095998	CSIQI00
	R095913	CSIQI00
	R095888	CSIQI00
	R095867	CSIQI00
	R095850	CSIQI00
	R095743	CSIQI00
	R094999	CSIQI00
	R094929	CSIQI00
CAR1705	R095476	CSIQI00
CAR1704	R095246	CSIQI03

CA RS Level	Service	FMID
	R095245	CSIQI00
	R095243	CSIQI02
	R095130	CSIQI00
	R095073	CSIQI02
	R095024	CSIQI00
	R094910	CSIQI03
	R094839	CSIQI00
	R094677	CSIQI03
	R094676	CSIQI00
	R094575	CSIQI00
	R094377	CSIQI00
	R094045	CSIQI00
CAR1703	R094535	CSIQI00
	R094497	CSIQI00
	R094435	CSIQI03
	R094401	CSIQI00
	R094361	CSIQI00
	R094328	CSIQI00
	R094231	CSIQI00
	R093980	CSIQI00
	R093811	CSIQI00
CAR1702	R094100	CSIQI00
	R094040	CSIQI00
	R093964	CSIQI03
	R093928	CSIQI00
	R093772	CSIQI00
	R093557	CSIQI00
CAR1701	R093522	CSIQI02
	R093506	CSIQI00
	R093482	CSIQI00
	R093396	CSIQI00
	R093395	CSIQI00
	R093227	CSIQI00
	R093154	CSIQI03
	R093153	CSIQI00
	R092912	CSIQI03
CAR1612	R093333	CSIQI00
	R093263	CSIQI00
	R093250	CSIQI00
	R093229	CSIQI00
	R093202	CSIQI00
	R093099	CSIQI00
	R093096	CSIQI00
	R093068	CSIQI03
	R093067	CSIQI00
	R092974	CSIQI00
	R092960	CSIQI00

CA RS Level	Service	FMID
	R092892	CSIQI00
	R092876	CSIQI00
	R092791	CSIQI00
	R092730	CSIQI00
	R092548	CSIQI03
	R092471	CSIQI00
	R092440	CSIQI00
	R092335	CSIQI03
	R092293	CSIQI00
	R092258	CSIQI03
	R092257	CSIQI00
	R092255	CSIQI00
	R092246	CSIQI00
	R092167	CSIQI00
	R092161	CSIQI03
	R092160	CSIQI00
	R092149	CSIQI00
	R092119	CSIQI00
	R092048	CSIQI00
	R092047	CSIQI03
	R092046	CSIQI00
	R092017	CSIQI00
	R092003	CSIQI00
	R091987	CSIQI03
	R091942	CSIQI00
	R091862	CSIQI00
	R091813	CSIQI00
	R091768	CSIQI00
	R091746	CSIQI00
	R091593	CSIQI00
	R091535	CSIQI00
	R091417	CSIQI00
	R091388	CSIQI00
	R091371	CSIQI00
	R091324	CSIQI00
	R091260	CSIQI01
	R091259	CSIQI00
	R091233	CSIQI00
	R091189	CSIQI00
	R091134	CSIQI00
	R090974	CSIQI00
	R090910	CSIQI03
	R090843	CSIQI00
	R090793	CSIQI00
	R090779	CSIQI03
	R090752	CSIQI00
	R090751	CSIQI00

CA RS Level	Service	FMID
	R090708	CSIQI00
	R090623	CSIQI03
	R090622	CSIQI00
	R090618	CSIQI03
	R090617	CSIQI00
	R090595	CSIQI00
	R090593	CSIQI03
	R090534	CSIQI02
	R090484	CSIQI01
	R090344	CSIQI00
	R090324	CSIQI03
	R090323	CSIQI00
	R090265	CSIQI00
	R090251	CSIQI01
	R090250	CSIQI00
	R090191	CSIQI00
	R090096	CSIQI00
	R090039	CSIQI00
	R090035	CSIQI00
	R089907	CSIQI03
	R089906	CSIQI00
	R089862	CSIQI01
	R089861	CSIQI00
	R089756	CSIQI00
	R089717	CSIQI00
	R089662	CSIQI01
	R089661	CSIQI00
	R089608	CSIQI02
	R089556	CSIQI00
	R089529	CSIQI00
	R089481	CSIQI00
	R089464	CSIQI00
	R089437	CSIQI00
	R089410	CSIQI03
	R089404	CSIQI00
	R089392	CSIQI00
	R089381	CSIQI00
	R089347	CSIQI00
	R089328	CSIQI03
	R089323	CSIQI00
	R089290	CSIQI00
	R089172	CSIQI00
	R089113	CSIQI03
	R089005	CSIQI00
	R088962	CSIQI00
	R088837	CSIQI02
	R088774	CSIQI00

CA RS Level	Service	FMID
	R088702	CSIQI03
	R088648	CSIQI00
	R088487	CSIQI01
	R088374	CSIQI00
	R088321	CSIQI00
	R088290	CSIQI03
	R088186	CSIQI03
	R088185	CSIQI00
	R088166	CSIQI00
	R088125	CSIQI00
	R088065	CSIQI03
	R087952	CSIQI01
	R087951	CSIQI00
	R087871	CSIQI03
	R087867	CSIQI00
	R087805	CSIQI00
	R087658	CSIQI00
	R087492	CSIQI03
	R087491	CSIQI00
	R087460	CSIQI00
	R087294	CSIQI00
	R087175	CSIQI03
	R087061	CSIQI00
	R087040	CSIQI00
	R086961	CSIQI00
	R086819	CSIQI00
	R086724	CSIQI00
	R086678	CSIQI01
	R086669	CSIQI00
	R086665	CSIQI00
	R086638	CSIQI00
	R086527	CSIQI00
	R086432	CSIQI03
	R086393	CSIQI00
	R086376	CSIQI02
	R086141	CSIQI00
	R086077	CSIQI00
	R086006	CSIQI01
	R086005	CSIQI00
	R085999	CSIQI00
	R085779	CSIQI00
	R085580	CSIQI01
	R085579	CSIQI00
	R085534	CSIQI00
	R085355	CSIQI00
	R085186	CSIQI00
	R084826	CSIQI02

CA RS Level	Service	FMID
	R084795	CSIQI00
	R084777	CSIQI00
	R084735	CSIQI03
	R084734	CSIQI01
	R084733	CSIQI00
	R084728	CSIQI00
	R084533	CSIQI00
	R084486	CSIQI00
	R084425	CSIQI00
	R084296	CSIQI00
	R084291	CSIQI01
	R084268	CSIQI00
	R084250	CSIQI00
	R084228	CSIQI00
	R084227	CSIQI01
	R084226	CSIQI00
	R084225	CSIQI00