ESP Workload Automation 12.0 CA RS 2303 Service List

Service	Description	Type
LU07670	TRUNCATE ESP9001 MESSAGE IN CASE OUTPUT TOO LONG TO DISPLAY	PTF
LU08411	TRUNCATION OF USER STATUS FIELD TO 28 CHARACTERS	PTF
LU08661	ADD ESCAPING TO ENVAR VARIABLES IN MESSAGES TO AGENTS	PTF
LU09099	REVERT BEHAVIOR INTRODUCED BY LU08411	** PRP **
	The CA RS 2303 service count for this release is 4	

ESP Workload Automation CA RS 2303 Service List for CD7YC00

FMID	Service	Description	Туре	
CD7YC00	LU07670	TRUNCATE ESP9001 MESSAGE IN CASE OUTPUT TOO LONG TO DISPLAY	PTF	
LU08411 TRUNCATION OF USER STATUS FIELD TO 28 CHARACTERS PTF				
	LU08661 ADD ESCAPING TO ENVAR VARIABLES IN MESSAGES TO AGENTS			
	LU09099 REVERT BEHAVIOR INTRODUCED BY LU08411 ** PRP *			
The CA RS 2303 service count for this FMID is 4				

ESP Workload Automation 12.0 CA RS 2303 - PTF LU07670 Details

Service	Details
LU07670	LU07670 M.C.S. ENTRIES = ++PTF (LU07670) REWORK(2023058)
	TRUNCATE ESP9001 MESSAGE IN CASE OUTPUT TOO LONG TO DISPLAY
	PROBLEM DESCRIPTION:
	ESP Workload Automation may incorrectly display the ESP900I message when
	the message text is longer than 245 characters. This fix truncates the
	ESP900I message output to 245 characters within the TSO user session.
	SYMPTOMS:
	Unexpected data appears in the ESP900I message within the TSO user session.
	IMPACT:
	The user might not know which statement was parsed incorrectly.
	CIRCUMVENTION:
	None
	PRODUCT(S) AFFECTED: ESP WORKLOAD AUTOMATION Version 12.0
	Related Problem:
	ESPWA 18527
	(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved
	R00336-D7Y120
	100000 271210
	DESC(TRUNCATE ESP9001 MESSAGE IN CASE OUTPUT TOO LONG TO DISPLAY).
	++VER (Z038)
	FMID (CD7YC00)
	PRE (LU04550)
	SUP (LT07670)

ESP Workload Automation 12.0 CA RS 2303 - PTF LU08411 Details

Service	Details
LU08411	LU08411 M.C.S. ENTRIES = ++PTF (LU08411) REWORK(2023037)
	TRUNCATION OF USER STATUS FIELD TO 28 CHARACTERS
	PROBLEM DESCRIPTION:
	When the AFM Status() field contains 29 characters
	and begins with the generic "Executing" status term,
	the entire content of the job status is truncated to 28 characters.
	After applying the fix the AFM Status() term "Executing" is shortened
	to "Exec" to ensure that the job status field content fits the
	28-character limit. For example "Executing at 1234567890123456" is
	changed to "Exec at 1234567890123456". The content in the example now
	fits the 28-character limit.
	SYMPTOMS:
	The CSF status field is truncated to 28 characters.
	IMPACT:
	Expected information does not appear.
	CIRCUMVENTION:
	Read directly the incoming AFM Status() field
	PRODUCT(S) AFFECTED:
	ESP WORKLOAD AUTOMATION Version 12.0
	Related Problem:
	ESPWA 19061
	(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved
	R00344-D7Y120
	DESC(TRUNCATION OF USER STATUS FIELD TO 28 CHARACTERS).
	++VER (Z038)
	FMID (CD7YC00)
	PRE (LU01675 LU02226 LU04550 S007101 S007178 S009670 S012402)
	SUP (LT07801 LT08411 LU07801 S005895 S012554 ST05895 ST11896
	ST12554)

ESP Workload Automation 12.0 CA RS 2303 - PTF LU08661 Details

Service	Details		
LU08661	LU08661 M.C.S. ENTRIES = ++PTF (LU08661) REWORK(2023034)		
	ADD ESCAPING TO ENVAR VARIABLES IN MESSAGES TO AGENTS PROBLEM DESCRIPTION:		
	ESP WORKLOAD AUTOMATION (ESP) passes the environment variables values to the agents as they were defined in the ESP job. The agents will escape		
	the backslash '\' and double quote '"' characters when processing these		
	variables.		
	This fix ensures that every environment variable is formatted		
	in the outgoing Automated Framework Message (AFM) in the following way:		
	- Every backslash and double quote defined in the variable value is		
	prefixed with a backslash escape character;		
	- Every environment variable value is enclosed in double quotes.		
	This fix is turned on by setting the ESP USERMOD 200. By default		
	the existing behavior is preserved. All job types that support the ENVAR		
	statement except for OPENVMS_JOB and HIVE_Job are affected by this fix.		
	Refer to USERMOD 200 documentation for detailed information about this		
	fix.		
	SYMPTOMS:		
	The environment variable values are different between the ESP job where		
	the variable is defined and the agent where the variable is processed. IMPACT:		
	Unexpected behavior of an agent's unit of work.		
	CIRCUMVENTION:		
	Add necessary escape characters to the environment variable in an ESP job. PRODUCT(S) AFFECTED:		
	ESP WORKLOAD AUTOMATION Version 12.0		
	Related Problem:		
	ESPWA 18881		
	(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved		
	R00353-D7Y120		
	DESC(ADD ESCAPING TO ENVAR VARIABLES IN MESSAGES TO AGENTS).		
	++VER (Z038)		
	FMID (CD7YC00)		
	PRE (LU04550 S006343 S012250)		
	SUP (LT08661)		

ESP Workload Automation 12.0 CA RS 2303 - PTF LU09099 Details

Service	Details		
LU09099	LU09099 M.C.S. ENTRIES = ++PTF (LU09099) REWORK(2023055)		
	REVERT BEHAVIOR INTRODUCED BY LU08411		
	PROBLEM DESCRIPTION:		
	This PTF reverts the behavior introduced by the PTF LU08411		
	back to its original state.		
	The introduced behavior could have caused some entries to be		
	missing in the ESP Workstation client's custom filter and		
	freeform CSF filter screens.		
	This PTF also provides ESP users with greater control over		
	when specific resources of a job are released.		
	You now have the possibility to release a portion of		
	held resources on an unsuccessful job run. If the keyword		
	RELEASE is specified for a resource, then the affected		
	resource is released even if the HOLD option is in effect		
	and the job fails. This functionality applies only to		
	the renewable type of resources.		
	SYMPTOMS:		
	Some jobs are missing the ESP Workstation client's custom filter		
	or freeform CSF filter screens.		
	IMPACT: Some jobs in the executing state might not be displayed. CIRCUMVENTION:		
	None.		
	PRODUCT(S) AFFECTED:		
	ESP WORKLOAD AUTOMATION Version 12.0		
	Related Problem:		
	ESPWA 19532 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved		
	R00361-D7Y120		
	100301 171120		
	DESC(REVERT BEHAVIOR INTRODUCED BY LU08411).		
	++VER (Z038)		
	FMID (CD7YC00)		
	PRE (LU01675 LU02226 LU02984 LU04181 LU04235 LU04335 LU04550		
	S007101 S007178 S009670 S012402)		
	SUP (AL08411 LT03811 LT04520 LT05236 LT05254 LT06609 LT07801		
	LT08411 LT08691 LT08703 LT09099 LU04520 LU06609 LU07801		
	LU08411 S005800 S005895 S012554 ST05800 ST05895 ST11896		
	ST12554)		
	MCS LU07670 STARTS ON PAGE 0002		
	MCS LU08411 STARTS ON PAGE 0002		
	MCS LU08661 STARTS ON PAGE 0003		
	MCS LU09099 STARTS ON PAGE 0004		
	2		

ESP Workload Automation 12.0 CA RS 2303 Product/Component Listing

Product Family	Product	Release
Automation	CA ESP ENCORE	12.00.00
	CA ESP HIGH AVAILABILITY	12.00.00
	CA ESP INTELLIGENT EXPERIENCE	12.00.00
	CA ESP REPORT SERVER	12.00.00
	CA ESP RESTFUL WEB SERVICES	12.00.00
	CA ESP SERVICE GOVERNOR	12.00.00
	CA WORKLOAD AUTOMATION ESP EDITION	12.00.00
The CA RS 2303 Product/Component Count for this release is 7		

CA RS Level	Service	FMID
CAR2303	LU09099	CD7YC00
	LU08661	CD7YC00
	LU08411	CD7YC00
	LU07670	CD7YC00
CAR2302	LU08648	CD7YC00
	LU08299	CD7YC00
	LU07801	CD7YC00
	LU07419	CD7YC00
CAR2301	LU08083	CD7YC00
	LU07251	CD7YC00
	LU07188	CD7YC00
	LU06721	CD7YC00
CAR2212	LU08007	CD7YC00
	LU06886	CD7YC00
	LU05934	CD7YC00
CAR2211	LU07576	CRSTC00
	LU06973	CD7YC00
	LU06692	CD7YC00
	LU05607	CD7YC00
CAR2210	LU06793	CD7YC00
	LU06609	CD7YC00
	LU05459	CD7YC00
CAR2209	LU06810	CD7YC00
	LU06712	CD7YC00
	LU05878	CD7YC00
	LU05658	CD7YC00
CAR2208	LU06540	CD7YC00
	LU05758	CD7YC00
	LU05598	CD7YC00
CAR2207	LU06318	CD7YC00
	LU06267	CD7YC00
	LU06175	CRSTC00
	LU06174	CD7YC00
	LU06106	CD7YC00
	LU06054	CD7YC00
	LU00740	CD7YC00
CAR2206	LU05956	CD7YC00
	LU05499	CD7YC00
	LU05386	CD7YC00
CAR2205	LU05486	CD7YC00
	LU05383	CRSTC00
	LU05371	CFIFC00
	LU05302	CD7YC00
	LU02801	CD7YC00
CAR2204	LU05319	CFIFC00
	LU04943	CEACC00
	LU04520	CD7YC00

CA RS Level	Service	FMID
	LU04335	CD7YC00
	LU02551	CD7YC00
CAR2203	LU04638	CRSTC00
	LU04556	CRSTC00
	LU04555	CFIFC00
	LU04554	CEACC00
	LU04553	CD71C00
	LU04552	CD70C00
	LU04551	CD7ZC00
	LU04550	CD7YC00
	LU03812	CD7YC00
	LU03257	CD7YC00
	LU01769	CD7YC00
CAR2202	LU04268	CD7YC00
	LU04235	CD7YC00
	LU04181	CD7YC00
	LU04096	CD7YC00
	LU02885	CD7YC00
CAR2201	LU03683	CD7YC00
CAR2112	LU03369	CD7YC00
CAR2111	LU03059	CD7YC00
	LU02986	CRSTC00
	LU02984	CD7YC00
	LU02218	CD7YC00
	LU02057	CD7YC00
	LU01871	CD7YC00
CAR2110	LU02643	CD7YC00
	LU02234	CD7YC00
	LU02226	CD7YC00
CAR2107	LU01702	CD7YC00
	LU01675	CD7YC00
	LU01506	CD7YC00
	LU01133	CD7YC00
CAR2106	S013274	CD7YC00
	LU01016	CD7YC00
CAR2105	LU00942	CEACC00
CAR2104	S016227	CD7YC00
	S016225	CD7YC00
	S015267	CD7YC00
	LU00656	CD7YC00
	LU00416	CD7YC00
CAR2103	S016157	CD7YC00
	S016000	CD7YC00
	S015431	CD7YC00
	S015429	CD7YC00
CAR2102	S014713	CD7YC00
CAR2101	S012981	CD7YC00

CA RS Level	Service	FMID
CAR2012	S015391	CD7YC00
CAR2011	S014850	CD7YC00
CAR2010	S014790	CD7YC00
	S014315	CD7YC00
	S013620	CD7YC00
	S012554	CD7YC00
CAR2009	S014071	CD7YC00
CAR2008	S013138	CD7YC00
	S011136	CD7YC00
CAR2007	S013418	CD7YC00
	S013403	CD7YC00
	S010159	CD7YC00
CAR2006	S013387	CD71C00
	S013386	CD70C00
	S013385	CD7ZC00
	S013384	CD7YC00
	S012890	CD7YC00
	S012240	CD7YC00
CAR2005	S012402	CD7YC00
CAR2004	S012378	CFIFC00
	S012377	CD7YC00
	S012251	CRSTC00
	S012250	CD7YC00
CAR2002	S009904	CEACC00
CAR2001	S011267	CD7YC00
	S011050	CD7YC00
	S010682	CD7YC00
CAR1912	S010472	CD7YC00
	S010257	CD7YC00
	S009594	CD7YC00
CAR1910	S009670	CD7YC00
	S009245	CD7YC00
	S009014	CD7YC00
CAR1909	S009015	CD7YC00
	S008834	CEACC00
	S008713	CD7YC00
CAR1906	S008106	CD7YC00
	S007895	CD7YC00
	S006341	CD7YC00
CAR1904	S007473	CD7YC00
CAR1903	S007325	CD7YC00
	S007178	CD7YC00
	S006343	CD7YC00
	S006339	CD7YC00
	S006338	CD7YC00
	S006297	CD7YC00
	S006180	CD7YC00

CA RS Level	Service	FMID
	S005922	CD7YC00
	S005358	CD7YC00
CAR1902	S007102	CRSTC00
	S007101	CD7YC00
CAR1901	S006342	CD7YC00
CAR1812	S006322	CD7YC00
	S006305	CD7YC00
	S006146	CD7YC00
	S005895	CD7YC00
	S005800	CD7YC00
	S005654	CD7YC00
	S005357	CD7YC00
	S005356	CD7YC00