

Endevor SCM 19.0
CA RS 2303 Service List

1

Service	Description	Type
LU08372	ENDIE440 ERROR WHEN MORE THAN 16 LIBS CONCATENATED	PTF
LU08585	NDUSRXUD SEEMS TO UPDATE USERDATA WITHOUT ACTUALLY DOING SO	PTF
LU08624	ENDEVOR FOOTPRINTS ARE NOT BEING CREATED WHEN ASCM=N.	PTF
LU08893	SOC4 ABEND IN LOAD MODULE BSTPMOPS CSECT BSTPMSTG	** PRP **
LU08967	(E)SBOMZ UTILITY	PTF
LU09002	C1G0008E IN PACKAGE ADD/UPDATE WITH USER EXIT 4	PTF
LU09037	(E) QE ELEMENT LIST COLUMN CUSTOMIZATION - CCOLS	PTF
LU09038	(E) QE ELEMENT LIST COLUMN CUSTOMIZATION - CCOLS	PTF
The CA RS 2303 service count for this release is 8		

Endevor SCM
CA RS 2303 Service List for CSIQJ00

2

FMID	Service	Description	Type
CSIQJ00	LU08372	ENDIE440 ERROR WHEN MORE THAN 16 LIBS CONCATENATED	PTF
	LU08585	NDUSRXUD SEEMS TO UPDATE USERDATA WITHOUT ACTUALLY DOING SO	PTF
	LU08624	ENDEVOR FOOTPRINTS ARE NOT BEING CREATED WHEN ASCM=N.	PTF
	LU08893	S0C4 ABEND IN LOAD MODULE BSTPMOPS CSECT BSTPMSTG	** PRP **
	LU08967	(E)SBOMZ UTILITY	PTF
	LU09002	C1G0008E IN PACKAGE ADD/UPDATE WITH USER EXIT 4	PTF
	LU09037	(E) QE ELEMENT LIST COLUMN CUSTOMIZATION - CCOLS	PTF
The CA RS 2303 service count for this FMID is 7			

Endevor SCM
CA RS 2303 Service List for CSIQJ01

FMID	Service	Description	Type
CSIQJ01	LU09038	(E) QE ELEMENT LIST COLUMN CUSTOMIZATION - CCOLS	PTF
The CA RS 2303 service count for this FMID is 1			

Service	Details																																
LU08372	LU08372 M.C.S. ENTRIES = ++PTF (LU08372) REWORK(2023048) ENDIE440 ERROR WHEN MORE THAN 16 LIBS CONCATENATED PROBLEM DESCRIPTION: When Quick Edit user routines are turned on, and there are more than 16 datasets concatenated to a Rexx EXEC or CLIST DD, ENDIE440 will return an error. The following messages will be displayed in the user's TSO session: ENDIE440 Error:Invalid RC from LMINIT 8 ISRZ002 : Invalid concatenation - More than 16 concatenated data sets not supported by ISPF. ENDIE440 INFO:No user routines NDUSRXxx found in CLIST libraries SYMPTOMS: User routines are not added, and the below messages are seen when Quick Edit is opened: ENDIE440 Error:Invalid RC from LMINIT 8 ISRZ002 : Invalid concatenation - More than 16 concatenated data sets not supported ENDIE440 INFO:No user routines NDUSRXxx found in CLIST libraries IMPACT: User routines cannot be added to Quick Edit. CIRCUMVENTION: Limit the number of concatenated Rexx Exec or CLIST libraries to 16. PRODUCT(S) AFFECTED: Endevor Software Change Manager Release 18.1 Endevor Version 19.0 Related Problem: ENDBAS 19033 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00036-SCM190 DESC(ENDIE440 ERROR WHEN MORE THAN 16 LIBS CONCATENATED). ++VER (Z038) FMID (CSIQJ00) SUP (LT08372) ++HOLD (LU08372) SYSTEM FMID(CSIQJ00) REASON (ACTION) DATE (23048) COMMENT (<table border="1"> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> </td><td>Endevor Version 19.0 </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> SEQUENCE</td><td> Before Apply </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> PURPOSE</td><td> This PTF updates REXX programs in the CSIQCLS0 library. </td> </tr> <tr> <td> </td><td> If you have customized the REXX programs delivered by </td> </tr> <tr> <td> </td><td> this PTF, you must backup your customized version of the </td> </tr> <tr> <td> </td><td> REXX program(s) before applying this PTF to avoid losing </td> </tr> <tr> <td> </td><td> your changes. </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> USERS</td><td> All Endevor users. </td> </tr> <tr> <td> AFFECTED</td><td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> KNOWLEDGE</td><td> 1. SMP/e </td> </tr> <tr> <td> REQUIRED</td><td> 2. Endevor Administration </td> </tr> </table>)	+-----+			Endevor Version 19.0	+-----+		SEQUENCE	Before Apply	+-----+		PURPOSE	This PTF updates REXX programs in the CSIQCLS0 library.		If you have customized the REXX programs delivered by		this PTF, you must backup your customized version of the		REXX program(s) before applying this PTF to avoid losing		your changes.	+-----+		USERS	All Endevor users.	AFFECTED		+-----+		KNOWLEDGE	1. SMP/e	REQUIRED	2. Endevor Administration
+-----+																																	
	Endevor Version 19.0																																
+-----+																																	
SEQUENCE	Before Apply																																
+-----+																																	
PURPOSE	This PTF updates REXX programs in the CSIQCLS0 library.																																
	If you have customized the REXX programs delivered by																																
	this PTF, you must backup your customized version of the																																
	REXX program(s) before applying this PTF to avoid losing																																
	your changes.																																
+-----+																																	
USERS	All Endevor users.																																
AFFECTED																																	
+-----+																																	
KNOWLEDGE	1. SMP/e																																
REQUIRED	2. Endevor Administration																																

Service	Details
	<pre> 3. Endeavor REXX program customization +-----+-----+ ACCESS No special access is required. REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized REXX programs in CSIQCLS0 that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated REXX programs in CSIQCLS0.).</pre>

Service	Details
LU08585	M.C.S. ENTRIES = ++PTF (LU08585) REWORK(2023044) NDUSRXUD SEEMS TO UPDATE USERDATA WITHOUT ACTUALLY DOING SO PROBLEM DESCRIPTION: The NDUSRXUD panel gives the impression that user data was updated even if it was not as a result of an error returned from the API Alter User Data request. SYMPTOMS: If, for example, you attempt to update the user data with the UD command on an element that is signed out to a different user, you may get a C1G0167E error. When you go back and again use the UD line command, the pop-up shows the user data that was typed. This screen should display the original user data. IMPACT: Misleading information is displayed and the user data is not being updated. CIRCUMVENTION: Exit the Quick Edit primary screen (ENDIE110) by pressing F3, and start from the beginning, The display shows the original user data again. PRODUCT(S) AFFECTED: Endevor Software Change Manager Release 18.1 Endevor Version 19.0 Related Problem: ENDBAS 18246 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00042-SCM190 DESC(NDUSRXUD SEEMS TO UPDATE USERDATA WITHOUT ACTUALLY DOING SO) . ++VER (Z038) FMID (CSIQJ00) SUP (LT08585) ++HOLD (LU08585) SYSTEM FMID(CSIQJ00) REASON (ACTION) DATE (23044) COMMENT (-----+ Endevor Version 19.0 -----+ SEQUENCE Before Apply -----+ PURPOSE This PTF updates REXX programs in the CSIQCLS0 library. If you have customized the REXX programs delivered by this PTF, you must backup your customized version of the REXX program(s) before applying this PTF to avoid losing your changes. -----+ USERS All Endevor users. AFFECTED -----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endevor Administration 3. Endevor REXX program customization -----+ ACCESS No special access is required. REQUIRED -----+

Service	Details
	***** * STEPS TO PERFORM * ***** 1. Backup any customized REXX programs in CSIQCLS0 that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated REXX programs in CSIQCLS0.).

Service	Details						
LU08624	LU08624 M.C.S. ENTRIES = ++PTF (LU08624) REWORK(2023038) ENDEVOR FOOTPRINTS ARE NOT BEING CREATED WHEN ASCM=N. PROBLEM DESCRIPTION: Programs are not footprinted even when the DD statement has FOOTPRNT=CREATE specified and ASCM=N. SYMPTOMS: No footprint created. IMPACT: Missing footprint for the dd statements which has FOOTPRNT=CREATE. CIRCUMVENTION: NA PRODUCT(S) AFFECTED: <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 7821 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00043-SCM190 DESC(ENDEVOR FOOTPRINTS ARE NOT BEING CREATED WHEN ASCM=N.). ++VER (Z038) FMID (CSIQJ00) PRE (LU07807) SUP (LT08624)	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Version 19.0
Endevor Software Change Manager	Version 18.0						
Endevor Software Change Manager	Release 18.1						
Endevor	Version 19.0						

Endevor SCM 19.0
CA RS 2303 - PTF LU08893 Details

9

Service	Details						
LU08893	LU08893 M.C.S. ENTRIES = ++PTF (LU08893) REWORK(2023038) SOC4 ABEND IN LOAD MODULE BSTPMOPS CSECT BSTPMSTG PROBLEM DESCRIPTION: BC1PNLIB abended with a SOC4 code when initializing an ELIB. SYMPTOMS: BC1PNLIB step abended with SOC4. IMPACT: CIRCUMVENTION: Back off PTF LU08633 which is going to be marked "in error". PRODUCT(S) AFFECTED: <table> <tr> <td>CA Endevor SCM</td><td>Release 18.0</td></tr> <tr> <td>CA Endevor SCM</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 19496 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00050-SCM190 DESC(SOC4 ABEND IN LOAD MODULE BSTPMOPS CSECT BSTPMSTG). ++VER (Z038) FMID (CSIQJ00) SUP (AL07622 AL08633 LT07622 LT08633 LT08893 LU07622 LU08633)	CA Endevor SCM	Release 18.0	CA Endevor SCM	Release 18.1	Endevor	Version 19.0
CA Endevor SCM	Release 18.0						
CA Endevor SCM	Release 18.1						
Endevor	Version 19.0						

Service	Details																																																																				
LU08967	LU08967 M.C.S. ENTRIES = ++PTF (LU08967) REWORK(2023032) (E)SBOMZ UTILITY ENHANCEMENT DESCRIPTION: sbomz is a CLI-based software bill of materials (SBOM) generation tool for z/OS that enables you to produce SBOMs from an Endevor inventory location, Endevor package, Team Build project, or z/OS PDS(e), PS, or z/OS UNIX files. PRODUCT(S) AFFECTED: <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 19510 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00057-SCM190 DESC((E)SBOMZ UTILITY). ++VER (Z038) FMID (CSIQJ00) SUP (LT08935 LT08967) ++HOLD (LU08967) SYSTEM FMID(CSIQJ00) REASON (ACTION) DATE (23032) COMMENT (<table> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> Endeavor</td><td> Version 19.0 </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> SEQUENCE</td><td> Before Apply </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> PURPOSE</td><td> This PTF updates JCL in the CSIQJCL library. </td></tr> <tr> <td> </td><td> If you have customized versions of the JCL(S) in CSIQJCL, </td></tr> <tr> <td> </td><td> you must make a backup copy of them BEFORE applying this </td></tr> <tr> <td> </td><td> PTF to avoid losing your changes. </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> USERS</td><td> All Endevor users. </td></tr> <tr> <td> AFFECTED</td><td> </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> KNOWLEDGE</td><td> 1. SMP/e </td></tr> <tr> <td> REQUIRED</td><td> 2. Endevor Product Administration </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> ACCESS</td><td> No special access required. </td></tr> <tr> <td> REQUIRED</td><td> </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td colspan="2">*****</td></tr> <tr> <td colspan="2">* STEPS TO PERFORM *</td></tr> <tr> <td colspan="2">*****</td></tr> <tr> <td colspan="2">1. Backup any customized JCL in CSIQJCL that this PTF supplies.</td></tr> <tr> <td colspan="2">2. APPLY this PTF.</td></tr> <tr> <td colspan="2">3. Re-apply your customizations to the updated JCL in CSIQJCL.</td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> Endeavor</td><td> Version 19.0 </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> SEQUENCE</td><td> After Apply </td></tr> <tr> <td colspan="2">+-----+</td></tr> <tr> <td> PURPOSE</td><td> Deploy sbomz utility into USS </td></tr> </table>	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor Software Change Manager	Version 19.0	+-----+		Endeavor	Version 19.0	+-----+		SEQUENCE	Before Apply	+-----+		PURPOSE	This PTF updates JCL in the CSIQJCL library.		If you have customized versions of the JCL(S) in CSIQJCL,		you must make a backup copy of them BEFORE applying this		PTF to avoid losing your changes.	+-----+		USERS	All Endevor users.	AFFECTED		+-----+		KNOWLEDGE	1. SMP/e	REQUIRED	2. Endevor Product Administration	+-----+		ACCESS	No special access required.	REQUIRED		+-----+		*****		* STEPS TO PERFORM *		*****		1. Backup any customized JCL in CSIQJCL that this PTF supplies.		2. APPLY this PTF.		3. Re-apply your customizations to the updated JCL in CSIQJCL.		+-----+		Endeavor	Version 19.0	+-----+		SEQUENCE	After Apply	+-----+		PURPOSE	Deploy sbomz utility into USS
Endevor Software Change Manager	Version 18.0																																																																				
Endevor Software Change Manager	Release 18.1																																																																				
Endevor Software Change Manager	Version 19.0																																																																				
+-----+																																																																					
Endeavor	Version 19.0																																																																				
+-----+																																																																					
SEQUENCE	Before Apply																																																																				
+-----+																																																																					
PURPOSE	This PTF updates JCL in the CSIQJCL library.																																																																				
	If you have customized versions of the JCL(S) in CSIQJCL,																																																																				
	you must make a backup copy of them BEFORE applying this																																																																				
	PTF to avoid losing your changes.																																																																				
+-----+																																																																					
USERS	All Endevor users.																																																																				
AFFECTED																																																																					
+-----+																																																																					
KNOWLEDGE	1. SMP/e																																																																				
REQUIRED	2. Endevor Product Administration																																																																				
+-----+																																																																					
ACCESS	No special access required.																																																																				
REQUIRED																																																																					
+-----+																																																																					

* STEPS TO PERFORM *																																																																					

1. Backup any customized JCL in CSIQJCL that this PTF supplies.																																																																					
2. APPLY this PTF.																																																																					
3. Re-apply your customizations to the updated JCL in CSIQJCL.																																																																					
+-----+																																																																					
Endeavor	Version 19.0																																																																				
+-----+																																																																					
SEQUENCE	After Apply																																																																				
+-----+																																																																					
PURPOSE	Deploy sbomz utility into USS																																																																				

Service	Details
	<pre> +-----+-----+ USERS All users AFFECTED +-----+-----+ KNOWLEDGE z/OS and USS basics REQUIRED +-----+-----+ ACCESS Write access to target USS folder REQUIRED Read access to Endevor SMP/E libraries +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Decide on a folder in USS where sbomz should be deployed. 2. Customize the sample job ENSBOMZI from the Endevor CSIQJCL library according to instructions in the JCL. 3. Submit the WSTOMINS job and wait for it to finish successfully.). </pre>

Service	Details						
LU09002	LU09002 M.C.S. ENTRIES = ++PTF (LU09002) REWORK(2023052) C1G0008E IN PACKAGE ADD/UPDATE WITH USER EXIT 4 PROBLEM DESCRIPTION: When an ADD/UPDATE action is executed within a package, if its input dataset specified in the FROM clause is dynamically allocated under a ddname by a user exit 04, the action fails with message C1G0008E. This only happens for the first action that uses the dataset within the package. Subsequent actions in the package run fine. SYMPTOMS: C1G0008E NO INPUT/TARGET LIBRARY SPECIFIED FOR TYPE IMPACT: The first ADD/UPDATE action executed within a package fails. CIRCUMVENTION: Avoid allocating the FROM input dataset of ADD/UPDATE action in exit 04. PRODUCT(S) AFFECTED: <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Version 19.0</td></tr> </table> Related Problem: ENDBAS 18481 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00060-SCM190 DESC(C1G0008E IN PACKAGE ADD/UPDATE WITH USER EXIT 4). ++VER (Z038) FMID (CSIQJ00) SUP (LT07913 LT08516 LT08824 LT09002 LU08824)	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor Software Change Manager	Version 19.0
Endevor Software Change Manager	Version 18.0						
Endevor Software Change Manager	Release 18.1						
Endevor Software Change Manager	Version 19.0						

Service	Details
LU09037	LU09037 M.C.S. ENTRIES = ++PTF (LU09037) REWORK(2023040) (E) QE ELEMENT LIST COLUMN CUSTOMIZATION - CCOLS ENHANCEMENT DESCRIPTION: The Quick Edit CCOLS command will allow you to customize Element selection list table columns. Specifically you can arrange the column sequence, change colors and change column width. You can fix the selected columns in position while scrolling with separator line. Issue the CCOLS command to open the customization panel. For more information about using the command, use Help. PRODUCT(S) AFFECTED: Endevor Version 19.0 Related Problem: ENDBAS 19115 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00062-SCM190 DESC((E) QE ELEMENT LIST COLUMN CUSTOMIZATION - CCOLS). ++VER (Z038) FMID (CSIQJ00) PRE (LU07807 LU08025 LU08290 LU08317) SUP (LT08927 LT08931 LT08968 LT08990 LT09037) ++IF FMID(CSIQJ01) REQ(LU09038). ++HOLD (LU09037) SYSTEM FMID(CSIQJ00) REASON (ACTION) DATE (23040) COMMENT (<pre> +-----+ Endevor Version 19.0 +-----+ SEQUENCE Before Apply +-----+ PURPOSE This PTF updates an Endevor TABLE in the CSIQSRC library. If you have customized the TABLE delivered by this PTF, you must backup your customized version of the TABLE before applying this PTF to avoid losing your changes. +-----+ USERS All Endevor users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endevor Administration 3. Endevor TABLES +-----+ ACCESS Update access to the CSIQAUTU library. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized TABLES in CSIQSRC that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated TABLES in CSIQSRC. 4. Assemble and Link the updated TABLE to the CSIQAUTU library. +-----+ </pre>

Service	Details		
	Endevor	Version 19.0	

	SEQUENCE	Before Apply	

	PURPOSE	This PTF updates PANELS in the CSIQPENU library.	
		If you have customized the PANEL(S) delivered by this PTF,	
		you must backup your customized version of the PANEL(S)	
		before applying this PTF to avoid losing your changes.	

	USERS	All Endevor users.	
	AFFECTED		

	KNOWLEDGE	1. SMP/e	
	REQUIRED	2. Endevor Administration	
		3. Endevor PANELS	

	ACCESS	No special access is required.	
	REQUIRED		

	* STEPS TO PERFORM *		

	1. Backup any customized PANELS in CSIQPENU that this PTF supplies.		
	2. APPLY this PTF.		
	3. Re-apply your customizations to the updated PANELS in CSIQPENU.		

	Endevor	Version 19.0	

	SEQUENCE	Before Apply	

	PURPOSE	This PTF updates SKELETONS in the CSIQSENU library.	
		If you have customized the SKELETON(S) delivered by this	
		PTF, you must backup your customized version of the	
		SKELETON(S) before applying this PTF to avoid losing your	
		changes.	

	USERS	All Endevor users.	
	AFFECTED		

	KNOWLEDGE	1. SMP/e	
	REQUIRED	2. Endevor Administration	
		3. Endevor PANELS	

	ACCESS	No special access is required.	
	REQUIRED		

	* STEPS TO PERFORM *		

	1. Backup any customized SKELETONS in CSIQSENU that this PTF supplies.		
	2. APPLY this PTF.		
	3. Re-apply your customizations to the updated SKELETONS in CSIQSENU.		

	Endevor	Version 19.0	

Service	Details		
	+-----+-----+-----+		
	SEQUENCE	Before Apply	
	+-----+-----+-----+		
	PURPOSE	This PTF updates REXX programs in the CSIQCLS0 library.	
		If you have customized the REXX programs delivered by	
		this PTF, you must backup your customized version of the	
		REXX program(s) before applying this PTF to avoid losing	
		your changes.	
	+-----+-----+-----+		
	USERS	All Endevor users.	
	AFFECTED		
	+-----+-----+-----+		
	KNOWLEDGE	1. SMP/e	
	REQUIRED	2. Endevor Administration	
		3. Endevor REXX program customization	
	+-----+-----+-----+		
	ACCESS	No special access is required.	
	REQUIRED		
	+-----+-----+-----+		

	* STEPS TO PERFORM *		

	1. Backup any customized REXX programs in CSIQCLS0 that this PTF		
	supplies.		
	2. APPLY this PTF.		
	3. Re-apply your customizations to the updated REXX programs in		
	CSIQCLS0.		
	).		

Service	Details
LU09038	LU09038 M.C.S. ENTRIES = ++PTF (LU09038) REWORK(2023040) (E) QE ELEMENT LIST COLUMN CUSTOMIZATION - CCOLS ENHANCEMENT DESCRIPTION: The Quick Edit CCOLS command will allow you to customize Element selection list table columns. Specifically you can arrange the column sequence, change colors and change column width. You can fix the selected columns in position while scrolling with separator line. Issue the CCOLS command to open the customization panel. For more information about using the command, use Help. PRODUCT(S) AFFECTED: Endevor Version 19.0 Related Problem: ENDBAS 19115 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00062-SCM190 DESC((E) QE ELEMENT LIST COLUMN CUSTOMIZATION - CCOLS). ++VER (Z038) FMID (CSIQJ01) PRE (LU07910 LU08291) SUP (LT08928 LT08932 LT08969 LT08991 LT09038) ++IF FMID(CSIQJ00) REQ(LU09037). ++HOLD (LU09038) SYSTEM FMID(CSIQJ01) REASON (ACTION) DATE (23040) COMMENT (<pre> +-----+ Endevor Version 19.0 +-----+ SEQUENCE Before Apply +-----+ PURPOSE This PTF updates PANELS in the CSIQPJPN library. If you have customized the PANEL(S) delivered by this PTF, you must backup your customized version of the PANEL(S) before applying this PTF to avoid losing your changes. +-----+ USERS All Endevor users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endevor Administration 3. Endevor PANELS +-----+ ACCESS No special access is required. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized PANELS in CSIQPJPN that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated PANELS in CSIQPJPN.). </pre> MCS LU08372 STARTS ON PAGE 0002

Endevor SCM 19.0
CA RS 2303 - PTF LU09038 Details

17

Service	Details		
	MCS	LU08585	STARTS ON PAGE 0003
	MCS	LU08624	STARTS ON PAGE 0004
	MCS	LU08893	STARTS ON PAGE 0005
	MCS	LU08967	STARTS ON PAGE 0006
	MCS	LU09002	STARTS ON PAGE 0008
	MCS	LU09037	STARTS ON PAGE 0008
	MCS	LU09038	STARTS ON PAGE 0012

Endevor SCM 19.0
CA RS 2303 Product/Component Listing

18

Product Family	Product	Release
DevOps	ENDEVOR SOFTWARE CHANGE MANAGER	19.00.00
The CA RS 2303 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2303	LU09038	CSIQJ01
	LU09037	CSIQJ00
	LU09002	CSIQJ00
	LU08967	CSIQJ00
	LU08893	CSIQJ00
	LU08624	CSIQJ00
	LU08585	CSIQJ00
	LU08372	CSIQJ00
CAR2302	LU08824	CSIQJ00
	LU08707	CSIQJ00
	LU08633	CSIQJ00
	LU08548	CSIQJ00
	LU08473	CSIQJ00
	LU08456	CSIQJ01
	LU08455	CSIQJ00
	LU08332	CSIQJ00
	LU08291	CSIQJ01
	LU08290	CSIQJ00
CAR2301	LU08348	CSIQJ00
	LU08317	CSIQJ00
	LU08204	CSIQJ00
CAR2212	LU08026	CSIQJ01
	LU08025	CSIQJ00
	LU07910	CSIQJ01
	LU07807	CSIQJ00
	LU07637	CSIQJ00
	LU07622	CSIQJ00
	LU07595	CSIQJ01
	LU07594	CSIQJ00
	LU07471	CSIQJ00
CAR2211	LU07774	CSIQJ02
	LU07479	CSIQJ00
	LU07452	CSIQJ00
	LU07449	CSIQJ00
	LU07409	CSIQJ00
	LU07305	CSIQJ00
CAR2210	LU07390	CSIQJ00
	LU07246	CSIQJ00
	LU07150	CSIQJ00
	LU07143	CSIQJ01
	LU07142	CSIQJ00
	LU07139	CSIQJ00
	LU07137	CSIQJ00
	LU07088	CSIQJ00