## Endevor SCM 19.0 CA RS 2304 Service List

Service	Description	Type
LU08645	IMGR255E REGISTRATION ERROR	PTF
LU09184	ERROR MESSAGE SMGR055E OR SOC4 ABEND IN BC1PRBLS	PTF
LU09192	CCOLS ENDIE250 ISPF PANEL ERRORS AND COPYELM COMMAND	PTF
LU09225	ABEND OC4 IN SCRNMAIN DURING PROCESSOR EXECUTION	PTF
LU09310	LAST DIGIT OF UPDATED TIME IS MISSING IN C1SEA200 PANEL	PTF
LU09340	ENDEVOR WEB SERVICES STARTED TASK CANCELLATION - S222	PTF
LU09381	CCOLS ENDIE250 ISPF PANEL ERRORS AND COPYELM COMMAND	PTF
LU09420	PROCESSOR ENDS RC=0 BUT PROCESSOR IS NOT EXECUTED	** PRP **
LU09458	WEB SERVICES ADD ELEMENT WITH CHARSET, MINOR HEALTHCHECK FIX	PTF

# Endevor SCM CA RS 2304 Service List for CSIQJ00

FMID	Service	Description	Туре
CSIQJ00	LU08645	IMGR255E REGISTRATION ERROR	PTF
	LU09184	ERROR MESSAGE SMGR055E OR SOC4 ABEND IN BC1PRBLS	PTF
	LU09192	CCOLS ENDIE250 ISPF PANEL ERRORS AND COPYELM COMMAND	PTF
	LU09225	ABEND OC4 IN SCRNMAIN DURING PROCESSOR EXECUTION	PTF
	LU09310	LAST DIGIT OF UPDATED TIME IS MISSING IN C1SEA200 PANEL	PTF
	LU09340	ENDEVOR WEB SERVICES STARTED TASK CANCELLATION - S222	PTF
	LU09420	PROCESSOR ENDS RC=0 BUT PROCESSOR IS NOT EXECUTED	** PRP **
	LU09458	WEB SERVICES ADD ELEMENT WITH CHARSET, MINOR HEALTHCHECK FIX	PTF
		The CA RS 2304 service count for this FMID is 8	

# Endevor SCM CA RS 2304 Service List for CSIQJ01

FMID	Service	Description	Type
CSIQJ01	LU09381	CCOLS ENDIE250 ISPF PANEL ERRORS AND COPYELM COMMAND	PTF
	The	CA RS 2304 service count for this FMID is 1	

## Endevor SCM 19.0 CA RS 2304 - PTF LU08645 Details

Service	Details		
LU08645	LU08645 M.C.S. ENTRIES = ++PTF (LU08645) REWORK(2023076)		
	IMGR255E REGISTRATION ERROR		
	PROBLEM DESCRIPTION:		
	When element registration is enabled across all systems at th	e	
	processor group level, a conflict of duplicate names is found	after	
	the attempt to add an element and another element with the sa	me	
	name, same type, same processor output type exists in a paral	lel	
	environment.		
	SYMPTOMS:		
	Action fails with an error:		
	IMGR255E REG. ERROR: ELM EXISTS W/SAME PROC GRP O/P TYPE		
	and the location information where the duplicate element was	found.	
	IMPACT:		
	The action is terminated and a message is issued:		
	IMGR255E REG. ERROR: ELM EXISTS W/SAME PROC GRP O/P TYPE		
	CIRCUMVENTION:		
	None.		
	PRODUCT(S) AFFECTED:	***	400
		Version	
		Release Version	
	Related Problem:	version	19.0
	ENDBAS 17994		
	(C) 2023 Broadcom Inc and/or its subsidiaries; All rights res	erved	
	R00045-SCM190	erved	
	NOOD SCHILLS		
	DESC(IMGR255E REGISTRATION ERROR).		
	++VER (Z038)		
	FMID (CSIQJ00)		
	PRE ( LU07246 )		
	SUP ( LT07232 LT08460 LT08645 )		

## Endevor SCM 19.0 CA RS 2304 - PTF LU09184 Details

Service	Details	
LU09184	LU09184 M.C.S. ENTRIES = ++PTF (LU09184) REWORK(2023074)	
	ERROR MESSAGE SMGR055E OR SOC4 ABEND IN BC1PRBLS	
	PROBLEM DESCRIPTION:	
	An ADD, MOVE or TRANSFER of an element can fail with error message	
	SMGR055E or encounter a S0C4 abend in BC1PRBLS.	
	SYMPTOMS:	
	The action fails with return code 12 or 16.	
	IMPACT:	
	The action fails.	
	CIRCUMVENTION:	
	In some cases, the action completes successfully in a batch job with	
	REGION=OM.	
	A more general circumvention is to change C1DEFLTS parameter VIOUNIT	
	to name a unit that has 59 or more online devices.	
	PRODUCT(S) AFFECTED:	
	Endevor Software Change Manager Version	18.0
	Endevor Software Change Manager Release	18.1
	Endevor Version	19.0
	Related Problem:	
	ENDBAS 19533	
	(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved	
	R00068-SCM190	
	DESC(ERROR MESSAGE SMGR055E OR SOC4 ABEND IN BC1PRBLS).	
	++VER (Z038)	
	FMID (CSIQJ00)	
	SUP ( LT09184 )	

### Endevor SCM 19.0 CA RS 2304 - PTF LU09192 Details

Service	Details
	LU09192 M.C.S. ENTRIES = ++PTF (LU09192) REWORK(2023083)
	( ) ( ) ( ) ( ) ( )
	CCOLS ENDIE250 ISPF PANEL ERRORS AND COPYELM COMMAND
	PROBLEM DESCRIPTION:
	Endevor will stop with an ISPF error upon entry to element selection panel
	ENDIE250.
	The problem is caused by displaying the "middle panel". If the sequence of
	display is ENDIE110 (main screen)> ENDIE250, there is no error.
	If for example APPLY FILTER = Y is set, another panel displays
	between ENDIE110 and ENDIE250 like this:
	ENDIE110> ENDIE140> ENDIE250 that will cause the problem and in the
	long run any panel except ENDIE110 will cause the issue.
	Additionally, if COPYELM command is issued, panel ENDIE910 will fail with
	same message as in the case of ENDIE250.
	Known cases:
	APPLY FILTER = Y - ENDIE140
	ELMNM PROMPT=ON and wildcarded element/BUILD USING MAP=Y- ENDIEH2O/ENDIEH10
	COPYELM command - ENDIE910
	SYMPTOMS:
	ISPF error message ISPT052 is displayed upon entry to the ENDIE250 panel and
	the Endevor QE application is stopped.
	IMPACT:
	Endevor QE will stop functioning.
	CIRCUMVENTION:
	Use the CCOLS command or access ENDIE250 without steps in known cases to
	load the values for the ENDIE250 panel, and only after that use the
	preferred way. This method works for one login to Endever and needs
	to be done again after logout. This method works for all above except
	COPYELM.
	PRODUCT(S) AFFECTED:
	Endevor Version 19.0
	Related Problem:
	ENDBAS 19719
	(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved
	R00070-SCM190
	DESC(CCOLS ENDIE250 ISPF PANEL ERRORS AND COPYELM COMMAND).
	++VER (Z038)
	FMID (CSIQJ00)
	PRE ( LU09037 )
	SUP ( LT09192 )
	++IF FMID(CSIQJ01) REQ( LU09381 ).
	++HOLD (LU09192) SYSTEM FMID(CSIQJ00)
	REASON (ACTION ) DATE (23083)
	COMMENT (
	Findover Vergion 19 0
	i ·
	REXX program(s) before applying this PTF to avoid losing
	Endevor

## Endevor SCM 19.0 CA RS 2304 - PTF LU09192 Details

Service		Details	
		your changes.	 -+
	USERS    AFFECTED		1
	KNOWLEDGE    REQUIRED	<ol> <li>SMP/e</li> <li>Endevor Administration</li> <li>Endevor REXX program customization</li> </ol>	 
	REQUIRED		-+   
	************  * STEPS 7	**************************************	-+
	2. APPLY thi 3. Re-apply CSIQCLSO.	s PTF. your customizations to the updated REXX programs in	
	Endevo		
	SEQUENCE	Before Apply	-+ 
		This PTF updates SKELETONS in the CSIQSENU library.  If you have customized the SKELETON(S) delivered by this  PTF, you must backup your customized version of the  SKELETON(S) before applying this PTF to avoid losing your changes.	I
	USERS     AFFECTED	All Endevor users.	-+   
	i i	2. Endevor Administration 3. Endevor PANELS	-+     
		No special access is required.	-+   
	**************************************	PERFORM *  "**********  TO PERFORM *  "************  The control of the updated SKELETONS in CSIQSENU.  The control of the updated SKELETONS in CSIQSENU.	-+
	).		

## Endevor SCM 19.0 CA RS 2304 - PTF LU09225 Details

Service	Details	
LU09225	LU09225 M.C.S. ENTRIES = ++PTF (LU09225) REWORK(2023072)	
	ABEND OC4 IN SCRNMAIN DURING PROCESSOR EXECUTION	
	PROBLEM DESCRIPTION:	
	When executing an element action, such as GENERATE, an	
	ABEND 0C4 in SCRNMAIN could occur.	
	SYMPTOMS:	
	ABEND 0C4 in SCRNMAIN module.	
	IMPACT:	
	ENDEVOR can't perform the action.	
	CIRCUMVENTION:	
	PRODUCT(S) AFFECTED:	
	Endevor Software Change Manager Version 18.	. О
	Endevor Software Change Manager Release 18.	
	Endevor Version 19.	. 0
	Related Problem:	
	ENDBAS 19560	
	(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved	
	R00071-SCM190	
	DESC(ABEND OC4 IN SCRNMAIN DURING PROCESSOR EXECUTION).	
	++VER (Z038)	
	FMID (CSIQJ00)	
	SUP ( LT09225 )	

## Endevor SCM 19.0 CA RS 2304 - PTF LU09310 Details

Service	Details	
LU09310	LU09310 M.C.S. ENTRIES = ++PTF (LU09310) REWORK(2023072)	
	LAST DIGIT OF UPDATED TIME IS MISSING IN C1SEA200 PANEL	
	PROBLEM DESCRIPTION:	
	When creating a new processor group, the update time is miss	ing the
	last digit. This happens only after updating symbolics.	
	SYMPTOMS:	
	Incorrect updated time is displayed.	
	IMPACT:	
	CIRCUMVENTION:	
	PRODUCT(S) AFFECTED:	
	Endevor Software Change Manager	Version 18.0
	Endevor Software Change Manager	Release 18.1
	Endevor	Version 19.0
	Related Problem:	
	ENDBAS 19610	
	(C) 2023 Broadcom Inc and/or its subsidiaries; All rights re	served
	R00072-SCM190	
	DESC(LAST DIGIT OF UPDATED TIME IS MISSING IN C1SEA200 PANEL	).
	++VER (Z038)	
	FMID (CSIQJ00)	
	SUP ( LT09310 )	

## Endevor SCM 19.0 CA RS 2304 - PTF LU09340 Details

Service		Details	
LU09340	LU09340 M	.C.S. ENTRIES = ++PTF (LU09340) REWORK(2023075)	
	ENDEVOR WEB	SERVICES STARTED TASK CANCELLATION - S222	
	PROBLEM DES	CRIPTION:	
	Termination	process of Endevor Webservices started task was	prolonged
	due to high	CPU usage, which caused STC getting cancelled by	ENF.
	SYMPTOMS:		
		cancelled, which results in the following abend:	
		ABEND=S222 U0000 REASON=00000000	
	IMPACT:	december offset work of a product because it bann	ong ofter
		doesn't affect work of a product, because it happ ll response from Endevor Webservices.	ens arter
	CIRCUMVENTI	•	
	None.	O	
	PRODUCT(S)	AFFECTED:	
		tware Change Manager	Release 18.0
		tware Change Manager	Release 18.1
	Endevor		Version 19.0
	Related Pro	blem:	
	ENDBAS 1883	8	
	(C) 2023 Br	oadcom Inc and/or its subsidiaries; All rights re	served
	R00075-SCM1	90	
	DESC (ENDEVO	R WEB SERVICES STARTED TASK CANCELLATION - S222).	
	++VER (Z038	)	
	FMID (CSIQJ	00)	
		26 LT07409 LT08938 LT09164 LT09314 LT09340 LU0740	9 )
	++HOLD (LUO	9340) SYSTEM FMID(CSIQJ00)	9 )
	++HOLD (LUO REASON (ACT		9 )
	++HOLD (LUO	9340) SYSTEM FMID(CSIQJ00) ION ) DATE (23075)	
	++HOLD (LUO REASON (ACT	9340) SYSTEM FMID(CSIQJ00) ION ) DATE (23075)	
	++HOLD (LUO REASON (ACT COMMENT ( +	9340) SYSTEM FMID(CSIQJ00) ION ) DATE (23075)	+ n 19.0
	++HOLD (LUO REASON (ACT COMMENT ( +	9340) SYSTEM FMID(CSIQJ00) ION ) DATE (23075)or Version	+ n 19.0
	++HOLD (LUO REASON (ACT COMMENT ( +   Endev +   SEQUENCE	9340) SYSTEM FMID(CSIQJ00)  ION ) DATE (23075)  or Version    After Apply	+ n 19.0
	++HOLD (LUO REASON (ACT COMMENT ( +	9340) SYSTEM FMID(CSIQJ00)  ION ) DATE (23075)  or Version  +	+ n 19.0
	++HOLD (LUO REASON (ACT COMMENT ( +   Endev +   SEQUENCE +   PURPOSE	9340) SYSTEM FMID(CSIQJ00)  ION ) DATE (23075)  or Version  +	n 19.0   
	++HOLD (LUO REASON (ACT COMMENT ( +   Endev. +  SEQUENCE +  PURPOSE	9340) SYSTEM FMID(CSIQJ00)  ION ) DATE (23075)  or Version    After Apply	n 19.0   
	++HOLD (LUO REASON (ACT COMMENT ( +   Endev. +  SEQUENCE +  PURPOSE	9340) SYSTEM FMID(CSIQJ00)  ION ) DATE (23075)  or Version  +	n 19.0   
	++HOLD (LUO REASON (ACT COMMENT ( +	9340) SYSTEM FMID(CSIQJ00)  ION ) DATE (23075)  or Version    After Apply	n 19.0   
	++HOLD (LUO REASON (ACT COMMENT ( +   Endev +  SEQUENCE +  PURPOSE          USERS	9340) SYSTEM FMID(CSIQJ00)  ION ) DATE (23075)  or Version  +	n 19.0   
	++HOLD (LUO REASON (ACT COMMENT ( +   Endev +  SEQUENCE +  PURPOSE          USERS	9340) SYSTEM FMID(CSIQJ00)  ION ) DATE (23075)  or Version    After Apply	n 19.0   
	++HOLD (LUO REASON (ACT COMMENT ( +   Endev +  SEQUENCE +  PURPOSE                  USERS  AFFECTED	9340) SYSTEM FMID(CSIQJ00)  ION ) DATE (23075)  or Version  +	n 19.0   
	++HOLD (LUO REASON (ACT COMMENT ( +	9340) SYSTEM FMID(CSIQJ00)  ION ) DATE (23075)  or Version  +	n 19.0   
	++HOLD (LUO REASON (ACT COMMENT ( +   Endev. +  SEQUENCE +  PURPOSE          USERS  AFFECTED +  KNOWLEDGE  REQUIRED	9340) SYSTEM FMID(CSIQJ00)  ION ) DATE (23075)  or Version  +	n 19.0   
	++HOLD (LUO REASON (ACT COMMENT ( +	9340) SYSTEM FMID(CSIQJ00) ION ) DATE (23075)  or Version  +	n 19.0   
	++HOLD (LUO REASON (ACT COMMENT ( +	9340) SYSTEM FMID(CSIQJ00) ION ) DATE (23075)  or Version    After Apply	n 19.0   
	++HOLD (LUO REASON (ACT COMMENT ( +	9340) SYSTEM FMID(CSIQJ00) ION ) DATE (23075)  or Version  +	+ n 19.0  +      +       t         t
	++HOLD (LUO REASON (ACT COMMENT ( +   Endev. +   SEQUENCE +   PURPOSE           +   IUSERS   AFFECTED +   KNOWLEDGE   REQUIRED	9340) SYSTEM FMID(CSIQJ00) ION ) DATE (23075)  or Version    After Apply	+ n 19.0  +      +       t         t
	++HOLD (LUO REASON (ACT COMMENT ( +   Endev. +   SEQUENCE +   PURPOSE           +   KNOWLEDGE   REQUIRED	9340) SYSTEM FMID(CSIQJ00) ION ) DATE (23075)  or Version    After Apply	+ n 19.0  +      +       t         t
	++HOLD (LUO REASON (ACT COMMENT ( +   Endev. +   SEQUENCE +   PURPOSE           +   KNOWLEDGE   REQUIRED	9340) SYSTEM FMID(CSIQJ00) ION ) DATE (23075)  or Version    After Apply	19.0  +
	++HOLD (LUO REASON (ACT COMMENT ( +	9340) SYSTEM FMID(CSIQJ00)  ION ) DATE (23075)  or Version  +	19.0  +

## Endevor SCM 19.0 CA RS 2304 - PTF LU09340 Details

Service	Details
	***********
	1. Stop the Endevor WS Tomcat task
	2. Find your backed-up version of the WSTOMINS job used to install
	Endevor web services. If it isn't available, customize the sample
	job WSTOMINS from the Endevor CSIQJCL library again, following the
	instructions in the JCL and save it for future use.
	3. In WSTOMINS set the JCL symbol 'ACTION' to 'UPDATE'
	4. Submit the WSTOMINS job and wait for it to finish successfully.
	5. Start the Endevor WS Tomcat
	).

## Endevor SCM 19.0 CA RS 2304 - PTF LU09381 Details

Service	Details
LU09381	LU09381 M.C.S. ENTRIES = ++PTF (LU09381) REWORK(2023083)
	CCOLS ENDIE250 ISPF PANEL ERRORS AND COPYELM COMMAND
	PROBLEM DESCRIPTION:
	Endevor will stop with an ISPF error upon entry to element selection panel
	ENDIE250.
	The problem is caused by displaying the "middle panel". If the sequence of
	display is ENDIE110 (main screen)> ENDIE250, there is no error.
	If for example APPLY FILTER = Y is set, another panel displays
	between ENDIE110 and ENDIE250 like this :
	ENDIE110> ENDIE140> ENDIE250 that will cause the problem and in the
	long run any panel except ENDIE110 will cause the issue.
	Additionally, if COPYELM command is issued, panel ENDIE910 will fail with
	same message as in the case of ENDIE250.
	Known cases :
	APPLY FILTER = Y - ENDIE140
	ELMNM_PROMPT=ON and wildcarded element/BUILD USING MAP=Y- ENDIEH2O/ENDIEH10
	COPYELM command - ENDIE910
	SYMPTOMS:
	ISPF error message ISPT052 is displayed upon entry to the ENDIE250 panel and
	the Endevor QE application is stopped.
	IMPACT:
	Endevor QE will stop functioning.
	CIRCUMVENTION:
	Use the CCOLS command or access ENDIE250 without steps in known cases to
	load the values for the ENDIE250 panel, and only after that use the
	preferred way. This method works for one login to Endever and needs
	to be done again after logout. This method works for all above except
	COPYELM.
	PRODUCT(S) AFFECTED:
	Endevor Version 19.0
	Related Problem:
	ENDBAS 19719
	(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved
	R00070-SCM190
	DESC(CCOLS ENDIE250 ISPF PANEL ERRORS AND COPYELM COMMAND).
	++VER (Z038)
	FMID (CSIQJ01)
	PRE ( LU09038 )
	SUP ( LT09381 )
	++IF FMID(CSIQJ00) REQ( LU09192 ).

## Endevor SCM 19.0 CA RS 2304 - PTF LU09420 Details

Service	Details		
LU09420	LU09420 M.C.S. ENTRIES = ++PTF (LU09420) REWORK(2023086)		
	PROCESSOR ENDS RC=0 BUT PROCESSOR IS NOT EXECUTED		
	PROBLEM DESCRIPTION:		
	After the PTF for problem 7821 is applied, processors may not execute.		
	These are the sysmods for problem 7821:		
	Release: Sysmod:		
	18.0 LU08622		
	18.1 LU08623		
	19.0 LU08624		
	SYMPTOMS:		
	Endevor may completely skip execution of the processor, yet the		
	action return code and the processor return code are zero.		
	IMPACT:		
	Processor outputs are not created, updated or deleted.		
	CIRCUMVENTION:		
	None.		
	PRODUCT(S) AFFECTED:		
	Endevor Software Change Manager Version 18.0		
	Endevor Software Change Manager Release 18.1		
	Endevor Version 19.0		
	Related Problem:		
	ENDBAS 19824		
	(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved		
	R00077-SCM190		
	DESC(PROCESSOR ENDS RC=0 BUT PROCESSOR IS NOT EXECUTED).		
	++VER (Z038)		
	FMID (CSIQJ00)		
	PRE ( LU08624 )		
	SUP ( AL08624 LT09420 )		

## Endevor SCM 19.0 CA RS 2304 - PTF LU09458 Details

Service	Details		
LU09458	LU09458 M.C.S. ENTRIES = ++PTF (LU09458) REWORK(2023086)		
	WEB SERVICES ADD ELEMENT WITH CHARSET, MINOR HEALTHCHECK FIX		
	PROBLEM DESCRIPTION:		
	In the Endevor Web Services REST API, when the Add Element act:	ion is used	
	with a file to upload, which has a specified Content-Type incl	uding charset,	
	the charset value is ignored.		
	On the main web services web page at /EndevorService, do not a	llow any	
	displayed messages to contain full file paths to files inside	the web	
	server folder. This is a precaution to prevent a potential att	acker from	
	gaining information about the folder structure the server is a	part of.	
	SYMPTOMS:		
	Uploading an element content using a different charset than the	e server	
	default, with the charset specified on Content-Type, will result in corrupt		
	Endevor element content due to incorrect translation to EBCDIC	. Affects only	
	elements whose type definitions contain DATA FORMAT = TEXT.		
	When browsing host:port/EndevorService/config, the full path to	o a file inside	
	the Tomcat server is displayed once you press 'verify' with the	e wrong token.	
	IMPACT:		
	Special characters in an element that was added via REST API in	n the	
	way described above can become corrupted.		
	A potential attacker can obtain information about the full path	h to the Tomcat	
	server. This is not exploitable on its own, but it should still	l be avoided	
	as a security best practice.		
	CIRCUMVENTION:		
	Follow the Add Element REST call with an Update Element call us	_	
	source file, or use a different API to add the element to Ende	vor.	
	PRODUCT(S) AFFECTED:		
		elease 18.1	
		ersion 19.0	
	Related Problem:		
	ENDBAS 19881		
	(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved		
	R00079-SCM190		
	DESCRIPTOR CENTRES AND FLEMENT LITTLE CHARGET MINOR HEAT THOUGHEST	ETV)	
	DESC (WEB SERVICES ADD ELEMENT WITH CHARSET, MINOR HEALTHCHECK	flX).	
	++VER (Z038) FMID (CSIQJ00)		
	SUP ( LT07326 LT07409 LT08938 LT09164 LT09314 LT09340 LT09458		
	LU07409 LU09340 )		
	++HOLD (LU09458) SYSTEM FMID(CSIQJ00)		
	REASON (ACTION ) DATE (23086)		
	COMMENT (		
	+	+	
	Endevor Version	19.0	
	+	· ·	
	   SEQUENCE	1	
	+	+	
		1	
	To implement this update, you must update	1	
	the Web Services component of your target Tomcat	1	
	directory and recycle the Tomcat server.	1	
	 	+	
	USERS	1	

## Endevor SCM 19.0 CA RS 2304 - PTF LU09458 Details

Service	Details				
	AFFECTED	All users of Endeve	or Web Services.	I	
	+			+	
	KNOWLEDGE	1. SMP/e		ı	
	REQUIRED	2. Endevor Web Serv	vices	ı	
	1	3. Tomcat		ı	
	1	4. Unix System Serv	vices	1	
	++			+	
	ACCESS	1a. Update access	to USS target and deployment files	1	
	REQUIRED	1b. Or the authori	ty to use the -su command	1	
	I	2. Ability to stop	and start Tomcat	1	
	++			+	
	***********				
	* STEPS TO PERFORM *				
	**********				
	1. Stop the Endevor WS Tomcat task				
	2. Find your backed-up version of the WSTOMINS job used to install				
	Endevor web services. If it isn't available, customize the sample				
	job WSTOMINS from the Endevor CSIQJCL library again, following the				
	instructions in the JCL and save it for future use.				
	3. In WSTOMINS set the JCL symbol 'ACTION' to 'UPDATE'				
	4. Submit the WSTOMINS job and wait for it to finish successfully.				
		Endevor WS Tomcat			
	).				
	MCS	LU08645	STARTS ON PAGE 0002		
	MCS	LU09184	STARTS ON PAGE 0002		
	MCS	LU09192	STARTS ON PAGE 0003		
	MCS		STARTS ON PAGE 0005		
	MCS	LU09310	STARTS ON PAGE 0006		
	MCS	LU09340	STARTS ON PAGE 0007		
	MCS	LU09381	STARTS ON PAGE 0008		
	MCS	LU09420	STARTS ON PAGE 0010		
	MCS	LU09458	STARTS ON PAGE 0010		

## Endevor SCM 19.0 CA RS 2304 Product/Component Listing

Product Family	Product	Release
Dev0ps	ENDEVOR SOFTWARE CHANGE MANAGER	19.00.00
1	The CA RS 2304 Product/Component Count for this release is 1	

CA RS Level	Service	FMID
CAR2304	LU09458	CSIQJ00
	LU09420	CSIQJ00
	LU09381	CSIQJ01
	LU09340	CSIQJ00
	LU09310	CSIQJ00
	LU09225	CSIQJ00
	LU09192	CSIQJ00
	LU09184	CSIQJ00
	LU08645	CSIQJ00
CAR2303	LU09038	CSIQJ01
	LU09037	CSIQJ00
	LU09002	CSIQJ00
	LU08967	CSIQJ00
	LU08893	CSIQJ00
	LU08624	CSIQJ00
	LU08585	CSIQJ00
	LU08372	CSIQJ00
CAR2302	LU08824	CSIQJ00
	LU08707	CSIQJ00
	LU08633	CSIQJ00
	LU08548	CSIQJ00
	LU08473	CSIQJ00
	LU08456	CSIQJ01
	LU08455	CSIQJ00
	LU08332	CSIQJ00
	LU08291	CSIQJ01
	LU08290	CSIQJ00
CAR2301	LU08348	CSIQJ00
	LU08317	CSIQJ00
	LU08204	CSIQJ00
CAR2212	LU08026	CSIQJ01
	LU08025	CSIQJ00
	LU07910	CSIQJ01
	LU07807	CSIQJ00
	LU07637	CSIQJ00
	LU07622	CSIQJ00
	LU07595	CSIQJ01
	LU07594	CSIQJ00
	LU07471	CSIQJ00
CAR2211	LU07774	CSIQJ02
	LU07479	CSIQJ00
	LU07452	CSIQJ00
	LU07449	CSIQJ00
	LU07409	CSIQJ00
	LU07305	CSIQJ00
CAR2210	LU07390	CSIQJ00
	LU07246	CSIQJ00

## Endevor SCM 19.0 All CA RS Levels Service List

CA RS Level	Service	FMID
	LU07150	CSIQJ00
	LU07143	CSIQJ01
	LU07142	CSIQJ00
	LU07139	CSIQJ00
	LU07137	CSIQJ00
	LU07088	CSIQJ00