

Endevor SCM 19.0
CA RS 2305 Service List

1

Service	Description	Type
LU09062	DATA CORRUPTION COULD OCCUR IN ACMQ FILES (ACMROOT/ACMXREF)	PTF
LU09370	S913 ABEND DURING GENERATE AFTER NAME REGISTRATION WARNING	PTF
LU09560	"ADD FROM" DATA SET REMAINS ALLOCATED AFTER PACKAGE CAST	PTF
LU09579	USING RECENTLY DEFINED ENTITY MAY CAUSE 'NOT DEFINED' ERROR	PTF
LU09608	CIE0125E LONG MESSAGE IS TRUNCATED WHEN HITTING PF1.	PTF
LU09609	CIE0125E LONG MESSAGE IS TRUNCATED WHEN HITTING PF1.	PTF
LU09718	TITLE: (E) ECLIPSE UI: RELEASE 19.0.1	PTF
LU09721	CONMOVE PROCESSOR SMPL, MINOR UPDATES TO SMPLDEFT, ENDEVORS	PTF
LU09828	ENDEVOR WEB SERVICES INSTALL SCRIPT(WSTOMINS) IMPROVEMENT	PTF
LU09867	WEBSERVICES SOAP FRAMEWORK UPDATE	PTF
The CA RS 2305 service count for this release is 10		

Endevor SCM
CA RS 2305 Service List for CSIQJ00

2

FMID	Service	Description	Type
CSIQJ00	LU09062	DATA CORRUPTION COULD OCCUR IN ACMQ FILES (ACMROOT/ACMXREF)	PTF
	LU09370	S913 ABEND DURING GENERATE AFTER NAME REGISTRATION WARNING	PTF
	LU09560	"ADD FROM" DATA SET REMAINS ALLOCATED AFTER PACKAGE CAST	PTF
	LU09579	USING RECENTLY DEFINED ENTITY MAY CAUSE 'NOT DEFINED' ERROR	PTF
	LU09608	CIE0125E LONG MESSAGE IS TRUNCATED WHEN HITTING PF1.	PTF
	LU09718	TITLE: (E) ECLIPSE UI: RELEASE 19.0.1	PTF
	LU09721	CONMOVE PROCESSOR SMPL, MINOR UPDATES TO SMPLDEFT, ENDEVORS	PTF
	LU09828	ENDEVOR WEB SERVICES INSTALL SCRIPT(WSTOMINS) IMPROVEMENT	PTF
	LU09867	WEBSERVICES SOAP FRAMEWORK UPDATE	PTF
The CA RS 2305 service count for this FMID is 9			

Endevor SCM
CA RS 2305 Service List for CSIQJ01

FMID	Service	Description	Type
CSIQJ01	LU09609	CIE0125E LONG MESSAGE IS TRUNCATED WHEN HITTING PF1.	PTF
The CA RS 2305 service count for this FMID is 1			

Endevor SCM 19.0
CA RS 2305 - PTF LU09062 Details

Service	Details						
LU09062	<p>LU09062 M.C.S. ENTRIES = ++PTF (LU09062) REWORK(2023104)</p> <p>DATA CORRUPTION COULD OCCUR IN ACMQ FILES (ACMROOT/ACMXREF)</p> <p>PROBLEM DESCRIPTION:</p> <p>Data corruption could happen in ACMQ files (ACMROOT/ACMXREF). When corruption happens, incorrect relationships between an element and its related components are recorded. Subsequent utilities that rely on results from ACM database, such as ACM Query and AUTOGEN, may result in incorrect output.</p> <p>SYMPTOMS:</p> <p>Incorrect output for ACM related utilities, such as ACMQ query or AUTOGEN.</p> <p>IMPACT:</p> <p>ACM related utilities don't work, or produce incorrect results.</p> <p>CIRCUMVENTION:</p> <p>Rebuild ACM files completely.</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> <p>Related Problem:</p> <p>ENDBAS 19165</p> <p>(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved</p> <p>R00065-SCM190</p> <p>DESC(DATA CORRUPTION COULD OCCUR IN ACMQ FILES (ACMROOT/ACMXREF)).</p> <p>++VER (Z038)</p> <p>FMID (CSIQJ00)</p> <p>SUP (LT09062)</p>	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Version 19.0
Endevor Software Change Manager	Version 18.0						
Endevor Software Change Manager	Release 18.1						
Endevor	Version 19.0						

Endevor SCM 19.0
CA RS 2305 - PTF LU09370 Details

5

Service	Details						
LU09370	<p>LU09370 M.C.S. ENTRIES = ++PTF (LU09370) REWORK(2023102)</p> <p>S913 ABEND DURING GENERATE AFTER NAME REGISTRATION WARNING</p> <p>PROBLEM DESCRIPTION:</p> <p>Whenever Quick Edit GENERATE processing displays an ENDIE410 panel to warn about an element name registration error of severity W or C (for example an element with the same name is present in a different subsystem) and the user hits ENTER to continue, an S913 abend arises. The accompanying violation message shows that the Endevor message data set (ddname C1#xTMPR) is being opened under the alternate ID.</p> <p>SYMPTOMS:</p> <p>An S913 abend occurs and Quick Edit GENERATE processing is halted.</p> <p>IMPACT:</p> <p>GENERATE action is not successful.</p> <p>CIRCUMVENTION:</p> <p>Perform the generate action in Quick Edit using batch mode.</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> <p>Related Problem:</p> <p>ENDBAS 19595</p> <p>(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved</p> <p>R00076-SCM190</p> <p>DESC(S913 ABEND DURING GENERATE AFTER NAME REGISTRATION WARNING).</p> <p>++VER (Z038)</p> <p>FMID (CSIQJ00)</p> <p>PRE (LU07452 LU08624)</p> <p>SUP (LT09370)</p>	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Version 19.0
Endevor Software Change Manager	Version 18.0						
Endevor Software Change Manager	Release 18.1						
Endevor	Version 19.0						

Service	Details						
LU09560	<p>LU09560 M.C.S. ENTRIES = ++PTF (LU09560) REWORK(2023096)</p> <p>"ADD FROM" DATA SET REMAINS ALLOCATED AFTER PACKAGE CAST</p> <p>PROBLEM DESCRIPTION:</p> <p>When performing Package Cast and the Package has action "Add Element from data set", the "from data set" remains allocated until the address space is terminated. This prevents other users and jobs to work with the data set.</p> <p>If the Cast was done in an ISPF interface, the data set remains allocated until the user's TSO session is ended.</p> <p>If the Cast was done via Endevor Web Services, the data set remains allocated until the Endevor API server started task ends.</p> <p>SYMPTOMS:</p> <p>"Add from" data set remains allocated after Package Cast.</p> <p>IMPACT:</p> <p>Other address spaces cannot use the data set until the user logs out from their TSO session or until the Endevor API server started task ends.</p> <p>Note: The user of the TSO session where Cast was done can work with the data set without restrictions.</p> <p>CIRCUMVENTION:</p> <p>The TSO session user can free the data set manually from TSO ISRDDN.</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> <p>Related Problem:</p> <p>ENDBAS 7634</p> <p>(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved</p> <p>R00085-SCM190</p> <p>DESC("ADD FROM" DATA SET REMAINS ALLOCATED AFTER PACKAGE CAST).</p> <p>++VER (Z038)</p> <p>FMID (CSIQJ00)</p> <p>SUP (LT08924 LT09560)</p>	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Version 19.0
Endevor Software Change Manager	Version 18.0						
Endevor Software Change Manager	Release 18.1						
Endevor	Version 19.0						

Endevor SCM 19.0
CA RS 2305 - PTF LU09579 Details

7

Service	Details						
LU09579	<p>LU09579 M.C.S. ENTRIES = ++PTF (LU09579) REWORK(2023102)</p> <p>USING RECENTLY DEFINED ENTITY MAY CAUSE 'NOT DEFINED' ERROR</p> <p>PROBLEM DESCRIPTION:</p> <p>If an entity is defined immediately before it is used, Endevor may post an error stating that the entity is not defined. For example, the DEFINE PROCESSOR GROUP statement may result in error ENBE079E (Type xxxx is not defined) if it runs right after the DEFINE TYPE action that defines the type xxxx.</p> <p>SYMPTOMS:</p> <p>An error message states that the recently defined entity is not defined. For example, ENBE079E Type is not defined.</p> <p>IMPACT:</p> <p>The entity that was recently defined cannot be processed.</p> <p>CIRCUMVENTION:</p> <p>Run the statement that defines an entity and the statement that uses the entity in separate ENBE1000 steps.</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> <p>Related Problem:</p> <p>ENDBAS 18944</p> <p>(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved</p> <p>R00086-SCM190</p> <p>DESC(USING RECENTLY DEFINED ENTITY MAY CAUSE 'NOT DEFINED' ERROR).</p> <p>++VER (Z038)</p> <p>FMID (CSIQJ00)</p> <p>PRE (LU07246)</p> <p>SUP (LT07232 LT08460 LT08645 LT09579 LU08645)</p>	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Version 19.0
Endevor Software Change Manager	Version 18.0						
Endevor Software Change Manager	Release 18.1						
Endevor	Version 19.0						

Endevor SCM 19.0
CA RS 2305 - PTF LU09608 Details

Service	Details						
LU09608	<p>LU09608 M.C.S. ENTRIES = ++PTF (LU09608) REWORK(2023115)</p> <p>CIE0125E LONG MESSAGE IS TRUNCATED WHEN HITTING PF1.</p> <p>PROBLEM DESCRIPTION:</p> <p>CIE0125E long message is truncated when hitting PF1 key. Message is issued when trying to execute an action in Foreground or Quick Edit whereby the processor group says FOREGROUND=N.</p> <p>SYMPTOMS:</p> <p>CIE0125E long message is truncated.</p> <p>IMPACT:</p> <p>The message is truncated.</p> <p>CIRCUMVENTION:</p> <p>N/A</p> <p>PRODUCT(S) AFFECTED:</p> <table> <tr> <td>Endevor Software Change Manager</td><td>Version 18.0</td></tr> <tr> <td>Endevor Software Change Manager</td><td>Release 18.1</td></tr> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> <p>Related Problem:</p> <p>ENDBAS 19715</p> <p>(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved</p> <p>R00087-SCM190</p> <p>DESC(CIE0125E LONG MESSAGE IS TRUNCATED WHEN HITTING PF1.).</p> <p>++VER (Z038)</p> <p>FMID (CSIQJ00)</p> <p>SUP (LT09608)</p> <p>++IF FMID(CSIQJ01) REQ(LU09609).</p>	Endevor Software Change Manager	Version 18.0	Endevor Software Change Manager	Release 18.1	Endevor	Version 19.0
Endevor Software Change Manager	Version 18.0						
Endevor Software Change Manager	Release 18.1						
Endevor	Version 19.0						

Endevor SCM 19.0
CA RS 2305 - PTF LU09609 Details

Service	Details
LU09609	<p>LU09609 M.C.S. ENTRIES = ++PTF (LU09609) REWORK(2023115)</p> <p>CIE0125E LONG MESSAGE IS TRUNCATED WHEN HITTING PF1. PROBLEM DESCRIPTION: CIE0125E long message is truncated when hitting PF1 key. Message is issued when trying to execute an action in Foreground or Quick Edit whereby the processor group says FOREGROUND=N. SYMPTOMS: CIE0125E long message is truncated. IMPACT: The message is truncated. CIRCUMVENTION: N/A PRODUCT(S) AFFECTED: Endevor Software Change Manager Version 18.0 Endevor Software Change Manager Release 18.1 Endevor Version 19.0 Related Problem: ENDBAS 19715 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00087-SCM190</p> <p>DESC(CIE0125E LONG MESSAGE IS TRUNCATED WHEN HITTING PF1.). ++VER (Z038) FMID (CSIQJ01) SUP (LT09609) ++IF FMID(CSIQJ00) REQ(LU09608).</p>

Service	Details																																												
LU09718	<p>LU09718 M.C.S. ENTRIES = ++PTF (LU09718) REWORK(2023101)</p> <p>TITLE: (E) ECLIPSE UI: RELEASE 19.0.1</p> <p>PROBLEM DESCRIPTION:</p> <p>The 19.0.1 version is focused mainly on fixes and preventative security maintenance but also includes the following enhancements:</p> <ul style="list-style-type: none"> - Element/History Browser <p>This version of the Endevor Client introduces a new browser interface for Element and Component List versions.</p> <ul style="list-style-type: none"> - ACM View <p>Users can now access query the ACM Query Facility from the Endevor Client.</p> <p>SYMPTOMS:</p> <p>N/A</p> <p>IMPACT:</p> <p>N/A</p> <p>CIRCUMVENTION:</p> <p>N/A</p> <p>PRODUCT(S) AFFECTED:</p> <p>CA Endevor SCM Release 19.0</p> <p>Related Problem:</p> <p>ENDBAS 19753</p> <p>(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved</p> <p>R00090-SCM190</p> <p>DESC(TITLE: (E) ECLIPSE UI: RELEASE 19.0.1).</p> <p>++VER (Z038)</p> <p>FMID (CSIQJ00)</p> <p>SUP (LT09539 LT09718)</p> <p>++HOLD (LU09718) SYSTEM FMID(CSIQJ00)</p> <p>REASON (ACTION) DATE (23101)</p> <p>COMMENT (</p> <table border="1"> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> </td> <td>Endevor Version 19.0</td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> SEQUENCE</td> <td> After Apply</td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> PURPOSE</td> <td> This correction delivers an updated Endevor Eclipse</td> </tr> <tr> <td> </td> <td> plug-in. To implement this update, you must DEPLOY or</td> </tr> <tr> <td> </td> <td> UPDATE the Eclipse-BasedUI to the target Tomcat directory</td> </tr> <tr> <td> </td> <td> and then recycle the Tomcat server for this update to be</td> </tr> <tr> <td> </td> <td> available for Eclipse users.</td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> USERS</td> <td> All Endevor Eclipse Plug-in users.</td> </tr> <tr> <td> AFFECTED</td> <td> </td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> KNOWLEDGE</td> <td> 1. SMP/e</td> </tr> <tr> <td> REQUIRED</td> <td> 2. Endevor Web Services</td> </tr> <tr> <td> </td> <td> 3. Tomcat</td> </tr> <tr> <td> </td> <td> 4. Unix System Services</td> </tr> <tr> <td colspan="2">+-----+</td> </tr> <tr> <td> ACCESS</td> <td> 1a. Update access to USS target and deployment files</td> </tr> <tr> <td> REQUIRED</td> <td> 1b. Or the authority to use the -su command</td> </tr> <tr> <td> </td> <td> 2. Ability to stop and start Tomcat</td> </tr> </table>	+-----+			Endevor Version 19.0	+-----+		SEQUENCE	After Apply	+-----+		PURPOSE	This correction delivers an updated Endevor Eclipse		plug-in. To implement this update, you must DEPLOY or		UPDATE the Eclipse-BasedUI to the target Tomcat directory		and then recycle the Tomcat server for this update to be		available for Eclipse users.	+-----+		USERS	All Endevor Eclipse Plug-in users.	AFFECTED		+-----+		KNOWLEDGE	1. SMP/e	REQUIRED	2. Endevor Web Services		3. Tomcat		4. Unix System Services	+-----+		ACCESS	1a. Update access to USS target and deployment files	REQUIRED	1b. Or the authority to use the -su command		2. Ability to stop and start Tomcat
+-----+																																													
	Endevor Version 19.0																																												
+-----+																																													
SEQUENCE	After Apply																																												
+-----+																																													
PURPOSE	This correction delivers an updated Endevor Eclipse																																												
	plug-in. To implement this update, you must DEPLOY or																																												
	UPDATE the Eclipse-BasedUI to the target Tomcat directory																																												
	and then recycle the Tomcat server for this update to be																																												
	available for Eclipse users.																																												
+-----+																																													
USERS	All Endevor Eclipse Plug-in users.																																												
AFFECTED																																													
+-----+																																													
KNOWLEDGE	1. SMP/e																																												
REQUIRED	2. Endevor Web Services																																												
	3. Tomcat																																												
	4. Unix System Services																																												
+-----+																																													
ACCESS	1a. Update access to USS target and deployment files																																												
REQUIRED	1b. Or the authority to use the -su command																																												
	2. Ability to stop and start Tomcat																																												

Service	Details
	<pre> +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. Stop the Endevor WS Tomcat task 2. Find your backed-up version of the WSTOMINS job used to deploy the Eclipse UI to Tomcat. If it isn't available, customize the sample job WSTOMINS from the Endevor CSIQJCL library again, following the instructions in the JCL and save it for future use. 3. In WSTOMINS set the JCL symbol 'ACTION' to 'ECLIPSE' 4. Submit the WSTOMINS job and wait for it to finish successfully. 5. Start the Endevor WS Tomcat 6. Inform users that an update is available and they should "Check for new Software" in Eclipse to update the version of the Endevor plug-in installed on their machine.).</pre>

Service	Details
LU09721	<p>LU09721 M.C.S. ENTRIES = ++PTF (LU09721) REWORK(2023107)</p> <p>CONMOVE PROCESSOR SMPL, MINOR UPDATES TO SMPLDEFT, ENDEVORS ENHANCEMENT DESCRIPTION: This enhancement delivers sample move processor CONMOVE to the CSIQSAMP library that uses the new processor utility CONMOVE. Updates are also provided to member ENDEVORS in CSIQCLS0 and SMPLDEFT in CSIQSAMP to remove unnecessary comments. PRODUCT(S) AFFECTED: Endevor Software Change Manager Release 18.1 Endevor Version 19.0 Related Problem: ENDBAS 20065 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00091-SCM190</p> <p>DESC(CONMOVE PROCESSOR SMPL, MINOR UPDATES TO SMPLDEFT, ENDEVORS). ++VER (Z038) FMID (CSIQJ00) PRE (LU07150 LU07449) SUP (LT07150 LT09721) ++HOLD (LU09721) SYSTEM FMID(CSIQJ00) REASON (ACTION) DATE (23107) COMMENT (</p> <pre> +-----+ Endevor Version 19.0 +-----+ SEQUENCE Before Apply +-----+ PURPOSE This PTF updates REXX programs in the CSIQCLS0 library. If you have customized the REXX programs delivered by this PTF, you must backup your customized version of the REXX program(s) before applying this PTF to avoid losing your changes. +-----+ USERS All Endevor users. AFFECTED +-----+ KNOWLEDGE 1. SMP/e REQUIRED 2. Endevor Administration 3. Endevor REXX program customization +-----+ ACCESS No special access is required. REQUIRED +-----+ ***** * STEPS TO PERFORM * ***** 1. Backup any customized REXX programs in CSIQCLS0 that this PTF supplies. 2. APPLY this PTF. 3. Re-apply your customizations to the updated REXX programs in CSIQCLS0. +-----+ </pre>

Service	Details		
		Endevor	
		Version 19.0	
	+-----+		
	SEQUENCE	Before Apply	
	+-----+		
	PURPOSE	This PTF updates members in the CSIQSAMP Library.	
		If you have customized the members delivered by this PTF,	
		you must backup your customized version of the members	
		before applying this PTF to avoid losing your changes.	
	+-----+		
	USERS	All Endevor users.	
	AFFECTED		
	+-----+		
	KNOWLEDGE	1. SMP/e	
	REQUIRED	2. Endevor Administration	
	+-----+		
	ACCESS	No special access is required.	
	REQUIRED		
	+-----+		

	* STEPS TO PERFORM *		

	1. Backup any customized members in CSIQSAMP that this PTF supplies.		
	2. APPLY this PTF.		
	3. Re-apply your customizations to the updated members in CSIQSAMP.		
).		

Service	Details		
LU09828	<p>LU09828 M.C.S. ENTRIES = ++PTF (LU09828) REWORK(2023104)</p> <p>ENDEVOR WEB SERVICES INSTALL SCRIPT(WSTOMINS) IMPROVEMENT</p> <p>PROBLEM DESCRIPTION:</p> <p>This fix contains Web Services install script improvements:</p> <ul style="list-style-type: none"> - duplicated/redundant directory checks removed. - RUN@ROOT parameter fix. <p>SYMPTOMS:</p> <p>None</p> <p>IMPACT:</p> <p>None</p> <p>CIRCUMVENTION:</p> <p>None</p> <p>PRODUCT(S) AFFECTED:</p> <p>Endevor Version 19.0</p> <p>Related Problem:</p> <p>ENDBAS 19731</p> <p>(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved</p> <p>R00095-SCM190</p> <p>DESC(ENDEVOR WEB SERVICES INSTALL SCRIPT(WSTOMINS) IMPROVEMENT).</p> <p>++VER (Z038)</p> <p>FMID (CSIQJ00)</p> <p>SUP (LT07305 LT09185 LT09655 LT09828 LU07305)</p> <p>++HOLD (LU09828) SYSTEM FMID(CSIQJ00)</p> <p>REASON (ACTION) DATE (23104)</p> <p>COMMENT (</p> <table border="1"> <tr> <td>Endevor</td><td>Version 19.0</td></tr> </table> <p>SEQUENCE Before Apply</p> <p>PURPOSE This PTF updates JCL in the CSIQJCL library.</p> <p> If you have customized versions of the JCL(S) in CSIQJCL, </p> <p> you must make a backup copy of them BEFORE applying this </p> <p> PTF to avoid losing your changes. </p> <p>USERS All Endevor users.</p> <p>AFFECTED </p> <p>KNOWLEDGE 1. SMP/e</p> <p>REQUIRED 2. Endevor Product Administration</p> <p>ACCESS No special access required.</p> <p>REQUIRED </p> <p>*****</p> <p>* STEPS TO PERFORM *</p> <p>*****</p> <p>1. Backup any customized JCL in CSIQJCL that this PTF supplies.</p> <p>2. APPLY this PTF.</p> <p>3. Re-apply your customizations to the updated JCL in CSIQJCL.</p> <p>).</p>	Endevor	Version 19.0
Endevor	Version 19.0		

Service	Details
LU09867	<div>LU09867 M.C.S. ENTRIES = ++PTF (LU09867) REWORK(2023109)</div> <div>WEBSERVICES SOAP FRAMEWORK UPDATE</div> <div>PROBLEM DESCRIPTION:</div> <div>The SOAP framework update to Apache CXF contains newer dependencies that are intended to avoid potential security exposures.</div> <div>This update contain the following breaking changes:</div> <div><div>- Namespaces will be assigned automatically, which means that the location of namespace definitions and namespace prefixes is different from the previous version of Endevor Web Services.</div><div>- Object binding changed from ADB to JAXB. This affects how some values are represented in XML.</div><div>- Instead of a single /EndevorService/services/EndevorService endpoint, a new endpoint has been created for each of the following 3 versions:</div></div> <div>SOAP 1.1 service location:</div> <div>/EndevorService/services/EndevorService.EndevorServiceHttpSoap11Endpoint</div> <div>SOAP 1.2 service location:</div> <div>/EndevorService/services/EndevorService.EndevorServiceHttpSoap12Endpoint</div> <div>HTTP service location:</div> <div>/EndevorService/services/EndevorService.EndevorServiceHttpEndpointpoint</div> <div>Each service has its own WSDL file, which can be accessed with the addition of ?wsdl to the service URL.</div> <div>SYMPTOMS:</div> <div>None</div> <div>IMPACT:</div> <div>None</div> <div>CIRCUMVENTION:</div> <div>None</div> <div>PRODUCT(S) AFFECTED:</div> <div>Endevor<div>Version 19.0</div></div> <div>Related Problem:</div> <div>ENDBAS 19232</div> <div>(C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved</div> <div>R00097-SCM190</div> <div>DESC(WEBSERVICES SOAP FRAMEWORK UPDATE).</div> <div>++VER (Z038)</div> <div>FMID (CSIQJ00)</div> <div>SUP (LT07326 LT07409 LT08938 LT09164 LT09314 LT09340 LT09458 LT09654 LT09867 LU07409 LU09340 LU09458)</div> <div>++HOLD (LU09867) SYSTEM FMID(CSIQJ00)</div> <div>REASON (ACTION) DATE (23109)</div> <div>COMMENT (</div> <div><div><div>-----+</div><div> Endevor<div>Version 19.0</div> </div><div>-----+</div></div><div><div> SEQUENCE After Apply </div><div>-----+</div></div><div><div> PURPOSE This correction updates Endevor Web Services. </div><div> To implement this update, you must update </div><div> the Web Services component of your target Tomcat </div><div> directory and recycle the Tomcat server. </div><div>-----+</div></div><div><div> USERS </div></div></div>

Service	Details		
	AFFECTED	All users of Endevor Web Services.	
	+-----+-----+-----+-----+-----+-----+		
	KNOWLEDGE	1. SMP/e	
	REQUIRED	2. Endevor Web Services	
		3. Tomcat	
		4. Unix System Services	
	+-----+-----+-----+-----+-----+-----+		
	ACCESS	1a. Update access to USS target and deployment files	
	REQUIRED	1b. Or the authority to use the -su command	
		2. Ability to stop and start Tomcat	
	+-----+-----+-----+-----+-----+-----+		

	* STEPS TO PERFORM *		

	1. Stop the Endevor WS Tomcat task		
	2. Find your backed-up version of the WSTOMINS job used to install		
	Endevor web services. If it isn't available, customize the sample		
	job WSTOMINS from the Endevor CSIQJCL library again, following the		
	instructions in the JCL and save it for future use.		
	3. In WSTOMINS set the JCL symbol 'ACTION' to 'UPDATE'		
	4. Submit the WSTOMINS job and wait for it to finish successfully.		
	5. Start the Endevor WS Tomcat		
).		
MCS	LU09062	STARTS ON PAGE 0002	
MCS	LU09370	STARTS ON PAGE 0002	
MCS	LU09560	STARTS ON PAGE 0003	
MCS	LU09579	STARTS ON PAGE 0004	
MCS	LU09608	STARTS ON PAGE 0005	
MCS	LU09609	STARTS ON PAGE 0006	
MCS	LU09718	STARTS ON PAGE 0006	
MCS	LU09721	STARTS ON PAGE 0008	
MCS	LU09828	STARTS ON PAGE 0010	
MCS	LU09867	STARTS ON PAGE 0011	

Endevor SCM 19.0
CA RS 2305 Product/Component Listing

17

Product Family	Product	Release
DevOps	ENDEVOR SOFTWARE CHANGE MANAGER	19.00.00
The CA RS 2305 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2305	LU09867	CSIQJ00
	LU09828	CSIQJ00
	LU09721	CSIQJ00
	LU09718	CSIQJ00
	LU09609	CSIQJ01
	LU09608	CSIQJ00
	LU09579	CSIQJ00
	LU09560	CSIQJ00
	LU09370	CSIQJ00
	LU09062	CSIQJ00
	LU09458	CSIQJ00
	LU09420	CSIQJ00
CAR2304	LU09381	CSIQJ01
	LU09340	CSIQJ00
	LU09310	CSIQJ00
	LU09225	CSIQJ00
	LU09192	CSIQJ00
	LU09184	CSIQJ00
	LU08645	CSIQJ00
	LU09038	CSIQJ01
CAR2303	LU09037	CSIQJ00
	LU09002	CSIQJ00
	LU08967	CSIQJ00
	LU08893	CSIQJ00
	LU08624	CSIQJ00
	LU08585	CSIQJ00
	LU08372	CSIQJ00
	LU08824	CSIQJ00
CAR2302	LU08707	CSIQJ00
	LU08633	CSIQJ00
	LU08548	CSIQJ00
	LU08473	CSIQJ00
	LU08456	CSIQJ01
	LU08455	CSIQJ00
	LU08332	CSIQJ00
	LU08291	CSIQJ01
CAR2301	LU08290	CSIQJ00
	LU08348	CSIQJ00
	LU08317	CSIQJ00
	LU08204	CSIQJ00
	LU08026	CSIQJ01
	LU08025	CSIQJ00
	LU07910	CSIQJ01
	LU07807	CSIQJ00
CAR2212	LU07637	CSIQJ00
	LU07622	CSIQJ00
	LU07595	CSIQJ01
	LU07595	CSIQJ01

CA RS Level	Service	FMID
	LU07594	CSIQJ00
	LU07471	CSIQJ00
CAR2211	LU07774	CSIQJ02
	LU07479	CSIQJ00
	LU07452	CSIQJ00
	LU07449	CSIQJ00
	LU07409	CSIQJ00
	LU07305	CSIQJ00
CAR2210	LU07390	CSIQJ00
	LU07246	CSIQJ00
	LU07150	CSIQJ00
	LU07143	CSIQJ01
	LU07142	CSIQJ00
	LU07139	CSIQJ00
	LU07137	CSIQJ00
	LU07088	CSIQJ00