

Top Secret Option for Db2 1.3
CA RS 2306 Service List

Service	Description	Type
LU09780	FIND DB2 SYSID WHEN XAPLGPAT IS GROUP NAME IN DSNX@XAC	PTF
The CA RS 2306 service count for this release is 1		

Top Secret Option for Db2
CA RS 2306 Service List for CBAV130

2

FMID	Service	Description	Type
CBAV130	LU09780	FIND DB2 SYSID WHEN XAPLGPAT IS GROUP NAME IN DSNX@XAC	PTF
The CA RS 2306 service count for this FMID is 1			

Service	Details																		
LU09780	LU09780 M.C.S. ENTRIES = ++PTF (LU09780) REWORK(2023143) FIND DB2 SYSID WHEN XAPLGPAT IS GROUP NAME IN DSNX@XAC PROBLEM DESCRIPTION: There are some products that are calling the DSNX@XAC DB2 exit directly outside of a DB2 environment. When the XAPLGPAT field has the DB2 sysid of the DB2 subsystem, our ACF2 DB2 interface has finds the proper rules for the validation call based upon the XAPLGPAT field. When the XAPLGPAT field contains the datasharing group name, we attempt to use it as the sysid to find rules for the validation. If a site has not defined rules under that value, we get a violation with no record found. The CADB2XAC code has been updated to run the SSCT chain looking for active DB2 systems that match the XAPLGPAT value and if found return one of the DB2 sysids that are part of the datasharing group for validation. SYMPTOMS: Incorrect violations in ACF2 DB2 when XAPLGPAT contains a datasharing group name. IMPACT: Cannot call the exit directly to get the proper validation. CIRCUMVENTION: None PRODUCT(S) AFFECTED: SECURITY/DB Release 1.3 Related Problem: CM-BAV 20049 (C) 2023 Broadcom Inc and/or its subsidiaries; All rights reserved R00056-BAV130 DESC(FIND DB2 SYSID WHEN XAPLGPAT IS GROUP NAME IN DSNX@XAC) . ++VER (Z038) FMID (CBAV130) PRE (LU04073 R024893 R055816 R088618) SUP (LT04969 LT06127 LT09780 LU04969 LU06127 R028793 R032299 R088020 TR28793 TR32299 TR88020) ++HOLD (LU09780) SYSTEM FMID(CBAV130) REASON (DDDEF) DATE (23143) COMMENT (<table border="1"> <tr> <td>SECURITY/DB</td><td>Release 1.3</td></tr> <tr> <td>SEQUENCE</td><td>Before Apply</td></tr> <tr> <td>PURPOSE</td><td>Add needed DDDEF in order to apply the fix.</td></tr> <tr> <td>USERS</td><td>All users of DB2 interface</td></tr> <tr> <td>AFFECTED</td><td></td></tr> <tr> <td>KNOWLEDGE</td><td>Operator commands</td></tr> <tr> <td>REQUIRED</td><td></td></tr> <tr> <td>ACCESS</td><td>z/OS Operator Console</td></tr> <tr> <td>REQUIRED</td><td></td></tr> </table>	SECURITY/DB	Release 1.3	SEQUENCE	Before Apply	PURPOSE	Add needed DDDEF in order to apply the fix.	USERS	All users of DB2 interface	AFFECTED		KNOWLEDGE	Operator commands	REQUIRED		ACCESS	z/OS Operator Console	REQUIRED	
SECURITY/DB	Release 1.3																		
SEQUENCE	Before Apply																		
PURPOSE	Add needed DDDEF in order to apply the fix.																		
USERS	All users of DB2 interface																		
AFFECTED																			
KNOWLEDGE	Operator commands																		
REQUIRED																			
ACCESS	z/OS Operator Console																		
REQUIRED																			

Service	Details
	<pre> +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. ACF2 for Db2 option sites should follow the instructions in this step. Top Secret for Db2 option sites should skip to the next step. Run the following JCL, specifying the name of your SMP/E CSI on the SMPCSI DD statement. Make sure the SET BDY statement has the name of your target zone (default is CAIT0). Change "PRODHQLQ" to the high level qualifier(s) of your target data sets. The data set name in the ADD DDDEF statement should be your existing ACF2 for Db2 Option CACPLINK data set. Note that the DDDEF name (CBAVLINK) and the low qualifier (CACPLINK) will *NOT* match. Make sure everything in the JCL is in upper case. //DDDEF EXEC PGM=GIMSMP,REGION=0M //SMPCSI DD DISP=SHR,DSN=your.CSI //SMPCNTL DD * SET BDY(CAIT0). UCLIN. ADD DDDEF(CBAVLINK) DA(prodhlq.CACPLINK) SHR . ENDUCL. // The step should end with a return code of 0. 2. Top Secret for Db2 option sites should follow the instructions in this step. ACF2 for Db2 option sites should skip this step. Run the following JCL, specifying the name of your SMP/E CSI on the SMPCSI DD statement. Make sure the SET BDY statement has the name of your target zone (default is CAIT0). Change "PRODHQLQ" to the high level qualifier(s) of your target data sets. The data set name in the ADD DDDEF statement should be your existing Top Secret for Db2 Option CADBLINK data set. Note that the DDDEF name (CBAVLINK) and the low qualifier (CADBLINK) will *NOT* match. Make sure everything in the JCL is in upper case. //DDDEF EXEC PGM=GIMSMP,REGION=0M //SMPCSI DD DISP=SHR,DSN=your.CSI //SMPCNTL DD * SET BDY(CAIT0). UCLIN. ADD DDDEF(CBAVLINK) DA(prodhlq.CADBLINK) SHR . ENDUCL. // The step should end with a return code of 0.). ++HOLD (LU09780) SYSTEM FMID(CBAV130) REASON (DYNACT) DATE (23143) COMMENT (+-----+-----+ </pre>
	SECURITY/DB Release 1.3

Service	Details
	<pre> +-----+-----+ SEQUENCE After Apply +-----+-----+ PURPOSE Activate change without IPL +-----+-----+ USERS All users AFFECTED +-----+-----+ KNOWLEDGE Operator commands REQUIRED +-----+-----+ ACCESS z/OS Operator console REQUIRED +-----+-----+ ***** * STEPS TO PERFORM * ***** 1. LLA Refresh 2. Run CACPJCL0(CP13XAC) to Relink DSNX@XAC for ACF2 sites. 3. Run CADBJCL0(DB13XAC) to Relink DSNX@XAC for Top Secret. 4. Restart the DB2 address space). </pre>

Top Secret Option for Db2 1.3
CA RS 2306 Product/Component Listing

6

Product Family	Product	Release
Security	CA-TOPSECRETDB2	01.03.00
The CA RS 2306 Product/Component Count for this release is 1		

CA RS Level	Service	FMID
CAR2306	LU09780	CBAV130
CAR2208	LU06127	CBAV130
	LU04969	CBAV130
CAR2205	LU03360	CBAV130
	LU03302	CBAV130
CAR2202	LU04073	CBAV130
CAR2201	LU03936	CADB130
CAR2112	LU03062	CBAV130
CAR2110	LU01287	CBAV130
CAR2010	S014814	CBAV130
CAR2004	R097859	CBAV130
CAR2002	R092962	CBAV130
CAR1909	S009399	CBAV130
	S007785	CBAV130
CAR1904	S007207	CBAV130
CAR1712	R098993	CBAV130
	R098050	CBAV130
CAR1710	R094963	CBAV130
CAR1709	R094767	CBAV130
	R093070	CADB130
	R093044	CBAV130
CAR1611	R092789	CBAV130
	R092542	CBAV130
	R088618	CBAV130
	R088020	CBAV130
	R087521	CBAV130
CAR1603	R082740	CBAV130
CAR1602	R083996	CBAV130
CAR1510	R083202	CBAV130
CAR1508	R080202	CBAV130
CAR1505	R076649	CBAV130
	R075728	CBAV130
CAR1501	R054332	CADB130
CAR1410	R036674	CADB130
CAR1409	R070546	CBAV130
	R069585	CBAV130
CAR1403	R055816	CBAV130
CAR1309	R049833	CBAV130
	R037180	CBAV130
CAR1212	R045862	CBAV130
	R035752	CBAV130
CAR1210	R040286	CBAV130
CAR1204	R032299	CBAV130
CAR1201	R031033	CBAV130
	R030057	CBAV130
	R028793	CBAV130
CAR1110	R025437	CBAV130

CA RS Level	Service	FMID
CAR1104	R024933	CADB130
	R024893	CBAV130