

CA Access Control 高级版

版本说明

12.6



本文档包括内嵌帮助系统和以电子形式分发的材料（以下简称“文档”），其仅供参考，CA 随时可对其进行更改或撤销。

未经 CA 事先书面同意，不得擅自复制、转让、翻印、透露、修改或转录本文档的全部或部分内容。本文档属于 CA 的机密和专有信息，不得擅自透露，或除以下协议中所允许的用途，不得用于其他任何用途：(i) 您与 CA 之间关于使用与本文档相关的 CA 软件的单独协议；或者 (ii) 您与 CA 之间单独的保密协议。

尽管有上述规定，但如果您为本文档中所指的软件产品的授权用户，则您可打印或提供合理数量的本文档副本，供您及您的雇员内部用于与该软件相关的用途，前提是所有 CA 版权声明和标识必须附在每一份副本上。

打印或提供本文档副本的权利仅限于此类软件所适用的许可协议的有效期内。如果该许可因任何原因而终止，您应负责向 CA 书面证明已将本文档的所有副本和部分副本已退还给 CA 或被销毁。

在所适用的法律允许的范围内，CA 按照“现状”提供本文档，不附带任何保证，包括但不限于商品适销性、适用于特定目的或不侵权的默示保证。CA 在任何情况下对您或其他第三方由于使用本文档所造成的直接或间接的损失或损害都不负任何责任，包括但不限于利润损失、投资受损、业务中断、信誉损失或数据丢失，即使 CA 已经被提前明确告知这种损失或损害的可能性。

本文档中涉及的任何软件产品的使用均应遵照有关许可协议的规定且根据本声明中的条款不得以任何方式修改此许可协议。

本文档由 CA 制作。

仅提供“有限权利”。美国政府使用、复制或透露本系统受 FAR Sections 12.212、52.227-14 和 52.227-19(c)(1) - (2) 以及 DFARS Section 252.227-7014(b)(3) 的相关条款或其后续条款的限制。

版权所有 © 2011 CA。保留所有权利。此处涉及的所有商标、商品名称、服务标识和徽标均归其各自公司所有。

第三方通知

包含 AIX(TM)、Java(TM) 2 技术版、1.4 版模块的 IBM(R) 32 位运行时环境

(c) 版权所有 IBM Corporation 1999, 2002

保留所有权利。

示例脚本和示例 SDK 代码

CA Access Control 产品随附的示例脚本和示例 SDK 代码均“按原样”提供，仅供参考之用。在特定环境下，可能需要对它们进行调整，而且在生产系统中部署它们之前，未经事先测试和验证不应将其用于生产。

CA Technologies 不向这些示例提供支持，而且对于这些脚本可能会引起的任何错误概不负责。

CA Technologies 产品引用

本文档引用以下 CA Technologies 产品：

- CA Access Control 高级版
- CA Access Control
- CA Single Sign-On (CA SSO)
- CA Top Secret®
- CA ACF2™
- CA Audit
- CA Network and Systems Management (CA NSM, 以前为 Unicenter NSM 和 Unicenter TNG)
- CA Software Delivery (以前为 Unicenter Software Delivery)
- CA Service Desk (以前为 Unicenter Service Desk)
- CA User Activity Reporting Module (以前是 CA Enterprise Log Manager)
- CA Identity Manager

文档约定

CA Access Control 文档使用以下约定：

格式	含义
等宽字体	代码或程序输出
斜体	重点或新术语
粗体	必须完全按照显示内容键入的文本
正斜杠 (/)	用于描述 UNIX 和 Windows 路径的独立于平台的目录分隔符

文档在解释命令语法和用户输入 (以等宽字体显示) 时还会使用以下特殊约定：

格式	含义
斜体	您必须提供的信息
用方括号括起来 ([])	可选运算符

格式	含义
用大括号括起来 ({})	强制运算符集
用管道符 () 分隔的选项。	分隔可选运算符（选择一项）。 例如：下面的示例既可表示用户名，也可表示组名：
	{username groupname}
...	指明前面的项或项组可以重复
下划线	默认值
前面带空格的行尾反斜杠 (\)	有时，在本指南中，一行无法容纳一个命令。在这些情况下，行结尾处的空格加上反斜杠 (\) 就表示该命令延续到下一行。 注意： 请勿复制反斜杠字符，并且请省略换行符。这些不是实际命令语法的一部分。

示例：命令表示法约定

下面的代码说明了在本指南中使用命令约定的方式：

```
ruler className [props({all|{propertyName1[,propertyName2]}...})]
```

在该示例中：

- 命令名称 (ruler) 以常规等宽字体显示，必须按照显示内容键入。
- className* 选项以斜体显示，因为它是一个类名（例如 **USER**）的占位符。
- 即使不带有方括号中的第二部分，您也可以运行该命令，方括号表示该运算符是可选的。
- 使用可选参数 (*props*) 时，可以选择关键字 *all*，也可以指定一个或多个属性名（以逗号分隔）。

文件位置约定

CA Access Control 文档使用以下文件位置约定：

- ACInstallDir*—默认 CA Access Control 安装目录。
 - Windows—C:\Program Files\CA\AccessControl\
 - UNIX—/opt/CA/AccessControl/
- ACSharedDir*—CA Access Control for UNIX 使用的默认目录。
 - UNIX—/opt/CA/AccessControlShared

- *ACServerInstallDir*—默认 CA Access Control 企业管理 安装目录。
 - /opt/CA/AccessControlServer
- *DistServerInstallDir*—默认分发服务器安装目录。
 - /opt/CA/DistributionServer
- *JBoss_HOME*—默认 JBoss 安装目录。
 - /opt/jboss-4.2.3.GA

联系技术支持

要获取在线技术帮助以及办公地址、主要服务时间和电话号码的完整列表，请联系技术支持：<http://www.ca.com/worldwide>。

目录

第 1 章： 欢迎	13
第 2 章： CA Access Control 版本	13
CA Access Control 高级版 安装介质	13
CA Access Control 安装介质	15
补充的 CA User Activity Reporting Module 许可	16
适用于所有版本的单个文档集	16
第 3 章： 新增功能与经过更改的功能	19
PUPM 增强功能	19
UNAB 增强功能	20
CA Access Control 增强功能	20
此版本中已解决的问题	20
第 4 章： 系统要求	21
支持的操作系统	21
企业管理服务器要求	21
企业管理服务器集成组件	22
CA Access Control 端点管理 要求	23
企业报告要求	23
分发服务器要求	24
Windows 端点要求	24
UNIX 端点要求	24
策略模型数据库要求	25
UNAB 要求	25
第 5 章： 文档	27
指南	27
第 6 章： FIPS 遵从性	29
FIPS 操作模式	29
仅 FIPS 模式所不支持的操作系统	29
FIPS 加密存储库	29

使用的 FIPS 算法.....	30
密钥和证书的存储.....	30
受影响的功能 (UNIX).....	30
受影响的功能 (Windows).....	32

第 7 章：功能支持限制 35

IPv6 支持.....	35
Windows 端点限制	35
x64 功能支持限制	35
IA64 功能支持限制.....	36
Windows Server 2008 功能支持限制	36
SAN 支持	37
McAfee Entercept 缓冲区溢出.....	37
不支持短文件名规则 (8.3 格式)	38
UNIX 端点限制	38
HP-UX 功能支持限制.....	38
HP-UX Itanium 和 RHEL Itanium 不支持 Unicenter 集成。	38
Linux IA64 不支持 PUPM 代理	38
SAN 支持	39
UNAB 限制.....	39
在 Linux IA64 上不支持 UNAB.....	39
UNAB 不符合 FIPS140-2 和 IPV6 标准	39
PUPM 限制	39
PUPM Windows Agentless 连接器不支持 Windows 2000	39
PUPM 不符合 FIPS140-2 和 IPV6 标准.....	40
高级 CA Access Control 和 PUPM 集成限制.....	40

第 8 章：安装注意事项 41

支持的安装语言	41
Windows 端点安装注意事项	41
在 Windows Server 2008 上安装、卸载或升级期间弹出重新启动消息.....	41
UNIX 端点安装注意事项	42
仅以 32 位模式在 Linux s390x 64 位上支持 CA Access Control.....	42
AIX 6.1 需要具有 TL3 或更高版本才能启动 CA Access Control	42
Linux390 的消息队列需要 J2SE 5.0 版.....	42
x86_64bit Linux 上缺少兼容性库	42
CA Access Control 安装和卸载会重新启动 UNAB	42
将 CA Access Control 和 UNAB 传播到新的 Solaris 区域.....	43
UNAB 端点安装注意事项	43

适用于 Linux 390 的 UNAB 需要安装 J2SE 5.0 版才能进行远程管理	43
在 Linux s390x 64 位上不支持 UNAB	43
服务器组件安装注意事项	43
在 Microsoft Windows Server 2003 上不支持巴西葡萄牙语和西班牙语的 CA Access Control 企业管理	44
管理员名称中的特殊字符	44
支持的 JDK 和 JBoss 版本	44
先决条件工具包安装程序注意事项	44
服务器组件安装所需的超级用户帐户	44
如果找不到 Java, RDBMS 连接在安装期间失败	44
企业管理服务器安装不支持安装路径中包含空格	45
设置 CA Access Control 企业管理 使其与其他域中的 Active Directory 结合使用	45
使用 Active Directory 管理员帐户登录到 CA Access Control 企业管理	46
CA Access Control 端点管理 安装说明适用于 CA Access Control 的两个版本	46
CA Access Control 端点管理 快捷方式指向端口号 8080	46
CA Enterprise Log Manager 仅支持可靠 SSL 连接	46
从 CA Access Control 企业管理 查看 CA Enterprise Log Manager 报告所需的特殊订阅	47
同步 CA Access Control 企业管理 和报告门户计算机的系统时间	47
如果您不是超级用户, 卸载将失败	47

第 9 章： 升级注意事项	49
可以升级的版本	49
Windows 端点升级注意事项	49
升级时可能需要重新启动	50
CA Access Control r12.6 要在 CA Access Control r12.5 和 r12.0 SP1 上管理策略模型需 要热修复	50
更改数据库的默认访问权限	50
UNIX 端点升级注意事项	50
默认安装位置	50
FIPS 140-2 库升级	51
UNIX 升级的系统范围审核模式	51
授权识别资源组所有权	51
syslog 消息的优先级降低	52
服务器组件升级注意事项	52
升级之前需要热修复程序, 才能使用包含空格的策略和主机组	52
在端点上部署策略所需的软件修补程序	52
CA Access Control 企业管理 默认加密方法设置为 256AES	52

第 10 章：一般注意事项 53

Windows 端点注意事项	53
RunAs 管理员在 Windows Server 2008 上启动 CA Access Control.....	53
卸载不删除 CA 许可文件.....	53
卸载不会删除数据和日志目录.....	53
UNIX 端点注意事项	54
由 EXECLOGIN 标志代替 MultiLoginPgm	54
CA Access Control 功能的 PAM 配置	54
telnet 和 rsh 需要进行特殊 PAM 配置.....	54
AIX 上的 CA Access Control PAM 模块	55
SNMP 配置	55
CA Access Control 生成登录会话 ID.....	56
企业用户与 _undefined 用户不对应.....	56
所有用户掩码 (*) 均适用于未定义的用户.....	56
默认情况下，审核日志备份文件受到保护	56
修复 libcryptscr.so.125.0 之后更改加密密钥	57
Linux 内核重新编译	57
编译 API 示例.....	57
不在 seosd Exit 中使用管理 API 函数	57
UNAB 注意事项	57
针对用户支持的最大 Active Directory 组	57
用户名长度限制.....	58
迁移后禁用本地用户帐户	58
不要将 unab_refresh_interval 标记值设置为短时间间隔	58
不要将 Kerberos dns_lookup_realm 设置为 true.....	58
UNAB 用户无法根据指定的密码策略更改帐户密码.....	58
sepass 与 UNAB 端点集成	59
使用 Active Directory 帐户登录到 UNAB.....	59
安装 UNAB 后，无法使用管理员帐户登录到 CA Access Control for UNIX.....	59
CA Access Control 安装和卸载会重新启动 UNAB	59
PUPM 注意事项	59
密码签入后需要页面刷新	60
指定 PUPM 端点 NetBIOS 名称而非 DNS 域名	60
最多可以配置一个 CA Identity Manager 置备连接器服务器	60
无法使用 SSL 端口配置 CA Identity Manager 置备连接器服务器	60
Active Directory 的 PUPM Windows Agentless 连接器搜索限制	60
不要在多个端点类型上同时执行 PUPM 特权帐户发现向导	61
PUPM 导送程序 CSV 中的最大建议记录数为 500 个端点或帐户	61
无法使用 PUPM 更改专家帐户的密码	61

SQLCMD 实用程序不支持空密码.....	61
服务器组件注意事项	61
企业管理服务器不支持 Solaris	61
CA Access Control 组件与 CA Access Control 消息队列之间的通讯问题	62
XUSER 和 XGROUP 的详细信息不包括在报告中.....	62
CA Access Control 主机名限制.....	62
自动生成策略取消部署脚本	62
CA Enterprise Log Manager 不包括 PUPM 和 UNAB 报告.....	63

第 11 章： 已知问题 65

安装已知问题	65
Windows 端点安装已知问题.....	65
UNIX 端点安装已知问题.....	65
UNAB 端点安装已知问题	67
PUPM 安装已知问题.....	67
服务器组件安装已知问题.....	70
已知升级问题	70
Windows 端点升级已知问题.....	70
UNIX 端点升级已知问题.....	71
UNAB 端点升级已知问题	71
服务器组件升级已知问题	71
一般已知问题	72
Windows 端点已知问题.....	72
UNIX 端点已知问题.....	73
UNAB 已知问题	77
PUPM 已知问题.....	81
服务器组件已知问题.....	83
文档已知问题.....	89

附录 A： Third-Party License Agreements 91

Software Under the Apache License.....	92
Software Under the Daniel Veillard License	99
Software Under the OpenLDAP License	101
Software Under the OpenSSL License	104
AES 2.4	110
AIX JRE 1.4.2.....	111
AIX JRE 1.5.0.....	111
ANTLR 2.7.5H3	112
CPAN Perl 5.8.8	113

CRC32.....	114
Cyrus SASL 2.1.22.....	116
dom4j 1.5.....	119
Hibernate 3.2	121
ICU4C 3.4	122
JBoss 4.0.1 SP1.....	123
JBoss Application Server v.4.2.3	124
JBoss Native v.2.0.6	125
JDOM 1.0.....	126
MD5 Message Digest Algorithm	129
MIT Kerberos v5 r1.5	131
nss_ldap 2.62	154
Oracle JDBC Driver 10g Release 2 (10.2.0.1.0)	161
PCRE 6.3	167
Rhino 1.6r4.....	169
SAXPath 1.....	170
SHA-1	173
Sun JDK 1.4.2_13.....	174
Sun JDK 1.6.0.....	185
Sun JRE 1.5.0_18.....	199
XNTP v.3-5.93.....	213
XScreenSaver	214
Zlib 1.2.3	214
ZThread 2.3.2	215

第 1 章： 欢迎

欢迎使用 CA Access Control 高级版 r12.6。本指南介绍了新的增强功能、对现有功能所做的更改、操作系统支持、系统要求、文档信息、安装和一般注意事项、已发布的解决方案及 CA Access Control 高级版的已知问题。

CA Access Control 高级版 提供了与 CA Access Control 相同的功能和组件。此外，它还提供了企业管理报告功能，以及高级策略管理功能。

为了简化术语，在本指南中我们将此产品称为 CA Access Control。

第 2 章： CA Access Control 版本

CA Access Control 有两种版本，功能因产品版本而异：

CA Access Control

包含可为开放式系统提供全面的安全解决方案的核心功能。

CA Access Control 高级版

提供了与 CA Access Control 相同的功能和组件。此外，它还提供了企业管理报告功能、高级策略管理功能以及用于收集和管理 CA Access Control 审核日志的 CA Enterprise Log Manager。

CA Access Control 高级版 包含特权用户密码管理 (PUPM)，可帮助管理和审核由特权帐户执行的任务。通过 UNIX 身份验证代理 (UNAB) 功能，您可以在 Active Directory 中管理 UNIX 用户，并将用户合并到一个存储库中。

CA Access Control 高级版 安装介质

可从以下光盘上获取 CA Access Control 高级版 组件。

注意： CA Access Control 高级版 安装介质不同于 CA Access Control 安装介质。

以下光盘包含端点组件：

■ 适用于 Windows 的 CA Access Control 端点组件

包含端点组件的 CA Access Control for Windows 安装文件。这些文件包括独立 Windows 计算机所需的核心 CA Access Control 功能、扩展核心功能（例如策略模型支持）所需的其他可执行文件和库、运行时 SDK 文件和库及 API 示例、大型机密码同步、堆栈溢出保护 (STOP) 以及 PUPM 代理。

■ 适用于 UNIX 的 CA Access Control 端点组件

包含端点组件的 CA Access Control for UNIX 安装文件。这些文件包括独立 UNIX 计算机所需的核心 CA Access Control 功能、扩展核心功能（例如策略模型支持）所需的其他二进制文件和库、运行时 SDK 文件和库及 API 示例、大型机密码同步、堆栈溢出保护 (STOP) 以及 PUPM 代理。

此光盘还包含 UNAB 安装文件。

以下光盘包含企业管理服务器和适用于 Windows 的报告门户组件：

■ 适用于 Windows 的 CA Access Control 高级版 服务器组件

包含 CA Access Control 端点管理、CA Access Control 分发服务器和 CA Access Control 企业管理 的安装文件。

CA Access Control 企业管理 包括 CA Access Control 端点管理、适用于 Windows 的 CA Access Control 端点组件、CA Access Control 分发服务器组件以及部署映射服务器 (DMS)。

此光盘还包括要导入 CA Business Intelligence 的报告数据包。

■ 适用于 Windows 的 CA Access Control 第三方组件

包含用于在 Windows 上安装先决条件第三方软件（JDK 和 JBoss）的先决条件安装程序。需要先安装这些软件应用程序，然后才能安装 CA Access Control 高级版 服务器组件。

以下光盘包含适用于 Linux 的企业管理服务器和报告门户组件：

■ 适用于 Linux 的 CA Access Control 高级版 服务器组件

包含 CA Access Control 端点管理、CA Access Control 分发服务器和 CA Access Control 企业管理 的安装文件。

CA Access Control 企业管理 包括 CA Access Control 端点管理、适用于 Linux 的 CA Access Control 端点组件、CA Access Control 分发服务器组件以及部署映射服务器 (DMS)。

此光盘还包括要导入 CA Business Intelligence 的报告数据包。

- 适用于 Linux 的 CA Access Control 第三方组件
包含 Linux 的先决条件第三方软件 (JDK 和 JBoss)。需要先安装这些软件应用程序，然后才能安装 CA Access Control 高级版 服务器组件。

CA Access Control 安装介质

可从以下光盘上获取 CA Access Control 组件。

注意：CA Access Control 高级版 安装介质不同于 CA Access Control 安装介质。

以下光盘包含端点组件：

- 适用于 Windows 的 CA Access Control 端点组件
包含端点组件的 CA Access Control for Windows 安装文件。这些组件包括独立 Windows 计算机所需的核心 CA Access Control 功能、扩展核心功能 (例如策略模型支持) 所需的其他可执行文件和库、运行时 SDK 文件和库及 API 示例、大型机密码同步以及堆栈溢出保护 (STOP)。
- 适用于 UNIX 的 CA Access Control 端点组件
包含端点组件的 CA Access Control for UNIX 安装文件。这些组件包括独立 UNIX 计算机所需的核心 CA Access Control 功能、扩展核心功能 (例如策略模型支持) 所需的其他二进制文件和脚本、API 库和示例、大型机密码同步以及堆栈溢出保护 (STOP)。

此光盘还包含用于 CA Access Control 高级版 的 UNAB 安装文件。

以下光盘包含适用于 Windows 的服务器组件：

- 适用于 Windows 的 CA Access Control 服务器组件
包含适用于 Windows 的 CA Access Control 端点管理。
- 适用于 Windows 的 CA Access Control 第三方组件
包含用于在 Windows 上安装先决条件第三方软件 (JDK 和 JBoss) 的安装程序。必须先安装这些软件应用程序，然后才能安装 CA Access Control 端点管理。

以下光盘包含适用于 Solaris 的服务器组件:

- 适用于 Solaris 的 CA Access Control 服务器组件
包含适用于 Solaris 的 CA Access Control 端点管理。
- 适用于 Solaris 的 CA Access Control 第三方组件
包含 Solaris 的先决条件第三方软件 (JDK 和 JBoss)。必须先安装这些软件应用程序, 然后才能安装 CA Access Control 端点管理。

以下光盘包含适用于 Linux 的服务器组件:

- 适用于 Linux 的 CA Access Control 服务器组件
包含适用于 Linux 的 CA Access Control 端点管理。
- 适用于 Linux 的 CA Access Control 第三方组件
包含 Linux 的先决条件第三方软件 (JDK 和 JBoss)。必须先安装这些软件应用程序, 然后才能安装 CA Access Control 端点管理。

补充的 CA User Activity Reporting Module 许可

作为 CA Access Control 高级版的所有者, 您还有权使用 CA User Activity Reporting Module 产品, 不过仅限于用它来收集、管理和报告 CA Access Control 审核日志。首先, 必须获得“CA User Activity Reporting Module Server for CA Access Control”的许可 (代码为 ELMSAC99100/ELMSAC991), 该许可是以象征性的价格提供给 CA Access Control 高级版客户的。

要在北美获得 CA User Activity Reporting Module 许可, 请联系您当地的客户代表。如果您位于北美以外的地区, 请致电您当地的客户代表或当地的 CA Technologies 办事处。您可以通过 CA 在线支持网站 (网址为 <http://ca.com/support>, 位于您的 CA Access Control 高级版 下载链接下) 上的下载中心在线下载 CA User Activity Reporting Module。

适用于所有版本的单个文档集

我们为两个版本提供相同的文档。因此, 某些指南的某些部分仅适用于 CA Access Control 高级版。下面说明了文档对 CA Access Control 的适用方式:

- 版本说明
该指南中的某些信息仅适用于 CA Access Control 高级版 功能。
- 实施指南
该指南中的某些信息仅适用于 CA Access Control 高级版 功能。

- 企业管理指南
该指南仅整个适用于 CA Access Control 高级版。
- 端点管理指南：用于 Windows
该指南整个适用于 CA Access Control。
- 端点管理指南：用于 UNIX
该指南整个适用于 CA Access Control。
- 参考指南
该指南中的某些信息仅适用于 CA Access Control 高级版 功能。
- selang 参考指南
该指南中的某些信息仅适用于 CA Access Control 高级版 功能。
- 故障排除指南
该指南中的某些信息仅适用于 CA Access Control 高级版 功能。

为简化术语，在文档中我们将产品称为 CA Access Control。

第 3 章：新增功能与经过更改的功能

此部分包含以下主题：

- [PUPM 增强功能 \(p. 19\)](#)
- [UNAB 增强功能 \(p. 20\)](#)
- [CA Access Control 增强功能 \(p. 20\)](#)
- [此版本中已解决的问题 \(p. 20\)](#)

PUPM 增强功能

在 r12.6 中提供了以下 PUPM 增强功能：

- **PUPM 端点类型**

PUPM 现在支持以下新的端点类型：

- IBM/AS 400
- Sybase 数据库
- RACF

- **自定义 PUPM 自动登录脚本**

您现在可以使用提供的 SDK 创建自定义 PUPM 自动登录脚本

- **密码重试**

PUPM 现在包含在创建端点之后，尝试验证连接帐户的密码重试机制。

- **Active Directory 端点增强功能**

您现在可以通过仅指定域名的方法定义 Active Directory 端点。

- **Feeder CSV 文件增强功能**

PUPM feeder CSV 文件使用其他列得到增强。

UNAB 增强功能

在 r12.6 中提供了以下 UNAB 增强功能:

- **多域支持**

您现在可以配置 UNAB 从多个域支持用户和组。

- **Uxconsole 增强功能**

uxconsole 实用程序现在支持 -verfiy 选项。

CA Access Control 增强功能

在 r12.6 中提供了以下 CA Access Control 增强功能:

- **支持多个 LDAP 服务器**

您现在可以配置企业管理服务器, 以便使用 CA Directory 与多个 LDAP 服务器一起使用。

- **与 CA SiteMinder 集成**

您现在可以为高级用户身份验证和目录映射将 CA Access Control 企业管理 与 CA SiteMinder 集成。

- **键盘记录器增强功能**

- 您现在可以配置键盘记录器在远程主机上记录用户操作。
- 您现在可以筛选审核记录, 将记录从日志文件中排除。

- **GROUP 和 XGROUP 增强功能**

GROUP 和 XGROUP 类得到增强。

此版本中已解决的问题

此版本中包含的修复记录在版本修复列表中。您可以从 CA 支持上的 [CA Access Control 最新维护版本](#) 页面中访问此修复列表。

第 4 章： 系统要求

此部分包含以下主题：

- [支持的操作系统 \(p. 21\)](#)
- [企业管理服务器要求 \(p. 21\)](#)
- [企业管理服务器集成组件 \(p. 22\)](#)
- [CA Access Control 端点管理 要求 \(p. 23\)](#)
- [企业报告要求 \(p. 23\)](#)
- [分发服务器要求 \(p. 24\)](#)
- [Windows 端点要求 \(p. 24\)](#)
- [UNIX 端点要求 \(p. 24\)](#)
- [策略模型数据库要求 \(p. 25\)](#)
- [UNAB 要求 \(p. 25\)](#)

支持的操作系统

有关支持的操作系统的列表，请参阅“CA Access Control 兼容性列表”（可从 [CA 支持](#) 的 CA Access Control 产品页上获取）。

企业管理服务器要求

企业服务器的最低要求如下：

- **处理器**—(Windows) Pentium PC, 2.66 GHz; (UNIX) SPARC 工作站, 440MHz
- **内存**—2 GB RAM
- **可用磁盘空间**—安装目录中为 2 GB; %TEMP% (Windows) 或 /tmp (UNIX) 中为 3 GB; 交换文件为 3 GB; JBoss 目录中为 1.5 GB

此外，企业服务器应安装有以下软件：

- **JDK**—Java 开发工具包 (JDK) 1.5.0 或更高版本
- **应用程序服务器**—JBoss Application Server 4.2.3.GA 版
- **中央数据库 (RDBMS)**—Oracle Database 10g、Oracle Database 11g、Microsoft SQL Server 2005 或 Microsoft SQL Server 2008

注意： 无需将此中央数据库安装在同一计算机上。有关 RDBMS 系统要求的信息，请参阅产品文档。

在最终用户的计算机上，您需要的最小屏幕分辨率为 1024 x 768，并需要使用以下浏览器作为 Web 浏览器：

- **Windows**—Microsoft Internet Explorer 6.x/7.x/8.x 或 Mozilla Firefox 2.x/3.0/3.5
- **Linux**—Mozilla Firefox 2.x/3.0/3.5

企业管理服务器集成组件

企业管理服务器支持与以下产品集成：

- **Active Directory**—（可选）企业用户存储。

- **Sun ONE**—（可选）企业用户存储

注意：您不需要在安装有企业管理服务器的同一计算机上安装用户存储。

- **报告门户**—CA Business Intelligence。

注意：您不需要在安装有企业管理服务器的同一计算机上安装此软件。有关报告门户最低系统要求的信息，请参阅《*CA Business Intelligence 安装指南*》。

注意：有关 CA Business Intelligence 的详细信息，请参阅 [CA Technologies 支持](#) 提供的《*CA Business Intelligence 安装指南*》。

重要说明！ 如果您使用 Oracle Database 11g，请安装 CA Access Control 高级版 报告门户（光盘 2）DVD 的 \boeXIR2_SP5 目录下提供的 BusinessObjects XI Release 2.1 SP5 修补程序。

- **CA Enterprise Log Manager**—r12.0

注意：请不要在安装有企业管理服务器的同一计算机上安装此软件。有关 CA Enterprise Log Manager 系统要求的信息，请参阅《*CA Enterprise Log Manager 版本说明*》。

- **CA Service Desk**—r12.1

注意：您不需要在安装有企业管理服务器的同一计算机上安装此软件。有关 CA Service Desk 系统要求的信息，请参阅《*CA Service Desk 版本说明*》。

CA Access Control 端点管理 要求

CA Access Control 端点管理 计算机的最低要求如下：

- **处理器**—(Windows) Pentium PC, 2.66 GHz; (UNIX) SPARC 工作站, 440MHz
- **内存**—2 GB RAM
- **可用磁盘空间**—安装目录中为 2 GB; %TEMP% (Windows) 或 /tmp (UNIX) 中为 3 GB

此外, CA Access Control 端点管理 计算机应安装以下软件:

- **JDK**—Java 开发工具包 (JDK) 1.5.0 或更高版本
- **应用程序服务器**—JBoss Application Server 4.2.3.GA 版
- **CA Access Control**—最新版本的端点安装

注意: 您安装的 CA Access Control 端点的版本必须与计划安装的 CA Access Control 端点管理 的版本相同。

在最终用户的计算机上, 您需要的最小屏幕分辨率为 1024 x 768, 并需要使用以下浏览器作为 Web 浏览器:

- **Windows**—Microsoft Internet Explorer 6.x/7.x/8.x 或 Mozilla Firefox 2.x/3.0/3.5
- **Linux**—Mozilla Firefox 2.x/3.0/3.5

企业报告要求

如果使用 Oracle Database 10g 或 Oracle Database 11g 作为中央数据库 (RDBMS), 请在安装 CA Access Control 企业管理 之前执行以下操作:

- 确定 Oracle 主机与 CA Business Intelligence 主机可以通讯。
- 在 CA Business Intelligence 主机上安装 Oracle 客户端软件。
- 确定 CA Business Intelligence 主机上的 Oracle TNS 定义指向中央数据库。

如果使用 Microsoft SQL Server 2005 或 Microsoft SQL Server 2008 作为中央数据库 (RDBMS), 请在安装报告服务器之前执行以下操作:

- 确定 MS SQL 主机与 CA Business Intelligence 主机可以通讯。

重要说明! 如果您使用 Microsoft SQL Server 作为报告数据库, 请在支持的 Windows 操作系统上安装报告门户。

分发服务器要求

分发服务器计算机的最低要求如下：

- **处理器**—Pentium PC, 266 MHz
- **内存**—2 GB RAM
- **可用磁盘空间**—安装目录中为 2 GB; %TEMP% (Windows) 或 /tmp (UNIX) 中为 1 GB

此外，分发服务器计算机必须安装有以下软件：

- **JRE**—Java 运行时环境 (JRE) 1.5.0_18 或更高版本

Windows 端点要求

CA Access Control Windows 端点的最低要求如下：

- **处理器**—基于 Intel 的 Pentium 4 PC, 1.6 GHz
- **内存**—128 MB RAM
- **可用磁盘空间**—100 MB

此外，CA Access Control 数据库还需要磁盘空间来存储记录，这些记录用于描述用户和用户组、受保护文件和其他资源以及允许对资源进行受控访问的权限等。例如：一个可供一千名用户使用、包含一千个文件和五百条访问规则的数据库将占用大约 2 MB 的磁盘空间。

UNIX 端点要求

CA Access Control UNIX 端点的最低要求如下：

- **内存**—128 MB RAM (建议使用 256 MB)
- **可用磁盘空间**—250 MB (常规安装需 300 MB)

此外，CA Access Control 数据库还需要磁盘空间来存储记录，这些记录用于描述用户和用户组、受保护文件和其他资源以及允许对资源进行受控访问的权限等。例如：一个可供一千名用户使用、包含一千个文件和五百条访问规则的数据库将占用大约 2 MB 的磁盘空间。

策略模型数据库要求

除端点空间要求外，您还需要为计划在主机上创建的每个策略模型提供额外的磁盘空间。每个“策略模型”包含一个数据库，因此需要以 CA Access Control 数据库的相同操作方式来计算空间需求。

如果您要进行升级且所有策略模型数据库 (PMDB) 已准备就绪，请在升级前记录每个 PMDB 在 *ACInstallDir/policy_model_path/pmdb_name* 目录中使用的空间。使用以下计算方法估算出升级每个 PMDB 所需要的额外磁盘空间：

- *ACInstallDir/policies/pmdb_name/subscribers.dat* (大小) x 2
- *ACInstallDir/policies/pmdb_name/updates.dat* (大小) x 5 + 1000 KB

UNAB 要求

UNAB 的最低要求如下：

- **内存**—128 MB RAM (建议使用 256 MB)
- **可用磁盘空间**—100 MB

此外，您还必须配置 Active Directory 服务器，具体取决于安装类型：

- Windows Server 2000 SP4 (如果执行部分集成安装)
- Windows Server 2003 SP2 R2 和 Windows Server 2008 R2 (如果执行完全集成安装)

此外，请在安装 UNAB 之前完成以下操作：

- 确定 UNIX 和 Active Directory 计算机之间的时钟保持同步。
- 同步分发服务器和 UNAB 计算机之间的时钟。
- 从 UNIX 服务器和 Active Directory 服务器中验证 UNIX 端点和域控制器的正向和反向名称解析。
- (可选) 检查 UNAB 系统遵从性。

此项检查会在您安装 UNAB 时自动运行。

- (可选) 如果要实施完全集成模式，请安装允许您查看和修改 Active Directory 用户和组的 UNIX 属性的工具。

注意：有关这些先决条件任务的详细信息，请参阅《实施指南》。

第 5 章： 文档

此部分包含以下主题：

[指南 \(p. 27\)](#)

指南

CA Access Control 高级版 r12.6 的指南如下：

- 版本说明
- 实施指南
- 端点管理指南：用于 Windows
- 端点管理指南：用于 UNIX
- 企业管理指南
- ObserveIT Enterprise 集成指南
- 参考指南
- selang 参考指南
- 故障排除指南

注意：要查看 PDF 文件，您必须下载并安装可移植文档格式 (PDF) 阅读器。CA Access Control 文档需要 Adobe Reader 7.0.7 或更高版本。如果您的计算机中尚未安装 Adobe Reader，可从 Adobe 网站下载。

除 PDF 指南之外，还提供了 HTML 格式的 CA Access Control 指南，并且可从各种基于 Web 的界面访问联机帮助。

第 6 章： FIPS 遵从性

此部分包含以下主题：

- [FIPS 操作模式 \(p. 29\)](#)
- [仅 FIPS 模式所不支持的操作系统 \(p. 29\)](#)
- [FIPS 加密存储库 \(p. 29\)](#)
- [使用的 FIPS 算法 \(p. 30\)](#)
- [密钥和证书的存储 \(p. 30\)](#)
- [受影响的功能 \(UNIX\) \(p. 30\)](#)
- [受影响的功能 \(Windows\) \(p. 32\)](#)

FIPS 操作模式

CA Access Control 具有两种 FIPS 操作模式：仅 FIPS 模式和常规模式。在仅 FIPS 模式中，CA Access Control 仅使用那些遵从 FIPS 140-2 的加密功能。这意味着某些 CA Access Control 功能在仅 FIPS 模式中是禁用的。在常规模式中，CA Access Control 使用 FIPS 140-2 加密功能和非 FIPS 遵从功能。

注意：要在仅 FIPS 模式和常规模式之间切换，请使用加密区中的 *fips_only* 配置设置。

仅 FIPS 模式所不支持的操作系统

在 CA Access Control 支持的以下操作系统体系结构中不支持仅 FIPS 模式：

- Linux s390
- Linux Itanium (IA64)
- Solaris x64
- Windows Itanium (IA64)

FIPS 加密存储库

在仅 FIPS 模式中，CA Access Control 使用 CAPKI 加密存储库。在 UNIX 系统中，CA Access Control 使用 OS 加密存储库进行密码加密（“crypt”方法）。在常规模式中，除了非 FIPS 加密存储库外，CA Access Control 还使用 CAPKI 4.1.2 加密存储库。

使用的 FIPS 算法

CA Access Control 组件使用以下加密算法。不同的组件使用不同的算法。

- 在仅 FIPS 模式中：
 - SSL (TLS 1.0) — 客户端/服务器通讯
 - CBC 模式中的 AES — PMD 更新文件 (Windows) 的加密、双向密码历史记录 (Windows)
 - SHA-1 — 单向密码加密 (Windows)、受托程序、策略签名 (高级策略管理)
- 在常规模式中：
 - CA Access Control r8 SP1 加密存储库 (DES、Triple DES、AES、MD5 等)
 - SSL (SSL V2、SSL V3 和 TLS 1.0) — 客户端/服务器通讯
 - SHA-1 (通过 CAPKI) — 用于受托程序的签名、策略的签名
 - AES (通过 CAPPKI) — 用于在处理双向密码历史记录时进行密码验证

密钥和证书的存储

CA Access Control 按如下方式存储密钥和证书。

- 对称密钥按 eTrust Access Control r8 SP1 中的方式进行存储。
- 证书 (主题证书、私钥和根证书) 存储在文件系统中，由 CA Access Control 进行保护。

注意： CA Access Control 通过使用 CA Access Control 对称密钥的 AES 对称加密 (通过 CAPKI 存储库) 来加密私钥。

受影响的功能 (UNIX)

FIPS 操作模式可能会影响以下 CA Access Control UNIX 功能：

功能	非 FIPS 模式	FIPS 模式
PMD 更新文件加密	默认对称密钥加密 (双向)	已禁用
受托程序	CAPKI SHA-1 和 MD5	仅限 CAPKI SHA-1
双向密码加密	默认对称密钥加密	已禁用

功能	非 FIPS 模式	FIPS 模式
单向密码加密	操作系统的 crypt/bigcrypt 方法	操作系统的 crypt/bigcrypt 方法
PMD TNG 命令	默认对称密钥加密	已禁用
CA Access Control TNG 后台进程	默认对称密钥加密	已禁用
LDAP 密码加密使用 (sebuildla -u -n)	默认对称密钥加密	已禁用
LDAP 密码加密生成 (seldapcred)	默认对称密钥加密	已禁用
TCP 通讯	默认的对称密钥加密 (双向) 或通过 SSL V2、SSL V3 接字或 TLS V1 的 CAPKI 套接字	通过 TLS V1 的 CAPKI 套接字
seversion 实用程序	CAPKI SHA-1	CAPKI SHA-1
受托程序 (watchdog 和 serertrust)	CAPKI SHA-1	CAPKI SHA-1
高级策略管理策略分发	CAPKI SHA-1 签名、向后兼容、CA Access Control 内部 SHA-1 签名	仅限 CAPKI SHA-1 签名
selogrd 加密	默认的对称密钥加密和 MD5	已禁用
sechkey 密钥更改	默认对称密钥加密	已禁用
iRecorder 日志文件签名	MD5 加密	已禁用
报告代理	已启用	已禁用
PUPM 代理	已启用	已禁用
DMS	已启用	UNAB 端点管理已禁用

注意：如果某个功能因 FIPS 操作模式而被禁用，则相关程序会输出错误消息并退出，或者在发生非交互式进程的情况下将错误消息写入系统日志。例如：报告代理或 PUPM 代理。

受影响的功能 (Windows)

FIPS 操作模式可能对以下 CA Access Control Windows 功能产生影响：

功能	非 FIPS 模式	FIPS 模式
PMD 更新文件加密	默认对称密钥加密(双向)	CAPKI AES 对称密钥加密
密码历史记录 (非双向)	另存为 CAPKI SHA-1。 通过 CAPKI SHA-1 进行密码验证而加密失败	另存为 CAPKI SHA-1。 仅通过 CAPKI SHA-1 进行密码验证
密码历史记录(双向)	默认对称密钥加密。 通过默认对称密钥加密进行密码验证	CAPKI AES 对称密钥加密。 仅通过 CAPKI AES 进行密码验证。
sechkey 密钥更改、密码历史记录	默认对称密钥加密对密码历史记录进行解密和加密	CAPKI AES 对称密钥加密对密码历史记录进行解密和加密
sechkey 密钥更改、策略模型	默认对称密钥加密对策略模型更新文件进行解密和加密	CAPKI AES 对称密钥加密对策略模型更新文件进行解密和加密
受托程序	CAPKI SHA-1 和 MD5	仅限 CAPKI SHA-1
大型机密码同步	已启用	已禁用
iRecorder	已启用	已禁用
TNG 集成	已启用	已禁用
高级策略管理策略分发	CAPKI SHA-1 签名、向后兼容、CA Access Control 内部 SHA-1 签名	仅限 CAPKI SHA-1 签名
报告代理	已启用	已禁用
PUPM 代理	已启用	已禁用
DMS	已启用	UNAB 端点管理已禁用

注意: 如果某个功能因 FIPS 操作模式而被禁用, 则相关程序会输出错误消息并退出, 或者在发生非交互式进程的情况下将错误消息写入系统日志。例如: 报告代理或 PUPM 代理。

您还应该考虑以下方面:

- 从非 FIPS 移至 FIPS 时, 策略模型将无法读取旧命令。
- 从 FIPS 移至非 FIPS 时, 策略模型将可以读取旧命令。
- 对于非双向密码历史记录, 当不在 FIPS 模式中使用 `crypt` 时, 则不会产生影响。`crypt` 仅适用于向后兼容。
- 对于双向密码历史, 从非 FIPS 移动到 FIPS 时, CA Access Control 将无法解密旧密码。

第 7 章： 功能支持限制

此部分包含以下主题：

- [IPv6 支持 \(p. 35\)](#)
- [Windows 端点限制 \(p. 35\)](#)
- [UNIX 端点限制 \(p. 38\)](#)
- [UNAB 限制 \(p. 39\)](#)
- [PUPM 限制 \(p. 39\)](#)

IPv6 支持

CA Access Control 可在单纯 IPv4 环境、单纯 IPv6 环境或 IPv4 和 IPv6 的混合环境中运行。

注意：(UNIX) selogrd 和 selogrcd 在仅 IPv6 环境中无法正常运行。

CA Access Control 当前不支持 IPv6 网络上的网络访问控制。这会对 HOST、CONNECT 和 TCP 类产生影响。

您可以将 IP 地址以 IPv6 格式指定给 CA Access Control，但 HOSTNET 类记录的掩码和匹配功能需要使用 IPv4 格式的地址。

Windows 端点限制

本节介绍了 Windows 端点的功能支持限制。

x64 功能支持限制

以下是 Windows 2003 x64 上的已知限制：

- Unicenter TNG 迁移和集成
- 大型机密码同步
- 模拟截获（即类 SURROGATE 功能）（如果将 `SurrogateInterceptionMode` 设置为 1）

重要说明！ 默认情况下，x64 和 x86 平台通过 RunAs 插件支持模拟截获（`SurrogateInterceptionMode` 设置为 0）。

注意：有关 `SurrogateInterceptionMode` 注册表设置的详细信息，请参阅《参考指南》。

IA64 功能支持限制

IA64 平台不支持以下功能:

- Unicenter TNG 迁移和集成
- 大型机密码同步
- STOP
- 报告代理
- PUPM 代理
- SSL
- FIPS 140-2 遵从性

Windows Server 2008 功能支持限制

以下是 Windows Server 2008 上的已知限制:

- 模拟截获（即类 SURROGATE 功能）（如果将 `SurrogateInterceptionMode` 设置为 1）

重要说明！ 默认情况下，x64 和 x86 平台通过 RunAs 插件支持模拟截获（`SurrogateInterceptionMode` 设置为 0）。

注意：有关 `SurrogateInterceptionMode` 注册表设置的详细信息，请参阅《参考指南》。

SAN 支持

当您将 CA Access Control 安装到以下系统时，CA Access Control 支持 SAN (存储区域网络) 环境：

- 本地文件系统，当该 SAN 仅可从单个主机访问时用来保护 SAN 中的文件。

注意：如果 SAN 可从多个主机访问，则将 CA Access Control 安装到可以访问该 SAN 的每个主机并使用每个安装来保护 SAN 中的文件。

- SAN 磁盘受以下限制：

- CA Access Control 驱动程序必须安装到本地文件系统。
- 每当启动或重新启动计算机时必须手工启动 SAN 磁盘中的 CA Access Control。当启动或重新启动计算机时不自动启动 CA Access Control。

注意：在您将 CA Access Control 安装在 SAN 磁盘时先前的条件仅应用。如果您将 CA Access Control 安装在本地的文件系统并用其来保护 SAN 中的文件，那么在每次重新启动计算机时您不需手工启动 CA Access Control。

如果 SAN 可从多个主机访问且 CA Access Control 安装在 SAN 中，而且想要将 CA Access Control 从其他主机安装到 SAN 的相同位置，请在开始之前考虑以下方面：

- CA Access Control 的新安装替代现有的 CA Access Control 安装并覆盖现有 CA Access Control 的配置文件和数据库。
- 必须在开始新安装之前停止现有 CA Access Control 的安装。

McAfee Entercept 缓冲区溢出

CA Access Control 的 STOP 功能与 McAfee Entercept 缓冲区溢出技术不兼容。

请关闭 CA Access Control STOP 功能或 McAfee Entercept 缓冲区溢出保护功能。

不支持短文件名规则（8.3 格式）

CA Access Control 不支持以短文件名（8.3 格式）创建的规则。定义以下任何类时，必须输入文件或目录的完整路径名：

FILE、PROGRAM、PROCESS、SECFILE、SPECIALPGM

以下是使用完整路径名的规则示例：

```
nr 文件 ("C:\program files\text.txt")
```

以下是不受支持的使用短路径名的规则示例：

```
nr 文件 ("C:\progra~1\test.txt")
```

UNIX 端点限制

本节介绍了 UNIX 端点的功能支持限制。

HP-UX 功能支持限制

以下是 HP-UX 操作系统上的已知 UNAB 和 CA Access Control 限制：

- 不支持 HP-UX 可靠计算基础 (TBC)。
- seversion 实用程序不显示 SHA-1 签名。

HP-UX Itanium 和 RHEL Itanium 不支持 Unicenter 集成。

HP-UX Itanium (IA64) 和 Red Hat Linux Itanium IA64 不支持 Unicenter 集成。

Linux IA64 不支持 PUPM 代理

Linux Itanium (IA64) 不支持 PUPM 代理。无论在安装时如何选择，CA Access Control 都不会在这些操作系统上安装 PUPM 代理。

注意：Linux IA64 也不支持 UNAB。

SAN 支持

将 CA Access Control 安装在本地文件系统上并用来保护 SAN(存储区域网络)上的文件时, 如果该 SAN 可从安装有 CA Access Control 的单个主机进行访问, 则 CA Access Control 支持 SAN 环境。

注意: 如果 SAN 可从多个主机访问, 则将 CA Access Control 安装到可以访问该 SAN 的每个主机并使用每个安装来保护 SAN 上的文件。

如果 SAN 可从多个主机访问且 CA Access Control 安装在 SAN 中, 而且想要将 CA Access Control 从其他主机安装到 SAN 的相同位置, 请在开始之前考虑以下方面:

- CA Access Control 的新安装替代现有的 CA Access Control 安装并覆盖现有 CA Access Control 的配置文件和数据库。
- 必须在开始新安装之前停止现有 CA Access Control 的安装。

注意: 在 SAN 上安装 CA Access Control 时未指定其行为, 它会从连接的多台主机执行。

UNAB 限制

本节介绍了 UNAB 端点的功能支持限制。

在 Linux IA64 上不支持 UNAB

目前, 您无法在 Linux IA64 操作系统上安装 UNAB。

UNAB 不符合 FIPS140-2 和 IPV6 标准

目前, UNAB 不符合 FIPS140-2 和 IPV6 标准。

PUPM 限制

本节介绍了 PUPM 端点和服务器组件的功能支持限制。

PUPM Windows Agentless 连接器不支持 Windows 2000

PUPM Windows Agentless 连接器不支持 Windows 2000 Server。

PUPM 不符合 FIPS140-2 和 IPV6 标准

目前，PUPM 不符合 FIPS140-2 和 IPV6 标准。

高级 CA Access Control 和 PUPM 集成限制

通过高级 CA Access Control 和 PUPM 集成（终端集成），您可以跟踪使用特权帐户登录到 CA Access Control 终端的用户的原始用户名。

仅当用户使用自动登录从 CA Access Control 企业管理 签出特权帐户时，您才能使用高级 CA Access Control 企业管理 CA Access Control 和 PUPM 集成。

第 8 章： 安装注意事项

此部分包含以下主题：

- [支持的安装语言 \(p. 41\)](#)
- [Windows 端点安装注意事项 \(p. 41\)](#)
- [UNIX 端点安装注意事项 \(p. 42\)](#)
- [UNAB 端点安装注意事项 \(p. 43\)](#)
- [服务器组件安装注意事项 \(p. 43\)](#)

支持的安装语言

静默安装 CA Access Control 时，可以指定 CA Access Control 的安装语言。以下是您可以指定的受支持语言的 ID 及其代表的语言：

- 1033—英语
- 1041—日语
- 1042—韩语
- 2052—中文（简体）
- 1031—德语
- 1040—意大利语
- 1036—法语
- 1046—葡萄牙语（巴西）
- 1034—西班牙语

Windows 端点安装注意事项

本节介绍了在 Windows 端点上安装 CA Access Control 时应注意的事项。

在 Windows Server 2008 上安装、卸载或升级期间弹出重新启动消息

在 Windows Server 2008 上安装、卸载或升级 CA Access Control 时，可能会显示一个对话框，提示您完成此过程后需要重新启动。要想继续，请选择“确定”关闭对话框。

UNIX 端点安装注意事项

本节介绍了在 UNIX 端点上安装 CA Access Control 时应注意的事项。

仅以 32 位模式在 Linux s390x 64 位上支持 CA Access Control

在 Linux s390x 64 位上有效

当前, CA Access Control 仅以 32 位模式在 Linux s390x 操作系统上受到支持。

AIX 6.1 需要具有 TL3 或更高版本才能启动 CA Access Control

在 AIX 6.1 上有效

要在 AIX 6.1 上加载 CA Access Control, 请验证是否已安装 TL3 或更高版本。

Linux390 的消息队列需要 J2SE 5.0 版

要在 Linux s390 和 s390x 端点上使用消息队列功能, 请验证端点上是否安装了 J2SE 5.0 版或更高版本。通过消息队列功能, 您可以将报告数据发送到报告门户, 将审核数据发送到 CA Enterprise Log Manager。

注意: 您可能需要在 `accommon.ini` 文件中配置 `java_home` 配置设置。有关详细信息, 请参阅《实施指南》。

x86_64bit Linux 上缺少兼容性库

默认情况下, x86_64 Linux 操作系统在安装时不应包括 32 位兼容性库。CA Access Control 端点要求库 `libstdc++.so.6` 存在于 rpm `libstdc++` 的 `usr/lib` 目录中。

请在安装 CA Access Control 之前验证端点上是否存在此库。

CA Access Control 安装和卸载会重新启动 UNAB

在运行 UNAB 的端点上安装或卸载 CA Access Control 时, UNAB 代理 `uxauthd` 会停止并启动。

将 CA Access Control 和 UNAB 传播到新的 Solaris 区域

设置新的 Solaris 区域时，本地操作系统完全传播且运行程序包的后安装部分之前，您必须完成几个后安装步骤，您才可以将 CA Access Control 和 UNAB 传播到新区域。

注意：有关正确设置新区域的详细信息，请参阅 [Oracle Documentation 网站](#) 上 Oracle 的《系统管理指南：Solaris Containers—资源管理和 Solaris Zones》。

UNAB 端点安装注意事项

本节介绍了安装 UNAB 端点时应注意的事项。

适用于 Linux 390 的 UNAB 需要安装 J2SE 5.0 版才能进行远程管理

要远程管理 Linux s390 和 s390x 端点，请验证端点上是否安装了 J2SE 5.0 版或更高版本。通过远程管理，您可以使用 CA Access Control 企业管理管理 UNAB 端点。

注意：您可能需要在 `accommon.ini` 文件中配置 `java_home` 配置设置。有关详细信息，请参阅《实施指南》。

在 Linux s390x 64 位上不支持 UNAB

在 Linux s390x 64 位上有效

在 Linux s390x 64 位操作系统上不支持 UNAB。

服务器组件安装注意事项

本节介绍了安装服务器组件（企业管理服务器、CA Access Control 端点管理 和企业报告）时应注意的事项。

在 Microsoft Windows Server 2003 上不支持巴西葡萄牙语和西班牙语的 CA Access Control 企业管理

在 Windows Server 2003 上有效

当前，您无法在 Microsoft Windows Server 2003 上安装巴西葡萄牙语和西班牙语的企业管理服务器。

管理员名称中的特殊字符

在 Windows 上有效

管理帐户用户名不得包括任何特殊字符。例如：“-”字符。

支持的 JDK 和 JBoss 版本

您可以在 CA Access Control 高级版 第三方组件 DVD 上找到支持的 JDK 和 JBoss 版本。

先决条件工具包安装程序注意事项

使用先决条件工具包安装程序实用程序从介质安装 CA Access Control 企业管理时，必须在系统提示您插入 CA Access Control 企业管理 DVD 之后选择“完成”，才能继续执行操作。可能还需要关闭插入 DVD 时出现的 ProductExplorer 窗口。

服务器组件安装所需的超级用户帐户

要安装任何 CA Access Control 服务器组件（如端点管理和企业管理），您必须以超级用户身份（UNIX 上的 root 用户，或 Windows 上的管理员组成员）登录。

如果找不到 Java，RDBMS 连接在安装期间失败

在 CA Access Control 企业管理 安装期间，如果当 CA Access Control 企业管理 尝试连接到 RDBMS 时发生连接失败，可能表明找不到 java.exe。

请确保 java.exe 的完整路径名位于系统的 PATH 环境变量中。

企业管理服务器安装不支持安装路径中包含空格

在 **UNIX** 上有效

在安装企业管理服务器时，请不要在安装路径中输入空格。

设置 **CA Access Control** 企业管理 使其与其他域中的 **Active Directory** 结合使用

如果要与安装 **CA Access Control** 企业管理 的域之外的 **Active Directory** 结合使用，必须更改主机 TCP/IP 设置。

设置 **CA Access Control** 企业管理 使其与其他域中的 **Active Directory** 结合使用

在 **Windows** 中

1. 依次单击“开始”、“控制面板”和“网络连接”。
将显示“网络连接”窗口。
2. 右键单击活动的网络连接，然后单击“属性”。
将出现“连接属性”对话框，并打开“常规”选项卡。
3. 选择“Internet 协议 (TCP/IP)”，然后单击“属性”。
将显示“Internet 协议 (TCP/IP) 属性”的“常规”选项卡。
4. 在打开的对话框中单击“高级”，然后单击“DNS”选项卡。
将显示“高级 TCP/IP 设置”的“DNS”选项卡。
5. 单击“添加”，并输入 Active Directory 所在域的 DNS 服务器的 IP 地址。
6. 选择“附加这些 DNS 后缀 (按顺序)”，然后单击“添加”添加后缀。
将显示“TCP/IP 域后缀”对话框。
7. 输入域后缀。
示例: *company.com*
8. 在所有打开的对话框中单击“确定”以确认所做的更改，然后退出。

在 **UNIX** 中

验证 Active Directory 所在域的 DNS 服务器名称是否已设置为正确的值。

要验证 DNS 域名，请打开文件 */etc/resolv.conf*，并验证域是否已设置为正确的值。

使用 Active Directory 管理员帐户登录到 CA Access Control 企业管理

当 Active Directory 是 CA Access Control 企业管理 的用户存储时，必须使用您在安装期间提供的 Active Directory 帐户（而非内置的超级管理员帐户）登录到 CA Access Control 企业管理。将 Active Directory 用作用户存储时，超级管理员帐户并未分配 SystemManager 的管理角色，因此不应用来管理 CA Access Control 企业管理。

CA Access Control 端点管理 安装说明适用于 CA Access Control 的两个版本

《实施指南》的“安装 CA Access Control 端点管理”一章中的 CA Access Control 端点管理 安装说明同样适用于 CA Access Control 高级版 和 CA Access Control。对于想要安装 CA Access Control 端点管理 的非 CA Access Control 高级版 用户，应遵循这些说明并使用非高级服务器 DVD。

CA Access Control 端点管理 快捷方式指向端口号 8080

默认情况下，CA Access Control 端点管理 安装程序将设置指向端口号 8080 的快捷方式。要更改默认设置，必须直接从 CA Access Control 高级版 DVD（而非 ProductExplorer）运行 CA Access Control 端点管理 安装程序。

可使用以下命令行定义要在安装 CA Access Control 端点管理 时使用的端口：

```
install_EM.exe -DJBOSS_PORT=<18080>
```

或者，可以在安装后编辑 CA Access Control 端点管理 快捷方式，使其指向其他端口。

CA Enterprise Log Manager 仅支持可靠 SSL 连接

定义 CA Enterprise Log Manager 服务器的连接设置时，也定义了 SSL 连接设置。CA Enterprise Log Manager 不支持非 SSL 连接。

注意：有关与 CA Enterprise Log Manager 集成的更多信息，请参阅《实施指南》。

从 CA Access Control 企业管理 查看 CA Enterprise Log Manager 报告所需的特殊订阅

要从 CA Access Control 企业管理 界面查看 CA Access Control 企业管理 报告, 请对 CA Enterprise Log Manager 服务器应用特殊订阅更新。

应用订阅更新

1. 在 CA Enterprise Log Manager 中, 单击“管理”选项卡、“服务”子选项卡, 然后选择“订阅模块”。
2. 提供以下 RSS feed URL:
<http://securityupdates.ca.com/CA-ELM/r12/OpenAPI/RSSFeed.xml>
3. 下载所有模块并将其应用到 CA Enterprise Log Manager。

现在您可以从 CA Access Control 企业管理 查看 CA Enterprise Log Manager 报告。

同步 CA Access Control 企业管理 和报告门户计算机的系统时间

如果将报告门户与 CA Access Control 企业管理 安装在不同的计算机上, 必须使两台计算机的系统时间同步。如果不同步系统时间, CA Access Control 企业管理 生成的报告将一直处于挂起或重复状态。

如果您不是超级用户, 卸载将失败

要卸载任何 CA Access Control 服务器组件 (如端点管理和企业管理), 您必须以超级用户身份 (UNIX 上的 root 用户, 或 Windows 上的管理员) 登录。如果不以超级用户身份登录, 卸载将失败。

第 9 章：升级注意事项

此部分包含以下主题：

- [可以升级的版本 \(p. 49\)](#)
- [Windows 端点升级注意事项 \(p. 49\)](#)
- [UNIX 端点升级注意事项 \(p. 50\)](#)
- [服务器组件升级注意事项 \(p. 52\)](#)

可以升级的版本

您可以将 CA Access Control 端点从以下版本升级到 r12.6：

- r12.5.5
- r12.5 SP4
- r12.5 SP3
- r12.5 SP2
- r12.5 SP1
- r12.5
- r12.0 SP1
- r12.0
- 任何 r8 SP1 CR

您无法将 CA Access Control 端点从以下版本升级到 r12.6：

- r8 SP1 GA

要升级 r8 SP1 GA 端点，请在升级到 r12.6 之前，为 r8 SP1 安装最新的 CR。

- r5.2 和 r5.3

要升级 r5.2 或 r5.3 端点，请在升级到 r12.6 之前，为 r8 SP1 安装最新的 CR。

Windows 端点升级注意事项

本节介绍了在 Windows 端点上升级 CA Access Control 时应注意的事项。

升级时可能需要重新启动

将端点从 r12.0 SP1 或更高版本升级到此版本时，不强制重新启动计算机。升级后，CA Access Control 会保留向后兼容性。但是，只有重新启动计算机后升级才算完成，所有新功能也只有在重新启动计算机后才能使用。

将端点从 r8.0 SP1 或 r12.0 升级到此版本时，必须重新启动计算机。

CA Access Control r12.6 要在 CA Access Control r12.5 和 r12.0 SP1 上管理策略模型需要热修复

如果要使用 CA Access Control r12.6 服务器来管理 r12.5 和 r12.0 SP1 端点上的策略模型，您必须在 r12.5 端点上安装热修复程序 T537526，在 r12.0 SP1 端点上安装热修复程序 T537569。

注意：要获得帮助，请通过 <http://ca.com/worldwide> 与技术支持联系。

更改数据库的默认访问权限

现在 seosdb (CA Access Control 数据库) 的默认访问权限为无。在 r12.5 SP2 和更低版本中，数据库的默认访问权限为读取。

注意：CA Access Control 内部进程对数据库具有完全访问权限，而 NT AUTHORITY\System 用户对数据库具有读取访问权限。

UNIX 端点升级注意事项

本节介绍了在 UNIX 端点上升级 CA Access Control 时应注意的事项。

默认安装位置

在 r12.0 中，默认安装位置有所更改，更改后的安装位置如下：

/opt/CA/AccessControl

FIPS 140-2 库升级

此 CA Access Control 版本使用 CAPKI 4.1.2，而非 ETPKI 3.2。升级将自动进行，如果有其他组件在使用 ETPKI 3.2 库，则升级时会保留计算机中的 ETPKI 3.2 库。为确定是否有其他组件在使用 ETPKI 3.2，CAPKI 将使用内部参考计数。如果此计数等于 0，ETPKI 3.2 会在升级时卸载。

UNIX 升级的系统范围审核模式

SEOS 类中的 SYSTEM_AAUDIT_MODE 属性为用户和企业用户指定了默认审核模式(系统范围的审核模式)。升级到 CA Access Control r12.5 SP1 或更高版本时，CA Access Control 将 SYSTEM_AAUDIT_MODE 属性的值设置为 DefaultAudit 配置设置(位于 lang.ini 文件的 [newusr] 部分中)的值。

注意： SYSTEM_AAUDIT_MODE 属性和 DefaultAudit 配置设置的默认值均为 Failure LoginSuccess LoginFailure。

授权识别资源组所有权

检查用户对资源的授权时，CA Access Control 会考虑资源组所有权。该操作在 12.0 中曾经介绍。在先前版本中，授权进程只考虑资源的所有者。

例如：对于一个默认访问权限为“无”，且所有者并非成员的 FILE 资源，您将其定义成已命名所有者的 GFILE 资源。在 CA Access Control r12.0 及更高版本中，命名的组所有者对该文件拥有完全访问权限。在较早版本中，没有用户可以访问该文件。

syslog 消息的优先级降低

以下 syslog 消息的优先级降到了信息级别 (INFO, 而非 ERROR) :

- CA Access Control 后台进程即将关闭。
- START-UP: CA Access Control PID=%d
- SEOS_load: use_streams=\$use_streams
unload_enable=\$unload_enable
- 正在加载 CA Access Control 内核扩展。
- 已加载 \$prodname 内核扩展。
- 启动 \$SeosBinDir/seosd 后台进程。 (CA Access Control)
- Watchdog 已启动。
- Watchdog 已初始化 Watchdog 扩展。

服务器组件升级注意事项

本节介绍了升级服务器组件 (企业管理服务器、CA Access Control 端点管理 和企业报告) 时应注意的事项。

升级之前需要热修复程序，才能使用包含空格的策略和主机组

在 Linux、Solaris 上有效

要使用带有空格字符的策略和主机组，请在升级到 CA Access Control r12.6 之前为您使用的操作系统安装热修复程序。

在端点上部署策略所需的软件修补程序

要从 CA Access Control 企业管理 r12.6 部署 CA Access Control r12.5 端点上的策略，必须在企业管理服务器上安装修补程序 T537526。

请从 [CA 支持网站](#) 下载该软件修补程序。

CA Access Control 企业管理 默认加密方法设置为 256AES

CA Access Control 企业管理 默认加密方法现在设置为 256AES，而不是 SCRAMBLE。

第 10 章：一般注意事项

此部分包含以下主题：

- [Windows 端点注意事项 \(p. 53\)](#)
- [UNIX 端点注意事项 \(p. 54\)](#)
- [UNAB 注意事项 \(p. 57\)](#)
- [PUPM 注意事项 \(p. 59\)](#)
- [服务器组件注意事项 \(p. 61\)](#)

Windows 端点注意事项

本节介绍了在 Windows 端点上使用 CA Access Control 时应注意的事项。

RunAs 管理员在 Windows Server 2008 上启动 CA Access Control

在 Windows Server 2008 上有效

要使用命令行选项 (seosd -start) 启动 CA Access Control，您需要具有管理员权限（如果启用了用户帐户控制 (UAC) 选项）。使用 RunAs 选项运行命令提示符，并指定具有管理权限的用户帐户。

卸载不删除 CA 许可文件

当您卸载 CA Access Control 时，不会删除 CA 许可文件。默认情况下，CA 许可文件位于 CA_license 目录（如 C:\Program Files\CA\SharedComponents\CA_LIC）。

卸载不会删除数据和日志目录

卸载 CA Access Control 时，不会删除数据和日志目录。默认情况下，数据和日志目录位于以下位置：

\Program Files\CA\AccessControl\

UNIX 端点注意事项

本节介绍了在 UNIX 端点上使用 CA Access Control 时应注意的事项。

由 EXECLOGIN 标志代替 MultiLoginPgm

我们建议您使用 LOGINAPPL EXECLOGIN 标志，而不是 MultiLoginPgm 标记，来确定特殊登录应用程序的完整路径。

EXECLOGIN 标志会延迟 LOGIN 操作，直到登录应用程序的第一个“exec”事件出现。

CA Access Control 功能的 PAM 配置

如果在操作系统的 PAM 配置文件中，“auth requisite”行出现在 CA Access Control“auth optional *pam_module*”行的前面，则依赖于识别用户登录尝试的 CA Access Control PAM 功能（例如：segrasce、serevu 和日志审核记录）将无法工作。

如果希望 PAM 写入用户登录尝试，PAM 配置文件应包含“auth required *pam_module*”行，而非“auth requisite *pam_module*”。如果您指定了所需的控制标记，且模块失败，那么它会继续到下一模块。如果您使用控制标志“*requisite*”并且模块失败，它将立即退出，不会到达 CA Access Control 行，所以不会运行 *pam_module*。

注意：*pam_module* 是平台上 PAM 模块文件的名称。例如：在 Linux 上，它是 *pam_unix2.so*。

telnet 和 rsh 需要进行特殊 PAM 配置

如果您的 PAM 配置文件出现以下情况，则无法使用 telnet 或 rsh 登录到计算机：

- 缺少以下行：

```
login      account optional/usr/lib/security/libpam_unix.1
login      account optional/usr/lib/security/pam_seos.sl
```

要解决这一问题，您可以注释掉 CA Access Control 行（如果您希望 PAM 使用“OTHER account...”行）；或者也可以取消注释操作系统行。

AIX 上的 CA Access Control PAM 模块

在 AIX 上有效

如果您在 seos.ini 文件的 seos 部分中设置 auth_login=pam，则 CA Access Control 会使用 PAM 对用户进行身份验证。CA Access Control 在身份验证期间使用 PAM API 库，但 AIX 不采用共享库格式提供 PAM 库（CA Access Control 可以轻松链接到此格式的 PAM 库）。CA Access Control 尝试使用 PAM API 时会失败，并出现错误消息“找不到 /usr/lib/libpam.o”。要避免此错误，您必须配置 AIX PAM 模块。

在 AIX 上配置 AIX PAM 模块

1. 找到 AIX 提供的 *libpam.a* 存档：

```
cd /usr/lib
```

此存档包含 AIX PAM 共享库 (shr.o)。

2. 从 *libpam.a* 中将 *shr.o* 提取至 */usr/lib*：

```
ar -xv libpam.a
```

3. 将 *shr.o* 重命名为 *libpam.o*：

```
mv shr.o libpam.o
```

4. 在 *seos.ini* 文件的 *passwd* 部分中，验证 *change_pam=yes*。

此配置设置指示 *sepass* 使用 PAM 界面更改密码。

SNMP 配置

将 *selogrd* 设为传送审核记录给 SNMP 倾听器时，您可以使用和默认名称（“public”）不同的 SNMP 团体名称。为实现这一功能，请在 *selogrd.cfg* 配置文件中使用以下格式：

```
snmp gateway@community
```

gateway

定义 SNMP 网关主机名。

community

定义与目标 SNMP 环境相匹配的 SNMP 公用名。

CA Access Control 生成登录会话 ID

CA Access Control 在启动时生成将添加到审核日志记录的登录会话 ID。这意味着，每次 CA Access Control 重新启动时，登录的用户会在同一终端会话中获得不同的会话 ID。会话 ID 仅在同一 CA Access Control 会话中保持不变。

企业用户与 `_undefined` 用户不对应

如果使用企业用户（`osuser_enabled` 设置为 1），则 CA Access Control 不会将任何用户视为未定义。

针对 `_undefined` 用户的规则在这种情况下不适用。

所有用户掩码 (*) 均适用于未定义的用户

如果不使用企业用户（`osuser_enabled` 设置为 0），则未在 CA Access Control 数据库中定义的用户将包括在适用于所有用户的规则中（使用掩码 *）。

如果要从适用于所有用户的规则中排除未定义的用户，请为未定义的用户创建一个更具体的规则，用于定义未在数据库中定义的用户所需的访问权限。

默认情况下，审核日志备份文件受到保护

默认情况下，如果您将设置配置为保留带有时间戳的备份，CA Access Control 将保护审核日志备份文件。这种默认保护与按大小触发的审核备份文件所获得的保护相同。要删除这些文件，需要在数据库中设置许可规则。

修复 `libcryptscr.so.125.0` 之后更改加密密钥

对称加密密钥已嵌入 `libcryptscr.so.125.0` 库。如果修复此库，则修补程序可能会还原默认的 CA Access Control 加密密钥。要避免通讯问题，必须始终在将修补程序应用于 `libcryptscr.so.125.0` 之后立即更改加密密钥。

要更改密钥，请导航到 `/opt/CA/AccessControl/lib/libcryptscr.so.125.0` 并运行以下 `sechkey`，其中 `previous_key` 是您在应用修补程序之前使用的加密密钥：

```
sechkey -d previous_key
```

`sechkey` 会将默认加密密钥替换为以前的密钥。

Linux 内核重新编译

在 Linux 系统上，如果重新编译内核，则必须将 `system.map` 文件复制到 `/boot` 目录中，以加载 CA Access Control 后台进程。

编译 API 示例

您应当使用 `gmake (GNU make)` 而非 `make` 来编译 API 示例。

不在 `seosd Exit` 中使用管理 API 函数

为避免死锁，请不要在 `seosd exit` 中使用任何管理 API 函数。

UNAB 注意事项

本节介绍了使用 UNAB 时应注意的事项。

针对用户支持的最大 Active Directory 组

UNAB 针对用户不支持多于 128 的 Active Directory 组。如果用户是多于 128 的 Active Directory 组的成员，则拒绝该用户登录。

用户名长度限制

在 AIX 上有效

默认情况下，用户名长度限制为八 (8) 个字符。如果指定了显式 Active Directory 用户名作为 user@domain，那么完整字符串长度计算在最大限制内。

在 AIX 5.3 上，您可以使用以下命令将默认限制更改为最多 255 个字符：

```
chdev -l sys0 -a max_logname=N
```

N

指定最大的用户名长度。

迁移后禁用本地用户帐户

将用户帐户完全迁移到 Active Directory 后，您可以通过在 etc/passwd 文件中帐户条目的开头添加星号 (*) 来禁用本地 UNIX 帐户。

不要将 unab_refresh_interval 标记值设置为短时间间隔

为避免 UNAB 性能问题，请不要将 unab_refresh_interval 标记值设置为短时间间隔。

不要将 Kerberos dns_lookup_realm 设置为 true

适用于 SSO 模式

建议除非有必要，否则不要将 Kerberos dns_lookup_realm 值设置为 true。如果设置为 true，Kerberos 会启动不必要的 DNS 搜索，这样会大幅减慢 UNAB 登录过程。

UNAB 用户无法根据指定的密码策略更改帐户密码

如果 UNAB 用户无法更改其帐户密码，请确定您使用的域控制器安全策略未禁止用户更改其帐户密码。

sepass 与 UNAB 端点集成

sepass 实用程序与 UNAB 集成在一起。通过此集成，用户可以在安装了 CA Access Control 和 UNAB 的端点上更改其 Active Directory 密码。

将 sepass 与 UNAB 集成：

- 确定您将 seos.ini 文件中的“change_pam”标志值设置为 **yes**。配置此标志以指示 sepass 使用 PAM 界面更改密码。
- 确定您将 seos.ini 文件中的“auth_login”标志值设置为 **pam**。配置此标志以指示 sepass 使用 PAM 界面验证现有密码。

注意：有关 seos.ini 初始化文件标志的详细信息，请参阅《参考指南》。

使用 Active Directory 帐户登录到 UNAB

如果您要使用本地主机上之前不存在的 Active Directory 帐户登录到 UNAB，请执行以下步骤：

1. 使用以下命令向 Active Directory 注册 UNAB 主机：

```
uxconsole -register
```

2. 使用以下命令激活 UNAB：

```
uxconsole -activate
```

3. 创建 UNAB 登录授权（登录策略）或本地登录策略（users.allow、users.deny、groups.allow、groups.deny），以使 Active Directory 用户能够登录。

安装 UNAB 后，无法使用管理员帐户登录到 CA Access Control for UNIX

在端点上安装 UNAB 之后，无法使用 Active Directory 管理员用户帐户登录到适用于 UNIX 的 CA Access Control 端点。要解决此问题，您可以为此帐户创建 userPrincipleName。

CA Access Control 安装和卸载会重新启动 UNAB

在运行 UNAB 的端点上安装或卸载 CA Access Control 时，UNAB 代理 uxauthd 会停止并启动。

PUPM 注意事项

本节介绍了使用 PUPM 时应注意的事项。

密码签入后需要页面刷新

在终止到端点的远程会话登录之后需要页面刷新。CA Access Control 企业管理 签入帐户密码，但不会更新帐户状态。

指定 PUPM 端点 NetBIOS 名称而非 DNS 域名

在 CA Access Control 企业管理 中创建 PUPM 端点时，您在“名称”字段中指定的主机名必须与“全局查看”中显示的主机名匹配。

如果端点是 Active Directory 端点，请在“主机域”字段中指定 NETBIOS 域名。如果端点不是 Active Directory 端点，请在“主机域”字段中指定 NETBIOS 主机名，而不是 DNS 域名。例如：如果端点不是 Active Directory 端点，请在“主机域”字段中指定 NETBIOS 主机名 (ACSERVER)，而不是端点 DNS 域名 (acserver.company.com)。

如果指定 DNS 域名，PUPM 自动登录等高级功能将失败。

最多可以配置一个 CA Identity Manager 置备连接器服务器

在 CA Access Control 企业管理 中最多可以配置一个 CA Identity Manager 置备连接器服务器。

无法使用 SSL 端口配置 CA Identity Manager 置备连接器服务器

配置 CA Identity Manager 置备连接器服务器时，请不要指定 CA Identity Manager 置备服务器 SSL 端口 (20390)。如果指定连接器服务器 SSL 端口，则连接器服务器的连接将失败。

Active Directory 的 PUPM Windows Agentless 连接器搜索限制

使用 PUPM Windows Agentless 连接器连接到 Active Directory 时，通配符 (*) 和“全部检索”搜索选项不起作用。要搜索用户，必须提供具体的帐户详细信息。

不要在多个端点类型上同时执行 PUPM 特权帐户发现向导

PUPM 不支持在多个终端类型上同时运行特权帐户发现向导。同时在多个终端类型上运行该向导将导致在 PUPM 数据库中创建特权帐户失败，或者在发现时重置帐户密码失败。

请每次始终在一个端点类型上运行发现向导，确定向导成功完成任务后再在其他端点类型上运行向导。

PUPM 导送程序 CSV 中的最大建议记录数为 500 个端点或帐户

建议单个 PUPM 导送程序 CSV 文件中的端点或帐户数量不要超过 500。

无法使用 PUPM 更改专家帐户的密码

如果在 SSH 端点上使用检查点防火墙，则无法使用 PUPM 在端点上更改专家帐户的密码。此限制意味着，专家帐户必须是 PUPM 中的断开帐户。

SQLCMD 实用程序不支持空密码

在 SQL Server 上有效

SQL Server 命令实用程序 sqlcmd 不支持空密码。如果已在 CA Access Control 企业管理 中将 SQL Server 端点定义为密码使用方并从 PUPM 签出密码，请不要将密码字段留空。您可以指定帐户密码或任何其他字符串作为密码。

服务器组件注意事项

本节介绍了使用服务器组件（CA Access Control 端点管理、CA Access Control 企业管理 和企业报告）时应注意的事项。

企业管理服务器不支持 Solaris

在 Solaris 上有效

当前，企业管理服务器不支持 Solaris。

CA Access Control 组件与 CA Access Control 消息队列之间的通讯问题

以下 CA Access Control 组件依靠与 CA Access Control 消息队列的通讯来实现一些功能：

- 报告代理
- DMS
- UNAB
- PUPM 密码使用方
- 代理管理器

这些组件可能会由于以下原因而无法与消息队列进行通讯：消息队列未运行、没有为消息队列主机或队列正确设置配置选项，或者出现常规网络错误。

如果其中任何一个组件与消息队列之间的通讯无法建立或断开，在问题修复后，通讯不会自动恢复。要解决此问题，您必须修复通讯问题，然后重新启动 CA Access Control 组件。

XUSER 和 XGROUP 的详细信息不包括在报告中

XUSER 和 XGROUP 的相关详细信息不显示在 CA Access Control 帐户管理报告中。

CA Access Control 主机名限制

CA Access Control 端点的主机名不得超过 15 个字符。如果 CA Access Control 计算机的主机名超过 15 个字符，您将无法使用 CA Access Control 端点管理登录端点。

自动生成策略取消部署脚本

取消部署没有相关取消部署脚本的策略时，CA Access Control 会自动生成所需的脚本以删除策略。此脚本基于部署脚本。

如果要删除策略但 *保持策略规则不变*（在部署脚本中），请提供具有不修改任何项的规则的取消部署脚本（例如：`er GPOLICY policyName`）。

CA Enterprise Log Manager 不包括 PUPM 和 UNAB 报告

在此版本中，CA Enterprise Log Manager 不包括 PUPM 和 UNAB 报告。

第 11 章：已知问题

此部分包含以下主题：

[安装已知问题 \(p. 65\)](#)

[已知升级问题 \(p. 70\)](#)

[一般已知问题 \(p. 72\)](#)

安装已知问题

本节介绍了 CA Access Control 组件的安装已知问题。

Windows 端点安装已知问题

本节介绍了 Windows 端点的安装已知问题。

从 MSI 文件进行安装时出现“找不到有效源”消息

升级 CA Access Control 时，可能会出现“找不到有效源”消息。如果当前使用的介质与最初用于安装 CA Access Control 的介质的 MSI 文件位于不同的路径中，将出现此消息。

要解决此问题，请添加名为“MediaPackage”的注册表字符串，并指定 CA Access Control msi 软件包的相对路径。在以下路径中添加注册表字符串：

```
HKLM\Software\Classes\Installer\Products\  
CDAFB228040EC5F40AA08B5E852A6D61\SourceList\Media
```

例如：如果在 32 位 Windows 操作系统上安装 CA Access Control，则 msi 文件的完整路径为：E:\x86\，其中 E: 是可移动介质驱动器。在 MediaPackage 值中，指定值：\x86\

UNIX 端点安装已知问题

本节介绍了 UNIX 端点的安装已知问题。

RPM 软件包验证可能返回错误

验证 RPM 程序包安装时，可能会收到一些验证错误。

这些错误并不表明已安装的产品的功能存在问题，您可以放心地忽略它们。

客户端-服务器通讯模式不兼容

使用 `non_ssl` 或 `all_modes` 设置的客户端无法与使用 `fips_only` 通讯模式设置的服务器通讯。

Linux Z 系列的 API 库是 32 位

CA Access Control 为 Linux Z 系列 (s390x) 提供 32 位 API 库。

CA Access Control 不为 Linux Z 系列 (s390x) 提供 64 位库。

HP-UX 需要更新后的修补程序级别

在 HP-UX 上，CA Access Control 需要更新后的修补程序级别才能正确安装。建议使用以下操作系统修补程序：

- IA64 上的 11.23—日期为 2006 年 9 月或更晚的修补程序 PHSS_37492 或操作系统 QPK1123 包。
- PA-RISC 上的 11.11—支持“`dld_getenv`”的操作系统路径或日期为 2006 年 12 月或更晚的操作系统 QPR 包。
- PA-RISC 上的 11.23—日期为 2006 年 12 月或更晚的操作系统 QPK 包。

PAM 在具有较早版本 `/lib64/libc.so.6` 库的 Linux s390x 上无法正常工作

如果主机上的 `/lib64/libc.so.6` 库比编译 CA Access Control PAM 库所用版本更早，那么 Linux s390 和 s390x 中的 PAM 将不会工作。

该库的版本应为 2.3.2 或更高。

UNAB 在 CA Access Control 安装期间停止

在 Linux 上有效

为防止安装期间出现问题，请在端点上安装 CA Access Control 之前停止 UNAB。如果安装的 CA Access Control 版本高于 UNAB 的版本，则会出现此问题，因为经常用到 `AccessControlShared` 目录。

UNAB 端点安装已知问题

本节介绍了 CA Access Control 端点的安装已知问题。

UNAB 不支持 CA Access Control r8.0 SP1 和 r12.0 SP1

目前，您无法在 CA Access Control r8.0 SP1 和 r12.0 SP1 端点上安装 UNAB。此外，UNAB 和 CA Access Control 的版本或 Service Pack 必须完全相同。

PUPM 安装已知问题

本节介绍了 PUPM 的安装已知问题。

PUPM 端点类型的 Access Control 出现“无此方法”或“无法重置密码”错误消息

在 Solaris 和 Linux 上有效

在 Solaris 或 Linux 计算机上安装企业管理服务器期间，当您为 PUPM 端点定义 Access Control 时，会收到“无此方法”错误消息。

如果指定 CA Access Control 企业管理 在签入时重置特权帐户密码，则当用户在 PUPM 端点的 Access Control 上签入特权帐户时，会收到“无法重置密码”错误消息。

要解决这些问题，请执行以下步骤：

1. 停止 Java 连接器服务器。请执行以下操作：

- a. 导航到以下目录，其中 *ACServerInstallDir* 是安装企业管理服务器的目录：

ACServerInstallDir/Connector_Server/bin

- b. 运行以下命令：

`./im_jcs stop`

Java 连接器服务器将停止。

2. 打开 *im_jcs* 脚本进行编辑。

3. 从脚本中找到并删除以下行：

■ Solaris:

```
PREJAR="$FULLBASEPATH/bin/jcs-bootstrap.jar:$FULLBASEPATH/  
conf:$FULLBASEPATH/lib/jcs.jar:$FULLBASEPATH/  
lib/apacheds-server-main-*-app.jar"
```

■ Linux:

```
PREJAR="$FULLBASEPATH/bin/jcs-bootstrap.jar:$FULLBASEPATH/  
conf:$FULLBASEPATH/lib/jcs.jar:``echo $FULLBASEPATH/  
lib/apacheds-server-main-*-app.jar`"
```

4. 复制以下行并将其粘贴到脚本中：

■ Solaris:

```
PREJAR="$FULLBASEPATH/bin/jcs-bootstrap.jar:$FULLBASEPATH/  
conf:$FULLBASEPATH/lib/jcs.jar:$FULLBASEPATH/  
lib/nlog4j__V1.2.25.jar:$FULLBASEPATH/lib/apacheds-server-main-*-app.  
jar"
```

■ Linux:

```
PREJAR="$FULLBASEPATH/bin/jcs-bootstrap.jar:$FULLBASEPATH/  
conf:$FULLBASEPATH/lib/jcs.jar:$FULLBASEPATH/  
lib/nlog4j__V1.2.25.jar:``echo  
$FULLBASEPATH/lib/apacheds-server-main-*-app.jar`"
```

重要说明！ 在将该行粘贴到脚本之后，请删除此行中的回车。

5. 保存文件。

6. 启动 Java 连接器服务器。

```
./im_jcs start
```

Java 连接器服务器将启动。现在您可以为 PUPM 端点类型配置 Access Control。

无法在 Solaris 9 上创建特权帐户

在 Solaris 9 上有效

您无法在 Solaris 9 上创建特权帐户，因为密码更改命令不同于 PUPM 使用的命令。要解决此问题，请执行以下操作：

1. 在企业管理服务器上，导航到以下目录，其中 *ACServerInstallDir* 是安装企业管理服务器的目录：

ACServerInstallDir/Connector Server/conf/override/sshdyn

2. 找到文件 *ssh_connector_conf.xml*，并使用其他名称保存该文件的副本。

3. 打开您复制的文件并找到以下条目：

`<param name="sCommand" value="passwd [%user%]" />`

4. 将 *passwd* 值修改为以下内容：

`<param name="sCommand" value="passwd -r files [%user%]" />`

5. 保存并关闭文件。

6. 在 CA Access Control 企业管理 中创建端点类型，并指定您修改的配置文件的名称。

如果 UNAB 安装在端点上，PUPM SSH 设备将无法设置密码

在 Solaris 上有效

如果 UNAB 安装在被配置为 PUPM SSH 设备的 CA Access Control for UNIX 端点上，则 PUPM 无法在该端点上设置特权帐户密码。原因是 PUPM 运行 *passwd* 命令时不指定参数。

解决此问题

1. 使用 *ssh_connector_conf.xml* 文件创建 *ssh.xml* 文件。默认情况下，此文件位于以下目录中：

\AccessControlServerDir\Connector Server\conf\override\sshdyn

2. 找到 `<param name="sCommand" value="passwd [%user%]" />` 标记。

3. 将值“*-r files*”添加到“*sCommand*”参数。例如：

`<param name="sCommand" value="passwd -r files [%user%]" />`

4. 保存并关闭文件。

重要说明！ 确定您在 CA Access Control 企业管理 中创建了 SSH 设备端点并指定了您在“配置文件”字段中创建的文件。

服务器组件安装已知问题

本节介绍了服务器组件（企业管理服务器、CA Access Control 端点管理和企业报告）的安装已知问题。

在 Solaris 和 Linux 上不支持 CA Access Control 企业管理

在 Solaris、Linux 上有效

CA Access Control 企业管理 的当前版本不支持 Solaris 和 Linux。

安装期间出现“无法安装 Java 虚拟机”消息

在 Solaris 和 Linux 上有效

在使用控制台安装方法在 UNIX 计算机上安装 CA Access Control 企业管理 时，会出现以下消息：

无法安装此安装程序中包含的 Java 虚拟机。

出现此错误消息是由于已知的 InstallAnywhere 问题。该错误消息对系统运行没有任何影响，您可以继续进行安装。

不要在 CA Access Control 企业管理 数据库密码中使用 \$ 字符

由于 InstallAnywhere 会将 \$ 字符识别为变量的开头，因此不要在 CA Access Control 企业管理 数据库密码中使用 \$ 字符。如果您在数据库密码中使用此字符，安装会继续但不会成功更新数据库表。

已知升级问题

本节介绍了 CA Access Control 组件的升级已知问题。

Windows 端点升级已知问题

本节介绍了 Windows 端点的升级已知问题。

升级期间出现“没有足够的权限修改文件”消息

如果在升级 CA Access Control 端点时出现一则消息，通知您安装程序没有足够的权限修改文件，请确认该消息并继续升级。

UNIX 端点升级已知问题

本节介绍了 UNIX 端点的已知升级问题。

升级后 `seaudit` 和 `sebuildla` 出现权限被拒绝消息

在 AIX 上有效

在使用本地程序包升级之后，您可能会在使用 `seaudit` 和 `sebuildla` 实用程序时收到权限被拒绝的错误消息。

要解决此问题，请重新托管这些实用程序以完成升级。

r12.0 之前的版本必须使用最多 54 个字符作为加密密钥

如果您的环境包括早于 r12.0 版本的 CA Access Control，则必须使用最多 54 个字符作为加密密钥。

UNAB 端点升级已知问题

本节介绍了 UNAB 端点的升级已知问题。

UNAB 代理在升级后不启动

在升级之后，UNAB 代理 (`uxauthd`) 没有自动启动。要启动代理，请使用 `start` 命令从以下目录运行 `uxauthd.sh shell` 脚本：

`/opt/CA/uxauth/lbin`

服务器组件升级已知问题

本节介绍了服务器组件（企业管理服务器、CA Access Control 端点管理企业和企业报告）的升级已知问题。

如果 CA Access Control 企业管理 安装目录是一个链接，升级将失败

在 Solaris 上有效

在升级 CA Access Control 企业管理 时，如果安装目录是实际目录的链接而不是真正的安装目录，升级将失败。例如：如果链接的目录为 /opt/CA，而实际的安装目录为 /work/CA 目录。

要解决此问题，请在升级之前修改 /etc/seos.ini 文件中的 SEOSPATH 标记值，以指向链接的路径而不是真实路径。

例如：如果下面是 CA Access Control 安装目录的完整路径名：

```
SEOSPATH=/work/CA/AccessControlServer/APMS/AccessControl
```

将 SEOSPATH 更改为指向链接的路径，如下所示：

```
SEOSPATH=/opt/CA/AccessControlServer/APMS/AccessControl
```

一般已知问题

本节介绍了 CA Access Control 组件的一般已知问题。

Windows 端点已知问题

本节介绍了适用于 Windows 的 CA Access Control 的已知问题。

CA Access Control 端点管理 的审核筛选引起性能降低

如果 CA Access Control 端点管理 无法找到指定的记录，那么在 CA Access Control 端点管理 的审核记录上应用筛选可能带来性能降低。

例如，如果您定义了审核记录筛选，以显示特定 FILE 资源的最后 100 个相关记录，并且审核文件包含不到 100 个记录，那么 CA Access Control 端点管理 将无限重复此请求。

Microsoft Internet Explorer 7.0 与 CA Access Control 的兼容性问题

由于 Microsoft Internet Explorer 7.0 与 CA Access Control 存在兼容性问题，浏览器可能会停止响应。要解决该问题，请安装 Microsoft Internet Explorer 8.0 或执行以下操作：

重要说明！ 请在开始此过程之前应用 Microsoft 软件修补程序 KB957388。您可以从 Microsoft 网站下载该软件修补程序。

1. 停止所有 CA Access Control 服务。
2. 打开命令行窗口，然后运行以下命令：

```
net stop cainstrm
```

3. 从“运行”命令行窗口打开 regedit 实用程序。
4. 导航至以下路径：
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\cainstrm\parameters
5. 修改 ExcludeProcess 注册表项值以包括 iexplorer.exe 文件。
6. 从命令行窗口运行以下命令：
net start cainstrm
7. 启动 CA Access Control 服务。

特权进程可以在未经授权的情况下保存和还原注册表树

在 Window Server 2003 及更高版本上，当进程获得特殊权限 SE_BACKUP_NAME 和 SE_RESTORE_NAME 时，它可以在未经授权的情况下保存和还原注册表树。

Windows x64 上的仅 FIPS 模式

现在，适用于 Windows 的 x64 CA Access Control 端点支持 CAPKI 4.1.2。但是，由于 RSA 的某个已知问题，在启用了 FIPS 的模式下运行 CAPKI 4.1.2 时，通讯会明显延迟。

selang 中的重命名 HOST 事件在 CA Enterprise Log Manager 报告中标记为未知事件

selang 中执行的重命名 HOST 事件在 CA Enterprise Log Manager 报告中显示为未知事件。

UNIX 端点已知问题

本节介绍了 CA Access Control for UNIX 的已知问题。

在最小 Linux x64 安装上 CAWIN 安装失败

在 Linux x64 上有效

安装在最小 Linux x64 安装时，CAWIN 安装失败。因为缺少 32 位库，所以安装失败。

注意：CAWIN 是 CA Access Control 安装的一部分。CAWIN 相关错误消息记录在 CA Access Control 安装日志文件中。

要解决此问题，请安装 32 位 ncurses RPM 程序包和 libncurses.so 文件。请验证程序包版本不在版本 5.0 以下。例如：

```
ncurses-devel-5.7-3.20090208.el6.i686.rpm
```

在 serevu 后台进程运行时失败的登录事件不审核

在 VMware vCenter 4.0 u2 上有效

在 CA Access Control 安装在 VMware vCenter 版本 4.0 u2 上时, serevu 后台进程正在运行时, 以下情况就会发生:

- 失败登录事件的登录记录不在审核文件中显示
- pam_seos_failed_login.log 文件大小是 0

要解决此问题, 请执行以下操作:

1. 停止所有 CA Access Control 后台进程。

2. 浏览至以下目录:

/etc/pam.d/

3. 编辑 system-auth 文件, 删除所有到 pam_seos.so 的引用。例如:

```
account required pam_per_user.so /etc/pam.d/login.map
auth required pam_per_user.so /etc/pam.d/login.map
password required pam_per_user.so /etc/pam.d/login.map
session required pam_per_user.so /etc/pam.d/login.map
```

4. 编辑 system-auth-generic 文件, 添加到 pam_seos.so 的引用。例如:

```
password sufficient pam_seos.so
auth optional pam_unix.so
account optional pam_seos.so
session optional pam_seos.so
```

5. 编辑 system-auth-local 文件, 添加到 pam_seos.so 的引用。例如:

```
password sufficient pam_seos.so
auth optional pam_unix.so
account optional pam_seos.so
session optional pam_seos.so
```

6. 保存并关闭文件。

7. 启动 CA Access Control 后台进程。

SSH 登录不由 CA Access Control 或不由审核日志审核 (启用 SELinux 时)

在 RedHat Linux Advanced Server 6 上有效

在 RedHat Linux Advanced Server 6 上, SSH 用户登录不由 CA Access Control 审核, 因为 SELinux 默认策略不允许 SSHD 访问 /proc 文件系统。

要解决该问题, 请运行 /opt/CA/AccessControl//lbin/sshd_policy.sh 脚本加载 SELinux 策略模块, 以便允许访问 /proc。

无法在 Linux 上配置 JBoss JDBC 密码使用方

在 Linux 上有效

目前，您无法在 Linux 上配置 JBoss JDBC 密码使用方。

登录到 CA Access Control 需要启用 PAM_Login 标志

在 AIX 上有效

如果未启用 PAM_login 标志，CA Access Control 将无法正确检测到 Active Directory 用户帐户。

要解决此问题，请在设置的程序 (LOGINAPPL) 的日志中启用 PAM_login 标志。通过在 seos.ini 中的 [pam_seos] 部分下将 PamPassUserInfo 标记设置为 1，确定 seosd 后台进程接受来自 PAM 模块的登录请求。

如果在 /etc/shells 中没有定义默认 Shell，将不会记录用户会话

适用于键盘记录器

当用户使用 /etc/shells 中未定义的 shell 登录时，CA Access Control 不会记录用户会话。

在 PAM 处于活动状态时，不会为 FTP 和 SSH 宽限登录调用 segrace

激活 PAM 后，不会为 FTP 服务的宽限登录和 SSH 服务自动调用 segrace。

要为 FTP 解决此问题，请在 FTP 服务的 LOGINAPPL 记录中将 LOGINFLAGS 属性的值更改为 nograce。

要为 SSH 解决此问题，请不要从 PAM 调用 segrace，而是从用户或操作系统启动脚本调用 segrace。

宽限期满后 CA Access Control 不会重置密码

在 Solaris、HPUX 和 AIX 上有效

如果 CA Access Control 端点上安装了 UNAB，则 CA Access Control PAM 在用户密码宽限期满后不会调用 sepass 实用程序来重置帐户密码。

此问题会影响使用 loginflags(pamlogin) 的登录应用程序，例如：SSH 登录、rlogin、FTP 以及 Telnet。在 Solaris、HPUX 和 AIX 上 CA Access Control 不会将 SSH 登录识别为登录操作。要解决此问题，请对 SSH 登录应用程序使用 loginflags(none)。

Solaris 网络事件绕过不适用于某些进程

CA Access Control 在 Solaris 平台上不会为先于 CA Access Control 启动的进程绕过网络事件（绕过类型为 PBN 的 SPECIALPGM 记录）。

Stat 截获调用在 AIX 系统上不受支持

对于 STAT_intercept 标记设置为“1”的 stat 系统调用的文件访问检查在 AIX 系统上不受支持。

UNAB 已知问题

本节介绍了 UNAB 的已知问题。

uxconsole -register 返回不正确的 Active Directory 站点名

如果 Active Directory 服务器是林的成员，UNAB 注册命令则返回不正确的 Active Directory 服务器名称。

要解决此问题，请使用 -t 站点参数运行 uxconsole -register 命令，并指定包含 UNAB 用于与 Active Directory 通讯的 DC 的 Active Directory 站点。

Microsoft Windows Server 2003 的热修复改进性能

在 Windows Server 2003 SP1、Windows Server 2003 64 位上有效

使用 LDAP_MATCHING_RULE_IN_CHAIN，LDAP 查询无法返回用于扩展搜索的 Active Directory 查询结果。

要解决该问题，为 Microsoft Windows 2003 Server 安装最新的 Service Pack，或通过将 wingrp_update_login 标记设置为 no 在登录期间禁用 UNAB 组更新。

注意：有关详细信息，请参阅 Microsoft 知识库文章 914828。

您无法使用 CA Access Control UNIX 属性插件设置空 GECOS 属性

您无法使用 CA Access Control UNIX 属性插件将空 GECOS 属性设置为 Active Directory 用户。

Uxpreinstall 实用程序无法验证主机名解析

在安装 UNAB 之后、注册 Active Directory 之前，uxpreinstall 实用程序无法验证主机名解析。

要解决此问题，请使用 -d 参数指定 Active Directory 域名。例如：

```
./uxpreinstall -d domain_name
```

Uxpreinstall 实用程序报告主机名解析错误

在 AIX 上有效

当 /etc/netsvc.conf 文件不包含 DNS 数据源时，uxpreinstall 实用程序会报告主机名解析错误。

Uxconsole -manage -group 区分大小写

-manage -group <groupname> 命令中的组名称区分大小写。

用户迁移期间出现不正确的冲突消息

在用户迁移过程中，出现不正确的冲突消息，报告未分配 GECOS 参数的 UNIX 用户与对应的 Active Directory 用户帐户不相符。

审核记录中不显示 telnet 和 rlogin 程序

在 Linux、HP-UX 上有效

UNAB 审核记录不显示 telnet 和 rlogin 登录程序。在 Linux 中，UNAB 审核记录显示“remote”而不是 telnet 或 rlogin。在 HP-UX 上，UNAB 审核记录显示“login”而不是 telnet 或 rlogin。

向 Active Directory 注册主机时发生核心转储

在 AIX 5.3 上有效

如果 /etc/resolv.conf 文件中不包含 Active Directory 服务器名称，则尝试向 Active Directory 注册主机会导致核心转储。

uxconsole -register 和 -deregister 命令之间的间隔

如果要在 Active Directory 中注册 UNAB 主机之后又取消注册，建议您在取消注册主机之前等待域控制器复制所需的时间。

注意：如果取消注册 UNAB 主机，将删除未分发的策略。

新的域用户首次尝试登录时可能会失败

适用于 SSH

如果您在 Active Directory 中创建了一个用户后该新用户立即尝试登录到 UNAB 端点，则首次登录尝试将失败，但后续登录尝试会成功。首次登录尝试失败的原因是用户不为端点所知。但是，在失败的登录过程中，`uxauthd` 会将用户信息更新到本地 NSS 存储。后续登录尝试成功是因为现在端点已经知道该用户。

默认情况下，`uxauthd` 每小时更新一次 NSS 存储中的用户信息。如果新用户在 `uxauthd` 更新 NSS 存储之后再尝试登录到端点，登录将成功。

记录两次登录条目

如果您登录到已使用 `rlogin` 安装了 UNAB 的主机，登录尝试将在审核中出现两次。

登录服务在 SSO 登录时跳过 PAM

多种登录服务在 SSO 登录时跳过 PAM。不会应用登录策略，也不会生成审核事件。

成功登录到主机后生成错误消息

适用于 Linux、AIX、HP-UX

UNIX PAM 流限制导致成功登录到 UNAB 主机的行为被记录为错误消息，在 `syslog` 文件中指出帐户身份验证失败。

发出检查登录命令时出现“提供的密码与操作系统密码不匹配”消息

在 Solaris、Linux、HP-UX 上有效

如果您对没有获得登录授权的 Active Directory 用户发出 `checklogin` 命令，会显示“提供的密码与操作系统密码不匹配”错误消息。将显示此消息，而不会显示实际登录拒绝消息。

使用 `sepass` 更改密码时出现密码不匹配消息

在 AIX 5.3 上有效

当映射用户尝试使用 `sepass` 更改帐户密码时，会出现密码不匹配错误消息。无论出现什么错误消息，都将在 Active Directory 上更改帐户密码。

Active Directory 用户无法在 Solaris 上更改密码

由于 Sun Solaris 密码限制，使用 Active Directory 帐户登录到 UNIX 主机的用户无法使用 Solaris passwd 工具更改其帐户密码。如果用户必须在首次登录时更改帐户密码，用户必须从 Solaris 之外的系统进行登录。

如果 UNAB 正在 UNIX 主机上运行，请使用以下命令来更改本地帐户密码：

```
passwd -r files username
```

如果 CA Access Control 正在 UNIX 主机上运行，请使用 sepass 实用程序来更改本地帐户密码。

模拟 Active Directory 用户不会创建审核记录

如果您使用 su 模拟 Active Directory 用户，则不会审核模拟尝试。

SFTP 会话的审核记录中显示 sshd 程序名称

使用 sftp 程序所做的登录会话审核记录可能会在程序字段中显示 sshd 后台进程而不显示 sftp 程序。

事件查看器中的 UNAB 条目包含空白字段

Windows 事件查看器中显示的 UNAB 事件具有空白字段。

不审核企业用户的 FTP SSO 登录

适用于 Solaris

Kerberized FTP 和 telnet 程序会跳过 PAM 堆栈，因此 UNAB 不会审核企业用户的 FTP 和 telnet SSO 登录。

域用户在 Linux SuSE 端点上使用 rlogin 时生成重复的审核记录

在 Linux SuSE 上有效

如果您在 Linux SuSE 端点上以完全集成模式实施 UNAB，并且域用户使用 rlogin 登录到端点，则 UNAB 将为同一登录事件创建两条审核记录。

取消注册启用了 SSO 的 UNAB 不会删除 keytab 文件中的记录

当您取消注册先前在启用了 SSO 的情况下注册的 UNAB 主机时，会从 Active Directory 中删除该计算机对象，但不会从 keytab 文件中删除相应的记录。如果您再次试图注册 UNAB 主机，将不会创建 Kerberos 票单。

要解决此问题，建议您不要取消注册 UNAB 主机，或者删除 keytab 文件（如果它仅由 UNAB 主机使用）。

HP-UX 不支持在密码中使用 @ 符号

在 HP-UX 上有效

由于 HP-UX 限制，请不要在 HP-UX 端点上的密码中使用 @ 符号。

HP-UX 不支持完全限定域名登录

在 HP-UX 上有效

您无法使用完全限定域名（例如：user@domain）登录到 HP-UX 主机。

PUPM 已知问题

本节介绍了 PUPM 的已知问题。

在使用 CA Directory 和 Oracle 时创建端点失败

在 Oracle 的 CA Directory 上有效

CA Access Control 企业管理无法在使用 CA Directory 用户目录和 Oracle RDBMS 时创建端点。

要解决该问题，请执行以下 sql 命令：

```
ALTER TABLE takesession12 MODIFY(org_dn NULL)
```

升级之后在 Solaris 上不支持 Telnet 自动登录

在 Solaris 上有效

当前，升级到 CA Access Control r12.6 之后，在 Solaris 上不支持 Telnet 自动登录。

升级之后，自定义参与人确定程序已删除

升级到 CA Access Control r12.6 之后，删除您配置的自定义参与人确定程序。

建议您在升级到 CA Access Control r12.6 之前记录下自定义参与人确定程序，一旦完成升级，重新创建他们。

发现服务帐户向导显示服务和任务

发现服务帐户向导会在服务和任务执行期间显示服务和任务。为帮助识别列表中的服务，系统会使用图标来标记服务。

服务帐户向导忽略名称超过 15 个字符的主机名

在 **Windows** 上有效

服务帐户向导会忽略主机名超过 15 个字符的主机上的排定任务。

不会发现对 **Windows** 服务和排定任务所做的更改

对于 **Windows Agentless** 端点有效

当您创建 Windows 服务或 Windows 排定任务密码使用方，然后更改在端点上运行服务或任务的特权帐户时，会出现此问题。在更改服务或任务并使用服务帐户发现向导发现更改之后，特权帐户名称在“查看密码使用方”任务的“特权帐户”选项卡中并未发生更改。该选项卡列出了运行服务或任务的原特权帐户，而未列出新特权帐户。

要解决此问题，请在端点上更改服务或任务之后，删除现有的密码使用方，并使用服务帐户发现向导创建新的密码使用方。

批准服务帐户密码请求失败

在提交服务帐户密码请求后，该请求未发送给请求批准人，因此无法签出服务帐户密码。

没有与 JDBC 密码使用方执行密码检索相对应的审核记录

当 JDBC 密码使用方从 CA Access Control 企业管理 获取密码时，企业管理服务器不写入审核记录。

使用自动登录登录到 Oracle 企业管理器时出现错误消息

在 Oracle 上有效

在签出管理员帐户密码之后，使用自动登录选项登录到 Oracle 企业管理器时，会出现错误消息。如果最后一个会话是在未注销的情况下通过关闭浏览器窗口终止的，将出现该错误消息。

端点提示输入密码时远程桌面连接失败

在 Windows 上有效

如果端点的终端服务设置配置为在登录时始终提示输入密码，则 Windows 远程桌面自动登录脚本无法登录到端点。

PUPM 接受已关闭 CA Service Desk 票单的票单号

适用于与 CA Service Desk 的集成

如果在请求访问特权帐户时指定了已关闭的 CA Service Desk 问题或请求票单（票单类型为 iss 或 cr）的编号，CA Access Control 企业管理会将请求转发给批准人。

无法指定 CA Service Desk 更改顺序票单号

适用于与 CA Service Desk 的集成

如果在请求访问特权帐户时指定了 CA Service Desk 更改顺序票单（票单类型为 ch）的编号，CA Access Control 企业管理不会将请求转发给批准人。

服务器组件已知问题

本节介绍了 CA Access Control 服务器组件（CA Access Control 端点管理、CA Access Control 企业管理 和企业报告）的已知问题。

内存不足错误：超出 GC 使用限制

在 UNIX 上有效

如果未适当配置系统或无用收集设置，那么以下错误消息会在 JBoss 服务器日志中出现：

```
"java.lang.OutOfMemoryError: GC overhead limit exceeded"
```

要解决此问题，请执行以下操作：

1. 停止 JBoss 应用程序服务器。
2. 导航到下列目录，其中 **JBOSS_HOME** 表示您安装 JBoss 的目录：
JBOSS_HOME\bin
3. 编辑 **run_idm.bat** 文件。
4. 找到 **JAVA_OPTS** 环境变量并添加以下参数：

```
" -XX:+UseParNewGC -XX:+CMSParallelRemarkEnabled  
-XX:+UseConcMarkSweepGC %JAVA_OPTS%"
```
5. 保存文件并退出。
6. 启动 JBoss 应用程序服务器。

示例：JAVA_OPTS 变量

在您添加新的参数之后，下列示例显示 **JAVA_OPTS** 变量：

```
set JAVA_OPTS=-Djava.security.policy=.\\workpoint_client.policy -Xms512m  
-Xmx1024m -XX:MaxPermSize=256m -XX:+UseParNewGC -XX:+CMSParallelRemarkEnabled  
-XX:+UseConcMarkSweepGC %JAVA_OPTS%
```

未配置默认的请求批准人

在 SunOne 上有效

如果使用 SunOne 用户目录，您需要配置默认的请求批准人。应定义要向其提交所有特权帐户密码请求的请求批准人。

要配置默认的请求批准人，请执行以下操作：

1. 以系统管理员身份登录到 CA Access Control 企业管理。
2. 依次选择“用户和组”、“任务”和“修改管理任务”。
将打开“修改管理任务: 搜索管理任务”窗口。
3. 在“名称”字段中输入特权帐户请求，然后单击“搜索”。
CA Access Control 企业管理 将显示符合搜索条件的结果。
4. 选择“特权帐户请求”，然后单击“选择”。
将打开“修改管理任务: 特权帐户请求”窗口。
5. 导航到“事件”选项卡并选择工作流进程。
将打开“工作流进程”屏幕。
6. 在“默认批准人”部分中，选择“添加用户”。
将打开“选择用户”屏幕。
7. 输入要分配为默认批准人的用户的名称，然后选择“搜索”。
CA Access Control 企业管理 将显示符合搜索条件的结果。
8. 单击“选择”。
您选择的用户将添加为默认的请求批准人。
9. 单击“确定”退出。

注意：您定义的默认请求批准人不适用于您在安装企业管理服务器之前创建的用户。适用于之前存在于用户目录中的用户的默认请求批准人是超级管理员。

运行批处理操作时出现“配置的阻止超时时间范围内没有可用的受管连接”错误消息

运行批处理任务时收到“配置的阻止超时时间范围内没有可用的受管连接”错误消息。例如：您试图在大型组或多个帐户上运行自动重置密码任务。该错误消息表示 JBoss 应用程序服务器已用尽可用连接，无法完成任务。

要解决此问题，您需要在池中增加可用连接的数量：

1. 停止 JBoss 应用程序服务器。
2. 导航到以下目录，其中 *JBoss_HOME* 表示 JBoss 的安装目录：
JBoss_HOME/server/default/deploy/
3. 打开 *imtaskpersistencedb-ds.xml* 文件进行编辑。
4. 找到 *<max-pool-size>* 标记并将其值设置为 40。
5. 找到 *<idle-timeout-minutes>* 标记并将其值设置为 1。
6. 注释掉 (*<!-->*) *<blocking-timeout-millis>* 标记，如下所示：
<!--blocking-timeout-millis>5000</blocking-timeout-millis-->
7. 保存并关闭文件。
8. 启动 JBoss 应用程序服务器。

您已在池中增加了可用连接的数量。现在可以运行任务了。

JBoss for Windows 示例策略部署失败

JBoss for Windows 示例策略在端点上部署失败。策略部署进程终止，并显示一个内部错误消息，指出已存在 PROGRAM 资源。

要解决此问题，请使用 JBoss 示例策略并在部署该策略以明确创建 PROGRAM 资源之前修改该策略。

在 CA Access Control 企业管理 中查看策略管理报告时显示错误消息

视图查看策略管理报告时，CA Access Control 企业管理 显示任务失败的消息。

要解决此问题，请重新启动 JBoss 应用程序服务器和 CA Business Intelligence 服务器（报告门户）。

安装企业管理服务器时无法使用非英文用户名

如果在安装企业管理服务器时指定使用 Active Directory，则无法指定非英文用户名。

要解决此问题，请将 Active Directory 中的用户非英文字符修改为英文字符。

未定义密码的 CA Access Control 用户无法登录到 CA Access Control 企业管理 服务器

没有密码的 CA Access Control 用户帐户无法登录到 CA Access Control 企业管理 服务器。

访问角色在 CA Access Control 企业管理 中不受支持

定义管理角色规则时，请选择属于管理角色成员的用户。CA Access Control 企业管理 不支持访问角色。界面中不应显示访问角色选项。

修改 UNAB 主机或主机组时出现“无需任何操作”消息

修改 UNAB 主机或主机组设置并提交所做的更改时，CA Access Control 企业管理 会显示以下消息：“无需任何操作”。虽然此消息表示无需采取任何操作，但您对 UNAB 主机或主机组所做的修改均已应用。

控制字符可能会导致应用程序异常

CA Access Control 数据库中的控制字符可能会导致应用程序异常或在 CA Access Control 端点管理 和 CA Access Control 企业管理 中无法正常工作。

用户界面中出现无法理解的字符

症状:

我登录到 CA Access Control 企业管理 用户界面时，看见无法理解的字符。

解决方案:

导致此问题的原因是您使用的数据库实例不能完全支持 UTF8 国际字符集。要更正此问题，必须在完全国际化的数据库实例上重新安装 CA Access Control 企业管理。

无法更改受监控文件的托管属性

在 CA Access Control 端点管理 中，当您试图保存更改时，无法清除受监控的文件 (SECFILE) 资源的“审核”选项卡上的“托管”复选框。

要解决此问题并更改该资源属性，请使用 selang。

创建大型策略时 CA Access Control 企业管理 超时

创建包含 6000 条以上命令的策略时，CA Access Control 企业管理 用户界面会超时。直到 CA Access Control 企业管理 创建策略后，您才能在用户界面中继续工作。要解决此问题，请从新的浏览器登录到 CA Access Control 企业管理，以打开新的会话。

无法部署末尾字符为反斜杠的策略

根据 selang 约定，您可以使用反斜杠字符 (\) 作为命令行的最后一个字符，以表明命令延续到下一行。这不受高级策略管理的支持。请确保策略命令不跨越多行。

注意： CA Access Control 提供的以下示例策略的末尾字符为反斜杠：
_AC_WEBSERVICE、_APACHE、_JBOSS、_MS_SQL_SERVER 和 _ORACLE。

策略脚本验证错误消息以其他语言显示

在 CA Access Control 企业管理 中有效

如果策略部署出错，在 CA Access Control 企业管理 中看到的 selang 结果消息将以企业管理服务器上 CA Access Control 端点的安装语言显示，而不是以 CA Access Control 企业管理 的安装语言显示。

要使这些消息以本地化语言显示，必须在安装 CA Access Control 企业管理 前，在企业管理计算机上以所需的本地化语言安装 CA Access Control 端点。

无法查看名称超过 30 个字符的终端的审核记录

如果终端名称字符超过 30 个，您将无法查看审核记录。当在 Windows 计算机上运行的 CA Access Control 端点管理 管理 UNIX 端点时，将发生这种情况。

管理 PMDB 时不显示 PMDB 审核记录

使用 CA Access Control 端点管理 管理 PMDB 时，无法查看 PMDB 的审核记录。

要解决此问题并查看 PMDB 审核记录，请连接到 PMDB 所在的主机。

文档已知问题

本节介绍了 CA Access Control 文档集的已知问题。

SDK 指南中的图形没有备用文本

SDK 指南中的图形没有备用文本。SDK 指南首次是随以前版本的 CA Access Control 一起发行的，并与 CA Access Control r12.5 文档一起提供。

PDF 文档需要 Adobe Reader 7.0.7

要以打印格式（PDF 文件）阅读 CA Access Control 文档，您必须安装 Adobe Reader 7.0.7 或更高版本。如果您的计算机中尚未安装 Adobe Reader，可从 Adobe 网站下载。

注意：Adobe Reader 在 HP-UX Itanium (IA64) 和 Red Hat Linux Itanium IA64 上不可用。

附录 A: Third-Party License Agreements

此部分包含以下主题:

- [Software Under the Apache License](#) (p. 92)
- [Software Under the Daniel Veillard License](#) (p. 99)
- [Software Under the OpenLDAP License](#) (p. 101)
- [Software Under the OpenSSL License](#) (p. 104)
- [AES 2.4](#) (p. 110)
- [AIX JRE 1.4.2](#) (p. 111)
- [AIX JRE 1.5.0](#) (p. 111)
- [ANTLR 2.7.5H3](#) (p. 112)
- [CPAN Perl 5.8.8](#) (p. 113)
- [CRC32](#) (p. 114)
- [Cyrus SASL 2.1.22](#) (p. 116)
- [dom4j 1.5](#) (p. 119)
- [Hibernate 3.2](#) (p. 121)
- [ICU4C 3.4](#) (p. 122)
- [JBoss 4.0.1 SP1](#) (p. 123)
- [JBoss Application Server v.4.2.3](#) (p. 124)
- [JBoss Native v.2.0.6](#) (p. 125)
- [JDOM 1.0](#) (p. 126)
- [MD5 Message Digest Algorithm](#) (p. 129)
- [MIT Kerberos v5 r1.5](#) (p. 131)
- [nss_ldap 2.62](#) (p. 154)
- [Oracle JDBC Driver 10g Release 2 \(10.2.0.1.0\)](#) (p. 161)
- [PCRE 6.3](#) (p. 167)
- [Rhino 1.6r4](#) (p. 169)
- [SAXPath 1](#) (p. 170)
- [SHA-1](#) (p. 173)
- [Sun JDK 1.4.2 13](#) (p. 174)
- [Sun JDK 1.6.0](#) (p. 185)
- [Sun JRE 1.5.0 18](#) (p. 199)
- [XNTP v.3-5.93](#) (p. 213)
- [XScreenSaver](#) (p. 214)
- [Zlib 1.2.3](#) (p. 214)
- [ZThread 2.3.2](#) (p. 215)

Software Under the Apache License

Portions of this product include software developed by the Apache Software Foundation (<http://www.apache.org/>).

- Ant 1.6.5
- Axis 1.2.1
- Axis 1.4
- Axis2 1.1.1
- Commons BeanUtils 1.6.1
- Commons BeanUtils 1.7
- Commons Codec 1.3
- Commons Collection 3.1
- commons dbcp 1.2.1
- Commons Digester 1.7
- commons discovery 0.2
- commons el 1.0
- Commons FileUpload 1.2
- Commons httpclient 2.0.2

This product includes Jakarta Commons HttpClient 2.0.2 which is distributed in accordance with the following license agreement.

- Commons httpclient 3.0.1
- Commons Lang 2.1
- Commons Logging 1.0.4
- Commons Logging 1.04
- Commons Pool 1.3
- Commons Validator 1.2
- HTTP Web Server 2.0.54
- HTTP Web Server 2.2.3
- JSTL 1.0.6
- Log4j 1.2.8
- myfaces 1.1.4
- ORO 2.0.8
- Slide 2.1
- Struts 1.2.9

- **Tofigurator v.1.0**

This product includes Tofigurator v.1.0, which is distributed in accordance with the following license agreement.

- **tomahawk 1.1.5**
- **Tomcat 5.0.28**
- **Tomcat 5.5.12**
- **Tomcat 5.5.20**

This product includes Apache Tomcat 5.5.20 which is distributed in accordance with the following license agreement.

- **Velocity 1.4**
- **Xalan-C 1.10.0**
- **Xalan-C 1.9.0**
- **Xalan-J 2.6.0**
- **Xalan-J 2.7.0**

This product includes Apache Xalan-J v.2.7.0, which is distributed in accordance with the following license agreement(s):

- **Xerces-C++ 2.6.0**
- **Xerces-C++ 2.7.0**
- **Xerces-C++ 2.8.0**

The Apache software is distributed in accordance with the following license agreement:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

'License' shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

'Licensor' shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

'Legal Entity' shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

'control' means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

'You' (or 'Your') shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

'Object' form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and versions to other media types.

'Work' shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

'Derivative Works' shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

'Contribution' shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, 'submitted' means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as 'Not a Contribution.'

'Contributor' shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a 'NOTICE' text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an 'AS IS' BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Software Under the Daniel Veillard License

Portions of this product include software developed by the Daniel Veillard.

- Libxml2 2.6.27
- Libxml2 2.6.7

The libxml2 software is distributed in accordance with the following license agreement:

Copyright (C) 1998-2002 Daniel Veillard. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FIT-

NESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

DANIEL VEILLARD BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER

IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CON-

NECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of Daniel Veillard shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from him.

Software Under the OpenLDAP License

This product includes software developed by The OpenLDAP Foundation:

- OpenLDAP 2.1
- OpenLDAP 2.3.39 (20071118)

This product includes software distributed in accordance with the following license agreement:

The software is distributed in accordance with the following license agreement:

The OpenLDAP Public License

Version 2.8, 17 August 2003

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions in source form must retain copyright statements and notices,

2. Redistributions in binary form must reproduce applicable copyright statements and notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution, and

3. Redistributions must contain a verbatim copy of this document.

The OpenLDAP Foundation may revise this license from time to time.

Each revision is distinguished by a version number. You may use this Software under terms of this license revision or under the terms of any subsequent revision of the license.

THIS SOFTWARE IS PROVIDED BY THE OPENLDAP FOUNDATION AND ITS CONTRIBUTORS "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OPENLDAP FOUNDATION, ITS CONTRIBUTORS, OR THE AUTHOR(S) OR OWNER(S) OF THE SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The names of the authors and copyright holders must not be used in advertising or otherwise to promote the sale, use or other dealing in this Software without specific, written prior permission. Title to copyright in this Software shall at all times remain with copyright holders.

OpenLDAP is a registered trademark of the OpenLDAP Foundation.

Copyright 1999-2003 The OpenLDAP Foundation, Redwood City,
California, USA. All Rights Reserved. Permission to copy and
distribute verbatim copies of this document is granted.

Software Under the OpenSSL License

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>):

- OpenSSL 0.9.8.d

This product also includes libraries from an SSL implementation written by Eric Young (eay@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).

- OpenSSL 0.9.8h

This product also includes libraries from an SSL implementation written by Eric Young (eay@cryptsoft.com). This product includes OpenSSL Toolkit v0.9.8h, which is distributed in accordance with the following terms:

LICENSE ISSUES

=====

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit.

See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

OpenSSL License

/*

=====

* Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.

*

- * Redistribution and use in source and binary forms, with or without
 - * modification, are permitted provided that the following conditions
 - * are met:
 - *
 - *
 - * 1. Redistributions of source code must retain the above copyright
 - * notice, this list of conditions and the following disclaimer.
 - *
 - * 2. Redistributions in binary form must reproduce the above copyright
 - * notice, this list of conditions and the following disclaimer in
 - * the documentation and/or other materials provided with the
 - * distribution.
 - *
 - * 3. All advertising materials mentioning features or use of this
 - * software must display the following acknowledgment:
 - * "This product includes software developed by the OpenSSL Project
 - * for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"
 - *
 - * 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
 - * endorse or promote products derived from this software without
 - * prior written permission. For written permission, please contact
 - * openssl-core@openssl.org.
 - *
 - * 5. Products derived from this software may not be called "OpenSSL"
 - * nor may "OpenSSL" appear in their names without prior written
 - * permission of the OpenSSL Project.

*

* 6. Redistributions of any form whatsoever must retain the following

* acknowledgment:

* "This product includes software developed by the OpenSSL Project

* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"

*

* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND
ANY

* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR

* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT
OR

* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT,

* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED

* OF THE POSSIBILITY OF SUCH DAMAGE.

*

=====

=====

*

* This product includes cryptographic software written by Eric Young

* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

Original SSLeay License

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
* All rights reserved.
*
* This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.
*
* This library is free for commercial and non-commercial use as long as
* the following conditions are aheared to. The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* Ihash, DES, etc., code; not just the SSL code. The SSL documentation
* included with this distribution is covered by the same copyright terms
* except that the holder is Tim Hudson (tjh@cryptsoft.com).
*
* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.

- * This can be in the form of a textual message at program startup or
- * in documentation (online or textual) provided with the package.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. All advertising materials mentioning features or use of this software
- * must display the following acknowledgement:
- * "This product includes cryptographic software written by
- * Eric Young (eay@cryptsoft.com)"
- * The word 'cryptographic' can be left out if the routines from the library
- * being used are not cryptographic related :-).
- * 4. If you include any Windows specific code (or a derivative thereof) from
- * the apps directory (application code) you must include an
- * acknowledgement:
- * "This product includes software written by Tim Hudson
- (tjh@cryptsoft.com)"
- *
- * THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS|&"& | AND
- * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
- TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

*

* The licence and distribution terms for any publically available version or

* derivative of this code cannot be changed. i.e. this code cannot simply be

* copied and put under another distribution licence

* [including the GNU Public Licence.]

*/

AES 2.4

Portions of this product include software developed by Enhanced Software Technologies. The Enhanced Software software is distributed in accordance with the following license agreement.

This software is Copyright 1999,2000 Enhanced Software Technologies Inc.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:

This product includes software developed by Enhanced Software Technologies Inc. and its contributors.

4. Neither the name of the Company nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COMPANY AND CONTRIBUTORS "AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COMPANY OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY
OF
SUCH DAMAGE.

AIX JRE 1.4.2

CONTAINS IBM(R) 32-bit Runtime Environment for AIX(TM), Java(TM) 2
Technology Edition, Version 1.4 Modules

(c) Copyright IBM Corporation 1999, 2002

All Rights Reserved

AIX JRE 1.5.0

CONTAINS IBM(R) 32-bit Runtime Environment for AIX(TM), Java(TM) 2
Technology Edition, Version 1.5 Modules

(c) Copyright IBM Corporation 1999, 2002

All Rights Reserved

ANTLR 2.7.5H3

Portions of this product include software developed by the ANTLR.org. The ANTLR software is distributed in accordance with the following license agreement.

ANTLR 3 License

[The BSD License]

Copyright (c) 2005, Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the author nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

CPAN Perl 5.8.8

Portions of this product include software copyrighted by Larry Wall. The Standard Version of Perl 5.8.3 can be downloaded from <http://www.perl.org/>.

CRC32

Portions of this product include software developed by Markus Friedl and are distributed in accordance with the following copyright and permission notices.

```
/*      $OpenBSD: crc32.c,v 1.9 2003/02/12 21:39:50 markus Exp $ */
```

```
/*
```

```
* Copyright (c) 2003 Markus Friedl. All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' &| AND ANY  
EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
LOSS OF USE,
```

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
THE USE OF

* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

*/

Cyrus SASL 2.1.22

Cyrus SASL Library

This product includes software developed by Computing Services at Carnegie Mellon University (<http://www.cmu.edu/computing/>). The Cyrus SASL Library was obtained under the following license:

```
/* CMU libsasl
 * Tim Martin
 * Rob Earhart
 * Rob Siemborski
 */
/*
 * Copyright (c) 1998-2003 Carnegie Mellon University. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in
 *    the documentation and/or other materials provided with the
 *    distribution.
```

*

- * 3. The name "Carnegie Mellon University" must not be used to
 - * endorse or promote products derived from this software without
 - * prior written permission. For permission or any other legal
 - * details, please contact
 - * Office of Technology Transfer
 - * Carnegie Mellon University
 - * 5000 Forbes Avenue
 - * Pittsburgh, PA 15213-3890
 - * (412) 268-4387, fax: (412) 268-7395
 - * tech-transfer@andrew.cmu.edu

*

- * 4. Redistributions of any form whatsoever must retain the following
 - * acknowledgment:
 - * "This product includes software developed by Computing Services
 - * at Carnegie Mellon University (<http://www.cmu.edu/computing/>)."

*

* CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO

* THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY

* AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE

* FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN

* AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION,
ARISING

* OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

*/

dom4j 1.5

Portions of this product include software developed by the DOM4J Project (<http://dom4j.org/>) and is distributed in accordance with the following license agreement.

BSD style license

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

The name "DOM4J" must not be used to endorse or promote products derived from this Software without prior written permission of MetaStuff, Ltd. For written permission, please contact dom4j-info@metastuff.com.

Products derived from this Software may not be called "DOM4J" nor may "DOM4J" appear in their names without prior written permission of MetaStuff, Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.

Due credit should be given to the DOM4J Project - <http://www.dom4j.org>

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.

Hibernate 3.2

Hibernate 3.2

This product is distributed with Hibernate 3.2 (the LGPL Software), the use of which is governed by the following terms:

The LGPL Software is open source software that is used with this CA software program (the CA Product). The LGPL Software is not owned by CA, Inc. (?CA?). Use, copying, distribution and modification of the LGPL Software are governed by the GNU Lesser General Public License (?LGPL?) version 2.1. A copy of the LGPL license can be found in the same directory on the installation disk on which the LGPL Software is distributed. Additionally, a copy of the LGPL license can be found at <http://www.opensource.org/licenses/lgpl-2.1.php> or write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA. CA makes the source code for the LGPL Software available at <http://opensrcd.ca.com>, and includes a copy of the source code on the same disk as the executable code. Use of the CA Product is governed solely by the CA end user license agreement (?EULA?), not by the LGPL license. You cannot use, copy, modify or redistribute any CA Product code except as may be expressly set forth in the EULA. The LGPL Software is provided ?AS IS? WITHOUT WARRANTY OR CONDITION OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Further details of the disclaimer of warranty with respect to the LGPL Software can be found in the LGPL license itself. To the full extent permitted under applicable law, CA disclaims all warranties and liability arising from or related to any use of the LGPL Software.

ICU4C 3.4

Portions of this product include software developed by the International Business Machines Corporation. The IBM software is distributed in accordance with the following license agreement.

ICU License - ICU 1.8.1 and later

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2003 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS

OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT

OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR

HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL

INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING

FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,

NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION

WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

JBoss 4.0.1 SP1

JBoss software is an open source library that is used with the software. The JBoss software is not owned by Computer Associates International, Inc. (CA). Use, copying, distribution and modification of the JBoss software are governed by the GNU Lesser General Public License (LGPL) version 2.1. A copy of the LGPL license can be found in the directory on the installation disk on which the JBoss software is distributed. Additionally, a copy of the LGPL license can be found at <http://opensource.org/licenses/lgpl-license.php> or write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA. CA makes the source code for the JBoss software available at, and includes a copy of the source code on the same disk as the executable code. Use of the software is governed solely by the end user license agreement (EULA), not by the LGPL license. You cannot use, copy, modify or redistribute any code except as may be expressly set forth in the EULA. The JBoss software is provided AS IS WITHOUT WARRANTY OR CONDITION OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Further details of the disclaimer of warranty with respect to the JBoss software can be found in the LGPL license itself. To the full extent permitted under applicable law, CA disclaims all warranties and liability arising from or related to any use of the JBoss software.

JBoss Application Server v.4.2.3

This product is distributed with JBoss Application Server v.4.2.3 (the LGPL Software), the use of which is governed by the following terms:

The LGPL Software is open source software that is used with this CA software program (the CA Product). The LGPL Software is not owned by CA, Inc. (CA). Use, copying, distribution and modification of the LGPL Software are governed by the GNU Lesser General Public License (LGPL) version 2.1. A copy of the LGPL license can be found in the same directory on the installation disk on which the LGPL Software is distributed. Additionally, a copy of the LGPL license can be found at <http://www.opensource.org/licenses/lgpl-2.1.php> or write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA. CA makes the source code for the LGPL Software available at <http://opensrcd.ca.com>, and includes a copy of the source code on the same disk as the executable code. Use of the CA Product is governed solely by the CA end user license agreement (EULA), not by the LGPL license. You cannot use, copy, modify or redistribute any CA Product code except as may be expressly set forth in the EULA. The LGPL Software is provided AS IS WITHOUT WARRANTY OR CONDITION OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Further details of the disclaimer of warranty with respect to the LGPL Software can be found in the LGPL license itself. To the full extent permitted under applicable law, CA disclaims all warranties and liability arising from or related to any use of the LGPL Software.

JBoss Native v.2.0.6

This product is distributed with JBoss Native v.2.0.6 (the LGPL Software), the use of which is governed by the following terms:

The LGPL Software is open source software that is used with this CA software program (the CA Product). The LGPL Software is not owned by CA, Inc. (CA). Use, copying, distribution and modification of the LGPL Software are governed by the GNU Lesser General Public License (LGPL) version 2.1. A copy of the LGPL license can be found in the same directory on the installation disk on which the LGPL Software is distributed. Additionally, a copy of the LGPL license can be found at <http://www.opensource.org/licenses/lgpl-2.1.php> or write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA. CA makes the source code for the LGPL Software available at <http://opensrcd.ca.com>, and includes a copy of the source code on the same disk as the executable code. Use of the CA Product is governed solely by the CA end user license agreement (EULA), not by the LGPL license. You cannot use, copy, modify or redistribute any CA Product code except as may be expressly set forth in the EULA. The LGPL Software is provided AS IS WITHOUT WARRANTY OR CONDITION OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Further details of the disclaimer of warranty with respect to the LGPL Software can be found in the LGPL license itself. To the full extent permitted under applicable law, CA disclaims all warranties and liability arising from or related to any use of the LGPL Software.

JDOM 1.0

This product includes software developed by the JDOM Project (<http://www.jdom.org/>). The JDOM software is distributed in accordance with the following license agreement.

\$Id: LICENSE.txt,v 1.11 2004/02/06 09:32:57 jhunter Exp \$

Copyright (C) 2000-2004 Jason Hunter & Brett McLaughlin.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the disclaimer that follows these conditions in the documentation and/or other materials provided with the distribution.
3. The name "JDOM" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact .
4. Products derived from this software may not be called "JDOM", nor

may "JDOM" appear in their name, without prior written permission from the JDOM Project Management .

In addition, we request (but do not require) that you include in the end-user documentation provided with the redistribution and/or in the software itself an acknowledgement equivalent to the following:

"This product includes software developed by the
JDOM Project (<http://www.jdom.org/>)."

Alternatively, the acknowledgment may be graphical using the logos available at <http://www.jdom.org/images/logos>.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JDOM AUTHORS OR THE PROJECT CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the JDOM Project and was originally created by Jason Hunter and Brett McLaughlin . For more information on the JDOM Project, please see .

MD5 Message Digest Algorithm

Portions of this product include the RSA Data Security, Inc. MD5 Message-Digest Algorithm. The RSA Data Security software is distributed in accordance with the following license agreement.

```
/* MD5.H - header file for MD5C.C
*/
```

```
/* Copyright (C) 1991-2, RSA Data Security, Inc. Created 1991. All
rights reserved.
```

License to copy and use this software is granted provided that it is identified as the "RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing this software or this function.

License is also granted to make and use derivative works provided that such works are identified as "derived from the RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing the derived work.

RSA Data Security, Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for any particular purpose. It is provided "as is" without express or implied warranty of any kind.

Rivest

[Page 8]

RFC 1321

MD5 Message-Digest Algorithm

April 1992

These notices must be retained in any copies of any part of this documentation and/or software.

documentation and/or software.

*/

MIT Kerberos v5 r1.5

This product includes MIT Kerberos v5 r1.5, excluding the OpenVision Kerberos Administration System donated by Kerberos to MIT for inclusion in the standard Kerberos 5 distribution.

Kerberos Version 5, Release 1.5.3

Release Notes

The MIT Kerberos Team

Unpacking the Source Distribution

The source distribution of Kerberos 5 comes in a gzipped tarfile, krb5-1.5.3.tar.gz. Instructions on how to extract the entire distribution follow.

If you have the GNU tar program and gzip installed, you can simply do:

```
gtar zxpf krb5-1.5.3.tar.gz
```

If you don't have GNU tar, you will need to get the FSF gzip distribution and use gzcat:

```
gzcat krb5-1.5.3.tar.gz | tar xpf -
```

Both of these methods will extract the sources into krb5-1.5.3/src and the documentation into krb5-1.5.3/doc.

Building and Installing Kerberos 5

The first file you should look at is doc/install-guide.ps; it contains the notes for building and installing Kerberos 5. The info file krb5-install.info has the same information in info file format. You can view this using the GNU emacs info-mode, or by using the standalone info file viewer from the Free Software Foundation. This is also available as an HTML file, install.html.

Other good files to look at are admin-guide.ps and user-guide.ps, which contain the system administrator's guide, and the user's guide, respectively. They are also available as info files kerberos-admin.info and krb5-user.info, respectively. These files are also available as HTML files.

If you are attempting to build under Windows, please see the src/windows/README file. Note that this release might not build under Windows currently.

Reporting Bugs

Please report any problems/bugs/comments using the krb5-send-pr program. The krb5-send-pr program will be installed in the sbin directory once you have successfully compiled and installed Kerberos V5 (or if you have installed one of our binary distributions).

If you are not able to use krb5-send-pr because you haven't been able to compile and install Kerberos V5 on any platform, you may send mail to krb5-bugs@mit.edu.

You may view bug reports by visiting

<http://krbdev.mit.edu/rt/>

and logging in as "guest" with password "guest".

Major changes in krb5-1.5.3

[5512] Fix MITKRB5-SA-2007-001: telnetd allows login as arbitrary user

[CVE-2007-0956, VU#220816]

[5513] Fix MITKRB5-SA-2007-002: buffer overflow in krb5_klog_syslog

[CVE-2007-0957, VU#704024]

[5520] Fix MITKRB5-SA-2007-003: double-free in kadm5 - the RPC

library could perform a double-free due to a GSS-API library

bug [CVE-2007-1216, VU#419344]

krb5-1.5.3 changes by ticket ID

5512 (krb5-1.5.x) MITKRB5-SA-2007-001: telnetd allows login as

arbitrary user

5513 (krb5-1.5.x) MITKRB5-SA-2007-002: buffer overflow in

krb5_klog_syslog

5520 (krb5-1.5.x) MITKRB5-SA-2007-003: double-free in kadmind

Major changes in krb5-1.5.2

* Fix for MITKRB5-SA-2006-002: the RPC library could call an uninitialized function pointer, which created a security vulnerability for kadmind.

* Fix for MITKRB5-SA-2006-003: the GSS-API mechglue layer could fail to initialize some output pointers, causing callers to attempt to free uninitialized pointers. This caused a security vulnerability in kadmind.

Major known bugs in krb5-1.5.2

5293 crash creating db2 database in non-existent directory

Attempting to create a KDB in a non-existent directory using the Berkeley DB back end may cause a crash resulting from a null pointer dereference. If a core dump occurs, this may cause a local exposure of sensitive information such as a master key password. This will be fixed in an upcoming patch release.

krb5-1.5.2 changes by ticket ID

Listed below are the RT tickets of bugs fixed in krb5-1.5.2. Please see

<http://krbdev.mit.edu/rt/NoAuth/krb5-1.5/fixed-1.5.2.html>

for a current listing with links to the complete tickets.

3965 Autoconf 2.60 datarootdir issue

4237 windows ccache and keytab file paths without a prefix

4305 windows thread support frees thread local storage after TlsSetValue

4309 wix installer - win2k compatibility for netidmgr

4310 NSIS installer - update for Win2K NetIDMgr

4312 KFW 3.1 Beta 2 NetIDMgr Changes

4354 db2 policy database loading broken

4355 test policy dump/load in make check

4368 kdc: make_toolong_error does not initialize all fields for

krb5_mk_error

- 4407 final commits for KFW 3.1 Beta 2
- 4499 Document prerequisites for make check
- 4500 Initialize buffer before calling res_ninit
- 5307 fix MITKRB5-SA-2006-002 for 1.5-branch
- 5308 fix MITKRB5-SA-2006-003 for 1.5-branch

Major changes in 1.5.1

The only significant change in krb5-1.5.1 is to fix the security vulnerabilities described in MITKRB5-SA-2006-001, which are local privilege escalation vulnerabilities in applications running on Linux and AIX.

krb5-1.5.1 changes by ticket ID

Listed below are the RT tickets of bugs fixed in krb5-1.5.1. Please see

<http://krbdev.mit.edu/rt/NoAuth/krb5-1.5/fixed-1.5.1.html>

for a current listing with links to the complete tickets.

- 3904 fix uninitialized vars
- 3956 gssapi compilation errors on Windows

- 3971 broken configure test for dlopen
- 3998 Document add_entry in ktutil man page
- 4012 reverse test for copy_oid_set in lib/gssapi/krb5/indicate_mechs.c
- 4036 reject configure option for static libraries
- 4037 respect LDFLAGS in NetBSD build
- 4063 gss mech glue implementation should validate opaque pointer types
- 4088 gss_import_name can fail to call gssint_initialize_library()
- 4125 fix MITKRB5-SA-2006-001: multiple local privilege escalation
- vulnerabilities
- 4137 ksu spuriously fails when exiting shell when ksu-ing to non-root
- 4168 clean up mkrel patchlevel.h editing etc.

Major changes in 1.5

Kerberos 5 Release 1.5 includes many significant changes to the Kerberos build system, to GSS-API, and to the Kerberos KDC and administration system. These changes build up infrastructure as part of our efforts to make Kerberos more extensible and flexible. While we are confident that these changes will improve Kerberos in the long run, significant code restructuring may introduce portability problems or change behavior in ways that break applications. It is always important to test a new version of critical security software like Kerberos before deploying it in your environment to confirm that the new version meets your environment's requirements. Because of the significant restructuring, it is more important than usual to perform

this testing and to report problems you find.

Highlights of major changes include:

- * KDB abstraction layer, donated by Novell.
- * plug-in architecture, allowing for extension modules to be loaded at run-time.
- * multi-mechanism GSS-API implementation ("mechglue"), donated by Sun Microsystems
- * Simple and Protected GSS-API negotiation mechanism ("SPNEGO") implementation, donated by Sun Microsystems
- * Per-directory ChangeLog files have been deleted. Releases now include auto-generated revision history logs in the combined file doc/CHANGES.

Changes by ticket ID

Listed below are the RT tickets of bugs fixed in krb5-1.5. Please see

<http://krbdev.mit.edu/rt/NoAuth/krb5-1.5/fixed-1.5.html>

for a current listing with links to the complete tickets.

- 581 verify_krb_v4_tgt is not 64-bit clean
- 856 patch to add shared library support for BSD/OS 4
- 1245 source tree not 64-bit clean
- 1288 v4 ticket file format incompatibilities
- 1431 fix errno.h references for cygwin
- 1434 use win32 rename solution in rcache for cygwin
- 1988 profile library fails to handle space in front of comments
- 2577 [Russ Allbery] Bug#250966: /usr/sbin/klogind: Authorization behavior not fully documented
- 2615 Fwd: Patch for telnet / telnetd to avoid crashes when used with MS kdc and PAC field
- 2628 Cygwin build patches
- 2648 [Russ Allbery] Bug#262192: libkrb53: krb_get_pw_in_tkt problems with AFS keys
- 2712 whitespace patch for src/kdc/kerberos_v4.c
- 2759 fake-getaddrinfo.h incorrectly checks for gethostbyname_r errors
- 2761 move getaddrinfo hacks into support lib for easier maintenance
- 2763 file ccache should be held open while scanning for credentials
- 2786 dead code in init_common() causes malloc(0)
- 2791 hooks for recording statistics on locking behavior
- 2807 Add VERSIONRC branding to krb5 support dll
- 2855 Possible thread safety issue in lib/krb5/os/def_realm.c
- 2856 Need a function to clone krb5_context structs for thread safe apps
- 2863 windows klist won't link

- 2880 fix calling convention for thread support fns
- 2882 Windows 2003 SP1 ktpass.exe generate keytab files fail to load with 1.4
- 2886 krb5_do_pauth could attempt to free NULL pointer
- 2931 implement SPNEGO
- 2932 implement multi-mech GSSAPI
- 2933 plug-in architecture
- 2936 supplementary error strings
- 2959 profile library should check high-resolution timestamps if available
- 2979 threaded test program built even with thread support disabled
- 3008 Incorrect cross-references in man pages
- 3010 Minor path and service man page fixes
- 3011 krb5-config should never return -I/usr/include
- 3013 Man pages for fakeka and krb524init
- 3014 texinfo variable fixes, info dir entries
- 3030 Bug report: Kinit has no suport for addresses in credentials. Kinit -a is not enabled.
- 3065 Implement RFC 3961 PRF
- 3086 [Sergio Gelato] Bug#311977: libkrb53: gss_init_sec_context sometimes fails to initialise output_token
- 3088 don't always require support library when building with sun cc
- 3122 fixes for AIX 5.2 select() and IPv4/IPv6 issues
- 3129 shlib build problems on HP-UX 10.20 with gcc-3.4.3
- 3233 kuserok needs to check for uid 99 on Mac OS X
- 3252 Tru64 compilation fails after k5-int.h/krb5.h changes
- 3266 Include errno.h in kdc/kerberos_v4.c

- 3268 kprop should fall back on port 754 rather than failing
- 3269 telnet help should connect to a host named help
- 3308 kadmin.local is killed due to segmentation fault when principal name argument is missing.
- 3332 don't destroy uninitialized rcache mutex in error cases
- 3358 krb5 doesn't build when pthread_mutexattr_setrobust_np is defined but not declared
- 3364 plugins should be thread-safe
- 3415 Windows 64-bit support
- 3416 tweak kdb interface for thread safety
- 3417 move/add thread support to support lib
- 3423 Add support for utmps interface on HPUX 11.23
- 3426 trunk builds without thread support are not working
- 3434 sizeof type should be checked at compile time, not configure time
- 3438 enhancement: report errno when generic I/O errors happen in kinit
- 3445 args to ctype.h macros should be cast to unsigned char, not int
- 3466 ioctl header portability fixes for telnet on GNU/kFreeBSD
- 3467 Allow GSS_C_NO_OID in krb5_gss_canon_name
- 3468 udp_preference_limit typo in krb5.conf man page
- 3490 getpwnam_r status checked incorrectly
- 3502 Cannot acquire initiator cred using gss_acquire_cred with explicit name on Windows
- 3512 updates to NSIS installer for KFW
- 3521 Add configurable Build value to File and Product versions for Windows
- 3549 library double-free with an empty keytab

- 3607 clients/ksu/setenv.c doesn't build on Solaris
- 3620 use strerror_r
- 3668 Prototype for krb5_c_prf missing const
- 3671 shsUpdate should take an unsigned int for length
- 3675 unsigned/signed int warnings in krb5_context variables.
- 3687 initialize cc_version to 0 not NULL
- 3688 Added CoreFoundation bundle plugin support
- 3689 build kadm5 headers in generate-files-mac target
- 3690 build rpc includes in generate-files-mac target.
- 3697 kadmin hangs indefinitely when admin princ has escaped chars
- 3706 ipv4+ipv6 messages can trip up KDC replay detection
- 3714 fix incorrect padata memory allocation in send_tgs.c
- 3716 Plugin search algorithm should take lists of name and directories
- 3719 fix bug in flag checking in libdb2 mpool code
- 3724 need to export kadm5_set_use_password_server
- 3736 Cleanup a number of cast away from const warnings in gssapi
- 3739 vsnprintf not present on windows
- 3746 krb5_cc_gen_new memory implementation doesn't create a new ccache
- 3761 combine kdc.conf, krb5.conf data in KDC programs
- 3783 install headers into include/krb5
- 3790 memory leak in GSSAPI credential releasing code
- 3791 memory leak in gss_krb5_set_allowable_enctypes error path
- 3825 krb5int_get_plugin_dir_data() uses + instead of * in realloc
- 3826 memory leaks in krb5kdc due to not freeing error messages
- 3854 CAPI krb4int_save_credentials_addr should match prototype

3866 gld --as-needed not portable enough

3879 Update texinfo.tex

3888 ftpd's getline conflicts with current glibc headers

3898 Export gss_inquire_mechs_for_name for KFW

3899 Export krb5_gss_register_acceptor_identity in KFW

3900 update config.guess and config.sub

3902 g_userok.c has implicit declaration of strlen

3903 various kadm5 files need string.h

3905 warning fixes for spnego

3909 Plugins need to use RTLD_GROUP when available, but definitely not RTLD_GLOBAL

3910 fix parallel builds for libgss

3911 getaddrinfo code uses vars outside of storage duration

3918 fix warnings for lib/gssapi/mechglue/g_initialize.c

3920 cease export of krb5_gss_*

3921 remove unimplemented/unused mechglue functions

3922 mkrel should update patchlevel.h prior to reconf

3923 implement RFC4120 behavior on TCP requests with high bit set in length

3924 the krb5_get_server_rcache routine frees already freed memory in error path

3925 krb5_get_profile should reflect profile in the supplied context

3927 fix signedness warnings in spnego_mech.c

3928 fix typo in MS_BUG_TEST case in krb5_gss_glue.c

3940 Disable MSLSA: ccache in WOW64 on pre-Vista Beta 2 systems

3942 make gssint_get_mechanism match prototype

3944 write svn log output when building release
3945 mkrel should only generate doc/CHANGES for checkouts
3948 Windows: fix krb5.h generation
3949 fix plugin.c to compile on Windows
3950 autoconf 2.60 compatibility
3951 remove unused dlopen code in lib/gssapi/mechglue/g_initialize.c
3952 fix calling convention for krb5 error-message routines,
document usage of krb5_get_error_message
3953 t_std_conf references private function due to explicit linking
of init_os_ctx.o
3954 remove mechglue gss_config's gssint_userok and pname_to_uid
3957 remove unused lib/gssapi/mechglue/g_utils.c
3959 re-order inclusions in spnego_mech.c to avoid breaking system
headers
3962 krb5_get_server_rcache double free
3964 "kdb5_util load" to existing db doesn't work, needed for kpropd
3968 fix memory leak in mechglue/g_init_sec_ctx.c
3970 test kdb5_util dump/load functionality in dejagnu
3972 make gss_unwrap match prototype
3974 work around failure to load into nonexistent db

Known bugs by ticket ID:

Listed below are the RT tickets for known bugs in krb5-1.5. Please
see

<http://krbdev.mit.edu/rt/NoAuth/krb5-1.5/bugs-1.5.html>

for an up-to-date list, including links to the complete tickets.

3947 allow multiple calls to krb5_get_error_message to retrieve message

3956 gssapi compilation errors on Windows

3973 kdb5_util load now fails if db doesn't exist [workaround]

Copyright Notice and Legal Administrivia

Copyright (C) 1985-2007 by the Massachusetts Institute of Technology.

All rights reserved.

Export of this software from the United States of America may require a specific license from the United States Government. It is the responsibility of any person or organization contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that

the name of M.I.T. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Furthermore if you modify this software you must label your software as modified software and not distribute it in such a fashion that it might be confused with the original MIT software. M.I.T. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Individual source code files are copyright MIT, Cygnus Support, OpenVision, Oracle, Sun Soft, FundsXpress, and others.

Project Athena, Athena, Athena MUSE, Discuss, Hesiod, Kerberos, Moira, and Zephyr are trademarks of the Massachusetts Institute of Technology (MIT). No commercial use of these trademarks may be made without prior written permission of MIT.

"Commercial use" means use of a name in a product or other for-profit manner. It does NOT prevent a commercial firm from referring to the MIT trademarks in order to convey information (although in doing so, recognition of their trademark status should be given).

Portions contributed by Matt Crawford were
work performed at Fermi National Accelerator Laboratory, which is
operated by Universities Research Association, Inc., under
contract DE-AC02-76CHO3000 with the U.S. Department of Energy.

---- The implementation of the Yarrow pseudo-random number generator
in src/lib/crypto/yarrow has the following copyright:

Copyright 2000 by Zero-Knowledge Systems, Inc.

Permission to use, copy, modify, distribute, and sell this software
and its documentation for any purpose is hereby granted without fee,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Zero-Knowledge Systems,
Inc. not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission. Zero-Knowledge Systems, Inc. makes no representations
about the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.

ZERO-KNOWLEDGE SYSTEMS, INC. DISCLAIMS ALL WARRANTIES WITH
REGARD TO

THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL ZERO-KNOWLEDGE SYSTEMS, INC. BE LIABLE
FOR
ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTUOUS ACTION,
ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

---- The implementation of the AES encryption algorithm in
src/lib/crypto/aes has the following copyright:

Copyright (c) 2001, Dr Brian Gladman , Worcester, UK.

All rights reserved.

LICENSE TERMS

The free distribution and use of this software in both source and binary
form is allowed (with or without changes) provided that:

1. distributions of this source code include the above copyright
notice, this list of conditions and the following disclaimer;

2. distributions in binary form include the above copyright
notice, this list of conditions and the following disclaimer

in the documentation and/or other associated materials;

3. the copyright holder's name is not used to endorse products
built using this software without specific written permission.

DISCLAIMER

This software is provided 'as is' with no explicit or implied warranties
in respect of any properties, including, but not limited to, correctness
and fitness for purpose.

--- The implementations of GSSAPI mechglue in GSSAPI-SPNEGO in
src/lib/gssapi, including the following files:

lib/gssapi/generic/gssapi_err_generic.et
lib/gssapi/mechglue/g_accept_sec_context.c
lib/gssapi/mechglue/g_acquire_cred.c
lib/gssapi/mechglue/g_canon_name.c
lib/gssapi/mechglue/g_compare_name.c
lib/gssapi/mechglue/g_context_time.c
lib/gssapi/mechglue/g_delete_sec_context.c
lib/gssapi/mechglue/g_dsp_name.c
lib/gssapi/mechglue/g_dsp_status.c
lib/gssapi/mechglue/g_dup_name.c
lib/gssapi/mechglue/g_exp_sec_context.c
lib/gssapi/mechglue/g_export_name.c

lib/gssapi/mechglue/g_glue.c
lib/gssapi/mechglue/g_imp_name.c
lib/gssapi/mechglue/g_imp_sec_context.c
lib/gssapi/mechglue/g_init_sec_context.c
lib/gssapi/mechglue/g_initialize.c
lib/gssapi/mechglue/g_inq_context.c
lib/gssapi/mechglue/g_inq_cred.c
lib/gssapi/mechglue/g_inq_names.c
lib/gssapi/mechglue/g_process_context.c
lib/gssapi/mechglue/g_rel_buffer.c
lib/gssapi/mechglue/g_rel_cred.c
lib/gssapi/mechglue/g_rel_name.c
lib/gssapi/mechglue/g_rel_oid_set.c
lib/gssapi/mechglue/g_seal.c
lib/gssapi/mechglue/g_sign.c
lib/gssapi/mechglue/g_store_cred.c
lib/gssapi/mechglue/g_unseal.c
lib/gssapi/mechglue/g_verify.c
lib/gssapi/mechglue/mglueP.h
lib/gssapi/mechglue/oid_ops.c
lib/gssapi/spnego/gssapiP_spnego.h
lib/gssapi/spnego/spnego_mech.c

are subject to the following license:

Copyright (c) 2004 Sun Microsystems, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS

OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE

SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Acknowledgments

Thanks to Russ Allbery for contributing and integrating patches from
Debian and other places.

Thanks to Michael Calmer for contributing patches for code clean-up.

Thanks to Novell for donating the KDB abstraction layer.

Thanks to Sun Microsystems for donating their implementations of
mechglue and SPNEGO.

Thanks to the numerous others who reported bugs and/or contributed
patches.

Thanks to iDefense for notifying us about the vulnerability in
MITKRB5-SA-2007-002.

Thanks to the members of the Kerberos V5 development team at MIT, both
past and present: Danilo Almeida, Jeffrey Altman, Justin Anderson,
Richard Basch, Jay Berkenbilt, Mitch Berger, Andrew Boardman, Joe
Calzaretta, John Carr, Don Davis, Alexandra Ellwood, Nancy Gilman,
Matt Hancher, Sam Hartman, Paul Hill, Marc Horowitz, Eva Jacobus,
Miroslav Jurisic, Barry Jaspan, Geoffrey King, Kevin Koch, John Kohl,
Peter Litwack, Scott McGuire, Kevin Mitchell, Cliff Neuman, Paul Park,
Ezra Peisach, Chris Provenzano, Ken Raeburn, Jon Rochlis, Jeff
Schiller, Jen Selby, Brad Thompson, Harry Tsai, Ted Ts'o, Marshall
Vale, Tom Yu.

nss_ldap 2.62

This product includes Heimdal software distributed pursuant to the following terms:

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library.

Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a

facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

- d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version

of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

Oracle JDBC Driver 10g Release 2 (10.2.0.1.0)

ORACLE TECHNOLOGY NETWORK

DEVELOPMENT AND DISTRIBUTION LICENSE AGREEMENT

"We," "us," and "our" refers to Oracle USA, Inc., for and on behalf of itself and its subsidiaries and affiliates under common control. "You" and "your" refers to the individual or entity that wishes to use the programs from Oracle. "Programs" refers to the software product you wish to download and use and program documentation. "License" refers to your right to use the programs under the terms of this agreement. This agreement is governed by the substantive and procedural laws of California. You and Oracle agree to submit to the exclusive jurisdiction of, and venue in, the courts of San Francisco, San Mateo, or Santa Clara counties in California in any dispute arising out of or relating to this agreement.

We are willing to license the programs to you only upon the condition that you accept all of the terms contained in this agreement. Read the terms carefully and select the "Accept" button at the bottom of the page to confirm your acceptance. If you are not willing to be bound by these terms, select the "Do Not Accept" button and the registration process will not continue.

License Rights

We grant you a nonexclusive, nontransferable limited license to use the programs for purposes of developing your applications. You may also distribute the programs with your applications to your customers. If you want to use the programs for any purpose other than as expressly permitted under this agreement you must contact us, or an Oracle reseller, to obtain the appropriate license. We may audit your use of the programs. Program documentation is either shipped with the programs, or documentation may accessed online at <http://otn.oracle.com/docs>.

Ownership and Restrictions

We retain all ownership and intellectual property rights in the programs. You may make a sufficient number of copies of the programs for the licensed use and one copy of the programs for backup purposes.

You may not:

- use the programs for any purpose other than as provided above;
- distribute the programs unless accompanied with your applications;
- charge your end users for use of the programs;
- remove or modify any program markings or any notice of our proprietary rights;
- use the programs to provide third party training on the content and/or functionality of the programs, except for training your licensed users;
- assign this agreement or give the programs, program access or an interest in the programs to any individual or entity except as provided under this agreement;
- cause or permit reverse engineering (unless required by law for interoperability), disassembly or decompilation of the programs;
- disclose results of any program benchmark tests without our prior consent; or,
- use any Oracle name, trademark or logo.

Program Distribution

We grant you a nonexclusive, nontransferable right to copy and distribute the programs to your end users provided that you do not charge your end users for use of the programs and provided your end users may only use the programs to run your applications for their business operations. Prior to distributing the programs you shall require your end users to execute an agreement binding them to terms consistent with those contained in this section and the sections of this agreement entitled "License Rights," "Ownership and Restrictions," "Export," "Disclaimer of Warranties and Exclusive Remedies," "No Technical Support," "End of Agreement," "Relationship Between the Parties," and "Open Source." You must also include a provision stating that your end users shall have no right to distribute the programs, and a provision specifying us as a third party beneficiary of the agreement. You are responsible for obtaining these agreements with your end users.

You agree to: (a) defend and indemnify us against all claims and damages caused by your distribution of the programs in breach of this agreements and/or failure to include the required contractual provisions in your end user agreement as stated above; (b) keep executed end user agreements and records of end user information including name, address, date of distribution and identity of programs distributed; (c) allow us to inspect your end user agreements and records upon request; and, (d) enforce the terms of your end user agreements so as to effect a timely cure of any end user breach, and to notify us of any breach of the terms.

Export

You agree that U.S. export control laws and other applicable export and import laws govern your use of the programs, including technical data; additional information can be found on Oracle's Global Trade Compliance web site located at <http://www.oracle.com/products/export/index.html?content.html>. You agree that neither the programs nor any direct product thereof will be exported, directly, or indirectly, in violation of these laws, or will be used for any purpose prohibited by these laws including, without limitation, nuclear, chemical, or biological weapons proliferation.

Disclaimer of Warranty and Exclusive Remedies

THE PROGRAMS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND. WE FURTHER DISCLAIM ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NONINFRINGEMENT.

IN NO EVENT SHALL WE BE LIABLE FOR ANY INDIRECT, INCIDENTAL, SPECIAL, PUNITIVE OR CONSEQUENTIAL DAMAGES, OR DAMAGES FOR LOSS OF PROFITS, REVENUE, DATA OR DATA USE, INCURRED BY YOU OR ANY THIRD PARTY, WHETHER IN AN ACTION IN CONTRACT OR TORT, EVEN IF WE HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. OUR ENTIRE LIABILITY FOR DAMAGES HEREUNDER SHALL IN NO EVENT EXCEED ONE THOUSAND DOLLARS (U.S. \$1,000).

No Technical Support

Our technical support organization will not provide technical support, phone support, or updates to you for the programs licensed under this agreement.

Restricted Rights

If you distribute a license to the United States government, the programs, including documentation, shall be considered commercial computer software and you will place a legend, in addition to applicable copyright notices, on the documentation, and on the media label, substantially similar to the following:

NOTICE OF RESTRICTED RIGHTS

"Programs delivered subject to the DOD FAR Supplement are 'commercial computer software' and use, duplication, and disclosure of the programs, including documentation, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement. Otherwise, programs delivered subject to the Federal Acquisition Regulations are 'restricted computer software' and use, duplication, and disclosure of the programs, including documentation, shall be subject to the restrictions in FAR 52.227-19, Commercial Computer Software-Restricted Rights (June 1987). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065."

End of Agreement

You may terminate this agreement by destroying all copies of the programs. We have the right to terminate your right to use the programs if you fail to comply with any of the terms of this agreement, in which case you shall destroy all copies of the programs.

Relationship Between the Parties

The relationship between you and us is that of licensee/licensor. Neither party will represent that it has any authority to assume or create any obligation, express or implied, on behalf of the other party, nor to represent the other party as agent, employee, franchisee, or in any other capacity. Nothing in this agreement shall be construed to limit either party's right to independently develop or distribute software that is functionally similar to the other party's products, so long as proprietary information of the other party is not included in such software.

Open Source

"Open Source" software - software available without charge for use, modification and distribution - is often licensed under terms that require the user to make the user's modifications to the Open Source software or any software that the user 'combines' with the Open Source software freely available in source code form. If you use Open Source software in conjunction with the programs, you must ensure that your use does not: (i) create, or purport to create, obligations of us with respect to the Oracle programs; or (ii) grant, or purport to grant, to any third party any rights to or immunities under our intellectual property or proprietary rights in the Oracle programs. For example, you may not develop a software program using an Oracle program and an Open Source program where such use results in a program file(s) that contains code from both the Oracle program and the Open Source program (including without limitation libraries) if the Open Source program is licensed under a license that requires any "modifications" be made freely available. You also may not combine the Oracle program with programs licensed under the GNU General Public License ("GPL") in any manner that could cause, or could be interpreted or asserted to cause, the Oracle program or any modifications thereto to become subject to the terms of the GPL.

Entire Agreement

You agree that this agreement is the complete agreement for the programs and licenses, and this agreement supersedes all prior or contemporaneous agreements or representations. If any term of this agreement is found to be invalid or unenforceable, the remaining provisions will remain effective.

Last updated: 03/09/05

PCRE 6.3

Portions of this product include software developed by Philip Hazel. The University of Cambridge Computing Service software is distributed in accordance with the following license agreement.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel

Email local part: ph10

Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England. Phone: +44 1223 334714.

Copyright (c) 1997-2006 University of Cambridge
All rights reserved.

THE C++ WRAPPER FUNCTIONS

Contributed by: Google Inc.

Copyright (c) 2006, Google Inc.
All rights reserved.

THE "BSD" LICENCE

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the University of Cambridge nor the name of Google Inc. nor the names of their contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE
POSSIBILITY OF SUCH DAMAGE.

End

Rhino 1.6r4

The source code version of Rhino 1.6 Release 4 is licensed under the Mozilla Public License Version 1.1 which can be found at <http://www.mozilla.org/MPL/> and is made available for download from http://opensrcd.ca.com/ips/P02056_4/.

SAXPath 1

This product includes software developed by the SAXPath Project (<http://www.saxpath.org/>). The SAXPath software is distributed in accordance with the following license agreement.

/*--

\$Id: LICENSE,v 1.1 2002/04/26 17:43:56 jstrachan Exp \$

Copyright (C) 2000-2002 werken digital.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the disclaimer that follows these conditions in the documentation and/or other materials provided with the distribution.

3. The name "SAXPath" must not be used to endorse or promote products derived from this software without prior written permission. For

written permission, please contact license@saxpath.org.

4. Products derived from this software may not be called "SAXPath", nor may "SAXPath" appear in their name, without prior written permission from the SAXPath Project Management (pm@saxpath.org).

In addition, we request (but do not require) that you include in the end-user documentation provided with the redistribution and/or in the software itself an acknowledgement equivalent to the following:

"This product includes software developed by the SAXPath Project (<http://www.saxpath.org/>)."

Alternatively, the acknowledgment may be graphical using the logos available at <http://www.saxpath.org/>

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE SAXPath AUTHORS OR THE PROJECT CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND

ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT

OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

This software consists of voluntary contributions made by many
individuals on behalf of the SAXPath Project and was originally
created by bob mcwhirter and
James Strachan . For more information on the
SAXPath Project, please see .

*/

SHA-1

This product includes software developed by Internet Society. The software is distributed in accordance with the following license agreement.

Copyright (C) The Internet Society (2001). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Sun JDK 1.4.2_13

This Product is distributed with Sun JRE 1.4.2_13 (JAVATM2 RUNTIME ENVIRONMENT (J2RE), VERSION 1.4.2_13) (Sun JRE). The Sun JRE is distributed in accordance with the Sun Microsystems, Inc. (Sun) Binary Code License Agreement set forth below. As noted in Section F of the Supplemental License Terms of this license, Sun has provided additional copyright notices and license terms that may be applicable to portions of the Sun JRE in the THIRDPARTYLICENSEREADME.txt file that accompanies the Sun JRE.

LICENSE:

Sun Microsystems, Inc.

Binary Code License Agreement

for the

JAVATM 2 RUNTIME ENVIRONMENT (J2RE), STANDARD EDITION, VERSION 1.4.2_X

SUN MICROSYSTEMS, INC. ("SUN") IS WILLING TO LICENSE THE SOFTWARE IDENTIFIED BELOW TO YOU ONLY UPON THE CONDITION THAT YOU ACCEPT ALL OF THE

TERMS CONTAINED IN THIS BINARY CODE LICENSE AGREEMENT AND SUPPLEMENTAL

LICENSE TERMS (COLLECTIVELY "AGREEMENT"). PLEASE READ THE AGREEMENT

CAREFULLY. BY DOWNLOADING OR INSTALLING THIS SOFTWARE, YOU ACCEPT THE

TERMS OF THE AGREEMENT. INDICATE ACCEPTANCE BY SELECTING THE "ACCEPT"

BUTTON AT THE BOTTOM OF THE AGREEMENT. IF YOU ARE NOT WILLING TO BE BOUND

BY ALL THE TERMS, SELECT THE "DECLINE" BUTTON AT THE BOTTOM OF THE

AGREEMENT AND THE DOWNLOAD OR INSTALL PROCESS WILL NOT
CONTINUE.

1.DEFINITIONS. "Software" means the identified above in binary form, any other machine readable materials (including, but not limited to, libraries, source files, header files, and data files), any updates or error corrections provided by Sun, and any user manuals, programming guides and other documentation provided to you by Sun under this Agreement. "Programs" mean Java applets and applications intended to run on the Java 2 Platform, Standard Edition (J2SE™ platform) platform on Java-enabled general purpose desktop computers and servers.

2.LICENSE TO USE. Subject to the terms and conditions of this Agreement, including, but not limited to the Java Technology Restrictions of the Supplemental License Terms, Sun grants you a non-exclusive, non-transferable, limited license without license fees to reproduce and use internally Software complete and unmodified for the sole purpose of running Programs. Additional licenses for developers and/or publishers are granted in the Supplemental License Terms.

3.RESTRICTIONS. Software is confidential and copyrighted. Title to Software and all associated intellectual property rights is retained by Sun and/or its licensors. Unless enforcement is prohibited by applicable law, you may not modify, decompile, or reverse engineer Software. You acknowledge that Licensed Software is not designed or intended for use in the design, construction, operation or maintenance of any nuclear

facility. Sun Microsystems, Inc. disclaims any express or implied warranty of fitness for such uses. No right, title or interest in or to any trademark, service mark, logo or trade name of Sun or its licensors is granted under this Agreement. Additional restrictions for developers and/or publishers licenses are set forth in the Supplemental License Terms.

4. LIMITED WARRANTY. Sun warrants to you that for a period of ninety (90) days from the date of purchase, as evidenced by a copy of the receipt, the media on which Software is furnished (if any) will be free of defects in materials and workmanship under normal use. Except for the foregoing, Software is provided "AS IS". Your exclusive remedy and Sun's entire liability under this limited warranty will be at Sun's option to replace Software media or refund the fee paid for Software. Any implied warranties on the Software are limited to 90 days. Some states do not allow limitations on duration of an implied warranty, so the above may not apply to you. This limited warranty gives you specific legal rights. You may have others, which vary from state to state.

5. DISCLAIMER OF WARRANTY. UNLESS SPECIFIED IN THIS AGREEMENT, ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT THESE DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

6. LIMITATION OF LIABILITY. TO THE EXTENT NOT PROHIBITED BY LAW, IN NO

EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR

DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE

DAMAGES, HOWEVER CAUSED REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT

OF OR RELATED TO THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS

BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. In no event will Sun's

liability to you, whether in contract, tort (including negligence), or otherwise, exceed the amount paid by you for Software under this Agreement. The foregoing limitations will apply even if the above stated warranty fails of its essential purpose. Some states do not allow the exclusion of incidental or consequential damages, so some of the terms above may not be applicable to you.

7. SOFTWARE UPDATES FROM SUN. You acknowledge that at your request or consent optional features of the Software may download, install, and execute applets, applications, software extensions, and updated versions of the Software from Sun ("Software Updates"), which may require you to accept updated terms and conditions for installation. If additional terms and conditions are not presented on installation, the Software Updates will be considered part of the Software and subject to the terms and conditions of the Agreement.

8.SOFTWARE FROM SOURCES OTHER THAN SUN. You acknowledge that, by your use

of optional features of the Software and/or by requesting services that require use of the optional features of the Software, the Software may automatically download, install, and execute software applications from sources other than Sun ("Other Software"). Sun makes no representations of a relationship of any kind to licensors of Other Software. TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED TO THE USE OF OR INABILITY TO USE OTHER SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Some states do not allow the exclusion of incidental or consequential damages, so some of the terms above may not be applicable to you.

9.TERMINATION. This Agreement is effective until terminated. You may terminate this Agreement at any time by destroying all copies of Software. This Agreement will terminate immediately without notice from Sun if you fail to comply with any provision of this Agreement. Either party may terminate this Agreement immediately should any Software become, or in either party's opinion be likely to become, the subject of a claim of

infringement of any intellectual property right. Upon Termination, you must destroy all copies of Software.

10. EXPORT REGULATIONS. All Software and technical data delivered under this Agreement are subject to US export control laws and may be subject to export or import regulations in other countries. You agree to comply strictly with all such laws and regulations and acknowledge that you have the responsibility to obtain such licenses to export, re-export, or import as may be required after delivery to you.

11. TRADEMARKS AND LOGOS. You acknowledge and agree as between you and Sun that Sun owns the SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET trademarks and all SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET-related trademarks, service marks, logos and other brand designations ("Sun Marks"), and you agree to comply with the Sun Trademark and Logo Usage Requirements currently located at <http://www.sun.com/policies/trademarks>. Any use you make of the Sun Marks inures to Sun's benefit.

12. U.S. GOVERNMENT RESTRICTED RIGHTS. If Software is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Government's rights in Software and accompanying documentation will be only as set forth in this Agreement; this is in accordance with 48 CFR 227.7201 through 227.7202-4 (for Department of Defense (DOD) acquisitions) and with 48 CFR 2.101 and

12.212 (for non-DOD acquisitions).

13.GOVERNING LAW. Any action related to this Agreement will be governed by

California law and controlling U.S. federal law. No choice of law rules of any jurisdiction will apply.

14.SEVERABILITY. If any provision of this Agreement is held to be unenforceable, this Agreement will remain in effect with the provision omitted, unless omission would frustrate the intent of the parties, in which case this Agreement will immediately terminate.

15.INTEGRATION. This Agreement is the entire agreement between you and Sun

relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, representations and warranties and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification of this Agreement will be binding, unless in writing and signed by an authorized representative of each party.

SUPPLEMENTAL LICENSE TERMS

These Supplemental License Terms add to or modify the terms of the Binary Code License Agreement. Capitalized terms not defined in these

Supplemental Terms shall have the same meanings ascribed to them in the Binary Code License Agreement . These Supplemental Terms shall supersede any inconsistent or conflicting terms in the Binary Code License Agreement, or in any license contained within the Software.

A. Software Internal Use and Development License Grant. Subject to the terms and conditions of this Agreement, including, but not limited to the Java Technology Restrictions of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license without fees to reproduce internally and use internally the Software complete and unmodified (unless otherwise specified in the applicable README file) for the purpose of designing, developing, and testing your Programs.

B. License to Distribute Software. Subject to the terms and conditions of this Agreement, including, but not limited to the Java Technology Restrictions of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license without fees to reproduce and distribute the Software, provided that (i) you distribute the Software complete and unmodified (unless otherwise specified in the applicable README file) and only bundled as part of, and for the sole purpose of running, your Programs, (ii) the Programs add significant and primary functionality to the Software, (iii) you do not distribute additional software intended to replace any component(s) of the Software (unless otherwise specified in the applicable README file), (iv) you do not remove or alter any proprietary legends or notices contained in the Software, (v) you only distribute the Software subject to a license agreement that protects Sun's

interests consistent with the terms contained in this Agreement, and (vi) you agree to defend and indemnify Sun and its licensors from and against any damages, costs, liabilities, settlement amounts and/or expenses (including attorneys' fees) incurred in connection with any claim, lawsuit or action by any third party that arises or results from the use or distribution of any and all Programs and/or Software.

C. License to Distribute Redistributables. Subject to the terms and conditions of this Agreement, including but not limited to the Java Technology Restrictions of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license without fees to reproduce and distribute those files specifically identified as redistributable in the Software "README" file ("Redistributables") provided that: (i) you distribute the Redistributables complete and unmodified (unless otherwise specified in the applicable README file), and only bundled as part of Programs, (ii) you do not distribute additional software intended to supersede any component(s) of the Redistributables (unless otherwise specified in the applicable README file), (iii) you do not remove or alter any proprietary legends or notices contained in or on the Redistributables, (iv) you only distribute the Redistributables pursuant to a license agreement that protects Sun's interests consistent with the terms contained in the Agreement, (v) you agree to defend and indemnify Sun and its licensors from and against any damages, costs, liabilities, settlement amounts and/or expenses (including attorneys' fees) incurred in connection with any claim, lawsuit or action by any third party that arises or results from the use or distribution of any and all Programs

and/or Software.

D. Java Technology Restrictions. You may not modify the Java Platform Interface ("JPI", identified as classes contained within the "java" package or any subpackages of the "java" package), by creating additional classes within the JPI or otherwise causing the addition to or modification of the classes in the JPI. In the event that you create an additional class and associated API(s) which (i) extends the functionality of the Java platform, and (ii) is exposed to third party software developers for the purpose of developing additional software which invokes such additional API, you must promptly publish broadly an accurate specification for such API for free use by all developers. You may not create, or authorize your licensees to create, additional classes, interfaces, or subpackages that are in any way identified as "java", "javax", "sun" or similar convention as specified by Sun in any naming convention designation.

E. Source Code. Software may contain source code that, unless expressly licensed for other purposes, is provided solely for reference purposes pursuant to the terms of this Agreement. Source code may not be redistributed unless expressly provided for in this Agreement.

F. Third Party Code. Additional copyright notices and license terms applicable to portions of the Software are set forth in the THIRDPARTYLICENSEREADME.txt file. In addition to any terms and conditions

of any third party opensource/freeware license identified in the
THIRDPARTYLICENSEREADME.txt file, the disclaimer of warranty and
limitation of liability provisions in paragraphs 5 and 6 of the Binary
Code License Agreement shall apply to all Software in this distribution.

For inquiries please contact: Sun Microsystems, Inc., 4150 Network Circle,
Santa Clara, California 95054, U.S.A.
(LFI#135955/Form ID#011801)

Sun JDK 1.6.0

This Product is distributed with Sun JDK 1.6.0 (JAVA SE DEVELOPMENT KIT (JDK), VERSION 6) (Sun JDK). The Sun JDK is distributed in accordance with the Sun Microsystems, Inc. (Sun) Binary Code License Agreement set forth below. As noted in Section G of the Supplemental License Terms of this license, Sun has provided additional copyright notices and license terms that may be applicable to portions of the Sun JDK in the THIRDPARTYLICENSEREADME.txt file that accompanies the Sun JDK.

Sun Microsystems, Inc. Binary Code License Agreement

for the JAVA SE DEVELOPMENT KIT (JDK), VERSION 6

SUN MICROSYSTEMS, INC. ("SUN") IS WILLING TO LICENSE
THE SOFTWARE IDENTIFIED BELOW TO YOU ONLY UPON THE
CONDITION THAT YOU ACCEPT ALL OF THE TERMS CONTAINED
IN THIS BINARY CODE LICENSE AGREEMENT AND SUPPLEMENTAL
LICENSE TERMS (COLLECTIVELY "AGREEMENT"). PLEASE READ
THE AGREEMENT CAREFULLY. BY DOWNLOADING OR INSTALLING
THIS SOFTWARE, YOU ACCEPT THE TERMS OF THE AGREEMENT.
INDICATE ACCEPTANCE BY SELECTING THE "ACCEPT" BUTTON
AT THE BOTTOM OF THE AGREEMENT. IF YOU ARE NOT WILLING
TO BE BOUND BY ALL THE TERMS, SELECT THE "DECLINE"
BUTTON AT THE BOTTOM OF THE AGREEMENT AND THE DOWNLOAD
OR INSTALL PROCESS WILL NOT CONTINUE.

1. DEFINITIONS. "Software" means the identified above
in binary form, any other machine readable materials

(including, but not limited to, libraries, source files, header files, and data files), any updates or error corrections provided by Sun, and any user manuals, programming guides and other documentation provided to you by Sun under this Agreement.

"Programs" mean Java applets and applications intended to run on the Java Platform, Standard Edition (Java SE) on Java-enabled general purpose desktop computers and servers.

2. LICENSE TO USE. Subject to the terms and conditions of this Agreement, including, but not limited to the Java Technology Restrictions of the Supplemental License Terms, Sun grants you a non-exclusive, non-transferable, limited license without license fees to reproduce and use internally Software complete and unmodified for the sole purpose of running Programs. Additional licenses for developers and/or publishers are granted in the Supplemental License Terms.

3. RESTRICTIONS. Software is confidential and copyrighted. Title to Software and all associated intellectual property rights is retained by Sun and/or its licensors. Unless enforcement is prohibited by applicable law, you may not modify, decompile, or reverse engineer Software. You acknowledge that

Licensed Software is not designed or intended for use in the design, construction, operation or maintenance of any nuclear facility. Sun Microsystems, Inc. disclaims any express or implied warranty of fitness for such uses. No right, title or interest in or to any trademark, service mark, logo or trade name of Sun or its licensors is granted under this Agreement.

Additional restrictions for developers and/or publishers licenses are set forth in the Supplemental License Terms.

4. LIMITED WARRANTY. Sun warrants to you that for a period of ninety (90) days from the date of purchase, as evidenced by a copy of the receipt, the media on which Software is furnished (if any) will be free of defects in materials and workmanship under normal use. Except for the foregoing, Software is provided "AS IS". Your exclusive remedy and Sun's entire liability under this limited warranty will be at Sun's option to replace Software media or refund the fee paid for Software. Any implied warranties on the Software are limited to 90 days. Some states do not allow limitations on duration of an implied warranty, so the above may not apply to you. This limited warranty gives you specific legal rights. You may have others, which vary from state to state.

5. DISCLAIMER OF WARRANTY. UNLESS SPECIFIED IN THIS AGREEMENT, ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT THESE DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

6. LIMITATION OF LIABILITY. TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED TO THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. In no event will Sun's liability to you, whether in contract, tort (including negligence), or otherwise, exceed the amount paid by you for Software under this Agreement. The foregoing limitations will apply even if the above stated warranty fails of its essential purpose. Some states do not allow the exclusion of incidental or consequential damages, so some of the terms above may not be applicable to you.

7. TERMINATION. This Agreement is effective until terminated. You may terminate this Agreement at any time by destroying all copies of Software. This Agreement will terminate immediately without notice from Sun if you fail to comply with any provision of this Agreement. Either party may terminate this Agreement immediately should any Software become, or in either party's opinion be likely to become, the subject of a claim of infringement of any intellectual property right. Upon Termination, you must destroy all copies of Software.

8. EXPORT REGULATIONS. All Software and technical data delivered under this Agreement are subject to US export control laws and may be subject to export or import regulations in other countries. You agree to comply strictly with all such laws and regulations and acknowledge that you have the responsibility to obtain such licenses to export, re-export, or import as may be required after delivery to you.

9. TRADEMARKS AND LOGOS. You acknowledge and agree as between you and Sun that Sun owns the SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET trademarks and all SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET-related trademarks, service marks, logos and other brand

designations ("Sun Marks"), and you agree to comply with the Sun Trademark and Logo Usage Requirements currently located at <http://www.sun.com/policies/trademarks>. Any use you make of the Sun Marks inures to Sun's benefit.

10. U.S. GOVERNMENT RESTRICTED RIGHTS. If Software is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Government's rights in Software and accompanying documentation will be only as set forth in this Agreement; this is in accordance with 48 CFR 227.7201 through 227.7202-4 (for Department of Defense (DOD) acquisitions) and with 48 CFR 2.101 and 12.212 (for non-DOD acquisitions).

11. GOVERNING LAW. Any action related to this Agreement will be governed by California law and controlling U.S. federal law. No choice of law rules of any jurisdiction will apply.

12. SEVERABILITY. If any provision of this Agreement is held to be unenforceable, this Agreement will remain in effect with the provision omitted, unless omission would frustrate the intent of the parties, in

which case this Agreement will immediately terminate.

13. INTEGRATION. This Agreement is the entire agreement between you and Sun relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, representations and warranties and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification of this Agreement will be binding, unless in writing and signed by an authorized representative of each party.

SUPPLEMENTAL LICENSE TERMS

These Supplemental License Terms add to or modify the terms of the Binary Code License Agreement. Capitalized terms not defined in these Supplemental Terms shall have the same meanings ascribed to them in the Binary Code License Agreement. These Supplemental Terms shall supersede any inconsistent or conflicting terms in the Binary Code License Agreement, or in any license contained within the Software.

A. Software Internal Use and Development License

Grant. Subject to the terms and conditions of this Agreement and restrictions and exceptions set forth in the Software "README" file incorporated herein by reference, including, but not limited to the Java Technology Restrictions of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license without fees to reproduce internally and use internally the Software complete and unmodified for the purpose of designing, developing, and testing your Programs.

B. License to Distribute Software. Subject to the terms and conditions of this Agreement and restrictions and exceptions set forth in the Software README file, including, but not limited to the Java Technology Restrictions of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license without fees to reproduce and distribute the Software, provided that (i) you distribute the Software complete and unmodified and only bundled as part of, and for the sole purpose of running, your Programs, (ii) the Programs add significant and primary functionality to the Software, (iii) you do not distribute additional software intended to replace any component(s) of the Software, (iv) you do not remove or alter any proprietary

legends or notices contained in the Software, (v) you only distribute the Software subject to a license agreement that protects Sun's interests consistent with the terms contained in this Agreement, and (vi) you agree to defend and indemnify Sun and its licensors from and against any damages, costs, liabilities, settlement amounts and/or expenses (including attorneys' fees) incurred in connection with any claim, lawsuit or action by any third party that arises or results from the use or distribution of any and all Programs and/or Software.

C. License to Distribute Redistributables. Subject to the terms and conditions of this Agreement and restrictions and exceptions set forth in the Software README file, including but not limited to the Java Technology Restrictions of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license without fees to reproduce and distribute those files specifically identified as redistributable in the Software "README" file ("Redistributables") provided that: (i) you distribute the Redistributables complete and unmodified, and only bundled as part of Programs, (ii) the Programs add significant and primary functionality to the Redistributables, (iii) you do not distribute

additional software intended to supersede any component(s) of the Redistributables (unless otherwise specified in the applicable README file), (iv) you do not remove or alter any proprietary legends or notices contained in or on the Redistributables, (v) you only distribute the Redistributables pursuant to a license agreement that protects Sun's interests consistent with the terms contained in the Agreement, (vi) you agree to defend and indemnify Sun and its licensors from and against any damages, costs, liabilities, settlement amounts and/or expenses (including attorneys' fees) incurred in connection with any claim, lawsuit or action by any third party that arises or results from the use or distribution of any and all Programs and/or Software.

D. Java Technology Restrictions. You may not create, modify, or change the behavior of, or authorize your licensees to create, modify, or change the behavior of, classes, interfaces, or subpackages that are in any way identified as "java", "javax", "sun" or similar convention as specified by Sun in any naming convention designation.

E. Distribution by Publishers. This section pertains to your distribution of the Software with your printed

book or magazine (as those terms are commonly used in the industry) relating to Java technology ("Publication"). Subject to and conditioned upon your compliance with the restrictions and obligations contained in the Agreement, in addition to the license granted in Paragraph 1 above, Sun hereby grants to you a non-exclusive, nontransferable limited right to reproduce complete and unmodified copies of the Software on electronic media (the "Media") for the sole purpose of inclusion and distribution with your Publication(s), subject to the following terms: (i) You may not distribute the Software on a stand-alone basis; it must be distributed with your Publication(s); (ii) You are responsible for downloading the Software from the applicable Sun web site; (iii) You must refer to the Software as JavaTM SE Development Kit 6; (iv) The Software must be reproduced in its entirety and without any modification whatsoever (including, without limitation, the Binary Code License and Supplemental License Terms accompanying the Software and proprietary rights notices contained in the Software); (v) The Media label shall include the following information: Copyright 2006, Sun Microsystems, Inc. All rights reserved. Use is subject to license terms. Sun, Sun Microsystems, the Sun logo, Solaris, Java,

the Java Coffee Cup logo, J2SE, and all trademarks and logos based on Java are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. This information must be placed on the Media label in such a manner as to only apply to the Sun Software; (vi) You must clearly identify the Software as Sun's product on the Media holder or Media label, and you may not state or imply that Sun is responsible for any third-party software contained on the Media; (vii) You may not include any third party software on the Media which is intended to be a replacement or substitute for the Software; (viii) You shall indemnify Sun for all damages arising from your failure to comply with the requirements of this Agreement. In addition, you shall defend, at your expense, any and all claims brought against Sun by third parties, and shall pay all damages awarded by a court of competent jurisdiction, or such settlement amount negotiated by you, arising out of or in connection with your use, reproduction or distribution of the Software and/or the Publication. Your obligation to provide indemnification under this section shall arise provided that Sun:(a) provides you prompt notice of the claim; (b) gives you sole control of the defense and settlement of the claim; (c) provides you, at your expense, with all available

information, assistance and authority to defend; and
(d) has not compromised or settled such claim without
your prior written consent; and (ix) You shall provide
Sun with a written notice for each Publication; such
notice shall include the following information: (1)
title of Publication, (2) author(s), (3) date of
Publication, and (4) ISBN or ISSN numbers. Such notice
shall be sent to Sun Microsystems, Inc., 4150 Network
Circle, M/S USCA12-110, Santa Clara, California 95054,
U.S.A , Attention: Contracts Administration.

F. Source Code. Software may contain source code that,
unless expressly licensed for other purposes, is
provided solely for reference purposes pursuant to the
terms of this Agreement. Source code may not be
redistributed unless expressly provided for in this
Agreement.

G. Third Party Code. Additional copyright notices and
license terms applicable to portions of the Software
are set forth in the THIRDPARTYLICENSEREADME.txt file.
In addition to any terms and conditions of any third
party opensource/freeware license identified in the
THIRDPARTYLICENSEREADME.txt file, the disclaimer of
warranty and limitation of liability provisions in
paragraphs 5 and 6 of the Binary Code License

Agreement shall apply to all Software in this distribution.

H. Termination for Infringement. Either party may terminate this Agreement immediately should any Software become, or in either party's opinion be likely to become, the subject of a claim of infringement of any intellectual property right.

I. Installation and Auto-Update. The Software's installation and auto-update processes transmit a limited amount of data to Sun (or its service provider) about those specific processes to help Sun understand and optimize them. Sun does not associate the data with personally identifiable information. You can find more information about the data Sun collects at <http://java.com/data/>.

For inquiries please contact: Sun Microsystems, Inc.,
4150 Network Circle, Santa Clara, California 95054,
U.S.A.

Sun JRE 1.5.0_18

This Product is distributed with Sun JRE 1.5.0_18 (JAVA 2 PLATFORM STANDARD EDITION DEVELOPMENT KIT 5.0) ("Sun JDK"). The Sun JDK is distributed in accordance with the Sun Microsystems, Inc. ("Sun") Binary Code License Agreement set forth below. As noted in Section G of the Supplemental License Terms of this license, Sun has provided additional copyright notices and license terms that may be applicable to portions of the Sun JDK in the THIRDPARTYLICENSEREADME.txt file.

Sun Microsystems, Inc. Binary Code License Agreement

for the JAVA 2 PLATFORM STANDARD EDITION DEVELOPMENT KIT 5.0

SUN MICROSYSTEMS, INC. ("SUN") IS WILLING TO LICENSE THE SOFTWARE IDENTIFIED BELOW TO YOU ONLY UPON THE CONDITION THAT YOU ACCEPT ALL OF THE TERMS CONTAINED IN THIS BINARY CODE LICENSE AGREEMENT AND SUPPLEMENTAL LICENSE TERMS (COLLECTIVELY "AGREEMENT"). PLEASE READ THE AGREEMENT CAREFULLY. BY DOWNLOADING OR INSTALLING THIS SOFTWARE, YOU ACCEPT THE TERMS OF THE AGREEMENT. INDICATE ACCEPTANCE BY SELECTING THE "ACCEPT" BUTTON AT THE BOTTOM OF THE AGREEMENT. IF YOU ARE NOT WILLING TO BE BOUND BY ALL THE TERMS, SELECT THE "DECLINE" BUTTON AT THE BOTTOM OF THE AGREEMENT AND THE DOWNLOAD OR INSTALL PROCESS WILL NOT CONTINUE.

1. DEFINITIONS. "Software" means the identified above in binary form, any other machine readable materials

(including, but not limited to, libraries, source files, header files, and data files), any updates or error corrections provided by Sun, and any user manuals, programming guides and other documentation provided to you by Sun under this Agreement. "General Purpose Desktop Computers and Servers" means computers, including desktop and laptop computers, or servers, used for general computing functions under end user control (such as but not specifically limited to email, general purpose Internet browsing, and office suite productivity tools). The use of Software in systems and solutions that provide dedicated functionality (other than as mentioned above) or designed for use in embedded or function-specific software applications, for example but not limited to: Software embedded in or bundled with industrial control systems, wireless mobile telephones, wireless handheld devices, netbooks, kiosks, TV/STB, Blu-ray Disc devices, telematics and network control switching equipment, printers and storage management systems, and other related systems is excluded from this definition and not licensed under this Agreement. "Programs" means Java technology applets and applications intended to run on the Java 2 Platform Standard Edition (J2SE) platform on Java-enabled General Purpose Desktop Computers and Servers.

2. LICENSE TO USE. Subject to the terms and conditions of

this Agreement, including, but not limited to the Java Technology Restrictions of the Supplemental License Terms, Sun grants you a non-exclusive, non-transferable, limited license without license fees to reproduce and use internally Software complete and unmodified for the sole purpose of running Programs. Additional licenses for developers and/or publishers are granted in the Supplemental License Terms.

3. RESTRICTIONS. Software is confidential and copyrighted.

Title to Software and all associated intellectual property rights is retained by Sun and/or its licensors. Unless enforcement is prohibited by applicable law, you may not modify, decompile, or reverse engineer Software. You acknowledge that Licensed Software is not designed or intended for use in the design, construction, operation or maintenance of any nuclear facility. Sun Microsystems, Inc. disclaims any express or implied warranty of fitness for such uses. No right, title or interest in or to any trademark, service mark, logo or trade name of Sun or its licensors is granted under this Agreement. Additional restrictions for developers and/or publishers licenses are set forth in the Supplemental License Terms.

4. LIMITED WARRANTY. Sun warrants to you that for a period of ninety (90) days from the date of purchase, as evidenced by a copy of the receipt, the media on which Software is

furnished (if any) will be free of defects in materials and workmanship under normal use. Except for the foregoing, Software is provided "AS IS". Your exclusive remedy and Sun's entire liability under this limited warranty will be at Sun's option to replace Software media or refund the fee paid for Software. Any implied warranties on the Software are limited to 90 days. Some states do not allow limitations on duration of an implied warranty, so the above may not apply to you. This limited warranty gives you specific legal rights. You may have others, which vary from state to state.

5. DISCLAIMER OF WARRANTY. UNLESS SPECIFIED IN THIS AGREEMENT, ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT THESE DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

6. LIMITATION OF LIABILITY. TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED TO THE USE OF OR INABILITY TO USE SOFTWARE, EVEN

IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

In no event will Sun's liability to you, whether in contract, tort (including negligence), or otherwise, exceed the amount paid by you for Software under this Agreement. The foregoing limitations will apply even if the above stated warranty fails of its essential purpose. Some states do not allow the exclusion of incidental or consequential damages, so some of the terms above may not be applicable to you.

7. TERMINATION. This Agreement is effective until terminated. You may terminate this Agreement at any time by destroying all copies of Software. This Agreement will terminate immediately without notice from Sun if you fail to comply with any provision of this Agreement. Either party may terminate this Agreement immediately should any Software become, or in either party's opinion be likely to become, the subject of a claim of infringement of any intellectual property right. Upon Termination, you must destroy all copies of Software.

8. EXPORT REGULATIONS. All Software and technical data delivered under this Agreement are subject to US export control laws and may be subject to export or import regulations in other countries. You agree to comply strictly with all such laws and regulations and acknowledge

that you have the responsibility to obtain such licenses to export, re-export, or import as may be required after delivery to you.

9. TRADEMARKS AND LOGOS. You acknowledge and agree as between you and Sun that Sun owns the SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET trademarks and all SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET-related trademarks, service marks, logos and other brand designations ("Sun Marks"), and you agree to comply with the Sun Trademark and Logo Usage Requirements currently located at <http://www.sun.com/policies/trademarks>. Any use you make of the Sun Marks inures to Sun's benefit.

10. U.S. GOVERNMENT RESTRICTED RIGHTS. If Software is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Government's rights in Software and accompanying documentation will be only as set forth in this Agreement; this is in accordance with 48 CFR 227.7201 through 227.7202-4 (for Department of Defense (DOD) acquisitions) and with 48 CFR 2.101 and 12.212 (for non-DOD acquisitions).

11. GOVERNING LAW. Any action related to this Agreement will be governed by California law and controlling U.S.

federal law. No choice of law rules of any jurisdiction will apply.

12. SEVERABILITY. If any provision of this Agreement is held to be unenforceable, this Agreement will remain in effect with the provision omitted, unless omission would frustrate the intent of the parties, in which case this Agreement will immediately terminate.

13. INTEGRATION. This Agreement is the entire agreement between you and Sun relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, representations and warranties and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification of this Agreement will be binding, unless in writing and signed by an authorized representative of each party.

SUPPLEMENTAL LICENSE TERMS

These Supplemental License Terms add to or modify the terms of the Binary Code License Agreement. Capitalized terms not defined in these Supplemental Terms shall have the same meanings ascribed to them in the Binary Code License

Agreement . These Supplemental Terms shall supersede any inconsistent or conflicting terms in the Binary Code License Agreement, or in any license contained within the Software.

A. Software Internal Use and Development License Grant.

Subject to the terms and conditions of this Agreement and restrictions and exceptions set forth in the Software "README" file incorporated herein by reference, including, but not limited to the Java Technology Restrictions of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license without fees to reproduce internally and use internally the Software complete and unmodified for the purpose of designing, developing, and testing your Programs.

B. License to Distribute Software. Subject to the terms and conditions of this Agreement and restrictions and exceptions set forth in the Software README file, including, but not limited to the Java Technology Restrictions of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license without fees to reproduce and distribute the Software, provided that (i) you distribute the Software complete and unmodified and only bundled as part of, and for the sole purpose of running, your Programs, (ii) the Programs add significant and primary functionality to the Software, (iii) you do not distribute

additional software intended to replace any component(s) of the Software, (iv) you do not remove or alter any proprietary legends or notices contained in the Software, (v) you only distribute the Software subject to a license agreement that protects Sun's interests consistent with the terms contained in this Agreement, and (vi) you agree to defend and indemnify Sun and its licensors from and against any damages, costs, liabilities, settlement amounts and/or expenses (including attorneys' fees) incurred in connection with any claim, lawsuit or action by any third party that arises or results from the use or distribution of any and all Programs and/or Software.

C. License to Distribute Redistributables. Subject to the terms and conditions of this Agreement and restrictions and exceptions set forth in the Software README file, including but not limited to the Java Technology Restrictions of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license without fees to reproduce and distribute those files specifically identified as redistributable in the Software "README" file ("Redistributables") provided that:(i) you distribute the Redistributables complete and unmodified, and only bundled as part of Programs, (ii) the Programs add significant and primary functionality to the Redistributables, (iii) you do not distribute additional software intended to supersede any

component(s) of the Redistributables (unless otherwise specified in the applicable README file), (iv) you do not remove or alter any proprietary legends or notices contained in or on the Redistributables, (v) you only distribute the Redistributables pursuant to a license agreement that protects Sun's interests consistent with the terms contained in the Agreement, (vi) you agree to defend and indemnify Sun and its licensors from and against any damages, costs, liabilities, settlement amounts and/or expenses (including attorneys' fees) incurred in connection with any claim, lawsuit or action by any third party that arises or results from the use or distribution of any and all Programs and/or Software.

D. Java Technology Restrictions. You may not create, modify, or change the behavior of, or authorize your licensees to create, modify, or change the behavior of, classes, interfaces, or subpackages that are in any way identified as "java", "javax", "sun" or similar convention as specified by Sun in any naming convention designation.

E. Distribution by Publishers. This section pertains to your distribution of the Software with your printed book or magazine (as those terms are commonly used in the industry) relating to Java technology ("Publication"). Subject to and conditioned upon your compliance with the restrictions and

obligations contained in the Agreement, in addition to the license granted in Paragraph 1 above, Sun hereby grants to you a non-exclusive, nontransferable limited right to reproduce complete and unmodified copies of the Software on electronic media (the "Media") for the sole purpose of inclusion and distribution with your Publication(s), subject to the following terms: (i) You may not distribute the Software on a stand-alone basis; it must be distributed with your Publication(s); (ii) You are responsible for downloading the Software from the applicable Sun web site; (iii) You must refer to the Software as JavaTM 2 Platform Standard Edition Development Kit 5.0; (iv) The Software must be reproduced in its entirety and without any modification whatsoever (including, without limitation, the Binary Code License and Supplemental License Terms accompanying the Software and proprietary rights notices contained in the Software); (v) The Media label shall include the following information: Copyright 2006, Sun Microsystems, Inc. All rights reserved. Use is subject to license terms. Sun, Sun Microsystems, the Sun logo, Solaris, Java, the Java Coffee Cup logo, J2SE, and all trademarks and logos based on Java are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. This information must be placed on the Media label in such a manner as to only apply to the Sun Software; (vi) You must clearly identify the Software as Sun's product on the Media holder

or Media label, and you may not state or imply that Sun is responsible for any third-party software contained on the Media; (vii) You may not include any third party software on the Media which is intended to be a replacement or substitute for the Software; (viii) You shall indemnify Sun for all damages arising from your failure to comply with the requirements of this Agreement. In addition, you shall defend, at your expense, any and all claims brought against Sun by third parties, and shall pay all damages awarded by a court of competent jurisdiction, or such settlement amount negotiated by you, arising out of or in connection with your use, reproduction or distribution of the Software and/or the Publication. Your obligation to provide indemnification under this section shall arise provided that Sun:(a) provides you prompt notice of the claim; (b) gives you sole control of the defense and settlement of the claim; (c) provides you, at your expense, with all available information, assistance and authority to defend; and (d) has not compromised or settled such claim without your prior written consent; and (ix) You shall provide Sun with a written notice for each Publication; such notice shall include the following information: (1) title of Publication, (2) author(s), (3) date of Publication, and (4) ISBN or ISSN numbers. Such notice shall be sent to Sun Microsystems, Inc., 4150 Network Circle, M/S USCA12-110, Santa Clara, California 95054, U.S.A , Attention:Contracts

Administration.

F. Source Code. Software may contain source code that, unless expressly licensed for other purposes, is provided solely for reference purposes pursuant to the terms of this Agreement. Source code may not be redistributed unless expressly provided for in this Agreement.

G. Third Party Code. Additional copyright notices and license terms applicable to portions of the Software are set forth in the THIRDPARTYLICENSEREADME.txt file. In addition to any terms and conditions of any third party opensource/freeware license identified in the THIRDPARTYLICENSEREADME.txt file, the disclaimer of warranty and limitation of liability provisions in paragraphs 5 and 6 of the Binary Code License Agreement shall apply to all Software in this distribution.

H. Termination for Infringement. Either party may terminate this Agreement immediately should any Software become, or in either party's opinion be likely to become, the subject of a claim of infringement of any intellectual property right.

I. Installation and Auto-Update. The Software's installation and auto-update processes transmit a limited

amount of data to Sun (or its service provider) about those specific processes to help Sun understand and optimize them. Sun does not associate the data with personally identifiable information. You can find more information about the data Sun collects at <http://java.com/data/>.

For inquiries please contact: Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, U.S.A.
(LFI#143333/Form ID#011801)

XNTP v.3-5.93

This product includes XNTP v.3-5.93. XNTP v.3-5.93 is distributed in accordance with the following notice and permission:

*

*

* Copyright (c) David L. Mills 1992, 1993, 1994, 1995, 1996 *

*

*

* Permission to use, copy, modify, and distribute this software and *

* its documentation for any purpose and without fee is hereby *

* granted, provided that the above copyright notice appears in all *

* copies and that both the copyright notice and this permission *

* notice appear in supporting documentation, and that the name *

* University of Delaware not be used in advertising or publicity *

* pertaining to distribution of the software without specific, *

* written prior permission. The University of Delaware makes no *

* representations about the suitability this software for any *

* purpose. It is provided "as is" without express or implied *

* warranty. *

*****/

XScreenSaver

Copyright © 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005 by Jamie Zawinski. Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Zlib 1.2.3

This product includes zlib developed by Jean-loup Gailly and Mark Adler.

ZThread 2.3.2

Portions of this product include software developed by Eric Crahen. The ZThread software is distributed in accordance with the following license agreement.

Copyright (c) 2005, Eric Crahen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

