

CA File Master Plus™

Best Practices Guide

Release 9.1.00



This Documentation, which includes embedded help systems and electronically distributed materials (hereinafter referred to as the "Documentation"), is for your informational purposes only and is subject to change or withdrawal by CA at any time. This Documentation is proprietary information of CA and may not be copied, transferred, reproduced, disclosed, modified or duplicated, in whole or in part, without the prior written consent of CA.

If you are a licensed user of the software product(s) addressed in the Documentation, you may print or otherwise make available a reasonable number of copies of the Documentation for internal use by you and your employees in connection with that software, provided that all CA copyright notices and legends are affixed to each reproduced copy.

The right to print or otherwise make available copies of the Documentation is limited to the period during which the applicable license for such software remains in full force and effect. Should the license terminate for any reason, it is your responsibility to certify in writing to CA that all copies and partial copies of the Documentation have been returned to CA or destroyed.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, CA PROVIDES THIS DOCUMENTATION "AS IS" WITHOUT WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL CA BE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, FROM THE USE OF THIS DOCUMENTATION, INCLUDING WITHOUT LIMITATION, LOST PROFITS, LOST INVESTMENT, BUSINESS INTERRUPTION, GOODWILL, OR LOST DATA, EVEN IF CA IS EXPRESSLY ADVISED IN ADVANCE OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The use of any software product referenced in the Documentation is governed by the applicable license agreement and such license agreement is not modified in any way by the terms of this notice.

The manufacturer of this Documentation is CA.

Provided with "Restricted Rights." Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-14, and 52.227-19(c)(1) - (2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Copyright © 2015 CA. All rights reserved. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

CA Technologies Product References

This document references the following CA Technologies products:

CA File Master™ Plus

CA Mainframe Software Manager™ (CA CSM)

Contact CA Technologies

Contact CA Support

For your convenience, CA Technologies provides one site where you can access the information that you need for your Home Office, Small Business, and Enterprise CA Technologies products. At <http://ca.com/support>, you can access the following resources:

- Online and telephone contact information for technical assistance and customer services
- Information about user communities and forums
- Product and documentation downloads
- CA Support policies and guidelines
- Other helpful resources appropriate for your product

Providing Feedback About Product Documentation

If you have comments or questions about CA Technologies product documentation, you can send a message to techpubs@ca.com.

To provide feedback about CA Technologies product documentation, complete our short customer survey which is available on the CA Support website at <http://ca.com/docs>.

Best Practices Guide Process

These best practices are based on customer experience reported through interviews with development, technical support, and technical services. Many of these best practices are a collaborative effort stemming from customer feedback. We encourage you to share common themes of product use that might benefit other users.

To share your best practices, contact us at techpubs@ca.com and preface your email subject line with "Best Practices for CA File Master Plus" so that we can easily identify and categorize them.

Contents

Chapter 1: Introduction	7
Chapter 2: Installation Best Practices	9
Implement a Proactive Preventive Maintenance Strategy	9
CA Common Services.....	11
IBM APARs.....	11
Installation in a Test Environment	11
Chapter 3: Configuration Best Practices	13
Common Online Parameter Files	13
Edit Change Logs	13
Minimize Logging	14
Minimize Allocations.....	14
Use One Change Log Data Set.....	14
Use Concise Descriptions	14
Servers in the Eclipse User Interface.....	15
Define Multiple Servers.....	15
Define Servers in Directory List View	15
Define Working Servers	15

Chapter 1: Introduction

The guide introduces the CA Technologies mainframe management strategy and features, and describes the best practices for installing and configuring your product.

The intended audience of this guide is systems programmers and administrators who install, maintain, deploy, and configure your product.

Chapter 2: Installation Best Practices

This section contains the following topics:

[Implement a Proactive Preventive Maintenance Strategy](#) (see page 9)

[CA Common Services](#) (see page 11)

[IBM APARs](#) (see page 11)

[Installation in a Test Environment](#) (see page 11)

Implement a Proactive Preventive Maintenance Strategy

CA Technologies formerly delivered product maintenance using Service Packs. We have replaced this model with [CA Recommended Service \(CA RS\) for z/OS](#), which provides more flexibility and granular application intervals. CA RS is patterned after the IBM preventive maintenance model, Recommended Service Upgrade (RSU). With CA RS, you can install preventive maintenance for most CA Technologies z/OS-based products in a consistent way on a schedule that you select (for example, monthly, quarterly, annually).

CA Technologies periodically releases Service Updates. A Service Update is a product installation file and all PTFs preapplied up to the last CA RS level.

We recommend that you develop and implement a proactive preventive maintenance strategy whereby you regularly apply maintenance. You could follow the same schedule that you use to apply IBM maintenance, or you could implement a schedule for CA Technologies products only.

Business Value:

Keeping your products current with maintenance helps your team remain productive and minimize errors while safely protecting your systems. If you do not install preventive maintenance regularly, you risk encountering known problems for which we have published and tested fixes.

Our mainframe maintenance philosophy is predicated upon granting you the flexibility to maintain your sites and systems consistent with industry best practices and site-specific requirements. Our philosophy focuses on two maintenance types. Understanding each type can help you maintain your systems in the most efficient manner.

Note: This philosophy applies to the [CA Chorus Software Manager Enabled Products](#). For legacy products, contact CA Support for maintenance details.

Corrective Maintenance

Helps you address a specific and immediate issue. This type of maintenance is necessary after you encounter a problem. We may provide a test APAR when a new problem is uncovered, and a confirmed PTF when the problem has been resolved. Your primary goal is to return your system to the same functional state that it was before you experienced the issue. This type of maintenance is applied on an as-needed basis.

Preventive Maintenance

Lets you bring your system up to a more current level. Doing so helps you avoid problems that others have reported. This maintenance may also contain compatibility fixes for hardware and software. You may have experienced the issues that each PTF addresses. CA RS provides a way to identify all published maintenance that has been successfully integration-tested. This maintenance has been tested with other CA Technologies products, current z/OS releases, and IBM subsystems, such as CICS and DB2. CA RS levels are published monthly that include PTFs, HIPERs and PRPs (PE-resolving PTFs). Before you download, apply, and test a new CA RS level, we recommend that you accept the previous CA RS level.

You can initiate a maintenance installation activity at any time. You can then install the current CA RS level of maintenance (recommended) or an earlier level. Additionally, you can install maintenance to support a new hardware device, software upgrade, or function using the [FIXCAT](#) method.

For all maintenance, before you initiate any maintenance action, obtain the current SMP/E HOLDDATA.

Important! [CA Chorus™ Software Manager \(CA CSM\)](#) - formerly known as CA Mainframe Software Manager™ (CA MSM) - is an intuitive web-based tool that can automate and simplify many CA Technologies product installation and maintenance activities. We strongly recommend that you use CA CSM to maintain your CA Technologies z/OS-based products.

More Information:

To apply preventive maintenance using CA CSM or from CA Support Online on <http://ca.com/support>, see the *Installation Guide* for your product and the CA CSM online help.

CA Common Services

Make sure you have installed the most current release of CA Common Services.

Business Value:

The latest release of CA Common Services contains the most current infrastructure updates, allowing you to successfully use the latest features and preventing potential errors that can occur from using out-of-date services.

For more information about CA Common Services, see the *Installation Guide*.

IBM APARs

No IBM APARs are required at this time.

Business Value:

There are no known IBM APARs that impact the operation or performance of the product. You may apply the most recent IBM APARs appropriate for your environment as needed.

Installation in a Test Environment

Perform your installation and initial evaluations of a new release of the product and its components on a test system.

Business Value:

New releases of CA Technologies testing tools can always co-exist with previous releases, letting you test a new release on a test system while still running the older version on a production system. Evaluating the product in a test environment lets you detect any possible problems before you roll out the product to a production system.

Additional Considerations:

Always be sure to review any migration considerations in the *Installation Guide* before upgrading your CA Technologies product.

Chapter 3: Configuration Best Practices

This section contains the following topics:

[Common Online Parameter Files](#) (see page 13)

[Edit Change Logs](#) (see page 13)

[Servers in the Eclipse User Interface](#) (see page 15)

Common Online Parameter Files

Common online parameter files are found under the Setup Parm files option. They consist of the following partitioned data sets:

- DSN lists
- Selection criteria
- Reformat control
- Custom record layouts (CRLs)

Common online parameter files consist of partitioned data sets containing stored members that you can reference multiple times. Being able to reference the same stored member multiple times lets you save time.

Business Value:

Well-organized common parameter files using meaningful member names with succinct descriptions will reduce duplicate members and minimize mistakes.

Additional Considerations:

You should entrust someone to create all required parameter files' members into departmental parameter files. These members can then be copied into individual user parameter files. Users should configure their CA File Master Plus session to reference their individual parameter files and not those of the department.

Edit Change Logs

The edit change log data sets store the changes made to a file during a CA File Master Plus edit session. The efficient allocation and maintenance of these data sets ensures that you comply with your site's standards. Creating a strategy that best fits the needs of your environment simplifies the management and control of logged changes across systems.

Minimize Logging

Activate the change log feature only for the files that you are required to log.

Business Value:

Your change log data set will be uncluttered allowing you to locate files quickly. Logging every data set clutters the change log data set with unnecessary data.

Minimize Allocations

Set reasonable allocations for the change log data set. You can manage this by requiring a small primary allocation and a larger secondary allocation for the change log data set on the change log allocation parameters.

Business Value:

Correct allocations will minimize the amount of unused disk storage required for each log file.

Use One Change Log Data Set

Use only one change log data set for logging all editor updates. To do this, specify N for New log name in next session? on the Change Log Data Set Processing panel.

Business Value:

Having one change log data set prevents many data sets from cluttering your DASD environment and simplifies any effort to locate a particular update. You would only have one data set to search instead of many.

Use Concise Descriptions

Use a concise description of the editor changes in the Description of Change field on the Change Log Data panel. The description should detail the reason for updating the file and should meet your site's requirement guidelines.

Business Value:

Entering a concise description provides clear and concise documentation concerning the updates and makes problem identification easier.

Servers in the Eclipse User Interface

Define Multiple Servers

Define multiple servers on each LPAR where the product is licensed. Publish a list of available servers that end users can define in their Directory List view.

Business Value:

This high-availability model lets you access data set resources from any available LPAR.

Define Servers in Directory List View

Define all available servers in your Directory List View, but do not define any subordinate data set resources.

Business Value:

The status of each server to which you have connected is displayed in the Directory List View. When you have all your servers defined in the Eclipse UI, you are always aware of the status of every server you use. This increases your overall productivity.

Define Working Servers

Define a "working" server, using another server's host name and port number for the working server. This essentially creates a clone server. Define all data set resources under the working server, and use the working server for all of your daily CA File Master Plus activity. Use the Update Server menu command to change the working server's port and host to those of another active server.

Business Value:

Using a working server makes it easier to set up and maintain your CA File Master Plus environment. Instead of defining each data set and member under each server, you define each resource only once. When you configure the working server to access any active server, you maintain your complete list of resources. You also maintain a complete list of all the servers you use and their availability status.