CA Endevor®/DB for CA IDMS™

Messages and Codes Guide

Release 18.5.00



This Documentation, which includes embedded help systems and electronically distributed materials, (hereinafter referred to as the "Documentation") is for your informational purposes only and is subject to change or withdrawal by CA at any time. This Documentation is proprietary information of CA and may not be copied, transferred, reproduced, disclosed, modified or duplicated, in whole or in part, without the prior written consent of CA.

If you are a licensed user of the software product(s) addressed in the Documentation, you may print or otherwise make a vailable a reasonable number of copies of the Documentation for internal use by you and your employees in connection with that software, provided that all CA copyright notices and legends are affixed to each reproduced copy.

The right to print or otherwise make a vailable copies of the Documentation is limited to the period during which the applicable license for such software remains in full force and effect. Should the license terminate for any reason, it is your responsibility to certify in writing to CA that all copies and partial copies of the Documentation have been returned to CA or destroyed.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, CA PROVIDES THIS DOCUMENTATION "AS IS" WITHOUT WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL CABE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, FROM THE USE OF THIS DOCUMENTATION, INCLUDING WITHOUT LIMITATION, LOST PROFITS, LOST INVESTMENT, BUSINESS INTERRUPTION, GOODWILL, OR LOST DATA, EVEN IF CAIS EXPRESSLY ADVISED IN ADVANCE OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The use of any software product referenced in the Documentation is governed by the applicable license agreement and such license agreement is not modified in any way by the terms of this notice.

The manufacturer of this Documentation is CA.

Provided with "Restricted Rights." Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-14, and 52.227-19(c)(1) - (2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Copyright © 2013 CA. All rights reserved. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

CA Technologies Product References

This document references the following CA Technologies products:

- CA IDMS®
- Endevor®/DB Change Manager for CA-IDMS®
- Endevor® Change Manager

Contact CA Technologies

Contact CA Support

For your convenience, CA Technologies provides one site where you can access the information that you need for your Home Office, Small Business, and Enterprise CA Technologies products. At http://ca.com/support, you can access the following resources:

- Online and telephone contact information for technical assistance and customer services
- Information about user communities and forums
- Product and documentation downloads
- CA Support policies and guidelines
- Other helpful resources appropriate for your product

Providing Feedback About Product Documentation

If you have comments or questions about CA Technologies product documentation, you can send a message to <u>techpubs@ca.com</u>.

To provide feedback about CA Technologies product documentation, complete our short customer survey which is available on the CA Support website at http://ca.com/docs.

Contents

Chapter 1: Message Layout	7
Messages from CA Endevor/DB	7
CA Endevor/DB Online System Messages	
Change Monitor Messages	8
CA Endevor/DB Special Error Status Codes	
CA IDMS Batch Messages	10
Console and CAIDMS/DC Log Messages	10
Message Format	10
How to Find Messages in This Manual	11
Chapter 2: Error Messages	13
Overview	13
General Processing Messages	13
Online Messages	
Reporting Messages	152
Appendix A: Internal Errors and Diagnostics	157
Introduction	157
Liser Ahend Codes	158

Chapter 1: Message Layout

This section contains the following topics:

Messages from CA Endevor/DB (see page 7)
CA Endevor/DB Online System Messages (see page 7)
CA IDMS Batch Messages (see page 10)
Console and CA IDMS/DC Log Messages (see page 10)
Message Format (see page 10)
How to Find Messages in This Manual (see page 11)

Messages from CA Endevor/DB

Since CA Endevor/DB operates in all environments in which the CA IDMS compilers run, the media, format, and volume of messages vary. CA Endevor/DB supports updates from online tasks, batch through CA IDMS central version, and local mode batch.

CA Endevor/DB Online System Messages

The CA Endevor/DB online system presents messages in lines 3 and 4 of all screens. An example follows:

```
CA-E/DB nn.n volser
                                SIGNON FUNCTION
                                                              mm/dd/yy
NDVRM000
USER ===> EDBADMIN
                              DICTNAME ===> SRCNDVR
                                                              MODE ===>
UPDATE
                     <....MESSAGE AREA .....>
OPTION ===>
1 - SIGNON AND RETURN TO IDMS
                                        2 - SIGNON AND GO TO FUNCTION
ENDEVOR/DB USER:
            ===> EDBADMIN
NAME
PASSW0RD
CCID(S):
    ("NOCCID
    TO CLEAR)
ONLINE SYSTEM PARAMETERS:
DBNAME
           ===> SRCNDVR
USAGE MODE ===> UPDATE
```

Change Monitor Messages

The CA Endevor/DB Change Monitor formats a distinct message screen when running in conjunction with online CA IDMS compilers. A sample screen appears as follows:

CA Endevor/DB Special Error Status Codes

After receiving a message from the Change Monitor, the CA Endevor/DB system usually fabricates a DBMS error status code to the invoking CA IDMS compiler to prevent further action. These error codes are explained below.

Note: You will not find these error status codes documented in CA IDMSpublications. They are unique to installations with the CA Endevor/DB Change Monitor.

- xx95 CA Endevor/DB rejected the change of an entity. Go to the CDMSLOG to see error.
- xx96 Internal error, Entity Analyzer Failure. Notify CA Endevor SCM Technical Support.
- xx97 DBNAME lookup failed. CA Endevor/DB improperly installed. Ensure that DBNAME and NDVRCNFG tables are correct.
- **xx98** Run unit bound in local mode.

These codes will appear within the context of a screen formatted by the compilers. An example follows:

```
IDD nn.n ONLINE
                                         NO ERRORS
                                                       ABEND CODE 2222
ADD ELE ERROR-MESSGE PIC X(72)
*+ F DC601900 COMPILER ABORTING DUE TO NON-ZERO IDMS ERROR STATUS
               PROGRAM NAME ..... IDMSDDDL
*+
               ERROR STATUS ..... 1295
*+
               ERROR RECORD ..... INQ-058
*+
               ERROR SER ...... 00AK-INQ
               ERROR AREA ..... DDLDML
*+
               DBKEY (IN HEX) ... 3D30B801
*+
               LAST GOOD RECORD . INQ-058
               LAST GOOD AREA ... DDLDML
*+
               DML SEQUENCE ..... 00607039
```

CA IDMS Batch Messages

For batch dictionary updates running through the CA IDMS central version, messages produced by the CA Endevor/DB Change Monitor are displayed as "DC Write to Log" messages. These messages display the rejection reason, and may be viewed by browsing or printing the CA IDMS/DC Log File.

For batch dictionary updates running in local mode (without CA IDMS central version), messages produced by the CA Endevor/DB Change Monitor are displayed as printed messages on the batch job log. These messages display the rejection reason, the CA Endevor/DB signon information in force, and the particular entity that was rejected (if applicable). Messages produced by CA Endevor/DB batch utilities (NDVRARCO, NDVRBOOK, etc.) are always written to the NDVRLST file in the batch output.

Messages produced by the CA Endevor/DB reporting input module are provided in the SYSPRINT data set.

Console and CA IDMS/DC Log Messages

CA Endevor/DB internal system messages are generated by CA Endevor/DB components running without a terminal attached. Their messages are directed to the CA IDMS/DC Log (for components running inside CA IDMS/DC) or the batch job log (for components running in batch regions). These messages usually relate to startup, shutdown, and internal diagnostics for serious error conditions.

Message Format

The general format of messages produced by the CA Endevor/DB system is as follows:

NDVRxxxx: x### -----text

The message is comprised of:

■ Issuing program or module name: NDVRxxxx

■ Severity level indicator, x, where x is:

Level Indicator	Description
1	Informational message only.
W	Warning level — not severe.

Level Indicator	Description
E	Error level — the action being performed is terminated, but task/job processing continues.
F	Fatal error— the task/job terminated.

- Message number within issuing module: 3 digits.
- Information about or explanation of the message.

How to Find Messages in This Manual

Chapter 2 contains messages organized into three categories:

- General processing messages
- Online messages
- Reporting messages

Within each category, the messages are arranged alphabetically by module name and within each module, alphabetically by severity level (E, F, I W) and numeric value.

If you are working online, first look in the Online Messages for your message; if it is not there, look under General Processing Messages. If you are running reports, first look under Reporting Messages and if the message is not there, look under General Processing Messages. Finally, for User Abend codes, refer to Appendix A.

Chapter 2: Error Messages

This section contains the following topics:

Overview (see page 13)
General Processing Messages (see page 13)
Online Messages (see page 100)
Reporting Messages (see page 152)

Overview

Messages in this chapter fall into three categories:

- General processing messages -- These are general messages produced by CA Endevor/DB.
- Online messages -- These are messages generated when you work with CA Endevor/DB online.
- Reporting messages -- These are messages generated when you run CA Endevor/DB reports.

General Processing Messages

NDVRARCO: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRARCO: F004

ARCHIVE/COMPRESS PROCESSING SESSION COULD NOT BE ESTABLISHED -- RUN TERMINATED

Reason:

This message accompanies a NDVRSECY error message, indicating a security violation, or a NDVRROUT error message, indicating a service problem. Correct the problem indicated in the accompanying message and rerun the job.

NDVRARCO: I002

COMPRESS PROCESSING WILL BE PERFORMED ON CCDBCHANGE-LOG ENTRIES CREATED BEFORE DATE mm/dd/yy TIME hh:mm:ss.

Reason:

Informational message produced during the processing initialization when a COMPRESS command was specified in the NDVRIPT Command Input file. Note that NDVRARCO will not process any information in the database that is less than 24 hours old.

NDVRARCO: I003

CHANGE-LOG ENTRIES FOR user/ccid-name PRIOR TO DATE mm/dd/yy TIME hh:mm:ss WILL BE ARCHIVED

Reason:

Informational message produced during the processing initialization when ARCHIVE command(s) is specified in the NDVRIPT Command Input file. (A message will be generated for each ARCHIVE USER command, ARCHIVE CCID command, and each CCID associated with the management-group named in each ARCHIVE MANAGEMENT GROUP command.) Note that NDVRARCO will not process any information in the database that is less than 24 hours old.

NDVRARCO: I004

ABORTED UPDATE SESSIONS OCCURRING BEFORE DATE mm/dd/yy TIME hh:mm:ss WILL BE REMOVED FROM THE DATABASE

Reason:

Informational message produced during the processing initialization to confirm removal of all update sessions prior to the indicated date and time (constructed by subtracting 24 hours from the date and time of the run). Removal of aborted update session change log records occurs whenever NDVRARCO is run.

NDVRARCO: I005

NUMBER OF ABORTED UPDATE SESSIONS REMOVED FROM DATABASE count

Reason:

Informational message produced at the end of processing.

NDVRARCO: I006

NUMBER OF CHANGE-LOG RECORDS REMOVED FROM DATABASE BY COMPRESSION count

Reason:

Informational message produced at the end of processing if a COMPRESS command was specified in the NDVRIPT Command Input file. The count does not include aborted update sessions.

NDVRARCO: I007

ARCHIVE PROCESSING FOR user/ccid name
NUMBER OF CHANGE-LOG RECORDS REMOVED
FROM DATABASE: count
NUMBER OF RECORDS WRITTEN TO ARCHIVE FILE: count

Reason:

Informational message produced at the end of processing if an ARCHIVE command was specified in the NDVRIPT Command Input file. An IOO7 message will be produced for each IOO3 message generated at the processing initialization. Note that a given CLE may be attributed to more than one CCID and, therefore, produce more than one record in the archive file.

NDVRARCO: 1008

NUMBER OF CONFIRMATION CHANGE-LOG ENTRIES ALTERED FROM DBNAMEdbname SYSTEM system TO DBNAME dbname SYSTEM system: count

Reason:

Informational message generated from the last phase of processing. NDVRARCO proceeds through all Confirmation change-log records and for each whose dictionary identifier information matches the FROM DBNAME dbname SYSTEM system specification, emits the values in the TO DBNAME dbname SYSTEM system specification and maintains a count of the CLEs. An entry will be produced under the IOO8 message for each ALTER CONFIRMATION command specified in the NDVRARCO job.

NDVRARCO: I010

UPDATE SESSION NUMBER session-nr DATE mm/dd/yy TIME hh:mm:ss JUST ROLLED OUT

Reason:

Informational message generated during the first phase of processing. NDVRARCO proceeds through uncommitted update sessions in chronological order and produces this message for each. Users with the ability to monitor job output while jobs are actually executing (z/OS and OS/390 TSO users with ISPF/SDSF, for instance) can check these messages to insure the processing has not encountered a broken chain in the database.

NDVRARCO: IO11

SECONDARY UPDATE SESSION NUMBERsession-nr DATE mm/dd/yy TIME hh:mm:ss JUST ROLLED OUT

Reason:

Informational message generated during the first phase of processing. NDVRARCO proceeds through uncommitted secondary update sessions in chronological order and produces this message for each. Users with the ability to monitor job output while jobs are actually executing (z/OS and OS/390 TSO users with ISPF/SDSF, for instance) can check these messages to insure the processing has not encountered a broken chain in the database.

NDVRARCO: I020

CLE NUMBER seq-nr
DATE mm/dd/yy TIME hh:mm:ss
FOR entity-type entity-name BEING PROCESSED

Reason:

Informational message generated during the second phase of processing. NDVRARCO proceeds through entities in alphabetical order and through CLEs in chronological order within entity. This message is produced after each 100th CLE is read in the database. Users with the ability to monitor job output while jobs are actually executing (z/OS and OS/390 TSO users with ISPF/SDSF, for instance) can check these messages to insure the processing has not encountered a broken chain in the database.

NDVRASYN: E001

"TO TIME" SPECIFIED ON COMMAND BUT "TO DATE"NOT FOUND

Reason:

A TO TIME value has been provided but no TO DATE has been specified in the ARCHIVE or COMPRESS command. Correct the syntax and resubmit the job.

NDVRASYN: E002

"TO AGE" AND "TO DATE" SPECIFIED ON SAME COMMAND

Reason:

Both TO AGE and TO DATE values have been specified in the ARCHIVE or COMPRESS command, but only one or neither is valid. Correct the syntax and resubmit the job.

NDVRASYN: E003

VALUES SPECIFIED FOR "TO DATE" AND/OR "TO TIME"INVALID

Reason:

A TO DATE or TO TIME value in the ARCHIVE or COMPRESS command is invalid. Correct the syntax and resubmit the job.

NDVRASYN: E004

EVERY ARCHIVE COMMAND MUST SPECIFY "USER", "CCID" OR "MANAGEMENT-GROUP"

Reason:

The ARCHIVE command does not specify the required group to be archived: USER, CCID or MANAGEMENT GROUP. Correct the syntax and resubmit the job.

NDVRASYN: E005

RAN OUT OF VARIABLE STORAGE TRYING TO EXPAND MANAGEMENT-GROUP/CCID ASSOCIATION

Reason:

NDVRARCO cannot process more than 43 explicitly or implicitly specified ARCHIVE statements. An implicitly specified ARCHIVE statement is automatically created for each CCID related to a MANAGEMENT GROUP statement. Break up the job in such a way that no single NDVRARCO job attempts to process more than 43 ARCHIVE statements.

NDVRASYN: E006

ALL ARCHIVE AND COMPRESS COMMANDS MUST SPECIFYA DATE/TIME AT LEAST 24 HOURS AGO

Reason:

The date/time specified on the ARCHIVE or COMPRESS command must reflect a date/time at least 1 full day (24 hours) prior to the date/time the job is being run. Correct the syntax and resubmit the job.

NDVRASYN: E998

SYSTEM ERROR-- SERVICE REQUEST NOT PROCESSED -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRASYN: F001

COULD NOT EXPAND MANAGEMENT-GROUP/CCIDASSOCIATIONS FOR management-group

Reason:

This message accompanies message(s) indicating a problem in accessing the CCDB. The job is terminated. Check the CAIDMS central version log and your database administrator for the cause of the problem. Once the problem is corrected, resubmit the job.

NDVRASYN: F002

INVALID \$ACP DATA STRUCTURE IN PASSED PARMS -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRBOOK: E001

NDVRIPT DID NOT SPECIFY PROGRAM TO INVOKE

Reason:

The NDVRIPT input commands do not contain the required PROGRAM statement to identify the program to invoke. Correct the input commands and resubmit the NDVRBOOK job.

NDVRBOOK: E101

NDVRENI "SOURCE" OR "TARGET" STATEMENT MISSING

Reason:

OPTION=MIGRATE has been specified in the NDVRIPT input commands and the JCL includes an NDVRENI file, but the NDVRENI file is not an NDVRDSEL entity list file or has been altered since being produced by NDVRDSEL. Either correct the file to include valid SOURCE and TARGET statements or re-run the NDVRDSEL job to obtain a valid file, then resubmit the NDVRBOOK job.

NDVRBOOK: E102

NDVRENI MODE = TRIAL OR BACKOFF NOT ALLOWED

Reason:

OPTION=MIGRATE has been specified in the NDVRIPT input commands and the JCL includes an NDVRENI file which was produced by running NDVRDSEL in either BACKOFF or TRIAL mode. OPTION=MIGRATE can be run only with NDVRENI files produced by running NDVRDSEL in EXECUTE mode. Either correct the file to reflect MODE = EXECUTE or re-run the NDVRDSEL job to obtain a valid file, then resubmit the NDVRBOOK job.

NDVRBOOK: E190

MIGRATION AUTHORITY NOT GRANTED

Reason:

OPTION=MIGRATE has been specified in the NDVRIPT input commands but the security request to insure MIGRATE processing was allowed returned the error message accompanying the E190 message. Correct the problem indicated by the security message and resubmit the NDVRBOOK job.

NDVRBOOK: E194

TARGET SYSTEM/DICTNAME DOES NOT MATCH:CCDB = system DICTNAME = dictname

Reason:

OPTION=MIGRATE has been specified in the NDVRIPT input commands and the JCL includes an NDVRENI file containing a TARGET statement specifying a SYSTEM value which does not match the SYSTEM (NODENAME) in the Dictionary Descriptor record in the Target CCDB. Correct the discrepancies and resubmit the NDVRBOOK job.

NDVRBOOK: E195

MIGRATION TARGET DICTNAME DOES NOT MATCH SIGNONSTATEMENT

Reason:

OPTION=MIGRATE has been specified in the NDVRIPT input commands and the JCL includes an NDVRENI file containing a TARGET statement specifying a DICTNAME value which does not match the DICTNAME specified in the SIGNON statement. Correct the discrepancies and resubmitthe NDVRBOOK job.

NDVRBOOK: E196

ERROR OBTAINING CCDB DICTIONARY RECORD

Reason:

A retrieval request to check the Dictionary Descriptor record in the CCDB has failed with the error condition identified in the error message accompanying the E195 message. The NDVRBOOK job is terminated. Correct the problem indicated by the retrieval message and resubmit the job.

NDVRBOOK: E197

ERROR PROCESSING ENTITY RECORD

Reason:

A request to process an Entity record in the CCDB has failed with the error condition identified in the error message accompanying the E198 message. The NDVRBOOK job is terminated. Correct the problem indicated by the processing message and resubmit the job.

NDVRBOOK: E198

BOOKING MUST RUN UNDER CV NOT LOCAL MODE

Reason:

OPTION=MIGRATE and/or PROGRAM=IDMSDMLx and/or PROGRAM=ADSxxxxx has been specified in the NDVRIPT commands but you have attempted to run the job in local mode. Migration processing, DML Preprocessors and CA ADS must be run under CA IDMS Central Version (Batch/CV).

NDVRBOOK: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRBOOK: E999

OPTION=MIGRATE FAILED -- JOB TERMINATED

Reason:

This message accompanies other NDVRBOOK error(s) related to OPTION=MIGRATE. The job is terminated.

NDVRBOOK: F001

LINK TO PROGRAM program-name FAILED -- REASON CODE = reason

Reason:

A LINK to run the program specified in the PROGRAM statement failed for the indicated *reason*. The most common *reason* values are NOTFOUND (program not found in the load module library) and STORAGE (insufficient storage to load the program).

NDVRBRTN: E001

NO ENTITIES SELECTED FOR COMMAND

Reason:

The ENTITY specified in a PREAUTHORIZATION command was not found.

NDVRBRTN: E005

USER IS NOT AUTHORIZED TO verbccdb-entity-type INFORMATION

Reason:

User has insufficient authority to issue the indicated ADD, MOD, DEL or BROWSE (verb) ccdb-entity-type command. Request is denied. Contact your security administrator or refer to the SECURITY CLASS command in the CA Endevor/DB for CA IDMS Batch Reference Guide.

NDVRBRTN: E006

USER IS NOT AUTHORIZED TO USE THE association CLAUSE

Reason:

User has insufficient authority to issue the association clause for the current command. The indicated implicit or explicit action for the association clause is denied. Contact your security administrator or refer to the SECURITY CLASS command in the CA Endevor/DB for CA IDMS Batch Reference Guide.

USER IS NOT AUTHORIZED TO action ENTITIES

Reason:

User has insufficient authority to perform the indicated action (SIGNIN or SIGNOUT) against entities. Contact your security administrator or refer to the SECURITY CLASS command in the CA Endevor/DB for CA IDMS Batch Reference Guide.

NDVRBRTN: E010

REPLACE OR REMOVE CLAUSE IS INVALID FORverb ENTITY COMMAND

Reason:

A REPLACE or REMOVE STATUS clause is invalid on an ADD or DEL (*verb*) command. Correct the syntax and resubmit the statement.

NDVRBRTN: E019

ENTITY TYPE MUST BE SPECIFIED FOR ADD ENTITYCOMMAND

Reason:

An ADD ENTITY command does not specify the required valid entity TYPE clause. Correct the syntax and resubmit the statement.

NDVRBRTN: E020

ccdb-entity-type NAME INVALID -- CANNOTBE BLANK OR CONTAIN AN ASTERISK (*)

Reason:

The name, or identifier, for the requested *ccdb-entity-type* is invalid. Avalid name cannot be blank or contain any masking characters.

NDVRBRTN: E021

ccdb-entity-type ccdb-entity-nameNOT FOUND

Reason

The requested *ccdb-entity-name* occurrence of the *ccdb-entity-type* cannot be found in the CCDB.

ccdb-entity-type ALREADY EXISTS -- CANNOT ADD AGAIN

Reason:

An ADD command has been rejected because an occurrence of the *ccdb-entity-type* already exists in the CCDB and duplicates are not allowed.

NDVRBRTN: E026

USER OR CCID IS REQUIRED FOR COMMAND -- BUT NOTBOTH

Reason:

A SIGNOUT or PREAUTHORIZATION command's TO clause, or a SIGNIN command's FROM clause, must identify one USER or one CCID, but not both. Correct the syntax and resubmit the statement.

NDVRBRTN: E027

USER OR CCID IS REQUIRED FOR COMMAND

Reason:

A SIGNOUT or PREAUTHORIZATION command is missing the required TO clause identifying the USER or CCID to which the command applies. Correct the syntax and resubmit the statement.

NDVRBRTN: E038

SECURITY CLASS IS REQUIRED FOR A NEW CCID

Reason:

Required SECURITY CLASS is missing for an ADD CCID command. Correct the syntax and resubmit the statement.

NDVRBRTN: E045

REPLACE OR REMOVE CLAUSE IS INVALID FORverb MANAGEMENT GROUP COMMAND

Reason:

On a ADD or DEL (*verb*) MANAGEMENT GROUP command, a REPLACE or REMOVE CCID clause cannot be specified. Correct the syntax and resubmit the statement.

INVALID VERB FOR DICTIONARY COMMAND -- ONLY MODDICTIONARY SUPPORTED

Reason:

An ADD or DEL verb has been specified on a DICTIONARY CCDB entity-type command; only MODify is support for DICTIONARY. Correct the syntax and resubmit the statement.

NDVRBRTN: E090

ENTITY entity-name TYPEentity-type VERSION version-nr SIGNED OUT -- NO CHANGES ALLOWED

Reason:

The ENTITY identified in the message is signed out to another user. Until the ENTITY is signed in, only the user to whom the ENTITY is signed out may make changes it.

NDVRBRTN: E096

CCID OR USER IS REQUIRED FOR PREAUTHORIZATIONINFORMATION

Reason:

The required TO clause, identifying a USER or CCID, is missing from the PREAUTHORIZATION command. Correct the syntax and resubmit the statement.

NDVRBRTN: E097

NO PREAUTHORIZATIONS EXIST FOR ENTITYentity-name TYPE entity-type VERSION version-nr

Reason:

No PREAUTHORIZATIONs have been defined for the ENTITY identified in the message.

NDVRBRTN: E100

ESTIMATED date-type DATE date ISINVALID

Reason:

The date-type (ESTIMATED or ACTUAL) COMPLETION DATE clause of the PREAUTHORIZATION command contains an invalid date specification. Date must be specified in the format mm/dd/yy or the clause must be omitted. Correct the syntax and resubmit the statement.

PREAUTHORIZATION FOR ENTITY entity-nameTYPE entity-type VERSION version-nr DUPLICATED

Reason:

In a PREAUTHORIZATION command, the ENTITY identified in the message has already been preauthorized.

NDVRBRTN: E105

DERIVE CCID INDICATOR IS INVALID -- MUST BE EITHER ANN OR Y

Reason:

An invalid value has been specified for the DERIVE CCID clause. If preauthorizing an entity to a CCID, you may enter this value as either a N or a Y or omit the clause; if preauthorizing an entity to a USER, this value must be an N or omit the clause. Correct the syntax and resubmit the statement.

NDVRBRTN: E106

DERIVE CCID INVALID -- MUST BE N FORPREAUTHORIZATION FOR USER

Reason:

An invalid value has been specified for the DERIVE CCID clause when preauthorizing an entity to a USER. Only N may be specified or the clause should be omitted. Correct the syntax and resubmit the statement.

NDVRBRTN: E110

ENTITY entity-name TYPEentity-type VERSION version-nr IS ALREADY SIGNED OUT --CANNOT SIGN OUT AGAIN

Reason:

A SIGNOUT request for the ENTITY identified in the message has been rejected because the ENTITY is already signed out. An ENTITY can be signed out to only one user or CCID.

NDVRBRTN: E111

ENTITY entity-name TYPE entity-type VERSION version-nr IS SIGNED OUT TO ccid-name/user-name

Reason:

A SIGNOUT request for the ENTITY identified in the message has been rejected because the ENTITY is already signed out to the indicated user or CCID. An ENTITY can be signed out to only one user or CCID.

ENTITY entity-name TYPE entity-type VERSION version-nr NOT SIGNED OUT -- CANNOT SIGNIN:

Reason:

A SIGNIN request for the ENTITY identified in the message has been rejected because the ENTITY is not signed out.

NDVRBRTN: E144

INVALID VERSION SPECIFIED

Reason:

An invalid value has been specified in the VERSION clause. Valid version numbers are in the range 0 through 9999 or omit the clause. Correct the syntax and resubmit the statement.

NDVRBRTN: E147

AN ASTERISK (*) IS INVALID FOR VERSION IN ADD ENTITY COMMAND

Reason:

In an ADD ENTITY command, version number has been specified with a masking character (*). Only a valid version number (0 through 9999) may be specified or the clause may be omitted. Correct the syntax and resubmit the statement.

NDVRBRTN: E150

ENTITY NAME MUST BE SPECIFIED FOR ADD ENTITYCOMMAND

Reason:

In an ADD ENTITY command, the required name clause has not been specified. Correct the syntax and resubmit the statement.

NDVRBRTN: E182

PREAUTHORIZATION FOR ENTITY entity-nameTYPE entity-type VERSION version-nr NOT FOUND

Reason:

The preauthorization for the ENTITY identified in the message cannot be found in the CCDB.

NOCCID VALUE IN USER CCID CLAUSE CANNOT BE USEDWITH CCIDS

Reason:

In an ADD or MODIFY USER command CCID clause, the value NOCCID has been specified in the list of CCIDs. The NOCCID option cannot be specified in a list of CCIDs. Correct the syntax and resubmit the statement.

NDVRBRTN: E186

NO MORE THAN 12 CCIDS CAN BE SPECIFIED FOR AUSER

Reason:

In an ADD or MODIFY USER command CCID clause, a maximum of 12 CCIDs may be specified in the CCID list for the user. Correct the syntax and resubmit the statement.

NDVRBRTN: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRBRTN: I001

ccdb-entity-type ccdb-occurrence-idaction

Reason:

Informational message confirming the CCDB entity occurrence identified in the message was successfully ADDED, MODIFIED or DELETED (action).

NDVRBRTN: I002

OPTION option IS SET

Reason:

Informational message confirming the successful processing of a SET OPTIONS command to set the operational mode to option.

count COMMAND(S) action

Reason:

Informational message generated after CA Endevor/DB Batch processes a DISPLAY or PUNCH command or, in PUNCH MODE, an ADD, MODIFY or DELETE command. The *count* is the number of command(s) DISPLAYED or PUNCHED.

NDVRBRTN: 1098

PREAUTHORIZATION FOR ENTITY entity-nameTYPE entity-type VERSION version-n action

Reason:

Informational message confirming a successful PREAUTHORization action (ADDED, MODIFIED or DELETED) on the ENTITY identified by the entity-name, entity-type and entity version-nr.

NDVRBRTN: I115

ENTITY entity-name TYPEentity-type VERSION version-nr SIGNED action

Reason:

Informational message confirming the successful SIGNOUT or SIGNIN (action) of the ENTITY identified by the *entity-name*, *entity-type* and entity *version-nr*.

NDVRBRTN: I180

ENTITY entity-name IS NOT ASSOCIATEDWITH CCID/STATUS ccid status

Reason:

Informational message produced in response to a MODIFY ENTITY command with a REMOVE clause to indicate the CCID/STATUS association identified by the *ccid* and *status* does not exist.

NDVRBRTN: I182

ENTITY entity-name IS NOT ASSOCIATEDWITH STATUS status

Reason:

Informational message produced in response to a MODIFY ENTITY command with a REMOVE clause to indicate the STATUS association identified by the *status* does not exist.

MANAGEMENT GROUP mgrp-name IS NOTASSOCIATED WITH CCID ccid

Reason:

Informational message produced in response to a MODIFY MANAGEMENT GROUP command with a REMOVE CCID clause to indicate the CCID association identified by the *ccid* does not exist.

NDVRBRTN: W001

NO ccdb-entity-type SELECTED FOR COMMAND

Reason:

Warning produced when name masking (name contained an asterisk) was specified or the name was omitted and no occurrences of the indicated *ccdb-entity-type* met the selection criteria.

NDVRCMON: F001

program-name USING SS ssc-name(MONITORED SUBSCHEMA) -- RUN TERMINATED

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRCOMP: E001

PARM FIELD INVALID

Reason:

One or more parameters specified on the EXEC JCL statement are invalid or missing. COMPARE processing is terminated. Correct the parameters and resubmit the job.

NDVRCOMP: E002

COMPARE COLUMNS OR RECORD SIZE INVALID

Reason:

The COMPARE COLUMN or RECORD SIZE value specified in the syntax is invalid. COMPARE processing is terminated. Correct the syntax and resubmit the job.

NDVRCOMP: E003

SYNTAX ERROR -- COMPARE ABORTED

Reason:

This message is accompanied by NDVRPARS message(s) identifying the specific syntax error. COMPARE processing is terminated. Correct the syntax and resubmit the job.

NDVRCSYN: E001

LAST INPUT NDVRIPT COMMAND DID NOT TERMINATEWITH A PERIOD

Reason:

A NDVRIPT Command Input file statement does not contain the required terminating period. All commands must end with a period. The NDVRIPT file is input to the NDVRDCMP utility.

NDVRCVPR: E001

DBPROC CALL WITH BAD VERB verb

Reason:

Database procedure NDVRCVPR was called with the indicated invalid *verb*. This message will be followed by messages NDVRCVPR: E002 and NDVRCVPR: E003. Contact CA Endevor/DB Technical Support.

NDVRCVPR: E002

${\it CA-E/DB~BATCH~PROCESSING~ERROR~-DBPROC~FUNCTION:} function REL: release \\ {\it TAPE:} tape-level$

Reason:

An error has been detected during CA Endevor/DB processing while attempting to execute the indicated *function*. This message will be followed by message NDVRCVPR: E003.

NDVRCVPR: E003

ERROR PROGRAM:program-name DBNAME:dbname CA-E/DB USER:user-id

Reason:

An error has been detected by database procedure NDVRCVPR during processing of the indicated *program-name* against monitored dictionary *dbname* by CA Endevor/DB user *user-id*. Check log for details regarding the detected condition.

NDVRDCF1: E003

DICT dictname LAST USED FOR SITEIDsite-nr ENVIRON environment -- C1DBCNFG HAS CONFLICTING INFO

Reason:

The CA Endevor SCM-CA Endevor/DB Bridge Configuration Table (C1DBCNFG) processed by NDVRDCF1 conflicts with the information stored in the Dictionary Descriptor of the *dictname* CCDB. The CCDB Dictionary Descriptor is updated with the CA Endevor SCM site ID and environment names each time the Bridge monitors changes. The site ID and environment names in the CCDB are inconsistent with the mappings in C1DBCNFG. This generally occurs if:

- The C1DBCNFG table is not the same as the one used during the last monitored change.
- The C1DBCNFG table is not the same as the one used during the CA Endevor SCM processing.

Correct the job or restore the original C1DBCNFG module and resubmit the job.

NDVRDCF1: E004

DICT dictname LAST USED FOR SITEIDsite-nr ENVIRON environment -- NDVRENI HAS CONFLICTING INFO

Reason:

The NDVRENI Migration Entity List File header information processed by NDVRDCF1 conflicts with the information stored in the Dictionary Descriptor of the *dictname* CCDB. The CCDB Dictionary Descriptor is updated with the CA Endevor SCM site ID and environment names each time the Bridge monitors changes. The site ID and environment names in the CCDB are inconsistent with the values specified in the TARGET statement of the NDVRENI file. This generally occurs if the NDVRENI file has been incorrectly edited or if changes have been logged into the CCDB using a different C1DBCNFG table since the migration was done. If the problem is due to an incorrectly edited NDVRENI, undo the edits and resubmit the job. If the problem is due to a change in the C1DBCNFG table, contact CA Endevor/DB Technical Support.

NDVRDCF1: E091

TRIAL MODE AND BACKOFF MODE ARE NOT ALLOWED

Reason:

The input NDVRENI Migration Entity List File MODE = statement specifies either TRIAL or BACKOFF. Confirmation will be performed only if MODE = EXECUTE is specified for the entity list.

NDVRDCF1: E092

INVALID INPUT ENTITY LIST FILE -- SOURCESTATEMENT NOT FOUND

Reason:

The input NDVRENI Migration Entity List File does not contain a valid SOURCE statement. Insure the correct dataset has been specified for the NDVRENI DD name and that the commands preceding the LIST FOLLOWS statement in that file have not been modified.

NDVRDCF1: E093

YOU HAVE NOT SIGNED ON TO THE TARGETSYSTEM/DBNAME NAMED IN THE NDVRENI FILE

Reason:

The dbname/dictname and/or system name explicitly or implicitly identified in the NDVRIPT File does not match the input NDVRENI Migration Entity List File TARGET statement.

NDVRDCF1: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDCF1: F001

CONFIRMATION PROCESSING TERMINATED

Reason:

This message follows any of the E-level messages above to indicate the processing has ended with F-level errors.

NDVRDCF1: F002

SYSTEM ERROR -- CONFIRMATION DBKEY-LISTOVERFLOW -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDCF1: F003

LINK TO C1DBLOAD FAILED -- RESULT=result

Reason:

An attempt to load/link the C1DBLOAD module failed for the reason identified in the result code (NOTFOUND, MEM ERR, etc.). Confirm the NDVRDCF1 job is correct (region size is sufficient, correct load libraries are identified, etc.) and resubmit the job. If the problem persists, contact CA Endevor/DB Technical Support.

NDVRDCF1: I001

TARGET CONFIRMATION ENTITY TOTALS

Reason:

Informational message produced in the end-of-job statistics which precede totals by entity type and overall totals reflecting the number of target entities inspected and the number of ENTITY statements output to the NDVRENO Confirmation Entity list file.

NDVRDCF1: W001

THE TARGET SYSTEM NAME FOR DBNAME'dbname' IS BLANK AND MAY ADVERSELY IMPACT FUTURE MIGRATIONS

Reason:

The Dictionary Descriptor record of the Target CCDB identified by *dbname* contains blanks in the SYSTEM name. In the future, if this value is changed to a non-blank value, all migration processing after the change will be affected. All entities that have not changed since the current migration will be unnecessarily migrated at the future migration. The current processing takes place normally.

NDVRDCF2: E002

LINK TO C1DBLOAD FAILED -- RESULT=result-- CALL CA-E/DB TECH SUPPORT

Reason:

An attempt to load/link the C1DBLOAD module failed for the reason identified in the result code (NOTFOUND, MEM ERR, etc.). Confirm the NDVRDCF2 job is correct (region size is sufficient, correct load libraries are identified, etc.) and resubmit the job. If the problem persists, contact CA Endevor/DB Technical Support.

NDVRDCF2: E003

DICT dictname LAST USED FOR SITEIDsite-nr ENVIRON environment -- C1DBCNFG HAS CONFLICTING INFO

Reason:

The CA Endevor SCM-CA Endevor/DB Bridge Configuration Table (C1DBCNFG) processed by NDVRDCF2 conflicts with the information stored in the Dictionary Descriptor of the *dictname* CCDB. The CCDB Dictionary Descriptor is updated with the CA Endevor SCM site ID and environment names each time the Bridge monitors changes.

Reason:

The site ID and environment names in the CCDB are inconsistent with the mappings in C1DBCNFG. This generally occurs if:

- The C1DBCNFG table is not the same as the one used during the last monitored change;
- The C1DBCNFG table is not the same as the one used during the CA Endevor SCM processing.

Reason:

Correct the job or restore the original C1DBCNFG module and resubmit the job.

NDVRDCF2: E004

DICT dictname LAST USED FOR SITEIDsite-nr ENVIRON environment -- NDVRENI HAS CONFLICTING INFO

Reason:

The NDVRENI Migration Entity List File header information processed by NDVRDCF2 conflicts with the information stored in the Dictionary Descriptor of the *dictname* CCDB. The CCDB Dictionary Descriptor is updated with the CA Endevor SCM site ID and environment names each time the Bridge monitors changes. The site ID and environment names in the CCDB are inconsistent with the values specified in the TARGET statement of the NDVRENI file. This generally occurs if the NDVRENI file has been incorrectly edited or if changes have been logged into the CCDB using a different C1DBCNFG table since the migration was done. If the problem is due to an incorrectly edited NDVRENI, undo the edits and resubmit the job. If the problem is due to a change in the C1DBCNFG table, contact CA Endevor/DB Technical Support.

NDVRDCF2: E005

COMMAND INPUT PROCESSING FAILED -- RUNTERMINATED

Reason:

This message accompanies message(s) produced by NDVRPARS indicating syntax error(s) were detected in the NDVRIPT Command Input file. Run is terminated.

NDVRDCF2: E007

ENTITY FILE MUST CONTAIN A SOURCE STATEMENTNAMING THE SAME DICTNAME AS THE SIGNON COMMAND

Reason:

The input NDVRENI Migration Entity List file SOURCE statement does not identify the same DICTNAME as the SIGNON (explicit or implicit) for this run.

NDVRDCF2: E008

ENTITY FILE PRODUCED BY TRIAL-MODE SELECTION --CONFIRMATION PROCESSING NOT ALLOWED

Reason:

The input NDVRENI Migration Entity List file specifies MODE=TRIAL. Confirmation processing will be performed only if MODE=EXECUTE or MODE=BACKOFF is specified.

NDVRDCF2: E009

ENTITY FILE NOT PRODUCED BY NDVRDCF1 --UNUSABLE FOR CONFIRMATION PROCESS

Reason:

The input NDVRENI Migration Entity Listfile does not contain a CONFIRM statement produced by NDVRDCF1. Insure the NDVRENI file was produced by NDVRDCF1 and is not the file used by NDVRBOOK during migration import processing.

NDVRDCF2: E010

ENTITY FILE AND CCDB DICTIONARY DESCRIPTIONSYSTEM NAMES DO NOT MATCH -- RUN TERMINATED

Reason:

The SYSTEM/NODE name specified on the SOURCE statement of the input NDVRENI Migration Entity List file does not match the SYSTEM/NODE name in the Dictionary Descriptor of the CCDB.

NDVRDCF2: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDCF2: F001

ENTITY LIST FILE HEADER PROCESSING FAILED --RUN TERMINATED

Reason:

This message accompanies message(s) produced by NDVRESYN indicating syntax error(s) were detected in the NDVRENI Migration Entity List file header. Confirm the NDVRENI file was constructed by running NDVRDCF1 at the target system. Run is terminated.

NDVRDCF2: F003

LINK TO C1DBLOAD FAILED -- RESULT=result

Reason:

An attempt to load/link the C1DBLOAD module failed for the reason identified in the result code (NOTFOUND, MEM ERR, etc.). Confirm the NDVRDCF2 job is correct (region size is sufficient, correct load libraries are identified, etc.) and resubmit the job. If the problem persists, contact CA Endevor/DB Technical Support.

NDVRDCF2: F010

CONFIRMATION LOG-ENTRY CREATION FAILED -- RUNTERMINATED

Reason:

Internal error attempting to store a Confirmation Change Log Entry. Contact CA Endevor/DB Technical Support.

NDVRDCF2: F011

CONFIRMATION LOG-ENTRY BACKOFF PROCESSINGFAILED -- RUN TERMINATED

Reason:

Internal error attempting to remove a Confirmation Change Log Entry. Contact CA Endevor/DB Technical Support.

NDVRDCF2: F013

UNABLE TO ESTABLISH SESSION FOR CONFIRMATIONPROCESSING -- RUN TERMINATED

Reason:

This message accompanies a NDVRSECY message indicating the session could not be established in migration mode. Run is terminated.

NDVRDCF2: F014

READ OF CCDB DICTIONARY DESCRIPTION FAILED --RUN TERMINATED

Reason:

This message accompanies a NDVRFLIO message indicating a failed attempt to read the CCDB Dictionary Description. Run is terminated.

NDVRDCF2: I001

SOURCE CONFIRMATION ENTITY TOTALS

Reason:

Informational message produced in the end-of-job statistics that is followed by totals by entity type and overall totals. The information reflected in the totals depends on the MODE of the processing:

- If running with MODE=EXECUTE (default), the totals reflect the number of Confirmation Change Log entries written to the CCDB, the number of entities SIGNed IN during the Source Confirmation, and the number of entities on the input Confirm NDVRENI file.
- If running with MODE=BACKOFF, the totals reflect the number of Confirmation Change Log entries backed-off (removed) from the CCDB and the number of entities on the input Confirm NDVRENI file.

NDVRDCF2: W001

UNABLE TO PERFORM SOURCE CONFIRMATION SIGNINPROCESSING

Reason:

This message accompanies a message from the SIGNIN server NDVRDSGN which indicates a request to signin an entity was not completed and the reason for this failure. After this NDVRDCF2 job finishes, correct the problem indicated, and then manually signin the entity.

NDVRDCF2: W002

SOURCE CONFIRMATION PROCESSING DID NOT FINISHNORMALLY -- CCDB CHANGE LOG ENTRIES MAY BE LOST

Reason:

Termination of the database update session has failed. A message from the database server precedes this message identifying the reason for the failure. Depending on the problem Confirmation CLEs may have been lost. Correct the condition(s) identified in the message(s). Confirm the CCDB contains all of the anticipated Confirmation CLEs; if not, resubmit the job.

NDVRDCMP: E001

IDMSDDDL COMPILER REJECTED THE SIGNON COMMAND-- RUN TERMINATED

Reason:

The CA IDMS DDDL compiler has rejected the SIGNON command. Change SYSLST dataset in the JCL from DUMMY to standard output and resubmit the job to determine the reason for the error. Correct the problem (usually an invalid user or password), restore the SYSLST dataset in the JCL to DUMMY and resubmit the job.

NDVRDCMP: E002

COMMAND INPUT PROCESSING FAILED -- RUNTERMINATED

Reason:

This message accompanies message(s) produced by NDVRCSYN or NDVRPARS. The NDVRIPT Command Input file contains syntax error(s). Run is terminated.

NDVRDCMP: F001

ERROR OPENING DDNAME ddname -- RUNTERMINATED

Reason:

Error occurred attempting to open the file associated with the *ddname*. Run is terminated. Correct the JCL and resubmit the job.

NDVRDCMP: F002

I/O ERROR WRITING TO DDNAME ddname --QIO ERROR =error-number

Reason:

An I/O error occurred while attempting to write to the file associated with the *ddname*. Run is terminated. The *error-number* will be one of the following:

- 0003 -- File opened for input (internal error) -- contact CA Endevor/DB Tech Support
- 0005 -- SYNAD error exit taken by I/O services. See job log messages for more information.

NDVRDCMP: F005

NDVRXCMP ERROR RETURN CODE: return-code -- RUN TERMINATED

Reason:

An error has been detected in the NDVRXCMP Source Code Comparator. Locate the *return-code* in the *CA Endevor/DB for CA IDMS Administrator Guide*, correct the problem and resubmit the job.

NDVRDCMP: F009

INTERNALLY INVOKED SORT FAILED -- RCODE=return-code -- RUN TERMINATED

Reason:

The internally invoked sort utility used to prepare the index to the comparison listing has returned the indicated *return-code*. Run is terminated. Contact your systems programmer for appropriate problem resolution and resubmit the job.

NDVRDCMP: F010

\$BATTACH OF program-name COMPILER FAILED-- REASON=reason-code -- RUN TERMINATED

Reason:

An ATTACH service request to execute the CA IDMS *program-name* compiler has failed for the indicated *reason-code*. Run is terminated. The most command *reason-code* values are:

- NOTFOUND -- Program not found in the load module library
- STORAGE -- Insufficient storage to load the program

Reason:

Correct the JCL and resubmit the job.

NDVRDCMP: F011

\$BWAIT FAILED -- REASON= reason-code --RUN TERMINATED

Reason:

Internal error: a WAIT service request has failed for the indicated *reason-code*. Contact CA Endevor/DB Technical Support.

NDVRDCMP: F010

\$BLINK OF program-name COMPILER FAILED-- REASON=reason-code -- RUN TERMINATED

Reason:

An LINK service request to execute the CA IDMS *program-name* compiler has failed for the indicated *reason-code*. Run is terminated. The most command *reason-code* values are:

- NOTFOUND -- Program not found in the load module library
- STORAGE -- Insufficient storage to load the program

Reason:

Correct the JCL and resubmit the job.

NDVRDCMP: I001

COMPARISON PROCESSING COMPLETED

Reason:

Informational message confirming comparison processing is completed.

NDVRDCMP: W001

PANEL panel-name FOUND IN SOURCE DATAWAS NOT FOLLOWED BY A MAP

Reason:

The NDVRMUPD Map Migration Source File, produced by NDVRDLVR, contains a PANEL definition with no recognizable MAP definition. Insure the NDVRDLVR job ran correctly and that the MAP is correctly defined in the source dictionary. If necessary, rer un the NDVRDLVR job to extract the MAP definitions and then resubmit the NDVRDCMP job.

NDVRDCMP: W002

NO ENTITIES PROCESSED

Reason:

The input NDVRSRC Source File contained no recognizable entities. Insure the JCL is correct and that the input file is a NDVRDLVR Entity Source Migration data set.

NDVRDCOR: E002

DICT dictname LAST USED FOR SITEIDsite-nr ENVIRON environment -- C1DBCNFG HAS CONFLICTING INFO

Reason:

The CA Endevor SCM-CA Endevor/DB Bridge Configuration Table (C1DBCNFG) processed by NDVRDCOR conflicts with the information stored in the Dictionary Descriptor of the *dictname* CCDB. The CCDB Dictionary Descriptor is updated with the CA Endevor SCM site ID and environment names each time the Bridge monitors changes.

Reason:

The site ID and environment names in the CCDB are inconsistent with the mappings in C1DBCNFG. This generally occurs if:

- The C1DBCNFG table is not the same as the one used during the last monitored change
- The C1DBCNFG table is not the same as the one used during the CA Endevor SCM processing

Reason:

Correct the job or restore the original C1DBCNFG module and resubmit the job.

NDVRDCOR: E003

DICT dictname LAST USED FOR SITEIDsite-nr ENVIRON environment -- NDVRENI HAS CONFLICTING INFO

Reason:

The input NDVRENI Migration Entity List File header information processed by NDVRDCOR conflicts with the information stored in the Dictionary Descriptor of the dictname CCDB. The CCDB Dictionary Descriptor is updated with the CA Endevor SCM site ID and environment names each time the Bridge monitors changes. The site ID and environment names in the CCDB are inconsistent with the values specified in the TARGET statement of the NDVRENI file. This generally occurs if the NDVRENI file has been incorrectly edited or if changes have been logged into the CCDB using a different C1DBCNFG table since the migration was done. If the problem is due to an incorrectly edited NDVRENI, undo the edits and resubmit the job. If the problem is due to a change in the C1DBCNFG table, contact CA Endevor/DB Technical Support.

NDVRDCOR: E004

INVALID INPUT ENTITY LIST FILE -- SOURCESTATEMENT NOT FOUND

Reason:

The input NDVRENI Migration Entity Listfile does not contain a valid SOURCE statement. Insure the correct dataset has been specified for the NDVRENI DD name and that the commands preceding the LIST FOLLOWS statement in that file have not been modified.

NDVRDCOR: E005

SIGNON TO THE TARGET SYSTEM/DBNAME NAMED IN THENDVRENI FILE IS REQUIRED

Reason:

The dbname/dictname and/or system name explicitly or implicitly identified in the NDVRIPT Command Input file does not match the input NDVRENI Migration Entity List file TARGET statement.

NDVRDCOR: E998

SYSTEM ERROR-- SERVICE REQUEST NOT PROCESSED -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDCOR: F001

CORRELATION PROCESSING TERMINATED

Reason:

This message follows any of the E-level messages above to indicate the processing has ended with F-level errors.

NDVRDCOR: F003

LINK TO C1DBLOAD FAILED -- RESULT=result

Reason:

An attempt to load/link the C1DBLOAD module failed for the reason identified in the result code (NOTFOUND, MEM ERR, etc.). Confirm the NDVRDCOR job is correct (region size is sufficient, correct load libraries are identified, etc.) and resubmit the job. If the problem persists, contact CA Endevor/DB Technical Support.

NDVRDCOR: I001

CORRELATION ENTITY TOTALS

Reason:

Informational message produced in the end-of-job statistics which is followed by totals by entity type and overall totals reflecting: the number of ENTITY statements on the input NDVRENI file; the number of entities expanded from the target IDD; the number of selected entities found to be signed out in the Target CCDB to a User/CCID other than the migration User/CCID; the number of selected entities changed in the Target CCDB since the last migration; the number of selected entities not defined in the Target CCDB; the number of selected entities not defined in the Target IDD; and the number of entities selected.

NDVRDCOR: 1002

ENTITIES MATCHING IGNORE RULE NUMBER nnn countTOTAL ENTITIES MATCHING IGNORE RULE(S) count

Reason:

Informational message produced in the end-of-job statistics reflecting each IGNORE rule specified in the NDVRIPT Command Input file indicating the number of entities matching each IGNORE RULE and the total number of entities matching the IGNORE RULE(s).

NDVRDCOR: I004

ENTITIES MODIFIED WHEN NO CCID WAS KNOWN count ENTITIES MODIFIED BY MULTIPLE CCIDS count ENTITIES MODIFIED WHEN NO USER WAS KNOWN count

ENTITIES MODIFIED BY MULTIPLE USERS count

Reason:

Informational messages produced in the end-of-job statistics. Note that NDVRDCOR only looks for warning cases requested by WARN statements in the input NDVRENI Migration Entity List file.

NDVRDCOR: W001

THE TARGET SYSTEM NAME FOR DBNAME dictname IS BLANK AND THIS MAY ADVERSELY IMPACT FUTURE MIGRATION

Reason:

The Dictionary Descriptor record of the Target CCDB identified by *dbname* contains blanks in the SYSTEM name. In the future, if this value is changed to a non-blank value, all migration processing after the change will be affected. All entities that have not changed since the current migration will be unnecessarily migrated at the future migration. The current processing takes place normally.

NDVRDCOR: W002

C1DBBRDG IS NOT ACTIVE -- SITEID/ENVIRONMENT CLAUSES AND MIGRATE STATEMENTS IGNORE

Reason:

The input NDVRENI Migration Entity List file, built by NDVRDSEL, indicates CA Endevor SCM elements are to be processed during the migration. However, the CA Endevor SCM-CA Endevor/DB Bridge C1DBBRDG module could not be found. Confirm the Bridge is correctly installed and the C1DBBRDG module is available in the load libraries or remove the CA Endevor SCM elements from the NDVRENI file. Resubmit the job.

NDVRDCOR: W003

ENDEVOR FOR OS/390 ELEMENTS NOT LOGGED IN DICTNAME dictname -- SITEID/ENVIRON CLAUSES AND MIGRATE STATEMENTS IGNORED

Reason:

The input NDVRENI Migration Entity Listfile, built by NDVRDSEL, indicates that CA Endevor SCM elements are to be processed during the migration. However, inspection of the target CCDB indicates that it has not been used to monitor changes to any CA Endevor SCM environment. If the CA Endevor SCM-CA Endevor/DB Bridge has been used to monitor changes in the target environment, insure that NDVRDCOR is accessing the correct C1DBCNFG table, and then resubmit the job.

NDVRDELX: F001

INVALID \$NTFDS STRUCTURE -- CALL CA-E/DB TECHSUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDENT: E002

SYNTAX ERROR IN ENTITY STATEMENT

Reason:

This message accompanies by a NDVRPARS or another NDVRDENT message identifying the specific syntax error in an input NDVRENI Entity List file ENTITY command. Correct the syntax and resubmit the job.

NDVRDENT: E003

INVALID ENTITY TYPE = type

Reason:

An ENTITY command in the input NDVRENI Entity Listfile has an invalid *type* specification. Either the NDVRENI file was manually defined or was modified after being built by NDVRDSEL. Correct spellings for CA Endevor/DB entity type identifiers are documented in Appendix B of the *CA Endevor/DB for CA IDMS Batch Reference Guide*. Correct the NDVRENI file and resubmit the job.

NDVRDENT: E004

CONFIRM DATE/TIME MISSING OR INVALID -- DATE =mm/dd/yy TIME = hh:mm:ss

Reason:

An ENTITY command in the input NDVRENI Confirmation Entity List file has an invalid DATE *mm/dd/yy* or TIME *hh:mm:ss* specification. Either the NDVRENI file was manually defined or was modified after being built by NDVRDCF1. The date/time in the CONFIRM command should reflect the date/time the entity was actually imported into the target dictionary during migration. Either correct the NDVRENI file or re-run NDVRDCF1 and NDVRDCF2.

NDVRDGET: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDGET: F001

SYSTEM ERROR -- EXPECTED \$NTF BLOCK, BUT GOTblock-id -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDGET: F002

SYSTEM ERROR -- ALTERNATE-PATH DBKEY-LISTOVERFLOW -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDIRE: E001

NDVRANTT UNKNOWN ENTITY TYPE(DBKEY=dbkey) -- SKIPPING IDD EXPANSION

Reason:

Internal error. A dictionary record type has been encountered that is not recognized by the CA Endevor/DB Analyzer. Using the hexadecimal *dbkey*, locate the dictionary record occurrence, and then contact CA Endevor/DB Technical Support.

NDVRDIRE: F001

SYSTEM ERROR -- EXPECTED block-typeBLOCK BUT GOT block-type -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDIRE: F003

CALL TO NDVRANTT FAILED -- CALL CA-E/DB TECHSUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDIRE: F004

Reason:

Check the *error-status* in the *CA IDMS Messages and Codes Guide* If it indicates a problem with your database system configuration, contact your site database administrator. If not, this is an internal error -- contact CA Endevor/DB Technical Support.

NDVRDIRE: F005

SYSTEM ERROR -- DICTIONARY-RECORD DBKEY-LISTOVERFLOW -- CALL CA-E/DB TECH SUPPORT

Reason:

The NDVRDCOR and NDVRDSEL programs which invoke NDVRDIRE allocate sufficient storage for saving approximately 23,300 dictionary record dbkeys when processing EXPAND IDD RELATIONSHIPS. This message indicates that the dbkey-list has overflowed. Breakup the migration criteria by re-running NDVRDSEL with a more restrictive selection criteria. If the Detail Report NDVRDTL file does not reflect a significant number of entities, this may be an internal error -- contact CA Endevor/DB Technical Support.

UNSUPPORTED ENTITY TYPE entity-type FOUND -- ENTITY BYPASSED

Reason:

An unknown or unsupported entity type (*entity-type*) has been encountered and is bypassed. This condition may indicate an internal error -- contact CA Endevor/DB Technical Support.

NDVRDLVR: E003

DICT dictname LAST USED FOR SITEIDsite-nr ENVIRON environment -- C1DBCNFG HAS CONFLICTING INFO

Reason:

The CA Endevor SCM-CA Endevor/DB Bridge Configuration Table (C1DBCNFG) processed by NDVRDLVR conflicts with the information stored in the Dictionary Descriptor of the *dictname* CCDB. The CCDB Dictionary Descriptor is updated with the CA Endevor SCM site ID and environment names each time the Bridge monitors changes.

Reason:

The site ID and environment names in the CCDB are inconsistent with the mappings in C1DBCNFG. This generally occurs if:

- The C1DBCNFG table is not the same as the one used during the last monitored change;
- The C1DBCNFG table is not the same as the one used during the CA Endevor SCM processing.

Reason:

Correct the job or restore the original C1DBCNFG module and resubmit the job.

DICT dictname LAST USED FOR SITEIDsite-nr ENVIRON environment -- NDVRENI HAS CONFLICTING INFO

Reason:

The NDVRENI Migration Entity List File header information processed by NDVRDLVR conflicts with the information stored in the Dictionary Descriptor of the *dictname* CCDB. The CCDB Dictionary Descriptor is updated with the CA Endevor SCM site ID and environment names each time the Bridge monitors changes. The site ID and environment names in the CCDB are inconsistent with the values specified in the TARGET statement of the NDVRENI file. This generally occurs if the NDVRENI file has been incorrectly edited or if changes have been logged into the CCDB using a different C1DBCNFG table since the migration was done. If the problem is due to an incorrectly edited NDVRENI, undo the edits and resubmit the job. If the problem is due to a change in the C1DBCNFG table, contact CA Endevor/DB Technical Support.

NDVRDLVR: E010

COMMAND INPUT PROCESSING FAILED -- RUNTERMINATED

Reason:

This message accompanies message(s) produced by NDVRPARS indicating syntax error(s) were detected in the NDVRIPT Command Input file. Run is terminated.

NDVRDLVR: E011

ENTITY LIST FILE HEADER PROCESSING FAILED --RUN TERMINATED

Reason:

This message is preceded by message(s) produced by NDVRESYN indicating syntax error(s) were detected in the NDVRENI Migration Entity List file header. Confirm the NDVRENI file was constructed by running NDVRDSEL at the source system. Run is terminated.

NDVRDLVR: E012

ENTITY FILE MUST CONTAIN A SOURCE STATEMENTNAMING SAME DICTNAME AS THE SIGNON COMMAND

Reason:

The input NDVRENI Migration Entity Listfile SOURCE statement does not identify the same DICTNAME as the SIGNON (explicit or implicit) for this run.

ENTITY FILE PRODUCED BY TRIAL-MODE SELECTION --DELIVERY PROCESSING NOT ALLOWED

Reason:

The input NDVRENI Migration Entity List file specifies MODE=TRIAL. Delivery processing will be performed only if MODE=EXECUTE or MODE=BACKOFF is specified.

NDVRDLVR: E014

ENTITY FILE PRODUCED BY CONFIRMATION PROCESSOR-- NOT USABLE FOR DELIVERY PROCESS

Reason:

The input NDVRENI Migration Entity List file contains a CONFIRM statement produced by the Confirmation processing and is not usable for Delivery processing. Insure the NDVRENI file was produced by NDVRDSEL and is not the file created by NDVRDCF1 during some previous migration process.

NDVRDLVR: E015

TAG COMMAND SPECIFIES CLASS BUT NO ATTRIBUTE --RUN TERMINATED

Reason:

The NDVRIPT Command Input file TAG command specifies a CLASS name but no ATTRIBUTE name was provided. Run is terminated. Correct the syntax and resubmit the job.

NDVRDLVR: E016

SPECIFY EITHER SOURCE/TARGET USER STATEMENTS ORIDMS USER STATEMENT, BUT NOT BOTH

Reason:

The NDVRIPT Command Input file contains both an IDMS USER statement and SOURCE/TARGET USER statement(s). These statements are mutually exclusive. Run is terminated. Correct the syntax and resubmit the job.

ENTITY FILE AND CCDB DICTIONARY DESCRIPTIONSYSTEM NAMES DO NOT MATCH -- RUN TERMINATED

Reason:

The SYSTEM/NODE name specified on the SOURCE statement of the input NDVRENI Migration Entity List file does not match the SYSTEM/NODE name in the Dictionary Descriptor of the CCDB.

NDVRDLVR: E021

MAP <map name> SOURCE NOT FOUND

Reason:

The indicated <map name> was identified for promotion in the NDVRENI Migration Entity Listfile, but the source definition for the map, or the map's panel source definition does not exist in the source dictionary. Entity will be bypassed.

NDVRDLVR: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDLVR: F001

QIO ERROR error-code ON DDNAMEddname FUNCTION = function -- RUN TERMINATED

Reason:

An I/O error occurred while attempting to perform the *function* against the DDNAME *ddname* file. Run is terminated. The *error-code* will be one of the following:

- 0003 -- File opened for input (internal error) -- contact CA Endevor/DB Tech Support
- 0005 -- SYNAD error exit taken by I/O services. See job log messages for more information.

LINK TO C1DBLOAD FAILED -- RESULT=result

Reason:

An attempt to load/link the C1DBLOAD module failed for the reason identified in the result code (NOTFOUND, MEM ERR, etc.). Confirm the NDVRDLVR job is correct (region size is sufficient, correct load libraries are identified, etc.) and resubmit the job. If the problem persists, contact CA Endevor/DB Technical Support.

NDVRDLVR: F010

UNEXPECTED DML ERROR STATUS ...error-status
ERROR SUBSCHEMA NAMEIDMSNWKA
DBNAMEdbname
DML REQUEST RECORD NAMErecord-name
DML REQUEST AREA NAMEarea-name
ERROR RECORD NAMEarea-name
SET NAMEerror-set-name
ERROR AREA NAMEerror-area-name
DML SEQUENCE NUMBERdml-sequence-nr
LAST GOOD DBKEYdbkey

Reason:

Check the *error-status* in the *CA IDMS Messages and Codes Guide*. It indicates a problem with your database system configuration, contact your site database administrator. If not, this may be an internal error -- contact CA Endevor/DB Technical Support.

NDVRDLVR: F013

UNABLE TO ESTABLISH SESSION FOR IDMSDDDLDELIVERY PROCESSING -- RUN TERMINATED

Reason:

This message accompanies a NDVRSECY message indicating the session could not be placed in a no-monitor mode. Run is terminated.

NDVRDLVR: F014

READ OF CCDB DICTIONARY DESCRIPTION FAILED --RUN TERMINATED

Reason:

This message accompanies a NDVRFLIO message indicating a failed attempt to read the CCDB Dictionary Description. Run is terminated.

SYSTEM ERROR -- DICTIONARY-RECORD DBKEY-LISTOVERFLOW -- CALL CA-E/DB TECH SUPPORT

Reason:

NDVRDLVR allocates sufficient storage for saving approximately 16,300 IDD ELEMENT dbkeys. This message indicates that the dbkey-list has overflowed. Breakup the migration criteria to reduce the number of elements being processed by re-running NDVRDSEL with a more restrictive selection criteria. If a significant number of IDD ELEMENTs are not being migrated, this may be an internal error -- contact CA Endevor/DB Technical Support.

NDVRDLVR: I001

DELIVERY PROCESSING PHASE 1 DONE -- IDMSDDDLRETURN CODE ... return-code

Reason:

Informational message produced in the end-of-job statistics. If the *return-code* is not 0000, a problem may have been detected by IDMSDDDL and will be identified on the SYSLST output.

NDVRDLVR: I002

DELIVERY PROCESSING PHASE 2 DONE -- IDMSCHEMRETURN CODE return-code

Reason:

Informational message produced in the end-of-job statistics. If the *return-code* is not 0000, a problem may have been detected by IDMSCHEM and will be identified on the SYSLST output.

NDVRDLVR: I003

DELIVERY PROCESSING PHASE 3 DONE -- IDMSUBSCRETURN CODE ... return-code

Reason:

Informational message produced in the end-of-job statistics. If the *return-code* is not 0000, a problem may have been detected by IDMSUBSC and will be identified on the SYSLST output.

DELIVERY PROCESSING PHASE 4 DONE -- RHDCMPUT RETURN CODE return-code

Reason:

Informational message produced in the end-of-job statistics. If the *return-code* is not 0000, a problem may have been detected by RHDCMPUT and will be identified on the SYSLST output.

NDVRDLVR: 1005

DELIVERY PROCESSING PHASE 5 DONE -- IDMSDDDLRETURN CODE return-code

Reason:

Informational message produced in the end-of-job statistics. If the *return-code* is not 0000, a problem may have been detected by IDMSDDDL and will be identified on the SYSLST output.

NDVRDLVR: I009

MIGRATION DELIVERY ENTITY TOTALS

Reason:

Informational messages produced in the end-of-job statistics which are followed by totals by entity type and overall totals reflecting: the number of ENTITY statements on the input NDVRENI Migration Entity List file; the number of entities expanded from IDD and the total number of entities written to the Migration Delivery files.

NDVRDLVR: I010

MIGRATION DELIVERY FILE TOTALS

Reason:

Informational message produced in the end-of-job statistics, when EXPORT processing is performed, reporting the number of commands written to each output Migration Delivery file. A line is produced for each of the following:

File Command Type	DDName
ADSOBTAT ADD-APPLICATION	NDVRAGEN
DCMT VARY-PROGRAM	NDVRDVAR
IDMSDDDL ENTITY	NDVRDUPD
IDMSDDDL LOAD-MODULE	NDVRDLOD

File Command Type	DDName
ADSOBCOM GENERATE	NDVRDGEN
IDMSCHEM DELETE-SCHEMA	NDVRCDEL
IDMSCHEM ADD-SCHEMA	NDVRCUPD
IDMSUBSC DELETE-SUBSCHEMA	NDVRUDEL
IDMSUBSC ADD-SUBSCHEMA	NDVRUUPD
RHDCMAP1 DELETE-MAP	NDVRMDEL
RHDCMPUT MAP	NDVRMGEN
RHDCMAP1 ADD-MAP	NDVRMUPD
C1BM300 EOS/390 TRANSFER	NDVRSCL1
C1BM300 EOS/390 TARGET MIGRATION	NDVRSCL2

Reason:

Note1: Depending on the contents of the NDVRENI Entity List and the NDVRIPT Command files, which establish the type of migration being performed, not all of the transport files will be produced. When the transport file contains no data other tha CA IDMS compiler signon statements, the corresponding migration import job step should not be run at the target system. See the *CA Endevor/DB for CA IDMS Administrator Guide* for a complete explanation.

Reason:

Note2: A NDVRSCL1 file may not be needed during a migration. If the number of statements written to the NDVRSCL1 file is zero, then the source environment CA Endevor SCM job step can be omitted. See *CA Endevor/DB for CA IDMS User Guide* or *CA Endevor/DB for CA IDMS Bridge Administrator Guide* for a complete explanation.

NDVRDLVR: W001

NEITHER EXPORT COMMAND NOR TAG COMMANDSPECIFIED -- RUN TERMINATED

Reason:

The NDVRIPT Command Input file does not specify any processing function. Runis terminated. Include a TAG or EXPORT command in the NDVRIPT Command file and resubmit the job.

BACKOFF MODE SPECIFIED WITHOUT TAG COMMAND --RUN TERMINATED

Reason:

The NDVRIPT Command Input file contains a MODE = BACKOFF command but no TAG command was specified. NDVRDLVR can only backoff TAG processing. Run is terminated. Correct the NDVRIPT Command file and resubmit the job.

NDVRDLVR: W003

ELEMENT element-name NOT FOUND --BYPASSED

Reason:

A IDD ELEMENT, identified by *element-name*, was selected for migration but no longer exists within the source system. The ELEMENT will be bypassed.

NDVRDSEL: E003

DICT dictname LAST USED FOR SITEIDsite-nr ENVIRON environment -- C1DBCNFG HAS CONFLICTING INFO

Reason:

The CA Endevor SCM-CA Endevor/DB Bridge Configuration Table (C1DBCNFG) NDVRDSEL conflicts with the information stored in the Dictionary Descriptor of the *dictname* CCDB. The CCDB Dictionary Descriptor is updated with the CA Endevor SCM site ID and environment names each time the Bridge monitors changes. The site ID and environment names in the CCDB are inconsistent with the mappings in C1DBCNFG. This generally occurs if:

- The C1DBCNFG table is not the same as the one used during the last monitored change;
- The C1DBCNFG table is not the same as the one used during the CA Endevor SCM processing.

Reason:

Correct the job or restore the original C1DBCNFG module and resubmit the job.

NDVRDSEL: E004

TARGET STATEMENT MUST SPECIFY BOTH SITEID ANDENVIRON OR BE OMITTED

Reason:

The NDVRIPT Command Input file contains a TARGET statement with either a SITEID or ENVIRON specification, but not both. Either specify both clauses or omit both from the TARGET statement. Correct the syntax and resubmit the job.

NDVRDSEL: E005

"LIST FOLLOWS" STATEMENT NOT FOUND IN INPUTENTITY LIST FILE (NDVRENI)

Reason:

The NDVRIPT Command Input file specifies INPUT=FILE, but the input NDVRENI Entity List file does not contain an LIST FOLLOWS statement. Correct the syntax and resubmit the job.

NDVRDSEL: E006

INVALID SIGNOUT STATEMENT -- SPECIFY EITHER AUSER OR A CCID

Reason:

The NDVRIPT Command Input file SIGNOUT statement does not specify the required USER or CCID clause. Correct the syntax and resubmit the job.

NDVRDSEL: E007

INVALID SIGNOUT STATEMENT -- CCIDccid-name NOT DEFINED IN dictname CCDB

Reason:

The NDVRIPT Command Input file SIGNOUT CCID *ccid-name* is not defined in the *dictname* CCDB. Correct the syntax and resubmit the job.

NDVRDSEL: E008

INVALID SIGNOUT STATEMENT -- USERuser-name NOT DEFINED IN dictname CCDB

Reason:

The NDVRIPT Command Input file SIGNOUT USER *user-name* is not defined in the *dictname* CCDB. Correct the syntax and resubmit the job.

NDVRDSEL: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDSEL: F001

SELECTION PROCESSING TERMINATED --return-code

Reason:

This message follows any of the E-level messages above and reflects the highest *return-code*. Run is terminated.

NDVRDSEL: F003

LINK TO C1DBLOAD FAILED -- RESULT=result

Reason:

An attempt to load/link the C1DBLOAD module failed for the reason identified in the result code (NOTFOUND, MEM ERR, etc.). Confirm the NDVRDSEL job is correct (region size is sufficient, correct load libraries are identified, etc.) and resubmit the job. If the problem persists, contact CA Endevor/DB Technical Support.

NDVRDSEL: F004

INSUFFICIENT VARIABLE STORAGE EXPANDINGMANAGEMENT-GROUP/CCID ASSOCIATION

Reason:

Processing of INCLUDE statements for management groups (which expand into INCLUDEs for each CCID associated with a management group) has failed due to insufficient storage. Run is terminated. Either eliminate some of INCLUDE statements or split up the INCLUDE statements under multiple executions of NDVRDSEL.

NDVRDSEL: F005

INSUFFICIENT VARIABLE STORAGE BUILDING DEFAULTMIGRATE DEFINITION

Reason:

The NDVRIPT Command Input file TARGET statement specifies both SITEID and ENVIRON but no MIGRATE statement. An attempt to build default MIGRATE, INCLUDE and EXCLUDE statements has failed due to insufficient storage. Run is terminated. Either eliminate some of the INCLUDE and/or EXCLUDE statements or split up the migration INCLUDE/EXCLUDE statements under multiple executions of NDVRDSEL.

NDVRDSEL: I001

SELECT/VERIFY ENTITY TOTALS

Reason:

Informational messages produced in the end-of-job statistics which is followed by totals by entity type and overall totals reflecting: the number of ENTITY statements on the input NDVRENI Entity List file (INPUT=FILE); the number of entities selected from the input CCDB (INPUT=DATABASE); the number of entities expanded from IDD; the number of entities matching one or more INCLUDE rules; the number of entities matching one or more EXCLUDE rules; the number of selected entities not found in the Source CCDB; the number of selected entities not found in the SOURCE IDD; and the total number of entities selected to the output NDVRENO Migration Entity List file.

NDVRDSEL: 1002

ENTITIES MATCHING INCLUDE RULE NUMBER rulecount

Reason:

Informational messages produced in the end-of-job statistics for each INCLUDE rule specified in the NDVRIPT Command Input file reflecting the number of entities matching the rule.

NDVRDSEL: I003

ENTITIES MATCHING EXCLUDE RULE NUMBER rulecount

Reason:

Informational messages produced in the end-of-job statistics for each EXCLUDE rule specified in the NDVRIPT Command Input file reflecting the number of entities matching the rule.

NDVRDSEL: I004

ENTITIES WITH NO CHG LOG ENTRIES SINCE LASTMIGRATION count

Reason:

Informational message produced in the end-of-job statistics reporting the number of selected entities in the source CCDB for which no change log activity has occurred since the last migration.

NDVRDSEL: 1005

ENTITIES MODIFIED WHEN NO CCID WAS KNOWN count

ENTITIES MODIFIED BY MULTIPLE CCIDS count

ENTITIES MODIFIED WHEN NO USER WAS KNOWN count

ENTITIES MODIFIED BY MULTIPLE USERS count

Reason:

Informational messages produced in the end-of-job statistics reporting a *count* of selected entities meeting the criteria specified in the message.

NDVRDSEL: 1006

SELECTED ENTITIES SIGNED op (MODE mode) count

Reason:

Informational messages produced in the end-of-job statistics if a SIGNOUT TO statement is specified in the NDVRIPT Command Input file and MODE-TRIAL is not in effect. For MODE=EXECUTE, the message reflects the number of entities SIGNED OUT during the processing; if MODE=BACKOFF, the message reflects the number of entities SIGNED IN during the processing.

NDVRDSEL: W001

THE SOURCE SYSTEM NAME FOR DBNAME 'dbname' IS BLANK AND MAY ADVERSELY IMPACT FUTURE MIGRATIONS

Reason:

The Dictionary Descriptor record of the Source CCDB identified by *dbname* contains blanks in the SYSTEM name. In the future, if this value is changed to a non-blank value, all migration processing after the change will be affected. All entities that have not changed since the current migration will be unnecessarily migrated at the future migration. The current processing takes place normally.

NDVRDSEL: W002

C1DBBRDG IS NOT ACTIVE -- TARGETSITEID/ENVIRONMENT AND MIGRATE STMTS IGNORED

Reason:

A TARGET statement containing SITEID and ENVIRON clauses, or a MIGRATE statement, has been specified to indicate CA Endevor SCM elements are to be processed, but the CA Endevor SCM-CA Endevor/DB Bridge C1DBBRDG module could not be found. Migration of CA Endevor SCM elements will be ignored. Confirm the Bridge is correctly installed and the C1DBBRDG module is available in the load libraries, and then resubmit the job.

NDVRDSEL: W003

ENDEVOR FOR OS/390 ELEMENTS NOT LOGGED IN CCDB dictname -- TARGET SITEID/ENVIRONMENT AND MIGRATE STMTS IGNORED

Reason:

A TARGET statement containing SITEID and ENVIRON clauses, or a MIGRATE statement, has been specified to indicate CA Endevor SCM elements are to be processed, but the CCDB indicates it has not been used to monitor changes to any CA Endevor SCM environment. Migration of CA Endevor SCM elements will be ignored. If the CA Endevor SCM-CA Endevor/DB Bridge has been used to monitor changes in the target environment, insure that NDVRDSEL is accessing the correct C1DBCNFG table, and then resubmit the job.

NDVRDSEL: W004

ENDEVOR FOR OS/390 ELEMENTS LOGGED IN CCDB dictname WILL BE BYPASSED -- TARGET SITEID/ENVIRON NOT SPECIFIED

Reason:

The CCDB dictname has been used to monitor CA Endevor SCM elements using the CA Endevor SCM-CA Endevor/DB Bridge but these change entries will be bypassed; the TARGET statement does not specify required SITEID and/or ENVIRON clauses. If migration of these elements is desired, specify both SITEID and ENVIRON clauses on the TARGET statement and resubmit the job.

NDVRDSEL: W005

DERIVED CCID PROCESSING SPECIFIED FOR USER ISNOT VALID FOR MIGRATION PROCESSING

Reason:

The CA Endevor/DB USER indicates derived CCID processing is in effect but Derived CCID is not valid for migration processing and is ignored by NDVRDSEL. Insure the USER's DERIVED CCID mode is removed before proceeding with additional migration steps (NDVRBOOK, NDVRDCF2, etc.).

NDVRDSGN: E001

FOUND option EXPECTED EXEC OR BACK

Reason:

Invalid SIGNOUT *option* requested. Possible internal error. Contact CA Endevor/DB Technical Support.

NDVRDSGN: E002

SIGNOUT TYPE type INVALID

Reason:

Invalid SIGNOUT *type* requested. Only USER or CCID is valid. Possible internal error. Contact CA Endevor/DB Technical Support.

NDVRDSGN: E005

SIGNOUT user/ccid NOT FOUND

Reason:

The USER or CCID name specified for a SIGNOUT is not in the CCDB.

NDVRDSGN: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDSGN: F001

FATAL DATABASE ERROR RC = return-code

Reason:

This message may be preceded by message(s) from NDVRFLIO identifying specific error detected. Contact CA Endevor/DB Technical Support.

NDVRDSGN: F002

EXPECTED \$SGN FOUND block-id

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDSGN: F099

UNABLE TO COMPLETE SIGNOUT

Reason:

SIGNOUT processing failed. This message may be accompanied by message(s) identifying specific error detected.

NDVRDSYN: E001

LAST INPUT NDVRIPT COMMAND DID NOT TERMINATEWITH A PERIOD

Reason:

A NDVRIPT Command Input file statement does not contain the required terminating period. All commands must end with a period. The NDVRIPT file is input to the NDVRDLVR utility.

NDVRDVFY: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRDVFY: F001

FATAL DATABASE ERROR RC = return-code

Reason:

This message accompanies by message(s) from NDVRFLIO identifying specific error detected. Contact CA Endevor/DB Technical Support.

NDVRDVFY: F002

EXPECTED block-id FOUND block-id

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRESYN: E001

SYNTAX ERROR IN statement-type SENTENCE

Reason:

Syntax error in the identified *statement-type* statement of the NDVRIPT Command Input file (NDVRDSEL) or NDVRENI Entity List file (all other migration utilities). Correct the syntax and resubmit the job.

NDVRESYN: E002

SYNTAX ERROR IN MIGRATION SPECIFICATION

Reason:

This message is preceded by NDVRPARS error message(s) identifying the specific syntax error. One or more statements in the NDVRIPT Command Input file (NDVRDSEL) or the NDVRENI Entity List file (all other migration utilities) contains a syntax error(s). Correct the syntax and resubmit the job.

NDVRESYN: E005

MIGRATE STATEMENT STAGE stage-nr ISINVALID

Reason:

STAGE NUMBER *stage-nr* on the MIGRATE statement is invalid. Only values "*", "1" or "2" are allowed. Correct the syntax in the NDVRIPT Command Input file (NDVRDSEL) and resubmit the job.

NDVRESYN: E010

statement-type field-type =field-value MISSING OR INVALID

Reason:

Syntax error in the identified *statement-type* statement, *field-type* (DATE or TIME) *field-value*. If erroneous statement is in the NDVRIPT Command Input file (NDVRDSEL) or the NDVRENI Entity List file (all other migration utilities). Correct the syntax and resubmit the job.

NDVRFLIO: E001

UNABLE TO BIND CCDB FOR DICTNAMEdictname -- ERRSTAT = error-status

Reason:

A request to BIND the CCDB for *dictname* failed with a CA IDMS Error Status *error-status* (generally a 1474: subschema not found). Either the Database Name Table (DBTABLE) entry for *dictname* does not map the NDVRSUBS subschema or the mapped load module cannot be found. Use DCMT to display the DBTABLE and determine the NDVRSUBS subschema mapping.

NDVRFLIO: E010

association-name ASSOCIATION ALREADYEXISTS

Reason:

An attempt to define a duplicate record occurrence of the indicated *association-name* (i.e. MANAGEMENT GROUP/CCID) is not allowed. Request is denied.

NDVRFLIO: E015

DATABASE RECORD ALREADY EXISTS

Reason:

An attempt to define a duplicate occurrence of a primary CCDB record (i.e., CCID) is not allowed. Request is denied.

NDVRFLIO: E020

REQUESTED record-type RECORD NOT FOUND

Reason:

An occurrence of a *record-type* record for a specified name cannot be found in the current CCDB.

NDVRFLIO: E025

REQUESTED DATABASE RECORD FOUND -- MODIFIED BYSOME OTHER USER

Reason:

During processing of a requested update, the retrieved record was modified by another user before current update action could occur (concurrent record update occurred). Re-try the update; if it continues to receive this message, this may indicate an internal error -- contact CA Endevor/DB Technical Support.

NDVRFLIO: E029

CCID ccid-name DUPLICATE, LOCKED OR NOTFOUND

Reason:

On a MODIFY USER request, the indicated CCID *ccid-name* is either: specified multiple times in the user definition; or the CCID is locked and cannot be accessed; or the CCID cannot be found in the CCDB.

NDVRFLIO: E030

UNKNOWN ENTITY TYPE

Reason:

The entity type specified is unknown. Insure the correct spelling of the entity type keyword by examining the list of entity types in the Dictionary Descriptor record for the CCDB by using the MIS front-end BROWSE function or by using the DISPLAY DICTIONARY command documented in the CA Endevor/DB for CA IDMS Batch Reference Guide.

NDVRFLIO: E035

INVALID SEGMENTED ENTITY NAME FOR reason

Reason:

A segmented entity name, containing a comma (,) or period (.), is invalid for the *reason* indicated. The segmented entity name has been specified for an entity type which does not support segmented names. Respecify the entity name. Refer to the *CA Endevor/DB* for *CA IDMS Batch Reference Guide* for valid segmented name requirements.

NDVRFLIO: E036

ASTERISK INVALID IN entity type NAME

Reason:

An asterisk masking character has been specified in the *entity-type* name and is invalid for the current function (generally an ADD). Respecify the entity name.

NDVRFLIO: E037

INCOMPLETE RECORD KEY key-value SPECIFIED

Reason:

An incomplete key *key-value* has been provided for a CCDB record. Ensure all required key fields contain valid values. Re-try the MIS request or resubmit the batch job. If problem persists, this may indicate an internal error -- contact CA Endevor/DB Technical Support.

NDVRFLIO: E040

REQUIRED SECURITY CLASS MISSING OR INVALID

Reason:

The security class specification required for the current command is missing or invalid.

NDVRFLIO: E045

ENTITY SIGNED OUT AND/OR PREAUTHORIZED

Reason:

An attempt to add a duplicate SIGNOUT or PREAUTHORIZATION for the current ENTITY is not allowed. Request is denied.

NDVRFLIO: E049

CHANGE LOG ENTRY(S) ASSOCIATED -- DELETE NOTALLOWED

Reason:

An attempt to DELETE a CCID, ENTITY or USER is not allowed. The requested occurrence has Change Log Entry(s) associated with it.

NDVRFLIO: F001

SYSTEM ERROR -- UNSUPPORTED FUNCTION REQUESTED-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical support.

NDVRFLIO: F002

SYSTEM ERROR -- CCDB RECORD NOT FOUND --DATABASE NOT INITIALIZED CORRECTLY -- CALL CA-E/DB TECH SUPPORT

Reason:

Each time any process accesses the CCDB, NDVRFLIO checks to insure the CCDB has been initialized properly and, if not, attempts to initialize it. This error is produced if the CCDB cannot be initialized (for example, it is in retrieval-only mode). Sign on to CA Endevor/DB using the MIS front-end and specify the DICTNAME for the CCDB in question (this action should cause the CCDB to be properly initialized). Then proceed with the administrative procedures to establish security and processing controls (documented in the *CA Endevor/DB for CA IDMS Administrator Guide*). If sign on to the MIS front-end fails, contact CA Endevor/DB Technical Support.

NDVRFLIO: F003

SYSTEM ERROR record-name RECORD NOTFOUND -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal Error. Contact CA Endevor/DB Technical Support.

NDVRFLIO: F004

SYSTEM ERROR -- INVALID SIGNOUT/PREAUTHASSOCIATION RECORD -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal Error. Contact CA Endevor/DB Technical Support.

NDVRFLIO: F005

SYSTEM ERROR -- INVALID NDVRCCDB KEY -- CALLCA-E/DB TECH SUPPORT

Reason:

Internal Error. Contact CA Endevor/DB Technical Support.

NDVRFLIO: F995

IDMSERR: error-statusSEQ=dml-seq REC=record-name SET=set-name -- LAST REC=record-name DBK=hex-dbkey

Reason:

Internal CA IDMS error error-status. Contact CA Endevor/DB Technical Support.

NDVRFLIO: F996

AREA REQUEST ERROR: error-statusSEQ=dml-seq AREA=area-name DICTNAME=dictname

Reason:

An unexpected CA-IDMS *error-status* has been returned. Examine the meaning of the error-status, and take corrective action if possible. For instance, a 1211 on the NDVR-LOG area can be resolved by running the archive/compress utility NDVRARCO. Chapter 7 of the Administrator Guide, *Archiving and Compressing the CCDB*, describes how to use this utility. Alternatively, contact CA Endevor/DB Technical Support.

NDVRFLIO: F997

RUNUNIT REQUEST ERROR:error-status SEQ=dml-seq DICTNAME=dictname

Reason:

Internal CA IDMS error error-status. Contact CA Endevor/DB Technical Support.

NDVRFLIO: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

On a retrieval request, all records meeting the selection criteria have been processed. This message generally appears under the CA Endevor/DB MIS front-end. For instance, if a DELETE function is specified, a list of items satisfying the selection criteria is produced. If all items in the list are selected for deletion, on completion this message will be displayed on the subfunction menu to indicate all items meeting the selection criteria have been deleted and actually reflects successful deletion.

NDVRFLIO: W005

PREAUTHORIZE ENTITIES TO EITHER A CCID OR AUSER BUT NOT BOTH

Reason:

An attempt to specify preauthorization of an entity to both a CCID and a USER is not supported; only one or the other, or neither, is allowed. Request is ignored.

NDVRFLIO: W009

INVALID SECONDARY COMMIT RECORD CONVERTED TOCOMMITTED RECORD -- DBKEY = dbkey

Reason:

A secondary commit record contained an invalid dbkey which should have pointed to its primary commit record. This can occur when a CA IDMS utility that changes the dbkey values for NDVRCOMT records is executed against the CCDB without first executing NDVRARCO (which converts secondary commit records to primary commit records) against the CCDB. The CLE(s) associated with the secondary commit record are assumed to be committed changes.

NDVRINIT: F003

VECTOR INITIALIZE FAILURE

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log preceding a User Abend Code NDVR number 2111. Internal error. Contact CA Endevor/DB Technical Support.

NDVRINIT: F004

SENTINEL NOT FOUND

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log preceding a User Abend Code NDVR number 2111. Internal error. Contact CA Endevor/DB Technical Support.

NDVRINIT: F005

SERVER INITIALIZATION FAILURE

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log preceding a User Abend Code NDVR number 2111. Internal error. Contact CA Endevor/DB Technical Support.

NDVRINIT: F006

SENTINEL ABORTED

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log preceding a User Abend Code NDVR number 2111.Internal error. Contact CA Endevor/DB Technical Support.

NDVRIOIO: F001

macro FAILED FOR FILE ddname -- REASON reason

Reason:

Internal error. A *macro* function failed against the *ddname* file for the indicated *reason*. This message will be followed by a User Abend number 1001. Contact CA Endevor/DB Technical Support.

NDVRIOIO: F010

TASK QIO CHAIN COMPROMISED

Reason:

Internal error. This message will be followed by a System 0C3 abend. Contact CA Endevor/DB Technical Support.

NDVRIOIO: F011

UNSUCCESSFUL QUIESCE FOR FILE=ddnameRCODE=recode

Reason:

Internal error. This message will be followed by a System OC3 abend. Contact CA Endevor/DB Technical Support.

NDVRIPGM: F001

ABEND IN ABEND PROCESSING

Reason:

Internal error. A recursive abend has been detected. Contact CA Endevor/DB Technical Support.

NDVRISTG: F001

STORAGE INTEGRITY ERROR --RCODE=return-code

Reason:

Internal error. This message will be followed by a User Abend Code STGI number 4001. Contact CA Endevor/DB Technical Support.

NDVRISTG: F002

STORAGE MACRO \$BSTGLST requestRCODE=return-code RESULT=result-code

Reason:

Internal error. This message will be followed by a User Abend Code STGL number 4002. Contact CA Endevor/DB Technical Support.

NDVRMISB: E001

PROCESSING TERMINATED WITH ERRORS

Reason:

Error(s) were detected during the batch processing. These messages will precede message E001. If the STOP option was specified in a SET OPTIONS command, the remainder of the commands has been edited for valid syntax, and appropriate error message(s) displayed, but were not processed.

NDVRMISB: E099

PROCESSING TERMINATED WITH NO COMMANDS PROCESSED

Reason:

No commands were processed by the batch processing. This error may be due to a misspelled NDVRIPT JCL statement.

NDVRMISB: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRMISB: I001

SIGNON SUCCESSFULLY COMPLETED

Reason:

Informational message confirming successful processing of the SIGNON command.

NDVRMISB: 1002

PROCESSING SUCCESSFULLY COMPLETED

Reason:

Informational message confirming no errors were detected during the batch processing.

NDVRNVVI: E002

SUBVECTOR sub-vector FAILED RCreturn-code

Reason:

Internal error written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRNVVI: E003

CA-E/DB RESET REQUIRES MORE STORAGE

Reason:

Internal error written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRNVVI: E004

ERROR GETTING SHARED VECTOR STORAGE --RC=return code REASON=reason

Reason:

Internal error written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRNVVI: E005

CA-E/DB VECTOR STGID=\$NVV INVALID --HEADER=header

Reason:

Internal error written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRNVVI: E006

ERROR FREEING STGID=\$NVV --RC=return-code REASON= reason

Reason:

Internal error written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRNVVI: I001

CA-E/DB SHARED VECTOR INITIALIZING

Reason:

Informational message written to the OpSys Message Log or CA IDMS/DC Log.

NDVROPGM: F001

PGM MGMT INTEGRITY ERROR --RC=return-code

Reason:

Internal error. This message will be followed by a User Abend Code LODI number 4002. Contact CA Endevor/DB Technical Support.

NDVROPSV: F001

INVALID REQUEST OPERAND LIST

Reason:

Internal error. This message will be followed by a User Abend Code OPSV number 3010. Contact CA Endevor/DB Technical Support.

NDVROPSV: F002

OPSYS VECTOR FUNCTION NOT SUPPORTED

Reason:

Internal error. This message will be followed by a User Abend Code OPSV number 3010. Contact CA Endevor/DB Technical Support.

NDVRPARS: E001

LITERAL OR IDENTIFIER EXPECTED; FOUND:syntax-value

Reason:

Syntax error. The *syntax-value* specified is not a valid literal or an identifier. Correct the syntax and resubmit the statement.

NDVRPARS: E002

LITERAL EXPECTED, FOUND:syntax-value

Reason:

Syntax error. The *syntax-value* specified is not a valid literal. Correct the syntax and resubmit the statement.

NDVRPARS: E003

IDENTIFIER EXPECTED, FOUND:syntax-value

Reason:

Syntax error. The *syntax-value* specified is not a valid identifier. Correct the syntax and resubmit the statement.

NDVRPARS: E004

INVALID COMMAND WORDING, FOUND:syntax-value

Reason:

Syntax error. The *syntax-value* contains invalid command wording. Correct the syntax and resubmit the statement.

NDVRPARS: E005

COMMAND NOT RECOGNIZED, FOUND:syntax-value

Reason:

Syntax error. The *syntax-value* is not value. Correct the syntax and resubmit the statement.

NDVRPARS: E008

NUMBER MUST BE 0 TO 2,147,483,647; FOUND:syntax-value

Reason:

Syntax error. The *syntax-value* specified must be an valid number in the range 0 through 2,147,483,647. Correct the syntax and resubmit the statement.

NDVRPARS: E009

RAN OUT OF STORAGE ATTEMPTING TO PARSEsyntax-value

Reason:

Error in a list specification. The parser ran out of storage attempting to parse the specified *syntax-value*. Too many items have been specified in a list of values. Correct the syntax and resubmit the statement.

NDVRPARS: E010

NUMBER MUST BE 0 TO 32,767; FOUND:syntax-value

Reason:

Syntax error. The *syntax-value* specified must be an valid number in the range 0 through 32,767. Correct the syntax and resubmit the statement.

NDVRPARS: E011

INTERNAL ERROR: CALL DEPTH OVERFLOW

Reason:

Internal Error. Contact CA Endevor/DB Technical Support.

NDVRPARS: E012

INTERNAL ERROR: CALL DEPTH EMPTY

Reason:

Internal Error. Contact CA Endevor/DB Technical Support.

NDVRPARS: E013

UNBALANCED EXPRESSION: TOO MANYsyntax-value

Reason:

Syntax error. Correct the syntax and resubmit the statement. If problem persists, contact CA Endevor/DB Technical Support.

NDVRPARS: E014

INTERNAL ERROR: SYNTAX RULE INVALID

Reason:

Internal Error. Contact CA Endevor/DB Technical Support.

NDVRPARS: E015

INTERNAL ERROR: CALL STACK NOT EMPTY

Reason:

Internal Error. Contact CA Endevor/DB Technical Support.

NDVRPARS: E016

UNBALANCED EXPR. AT END OF SYNTAX

Reason:

Syntax error. Correct the syntax and resubmit the statement. If problem persists, contact CA Endevor/DB Technical Support.

NDVRPARS: F001

ERROR READING ddname RUN TERMINATED

Reason:

An I/O error occurred attempting to read the *ddname* file. This is generally due to a missing or invalid DD statement in the JCL. Correct the JCL and resubmit the job. If problem continues, contact CA Endevor/DB Technical Support.

NDVRPARS: F002

I/O ERROR CODE=error-codeRC=return-code ON PRINT FILE=ddname

Reason:

An I/O error occurred attempting to process the *ddname* printfile. This is generally due to a missing or invalid DD statement in the JCL. Correct the JCL and resubmit the job. If problem continues, contact CA Endevor/DB Technical Support.

NDVRPARS: W006

VALUE SPECIFIED IS TOO LONG:syntax-value

Reason:

The specified *syntax-value* exceeds the maximum expected field length and has been truncated.

NDVRPARS: W007

ENDING QUOTE NOT FOUND FOR:syntax-value

Reason:

The syntax-value specified a starting quote but did not include an ending quote.

NDVRRJCL: E001

ERROR ENCOUNTERED WITH NDVRIPT CONTROLSTATEMENT -- PROCESSING TERMINATED

Reason:

An error was detected with an NDVRIPT control statement either due to an I/O error reading the input file or due to an input syntax error. Correct the error identified by a preceding message and resubmit the job.

NDVRRJCL: E004

UNABLE TO CONVERT EXEC STATEMENT -- CARD NUMBERsequence-number -- CANNOT FIND PROGRAM ID

Reason:

No program name was specified on the EXEC statement at card number *sequence-number*. Correct the indicated statement and resubmit the job.

NDVRRJCL: E005

UNABLE TO CONVERT OSRUN STATEMENT NUMBERstatement-number -- CANNOT FIND PROGRAM ID ON CARD IMAGE

Reason:

No program name was specified on the OSRUN statement at card number sequence-number. Correct the indicated statement and resubmit the job.

NDVRRJCL: E006

UNABLE TO CONVERT EXEC/OSRUN STATEMENT CARDNUMBER sequence-number -- NOT ENOUGH WHITE SPACE ON CARD

Reason:

The statement at *sequence-number* is longer than 64 characters. The JCL converter requires that the EXEC or OSRUN statement does not exceed 64 characters. Correct the indicated statement and resubmitthe job.

NDVRRJCL: E007

INVALID SEARCH FOR COMMAND SYNTAX -- PROCESSINGTERMINATED

Reason:

Syntax error in SEARCH FOR command. Correct the syntax and resubmit the job.

NDVRRJCL: E008

SEARCH FOR/REPLACE WITH SIZE EXCEEDED -- CANNOTEXCEED 200 CARDS PER COMMAND

Reason:

A maximum of 200 SEARCH FOR and/or REPLACE commands can be processed in a single execution of the JCL Converter. Correct the syntax and resubmit the job.

NDVRRJCL: I002

NDVRRJCL TERMINATED WITH ERRORS

Reason:

Informational message indicating error(s) were detected during the JCL Converter run.

NDVRRJCL: 1003

NDVRRJCL SUCCESSFULLY COMPLETED

Reason:

Informational message indicating no errors were detected during the JCL Converter run.

NDVRROUT: E905

IDMS/CV REGION HAS NO DBNAME TABLE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRROUT: E990

FC\$CNFG FUNCTION INVALID NON-CV

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRROUT: E991

DBNAME dbname INCONSISTENT WITH ALIASES

Reason:

The *dbname* specified in a SIGNON DBNAME or derived from a DCUF SET DICTNAME command is inconsistently specified in the DBName Table. Multiple DBName Table entries map to the same dictionary or CCDB subschema. Refer to the *CA IDMS Installation and Maintenance Guide—z/OS* for detailed rules governing the setup of CA Endevor/DB processing, and then correct the inconsistency in the DBName Table.

NDVRROUT: E992

BATCH LOCAL SERVER FAILED -- DBNAMEdbname RCODE=return-code

Reason:

NDVRROUT: E993

ERROR TRANSLATING DBNAME dbname --RC=return-code -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRROUT: E994

NDVRCNFG DBNAME CONFIGURATION TABLE DAMAGED --CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRROUT: E995

BATCH PSEUDO REC ERRSTAT error-status -- DBNAME dbname

Reason:

An unexpected CAIDMS *error-status* was received against the indicated *dbname* running under CAIDMS central version. If CAIDMS central version is inactive (possibly due to a system crash), resubmit the job after starting the CAIDMS central version. If problem persists, this may be an internal error -- contact CA Endevor/DB Technical Support.

NDVRROUT: E996

MESSAGE LENGTH TOO LARGE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRROUT: E997

P-TO-P ERROR IN functionRC=return-code -- CALL CA-E/DB TECH SUPPORT

Reason:

NDVRROUT: E999

SYSTEM ERROR -- FLIO RCODE=16 -- CALL CA-E/DBTECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRROUT: F901

BATCH GETCNFG ENTERED WITH \$CRUDS ALLOCATED -- DBNAME dbname

Reason:

Internal error. This message will be followed with a User Abend number 2222. Contact CA Endevor/DB Technical Support.

NDVRROUT: F902

BATCH/CV GETCNFG FAILURE -- IDMS/CV \$DNT TABLENOT RECEIVED -- DBNAME dbname

Reason:

Internal error. This message will be followed with a User Abend number 2222. Contact CA Endevor/DB Technical Support.

NDVRROUT: F903

\$DNTDS ALLOCATE FAILED -- \$BGETSTGresult-code OR FULL \$BTW ADDR TABLE

Reason:

Internal error. This message will be followed with a User Abend number 2222. Contact CA Endevor/DB Technical Support.

NDVRROUT: W900

DBNAME dbname IS NOT A CA-E/DB SUPPORTEDDBNAME

Reason:

The *dbname* specified in a SIGNON DBNAME or derived from a DCUF SET DICTNAME command is not identified in the DBName Table as a CA Endevor/DB supported dictionary. Either correct the DBName Table entry for *dbname* or specify a properly configured dictionary.

NDVRRSET: I001

CA-E/DB SERVERS NOT ACTIVE

Reason:

NDVRRSET task code was specified to invoke CA Endevor/DB Server Reset processing, but no servers were active.

NDVRRSET: I002

CA-E/DB SERVERS WILL QUIESCE

Reason:

NDVRRSET task code was specified to invoke CA Endevor/DB Server Reset processing. Each Server will shut down after all current update sessions complete; no more update sessions will be started until the Servers complete the shutdown process.

NDVRSDBN: E001

NDVRCNFG SERVER TABLE COMPILED mm/dd/yyHAS ERRORS

Reason:

The NDVRCNFG CA Endevor/DB DBName Configuration Table compiled on *mm/dd/yy* is either obsolete or is inconsistent with the CA IDMS DBName Table. Either remove the NDVRCNFG load module from the load library(s) or review the two DBName tables and modify the NDVRCNFG source code. Then rerun the job that builds the DBName Configuration Table and issue a DCMT VARY PROGRAM NDVRCNFG NEW COPY. If the problem persists, contact CA Endevor/DB Technical Support.

NDVRSDBN: F001

NDVRCNFG SERVER TABLE INVALID -- FORMAT NOTRECOGNIZED

Reason:

The NDVRCNFG load module is not a valid CA Endevor/DB DBName Configuration Table. This message is followed by a User Abend Code CNFG number 2222. Either remove the NDVRCNFG load module from the load library(s) or rerun the job that builds the DBName Configuration Table and issue a DCMT VARY PROGRAM NDVRCNFG NEW COPY.

NDVRSDBN: F002

\$DNT STORAGE ALLOC FAILED (\$BTW FULL/\$BGETSTGRSLT=result-code

Reason:

Internal error. This message is followed by a User Abend Code \$DNT number 2222. Contact CA Endevor/DB Technical Support.

NDVRSDBN: F003

NDVRCNFG SERVER TABLE INVALID -- 20 SERVERNUMBERS MAXIMUM

Reason:

The NDVRCNFG CA Endevor/DB DBName Configuration Table contains more than the maximum of 20 server numbers. This message is followed by a User Abend Code CNFG number 2222. Either remove the NDVRCNFG load module from the load library(s) or modify the NDVRCNFG source code to insure no more than 20 Server numbers are defined. Then rerun the job that builds the DBName Configuration Table and issue a DCMT VARY PROGRAM NDVRCNFG NEW COPY.

NDVRSDBN: W001

NDVRCNFG SERVER TABLE ERROR -- DBNAMEdbname FAILED result-code

Reason:

The NDVRCNFG CA Endevor/DB DBName Configuration Table entry for the *dbname* DBName is inconsistent internally or with the CA IDMS DBName Table. Either remove the NDVRCNFG load module from the load library(s) or review the two DBName tables and modify the NDVRCNFG source code for the named DBName. Then rerun the job that builds the DBName Configuration Table and issue a DCMT VARY PROGRAM NDVRCNFG NEW COPY. If the problem persists, contact CA Endevor/DB Technical Support.

NDVRSECY: E001

USER/CCID NOT AUTHORIZED TOrequested-operation

Reason:

The current user and/or CCID does not have the authority to perform the *requested-operation*. The combined authorities of the entity or function flags found in the security class descriptors for the Dictionary, User and CCID disallow performing the operation. Contact your Security Administrator to acquire the additional authorities.

NDVRSECY: E002

UPDATE NOT ALLOWED -- entity-typeentity-name VERS version-nr SIGNED OUT TO user/ccid

Reason:

The CCDB entity occurrence identified in the message is currently signed out to the indicated user or CCID. Update actions are disallowed. Contact your CCDB Administrator.

NDVRSECY: E003

UPDATE NOT ALLOWED -- entity-typeentity-name VERS version-nr PRE-AUTHORIZATION REQUIRED

Reason:

Preauthorization is required before any update actions can be performed against the CCDB entity occurrence identified in the message. Contact your CCDB Administrator.

NDVRSECY: E004

UPDATE NOT ALLOWED -- DICTIONARY dictname LOCKED

Reason:

The dictionary identified by *dictname* is locked. Update actions are not allowed. Contact your CCDB Administrator.

NDVRSECY: E005

CCID ccid-name MARKED AS "PRIVATE" --PRE-AUTHORIZATION REQUIRED BEFORE SIGNON

Reason:

Preauthorization is required before attempting to sign on under the indicated Private CCID *ccid-name*. Contact your CCDB Administrator.

NDVRSECY: E006

STATUS *status-name* MARKED AS "PRIVATE"-- PRE-AUTHORIZATION REQUIRED TO SET/REMOVE IT

Reason:

Preauthorization is required before attempting to modify or remove the indicated Private Status *status-name*. Contact your CCDB Administrator.

NDVRSECY: E010

id-type REQUIRED IN SIGNON

Reason:

SIGNON required specification of a valid *id-type* (USER or CCID). Under CA IDMS/DC, SIGNON to the CA IDMS/DC system or NDVRMIS is required; if running under batch processing, a valid SIGNON statement is required.

NDVRSECY: E012

SIGNON PASSWORD INCORRECT

Reason:

The password specified for a CA Endevor/DB user is missing or incorrect.

NDVRSECY: E013

SIGNON CA-E/DB USER AND CA-IDMS/DC USER MUST BETHE SAME

Reason:

Security for the current dictionary specifies that the same user-id must be specified for both CA IDMS and CA Endevor/DB.

NDVRSECY: E014

SIGNON id-type id LOCKED

Reason:

The *id-type* (USER or CCID) for *id* specified on the SIGNON is locked. SIGNON is not allowed. Contact your CCDB Administrator.

NDVRSECY: E020

INVALID ENTITY TYPE

Reason:

The entity-type specified in the request is invalid. Correct spellings for CA Endevor/DB entity type identifiers are documented in Appendix B of the *CA Endevor/DB for CA IDMS Batch Reference Guide*.

NDVRSECY: E022

AUTO SIGNOUT FOR entity-type entity-name VERS version-nr FAILED -- UNKNOWN id-type

Reason:

The dictionary descriptor for the current dictionary indicates automatic SIGNOUT to the current user or CCID is to be performed. However, this process has failed for the identified CCDB entity occurrence because the *id-type* (USER or CCID) is not defined in the CCDB or no SIGNON was specified.

NDVRSECY: E025

DERIVED CCID PROCESSING NOT VALID FOR MIGRATIONPROCESSING

Reason:

The security class for the SIGNON User specifies Derive CCID processing which is not valid for Migration processing. Either change the security class definition to Derive CCID=N or specify another user ID whose security class does not specify Derive CCID processing.

NDVRSECY: E090

CCDB IS OFFLINE

Reason:

The CCDB for the current dictionary is offline. Either defer work on the dictionary or issue a CA IDMS/DC DCMT VARY AREA statement to place the CCDB online.

NDVRSECY: E091

CCDB NOT IN UPDATE MODE

Reason:

The CCDB for the current dictionary is in retrieval mode. Either defer work on the dictionary or issue a CAIDMS/DC DCMT VARY AREA statement to place the CCDB in update mode.

NDVRSECY: F001

SYSTEM ERROR -- UNSUPPORTED FUNCTION REQUESTED-- CALL CA-E/DB TECH SUPPORT

Reason:

NDVRSECY: F002

SYSTEM ERROR -- INVALID DATA FOUND INSIGNOUT/PRE-AUTHORIZATION ASSOCIATION RECORD -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal Error. Contact CA Endevor/DB Technical Support.

NDVRSECY: F003

SYSTEM ERROR -- NDVRFLIO FAILED TO PROCESS AREQUEST -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal Error. This message follows NDVRFLIO message(s) indicating the cause of the failure. Contact CA Endevor/DB Technical Support.

NDVRSECY: F004

SYSTEM ERROR -- CCDB REC "ENTITY" TO"C1-ELEMENT" CONVERT FAILED -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRSECY: F005

entity-type entity-name CLEVERSION NUMBER INVALID -- CALL CA-E/DB TECH SUPPORT

Reason:

DICTNAME dictname NOT SERVED -- DBNAMECHANGE INVALID: DICTNAME PRESENT AS FOREIGN

Reason:

The DBName in the Dictionary Descriptor record for the dictionary associated with the dictname DBName does not match the specified dictname. The Server cannot automatically modify the Dictionary Descriptor's DBName because another CCDB's Dictionary Descriptor already matches the dictname. The CCDB cannot be processed. To recover, remove any changes made to the CA IDMS DBName Table and then use either the MIS front-end or batch administration functions to modify the offending Dictionary Descriptor. DO NOT change the Dictionary Descriptor with the old name -- let the Server do it automatically. Once the offending Dictionary Descriptor has been resolved, modify the CA IDMS DBName Table as desired and restart the CV.

NDVRSERV: E991

DBNAME dbname QUIESCED PROPERLY BUTCOULD NOT BE RE-BOUND

Reason:

This message is written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. If this message is produced while attempting to change the access mode for a CCDB using the MIS front-end control functions, it indicates the FINISH has been completed for the *dbname* DBName but the READY could not be done to establish the new access mode. Check the CCDB database areas using the CA IDMS/DC DCMT DISPLAY AREA command to insure the areas have not been varied to an incompatible mode; if so, contact the CCDB Database Administrator. If this message is produced in any other context, it may indicate an internal error -- contact CA Endevor/DB Technical Support.

NDVRSERV: E992

NO DBNAMES FOR SERVER -- TERMINATING SERVER

Reason:

This message is written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. The Server has detected inconsistencies between the CA Endevor/DB Configuration Table NDVRCNFG and the CA IDMS DBName Table, and has determined that the Server should not be servicing any CCDBs and will shutdown. Resolve the NDVRCNFG and DBName Table definition inconsistencies (see the CA Endevor/DB for CA IDMS Administrator Guide for NDVRCNFG rules and the CA IDMS Database Administration Guide for DBTable rules). If no definition inconsistencies can be detected, contact CA Endevor/DB Technical Support.

REQUESTED DICT STATUS BLOCK NOT FOUND

Reason:

Under MIS front-end control functions, this message is produced when attempting to modify the DICT STATUS BLOCK and the dictname specified on the screen is not currently active under the Server. Note that there may be several CA Endevor/DB Servers running in a given CA IDMS central version and each one serves a different set of CCDBs. In any other context, this message may indicate an internal error -- contact CA Endevor/DB Technical Support.

NDVRSERV: E994

SERVER OFFLINE (QUIESCING OR CHANGING ACCESSMODE)

Reason:

This message is produced if the CA IDMS central version system is being shut down, or the NDVRRSET task has been invoked, or a MIS front-end control function modified the access mode of the CCDB. Retry the request when the Server is made available. If problem persists, contact CA Endevor/DB Technical Support.

NDVRSERV: E995

CCDB NOT IN UPDATE MODE -- REQUEST CANNOT BEPROCESSED

Reason:

The CCDB database is in retrieval mode. No update requests are allowed. Contact the CCDB Administrator.

NDVRSERV: E996

DC TASK INVALID FOR ERUS GET/SAV/DEL FUNCTION

Reason:

CA IDMS Central Version External Run-Unit Service task is not recognized by the Server, possibly due to modifications made to the CA IDMS Central Version system internal definitions. If no changes have been made to the CV, this may be an internal error -- contact CA Endevor/DB Technical Support.

NDVRSERV: E998

SERVICE REQUEST NOT PROCESSED BY program-name -- CALL CA-E/DB TECH SUPPORT

Reason:

SYSTEM ERROR -- UNSUPPORTED FUNCTION REQUESTfunction-code -- CALL CA-E/DB TECH SUPPORT.

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRSERV: F003

P-TO-P ERROR macro-name MACRO -- CALLCA-E/DB TECH SUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRSERV: F004

SERVER ERROR LIMIT EXCEEDED -- CALL CA-E/DBTECH SUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file after six F003 errors have been detected. Server will abort with User Abend Code SERV number 3456. Contact CA Endevor/DB Technical Support.

NDVRSERV: F005

BATCH-LOCAL SERVER MESSAGE BUFFER OVERFLOW -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRSERV: F006

MSG DBNAME dbname SENT TO WRONG SERVER-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

ERUS SAVED SIGNON ELEMENT NOT FOUND -- CALLCA-E/DB TECH SUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRSERV: F009

ERROR ON DBNAME dbname FINISH -- CALLCA-E/DB TECH SUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRSERV: F010

SERVER INIT ERROR IN MACRO $\it macro-name$ RCODE $\it rcode --$ CALL CA-E/DB TECH SUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRSERV: F011

INVALID SENTINEL MESSAGE FORMAT -- CALL CA-E/DBTECH SUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRSERV: F012

SERVER/SENTINEL DBNAME LIST NOT FOUND ORINVALID -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NO (MORE) SERVER STATUS BLOCKS FOUND -- CALLCA-E/DB TECH SUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRSERV: F014

SERVER SHUTDOWN P-TO-P FAILURE -- CALL CA-E/DBTECH SUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Server will abort with User Abend Code SERV number 3456. Contact CA Endevor/DB Technical Support.

NDVRSERV: F015

INVALID P-TO-P MSG FLUSHED -- CALL CA-E/DB TECHSUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRSERV: F016

INVALID MESSAGE FORMAT -- error-type -- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Contact CA Endevor/DB Technical Support.

NDVRSERV: F017

SERVER MESSAGE REJECTED -- error-type -- CALL CA-E/DB TECH SUPPORT TASK=task-code PGM=program-name TSKID=task-id MSGLEN=message-len MSG FUNC=message-function

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. After six F017 errors have been detected, Server will abort with User Abend Code SERV number 3987. Contact CA Endevor/DB Technical Support.

CCDB SERVER ABORTING -- CALL CA-E/DB TECHSUPPORT

Reason:

Internal error message written to the OpSys Message Log, CA IDMS/DC Log and/or NDVRERR file. Server will abort with User Abend Code SERV number 3456. Contact CA Endevor/DB Technical Support.

NDVRSERV: I001

BATCH-TO-CV COMMUNICATIONS AVAILABLE FOR DBNAMEdbname

Reason:

Informational message written to the OpSys Message or CA IDMS/DC Log confirming Batch/CV access is available for the *dbname* dictionary.

NDVRSERV: 1090

INITIALIZING NEW CCDB FOR DBNAME dbname

Reason:

Informational message written to the OpSys Message or CA IDMS/DC Log confirming initialization of a new CCDB for the *dbname* dictionary.

NDVRSGEN: I001

CA-E/DB SUBSYSTEM IS SHUT DOWN

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. Informational message indicating successful shutdown of all Servers and Sentinel tasks.

NDVRSGEN: 1002

CA-E/DB tape-nr SYSTEM INITIALIZING

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. Informational message indicating the CA Endevor/DB system for the release *tape-nr* being initialized.

NDVRSGEN: 1003

CA-E/DB SYSTEM INITIALIZED

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. Informational message indicating successful initialization of the Sentinel task.

NDVRSGEN: F003

CA-E/DB VECTOR INITIALIZE FAILURE

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log preceding a User Abend Code NDVR number 2211. Internal error. Contact CA Endevor/DB Technical Support.

NDVRSGEN: F004

CA-E/DB SENTINEL NOT FOUND

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log preceding a User Abend Code NDVR number 2211. Confirm the CDMSLIB load library(s) contain both NDVRSGEN and NDVRSNAO and that the program pool in the CA-IDMS/CV System definition is sufficiently large. See the *CA Endevor/DB for CA IDMS Administrator Guide* for program pool size recommendations. If problem persists, this may be an Internal error -- contact CA Endevor/DB Technical Support.

NDVRSGEN: F005

CA-E/DB SERVER INITIALIZATION FAILURE

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log preceding a User Abend Code NDVR number 2211. Internal error. Contact CA Endevor/DB Technical Support.

NDVRSGEN: F006

CA-E/DB SENTINEL ABORTED

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log preceding a User Abend Code NDVR number 2211.Internal error. Contact CA Endevor/DB Technical Support.

NDVRSMRG: F002

RETURN CODE=return-code IN\$FUNC=function

Reason:

Internal error. This message will be followed by User Abend Code ERRT number 1. Contact CA Endevor/DB Technical Support.

NDVRSNA0: E001

NO DBNAMES FOUND FOR CA-E/DB SS NDVRSUBS

Reason:

This message is written to the OpSys Message Log, CA IDMS/DC Log, and/or NDVRERR file. No DBNames in the DBName Table map to the NDVRSUBS subschema which describes the CCDB. See the *CA IDMS Installation and Maintenance Guide—z/OS* for procedures needed to "hook" CA Endevor/DB to a CA IDMS Dictionary.

NDVRSNA0: E002

ATTACH OF NDVRSERV FAILED -- MAX TASKS

Reason:

This message is written to the OpSys Message Log, CA IDMS/DC Log, and/or NDVRERR file. An attempt to start a Server task has failed because the CA IDMS central version maximum concurrent tasks limit has been reached. Increase the SYSGEN MAXTASKS value and restart the CA IDMS central version system.

NDVRSNA0: E003

NO SERVERS TO ATTACH

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. Inconsistencies have been detected between the CA Endevor/DB Configuration Table NDVRCNFG and the CA IDMS DBName Table. CA Endevor/DB will be shutdown. Resolve the NDVRCNFG and DBName Table definition inconsistencies (see the *CA Endevor/DB for CA IDMS Administrator Guide* for NDVRCNFG rules and the *CA IDMS Database Administration Guide* for DBTable rules). If no definition inconsistencies can be detected, contact CA Endevor/DB Technical Support.

NDVRSNA0: F090

BAD SERVER/SENTINEL MSG DROPPED identity

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. Internal error. Contact CA Endevor/DB Technical Support.

NDVRSNA0: F091

SENTINEL PARM NOT INIT, WTCH OR TERM

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. Internal error. Contact CA Endevor/DB Technical Support.

NDVRSNA0: F092

SENTINEL CALLED INVALIDLY FOR ENVIRONMENT

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. Internal error. Contact CA Endevor/DB Technical Support.

NDVRSNA0: F093

INVOKING TASK IS NOT SYSTEM SENTINEL

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. Internal error. Contact CA Endevor/DB Technical Support.

NDVRSNA0: F094

UNABLE TO ESTABLISH SENTINEL HANDLEnumber

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. Internal error. Contact CA Endevor/DB Technical Support.

NDVRSNA0: F095

limit-type LIMIT EXCEEDED -- ABORTING

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. The limit for the number of *limit-type* errors has been reached. This error may be followed by User Abend Code NDVR number 2112. Contact CA Endevor/DB Technical Support.

NDVRSNA0: F096

ATTACH OF SERVER FAILED -- RESULT=result-code

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. Contact CA Endevor/DB Technical Support.

NDVRSNA0: F097

INTERNAL MACRO macro-nameRC=rcode FAILED

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. Internal error. This error may be followed by User Abend Code NDVR number 2112. Contact CA Endevor/DB Technical Support.

NDVRSNA0: F099

DBNAME dbname ABORTED

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. Internal error. Contact CA Endevor/DB Technical Support.

NDVRSNA0: W001

SERVER ABEND DETECTED -- WILL REATTACH

Reason:

This message is written to the OpSys Message Log or CA IDMS/DC Log. A Server abended and the Sentinel will attempt to restartit. Check the log for a description of the reason for the abend.

NDVRSNOF: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRSNOF: F001

FINISH REJECTED BY CA-ENDEVOR/DB

Reason:

This message will be followed by another message indicating the reason for the failure. Internal error. Contact CA Endevor/DB Technical Support.

NDVRSNON: E001

SIGNON STATEMENT MISSING

Reason:

The required SIGNON statement was not provided as the first statement in the NDVRIPT Command Input file. Correct the job and resubmit.

NDVRSNON: E002

SIGNON REJECTED

Reason:

This message is accompanied by another message indicating the reason for the SIGNON failure. Correct the indicated error condition. If the problem persists, contact CA Endevor/DB Technical Support.

NDVRSNON: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

NDVRSORT: E001

INVALID SORTPARM 1ST PARAMETER: REASON = reason

Reason:

A call to an internal sort failed due to the invalid *reason* in the sort parameters. Correct the parameters and resubmit the job. If problem persists, contact CA Endevor/DB Technical Support.

NDVRSORT: E002

INSUFFICIENT STORAGE

Reason:

A call to an internal sort failed due to insufficient storage. Increase the region size for the job and resubmit. If problem persists, contact CA Endevor/DB Technical Support.

NDVRSUPR: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRVECT: F001

\$BTWDS VERSION INCOMPATIBLE

Reason:

This message is written to the OpSys Message Log, CA IDMS/DC Log or NDVRERR file and is followed by a User Abend Code KRNL number 2001. Internal error. Contact CA Endevor/DB Technical Support.

NDVRVECT: F002

KERNAL TABLE FULL

Reason:

This message is written to the OpSys Message Log, CA IDMS/DC Log or NDVRERR file and is followed by a User Abend Code KRNL number 2002. Internal error. Contact CA Endevor/DB Technical Support.

NDVRXCMP: E001

I/O FAILURE FOR FILE ddname REASON =reason

Reason:

NDVRDCMP or NDVRCOMP Utility. An I/O error occurred on the *ddname* file for the indicated *reason*, usually due to a JCL error. Correct the problem and resubmit the job. If problem persists, contact CA Endevor/DB Technical Support.

NDVRXCMP: E002

RECORD LEN > 256 FOR FILE ddname LEN= rec-len ON RECORD SEQ # = sequence-nr

Reason:

NDVRDCMP or NDVRCOMP Utility. A record in the *ddname* file has a length in excess of the maximum support 256-bytes. Correct the record and resubmit the job.

Online Messages

NDVRMA10:E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRMA10:E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRMA10: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

NDVRMA10:W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRMA10: E005

SECURITY CLASS ALREADY EXISTS AND CANNOT BEADDED AGAIN

Reason:

Security Class ADD attempt has failed because the specified class already exists in the CCDB. Choose another name for the security class definition.

NDVRMA10: I001

ACTION COMPLETED NORMALLY: SECURITY-CLASSaction

Reason:

Informational message produced to confirm the end of processing. Indicated *action* will be ADD/MODIFY/DELETE.

NDVRMA20: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRMA20: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRMA30: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

NDVRMA30: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRMA30: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRMA30: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRMA30: I001

ACTION COMPLETED NORMALLY: DICTIONARYSTATUS BLOCK MODIFY

Reason:

Informational message produced to confirm the end of processing.

NDVRMA30: W009

ONE OR MORE SPECIFIED VALUES INVALID -- CORRECTTHOSE THAT ARE HIGH-LIGHTED

Reason:

Invalid input values have been detected and are identified by being displayed as high-lighted. Choose valid values in order to successfully complete the current process.

NDVRM000: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

NDVRM000: E003

DBNAME <dbname> IS NOT A CA-ENDEVOR/DBSUPPORTED DBNAME

Reason:

The <dbname> specified in a SIGNON DBNAME or derived from a DCUF SET DICTNAME command is not identified in the DBName Table as a CA Endevor/DB supported dictionary. Either correct the DBName Table entry for <dbname> or specify a properly configured dictionary.

NDVRM000: I001

ENDEVOR/DB SIGNON PROCESSING COMPLETED

Reason:

Informational message displayed after CA Endevor/DB Signon processing, indicating normal completion of the processing.

NDVRM000: W001

SPECIFY AN OPTION VALUE (1 OR 2) TO PROCEED

Reason:

Enter the number 1 or 2, or one of the Main Function Menu options preceded by the equals character (=n), and press ENTER.

NDVRM000: W002

CA-ENDEVOR/DB SIGNON PROCESSING COMPLETED FORBROWSE ONLY

Reason:

UPDATE has been specified as processing mode on the CA Endevor/DB SIGNON screen. Security processing has combined the authority associated with the dictionary, the user, and the CCID, and the result is that the user is not authorized to perform any update functions. The processing mode has been set to BROWSE.

NDVRM000: W003

SPECIFY A CA-ENDEVOR/DB SUPPORTED DBNAME

Reason:

No dbname value has been specified in the CA Endevor/DB SIGNON DBNAME or derived from a DCUF SET DICTNAME command. Specify the dbname of a CA Endevor/DB supported dictionary.

NDVRM110: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM110: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM110: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM110: E004

THAT ENTITY IS ALREADY SIGNED OUT -- PLEASERESPECIFY

Reason:

The entity specified in the selection criteria is already signed out. Once an entity is signed out, it no longer appears on the Signout Entities LIST screen, but can be referenced using the entity selection criteria on the SIGNIN/SIGNOUT function screen.

NDVRM110: E005

THAT ENTITY IS NOT SIGNED OUT (TO THAT USER ORCCID) -- PLEASE RESPECIFY

Reason:

The entity specified in the selection criteria is not signed out to the user or CCID used in the selection criteria. Browse entities signed out (without using a user or CCID as criteria) to determine the proper user or CCID for this entity.

NDVRM110: I001

ACTION COMPLETED NORMALLY: ENTITY SIGNEDIN

Reason:

Informational message produced to confirm the end of processing.

NDVRM110: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on either the SIGNIN OR SIGNOUT LIST screen(s), and all selected records have been processed by the SIGNIN/SIGNOUT DETAIL screens.

NDVRM110: W008

SIGNOUT MUST BE TO A USER OR CCID -- PLEASERESPECIFY

Reason:

An attempt to signout an entity has failed because no user or CCID was specified. Include either a user or CCID to signout entities. A user or CCID can be entered on the SIGNIN/SIGNOUT functions main screen or on the SIGNOUT DETAIL screen.

NDVRM210: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM210: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM210: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

NDVRM210: E004

DERIVE CCID INDICATOR MUST BE SET TO AN N FORPREAUTHORIZATION TO A USER

Reason:

An attempt to preauthorize an entity to a user has failed because the DERIVE CCID indicator has been set to Y. In order to complete the preauthorization, set the DERIVE CCID indicator to N.

NDVRM210: E005

DERIVE CCID INDICATOR MUST BE SET TO AN N (FORNO) OR Y (FOR YES)

Reason:

The DERIVE CCID indicator has been set to something other than a Y or an N. Enter Y or N for the DERIVE CCID indicator so that preauthorization processing can continue.

NDVRM210: E006

THAT ENTITY IS ALREADY PRE-AUTHORIZED TO THATUSER/CCID -- PLEASE RESPECIFY

Reason:

An attempt has been made to pre-authorize an entity that is already pre-authorized to the indicated user/CCID. Choose another user or CCID as appropriate to continue pre-authorization processing.

NDVRM210: E007

THAT ENTITY IS NOT PRE-AUTHORIZED (TO THATUSER/CCID) -- PLEASE RESPECIFY

Reason:

No pre-authorization exists for the current entity user/CCID combination. To determine existing pre-authorizations, BROWSE to determine existing entity user/CCID combinations.

NDVRM210: E008

THAT ENTITY IS CURRENTLY SIGNED OUT -- PRE-AUTHORIZATIONS CANNOT BE ADDED

Reason:

Pre-authorization processing is only allowed for entities that are currently signed in.

NDVRM210: I001

ACTION COMPLETED NORMALLY: PRE-AUTHORIZATION

Reason:

Informational message produced to confirm the end of processing.

NDVRM210: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the PRE-AUTHORIZATION LIST screens, and all selected records have been processed by the PRE-AUTHORIZATION DETAIL screens.

NDVRM210: W008

YOU MUST PRE-AUTHORIZE TO A USER OR A CCID --PLEASE RESPECIFY

Reason:

An attempt to pre-authorize has failed because there is either no user or CCID specified, or both user and CCID have been specified at the same time. You can pre-authorize to a user or a CCID, but not both at the same time.

NDVRM210: W009

ONE OR MORE SPECIFIED VALUES INVALID -- CORRECTTHOSE THAT ARE HIGH-LIGHTED

Reason:

Invalid input values have been detected and are identified by being displayed as high-lighted. Choose valid values in order to successfully complete the current process.

NDVRM310: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

NDVRM310: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM310: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM310: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRM310: E005

USER user-name IS ALREADY LOCKED

Reason:

An attempt to LOCK a user was not processed because the specified CA Endevor/DB user was already locked.

NDVRM310: E006

USER user-name IS NOT CURRENTLY LOCKED

Reason:

An attempt to UNLOCK a user was not processed because the specified CA Endevor/DB user was not currently locked.

NDVRM310: I001

ACTION COMPLETED NORMALLY: USER DESCRIPTOR

Reason:

Informational message produced to confirm the end of processing.

NDVRM310: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the user LOCK/UNLOCK LIST screens, and all selected records have been processed by the user LOCK/UNLOCK DETAIL screens.

NDVRM320: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM320: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM320: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM320: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRM320: E005

CCID CCID-name IS ALREADY LOCKED

Reason:

An attempt to LOCK a CCID was not processed because the specified CCID was already locked.

NDVRM320: E006

CCID CCID-name IS NOT CURRENTLY LOCKED

Reason:

An attempt to UNLOCK a CCID was not processed because the specified CCID was not currently locked.

NDVRM320: I001

ACTION COMPLETED NORMALLY: CCIDaction

Reason:

Informational message produced to confirm the end of processing. Indicated *action* will be LOCK or UNLOCK.

NDVRM320: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the CCID LOCK/UNLOCK LIST screens, and all selected records have been processed by the CCID LOCK/UNLOCK DETAIL screens.

NDVRM330: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM330: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM330: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

NDVRM330: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRM330: E005

DICTIONARY dictionary-name IS ALREADYLOCKED

Reason:

An attempt to LOCK a CA Endevor/DB dictionary was not processed because the dictionary was already locked.

NDVRM330: E006

DICTIONARY dictionary-name IS NOTCURRENTLY LOCKED

Reason:

An attempt to UNLOCK a CA Endevor/DB dictionary was not processed because the CA Endevor/DB dictionary was not currently locked.

NDVRM330: I001

ACTION COMPLETED NORMALLY: DICTIONARYaction

Reason:

Informational message produced to confirm the end of processing.

NDVRM330: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the DICTIONARY LOCK/UNLOCK LIST screens, and all selected records have been processed by the DICTIONARY LOCK/UNLOCK DETAIL screens.

NDVRM410: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM410: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM410: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM410: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRM410: E005

ENTITY DESCRIPTOR ALREADY EXISTS AND CANNOT BEADDED AGAIN

Reason:

An attempt to ADD an entity description was not processed because the entity was already defined in the CCDB.

NDVRM410: I001

ACTION COMPLETED NORMALLY: ENTITYDESCRIPTOR action

Reason:

Informational message produced to confirm the end of processing.

NDVRM410: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the ENTITY LIST screens, and all selected records have been processed by the ENTITY DETAIL screens.

NDVRM420: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM420: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM420: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM420: E009

SYSTEM ERROR -- NDVRU420 NEVER CALLED

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM430: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

NDVRM430: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM430: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM430: E009

SYSTEM ERROR -- NDVRU430 NEVER CALLED

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM430: I001

ACTION COMPLETED NORMALLY:action-description

Reason:

Informational message produced to confirm the end of processing.

NDVRM430: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the ENTITY STATUS HISTORY LIST screens, and all selected records have been processed by the ENTITY STATUS DETAIL screens.

NDVRM510: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

NDVRM510: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM510: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM510: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRM510: E005

CCID DESCRIPTOR ALREADY EXISTS AND CANNOT BEADDED AGAIN

Reason:

An attempt to ADD a CCID descriptor was not processed because the CCID was already defined in the CCDB.

NDVRM510: I001

ACTION COMPLETED NORMALLY: CCIDaction

Reason:

Informational message produced to confirm the end of processing.

NDVRM510: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on a CCID FUNCTIONS LIST screens, and all selected records have been processed by the CCID FUNCTIONS DETAIL screens.

NDVRM520: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM520: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM520: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM520: E004

NO CHANGE-LOG ENTRY FOUND -- PLEASE RESPECIFYTHE ENTITY AND/OR CHANGE IDENTIFICATION

Reason:

This message is produced when either the indicated entity and/or CCID specification have not been successfully associated with an existing change-log entry.

NDVRM520: E005

NEITHER CCID OR CHANGE LOG ENTRY FOUND --PLEASE RESPECIFY ALL IDENTIFICATION VALUES

Reason:

An attempt to identify a change-log entry/CCID association has failed due to a missing or invalid CCID, and a missing or invalid entity specification.

NDVRM520: I001

ACTION COMPLETED NORMALLY: CCID/CLEASSOCIATION

Reason:

Informational message produced to confirm the end of processing.

NDVRM520: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the CCID/CHANGE ASSOCIATIONS LIST screens, and all selected records have been processed by the CCID/CHANGE ASSOCIATIONS DETAIL screens.

NDVRM530: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM530: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM530: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

NDVRM530: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRM530: E009

SYSTEM ERROR -- NDVRU530 NEVER CALLED

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM530: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the ENTITY STATUS HISTORY LIST screens, and all selected records have been processed by the ENTITY STATUS DETAIL screens.

NDVRM610: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM610: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM610: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

NDVRM610: E005

STATUS ALREADY EXISTS AND CANNOT BE ADDED AGAIN

Reason:

An attempt to ADD a status descriptor failed because the status was already defined in the CCDB.

NDVRM610: I001

ACTION COMPLETED NORMALLY: STATUSDESCRIPTOR action

Reason:

Informational message produced to confirm the end of processing.

NDVRM610: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the STATUS LIST screens, and all selected records have been processed by the STATUS DETAIL screens.

NDVRM620: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM620: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM620: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

NDVRM620: E005

ENTITY ALREADY ASSIGNED A STATUS -- USE THEMODIFY OPTION TO REPLACE IT

Reason:

An attempt to assign a status to an entity has failed because a status has already been assigned. A different status can be associated with the specified entity by use of MODIFY.

NDVRM620: I001

ACTION COMPLETED NORMALLY: STATUS/ENTITYASSOCIATION

Reason:

Informational message produced to confirm the end of processing.

NDVRM620: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the STATUS/ENTITY LIST screens, and all selected records have been processed by the STATUS/ENTITY DETAIL screens.

NDVRM710: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM710: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM710: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

NDVRM710: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRM710: E005

USER DESCRIPTION ALREADY EXISTS AND CANNOT BEADDED AGAIN

Reason:

An attempt to add a user descriptor has failed because the user already exists in the CCDB. To view existing user descriptors, select the BROWSE USER DESCRIPTORS subfunction.

NDVRM710: I001

ACTION COMPLETED NORMALLY: USERDESCRIPTOR action

Reason:

Informational message produced to confirm the end of processing.

NDVRM710: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the USER LIST screens, and all selected records have been processed by the USER DETAIL screens.

NDVRM720: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM720: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

NDVRM720: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM720: E006

NO CHANGE-LOG ENTRY FOUND -- PLEASE RESPECIFYTHE ENTITY AND/OR CHANGE IDENTIFICATION

Reason:

This message is produced when either the indicated entity and/or CCID specification have not been successfully associated with an existing change-log entry.

NDVRM720: E007

NEITHER USER OR CHANGE LOG ENTRY FOUND --PLEASE RESPECIFY ALL IDENTIFICATION VALUES

Reason:

An attempt to identify a change-log entry/USER association has failed due to a missing or invalid USER, and a missing or invalid entity specification.

NDVRM720: I001

ACTION COMPLETED NORMALLY: CCID/CLEASSOCIATION

Reason:

Informational message produced to confirm the end of processing.

NDVRM720: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the USER/CHANGE ASSOCIATIONS LIST screens, and all selected records have been processed by the USER/CHANGE ASSOCIATIONS DETAIL screens.

NDVRM810: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM810: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM810: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM810: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRM810: I001

ACTION COMPLETED NORMALLY: DICTIONARYDESCRIPTOR action

Reason:

Informational message produced to confirm the end of processing.

NDVRM810: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the DICTIONARY FUNCTIONS LIST screens, and all selected records have been processed by DICTIONARY FUNCTIONS DETAIL screens.

NDVRM820: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM820: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM820: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM820: E009

SYSTEM ERROR -- NDVRU820 NEVER CALLED

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM820: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the CHANGE-LOG ENTRIES LIST screens, and all selected records have been processed by CHANGE-LOG ENTRIES DETAIL screens.

NDVRM910: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

NDVRM910: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM910: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM910: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRM910: E005

MANAGEMENT GROUP ALREADY EXISTS AND CANNOT BEADDED AGAIN

Reason:

An attempt to add a MANAGEMENT GROUP has failed because the group already exists in the CCDB. Use the BROWSE MANAGEMENT GROUPS function to view existing MANAGEMENT GROUPS.

NDVRM910: I001

ACTION COMPLETED NORMALLY: MANAGEMENTGROUP action

Reason:

Informational message produced to confirm the end of processing.

NDVRM910: I002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the MANAGEMENT GROUP LIST screens, and all selected records have been processed by the MANAGEMENT GROUP DETAIL screens.

NDVRM920: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM920: E002

SYSTEM ERROR -- MAP-STACK AND LIST-WR INCONSISTENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM920: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRM920: E005

CCID AND MANAGEMENT GROUP ARE ALREADYASSOCIATED -- USE MODIFY OPTION INSTEAD

Reason:

An attempt to add a MANAGEMENT GROUP/CCID ASSOCIATION has failed because the association already exists in the CCDB. Use MODIFY option to process an existing MANAGEMENT GROUP/CCID association.

NDVRM920: I001

ACTION COMPLETED NORMALLY: MANAGEMENTGROUP action

Reason:

Informational message produced to confirm the end of processing.

NDVRM920: 1002

ALL SELECTED RECORDS PROCESSED

Reason:

Informational message produced when multiple records are selected on the MANAGEMENT GROUP/CCID ASSOCIATION LIST screens, and all selected records have been processed by the MANAGEMENT GROUP/CCID ASSOCIATION DETAIL screens.

NDVRUA00: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRUA00: W001

SPECIFY AN OPTION VALUE (1 THRU 8) TO PROCEED

Reason:

The ENTER key was pressed, but no valid option value was entered in the OPTION field. To proceed, enter a valid option value or press PF3/CLEAR to exit from the SYSTEM CONTROL FUNCTIONS screen.

NDVRUA00: W002

YOU ARE NOT AUTHORIZED TO USE OPTIONoption-value

Reason:

The particular option value specified is not an authorized option for the current user. Authority associated with a user profile is set by the CCDB Security administrator.

NDVRUA00: W003

OPTION 2 IS NOT SUPPORTED

Reason:

The ability to modify an existing CCDB DESCRIPTOR RECORD is not a supported feature in the online environment.

NDVRUA10: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRUA10: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRUA10: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRUA10: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRUA30: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

NDVRUA30: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRUA30: 1003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRUA30: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU000: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU000: W001

SPECIFY AN OPTION VALUE (1 THRU 12) TO PROCEED

Reason:

The ENTER key was pressed, but no valid option value was entered in the OPTION field. To proceed, enter a valid option value or press PF3 or CLEAR to exit from the MAIN FUNCTION MENU.

NDVRU000: W002

YOU ARE NOT AUTHORIZED TO USE OPTIONoption-value

Reason:

The particular option value specified is not an authorized option for the current user. Authority associated with a user profile is set by the CCDB Security administrator.

NDVRU100: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU100: W001

SPECIFY AN OPTION VALUE (1 THRU 3) TO PROCEED

Reason:

The ENTER key was pressed, but no valid option value was entered in the OPTION field. To proceed, enter a valid option value or press PF3/CLEAR to exit from the SIGNIN/SIGNOUT FUNCTIONS screen.

NDVRU100: W002

YOU ARE NOT AUTHORIZED TO USE OPTIONoption-value

Reason:

The particular option value specified is not an authorized option for the current user. Authority associated with a user profile is set by the CCDB Security administrator.

NDVRU100: W008

ENTITIES MAY BE SIGNED OUT TO EITHER A CCID ORA USER, BUT NOT BOTH -- CLEAR ONE OR THE OTHER

Reason:

The attempt to signout an entity failed because both the CCID and user field contain data. An entity cannot be signed out to a user and a CCID at the same time.

NDVRU100: W009

ONE OR MORE SPECIFIED VALUES INVALID -- CORRECTTHOSE THAT ARE HIGH-LIGHTED

Reason:

An invalid value has been entered into at least one field, and the invalid value has been highlighted. Processing will continue when valid values are entered into the highlighted field(s).

NDVRU110: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU110: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU110: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU110: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU200: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU200: W001

SPECIFY AN OPTION VALUE (1 THRU 4) TO PROCEED

Reason:

The ENTER key was pressed, but no valid option value was entered in the OPTION field. To proceed, enter a valid option value or press PF3 or CLEAR to exit from the PRE-AUTHORIZATION screen.

NDVRU200: W002

YOU ARE NOT AUTHORIZED TO USE OPTIONoption-value

Reason:

The particular option value specified is not an authorized option for the current user. Authority associated with a user profile is set by the CCDB Security administrator.

NDVRU200: W008

ENTITIES MAY BE PRE-AUTHORIZED TO EITHER A CCIDOR A USER BUT NOT BOTH -- CLEAR ONE OR THE OTHER

Reason:

The attempt to pre-authorize an entity failed because both the CCID and USER field contain data. An entity cannot be pre-authorized to a USER and a CCID at the same time.

NDVRU200: W009

ONE OR MORE SPECIFIED VALUES INVALID -- CORRECTTHOSE THAT ARE HIGH-LIGHTED

Reason:

An invalid value has been entered into at least one field, and the invalid value has been highlighted. Processing will continue when valid values are entered into the highlighted field(s).

NDVRU210: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU210: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU210: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU210: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU300: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

NDVRU300: W001

SPECIFY AN OPTION VALUE (1 THRU 9) TO PROCEED

Reason:

The ENTER key was pressed, but no valid option value was entered in the OPTION field. To proceed, enter a valid option value or use PF3 or CLEAR to exit from the LOCK/UNLOCK FUNCTIONS screen.

NDVRU300: W002

YOU ARE NOT AUTHORIZED TO USE OPTIONoption-value

Reason:

The particular option value specified is not an authorized option for the current user. Authority associated with a user profile is set by the CCDB Security administrator.

NDVRU310: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU310: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU310: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU310: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU320: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU320: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU320: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU320: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU330: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

NDVRU330: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU330: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU330: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU400: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU400: W001

SPECIFY AN OPTION VALUE (1 THRU 6) TO PROCEED

Reason:

The ENTER key was pressed, but no valid option value was entered in the OPTION field. To proceed, enter a valid option value or use PF3 or CLEAR to exit from the ENTITY FUNCTIONS screen.

NDVRU400: W002

YOU ARE NOT AUTHORIZED TO USE OPTIONoption-value

Reason:

The particular option value specified is not an authorized option for the current user. Authority associated with a profile is set by the CCDB Security administrator.

NDVRU400: W009

ONE OR MORE SPECIFIED VALUES INVALID -- CORRECTTHOSE THAT ARE HIGH-LIGHTED

Reason:

An invalid value has been entered into at least one field, and the invalid value has been highlighted. Processing will continue when valid values are entered into the highlighted field(s).

NDVRU410: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU410: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU410: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU410: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU420: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU420: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU420: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU420: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU430: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

NDVRU430: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU430: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU430: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU500: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU500: W001

SPECIFY AN OPTION VALUE (1 THRU 9) TO PROCEED

Reason:

The ENTER key was pressed, but no valid option value was entered in the OPTION field. To proceed, enter a valid option value or press PF3 or CLEAR to exit from the CCID FUNCTIONS screen.

NDVRU500: W002

YOU ARE NOT AUTHORIZED TO USE OPTIONoption-value

Reason:

The particular option value specified is not an authorized option for the current user. Authority associated with a profile is set by the CCDB Security administrator.

NDVRU500: W004

SPECIFY A CCID VALUE WHEN USING OPTION 9

Reason:

To browse the entity status for a CCID, a valid CCID must be entered on the CCID FUNCTIONS screen. Valid CCID values can be displayed by using option 1 (BROWSE CCID DESCRIPTORS).

NDVRU500: W009

ONE OR MORE SPECIFIED VALUES INVALID -- CORRECTTHOSE THAT ARE HIGH-LIGHTED

Reason:

An invalid value has been entered into at least one field, and the invalid value has been highlighted. Processing will continue when valid values are entered into the highlighted field(s).

NDVRU510: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU510: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

NDVRU510: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU510: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU520: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU520: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU520: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU520: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU530: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU530: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU530: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU530: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU600: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

NDVRU600: W001

SPECIFY AN OPTION VALUE (1 THRU 8) TO PROCEED

Reason:

The ENTER key was pressed, but no valid option value was entered in the OPTION field. To proceed, enter a valid option value or press PF3 or CLEAR to exit from the STATUS FUNCTIONS screen.

NDVRU600: W002

YOU ARE NOT AUTHORIZED TO USE OPTIONoption-value

Reason:

The particular option value specified is not an authorized option for the current user. Authority associated with a profile is set by the CCDB Security administrator.

NDVRU600: W009

ONE OR MORE SPECIFIED VALUES INVALID -- CORRECTTHOSE THAT ARE HIGH-LIGHTED

Reason:

An invalid value has been entered into at least one field, and the invalid value has been highlighted. Processing will continue when valid values are entered into the highlighted field(s).

NDVRU610: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU610: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

NDVRU610: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU610: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU620: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU620: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU620: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU620: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU700: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU700: W001

SPECIFY AN OPTION VALUE (1 THRU 8) TO PROCEED

Reason:

The ENTER key was pressed, but no valid option value was entered in the OPTION field. To proceed, enter a valid option value or use PF3 or CLEAR to exit from the USER FUNCTIONS screen.

NDVRU700: W002

YOU ARE NOT AUTHORIZED TO USE OPTION option-value

Reason:

The particular option value specified is not an authorized option for the current user. Authority associated with a profile is set by the CCDB Security administrator.

NDVRU700: W009

ONE OR MORE SPECIFIED VALUES INVALID -- CORRECTTHOSE THAT ARE HIGH-LIGHTED

Reason:

An invalid value has been entered into at least one field, and the invalid value has been highlighted. Processing will continue when valid values are entered into the highlighted field(s).

NDVRU710: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU710: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU710: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU710: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU720: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU720: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU720: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU720: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU800: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU800: W001

SPECIFY AN OPTION VALUE (1 THRU 6) TO PROCEED

Reason:

The ENTER key was pressed, but no valid option value was entered in the OPTION field. To proceed, enter a valid option value or use PF3 or CLEAR to exit from the DICTIONARY FUNCTIONS screen.

NDVRU800: W002

YOU ARE NOT AUTHORIZED TO USE OPTIONoption-value

Reason:

The particular option value specified is not an authorized option for the current user. Authority associated with a profile is set by the CCDB Security administrator.

NDVRU800: W009

ONE OR MORE SPECIFIED VALUES INVALID -- CORRECTTHOSE THAT ARE HIGH-LIGHTED

Reason:

An invalid value has been entered into at least one field, and the invalid value has been highlighted. Processing will continue when valid values are entered into the highlighted field(s).

NDVRU810: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU810: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU810: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU810: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU820: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU820: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU820: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU820: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU900: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU900: W001

SPECIFY AN OPTION VALUE (1 THRU 8) TO PROCEED

Reason:

The ENTER key was pressed, but no valid option value was entered in the OPTION field. To proceed, enter a valid option value or use PF3/CLEAR to exit from the MANAGEMENT GROUP FUNCTIONS screen.

NDVRU900: W002

YOU ARE NOT AUTHORIZED TO USE OPTIONoption-value

Reason:

The particular option value specified is not an authorized option for the current user. Authority associated with a profile is set by the CCDB Security administrator.

NDVRU910: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU910: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU910: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU910: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

NDVRU920: E001

SYSTEM ERROR -- MGRMRB INSUFFICIENT

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU920: E003

MAP WORKREC NOT FOUND OR WRONG SIZE

Reason:

Internal error. Contact CA Endevor/DB Technical Support.

NDVRU920: I003

ENTER A CHARACTER IN THE SELECTOR FIELD OF THEITEMS TO BE PROCESSED, OR PRESS PF3/CLEAR TO EXIT

Reason:

Indicate your selection of items to be processed by entering any non-blank character in the selector field of each item you want to process. To exit, press PF3 or the CLEAR key.

NDVRU920: W001

NO (MORE) DATABASE RECORDS FOUND MEETING THESELECTION CRITERIA

Reason:

This message is produced when either all selected items have been processed, or no items satisfying selection criteria were found in the database.

Reporting Messages

NDVRCULP: E001

SYNTAX ERROR(S) IN SPECIFIED PARAMETERS

Reason:

User Reports. This message accompanies message(s) from NDVRPARS identifying specific syntax error(s)s detected in the SYSO10 input command files. Correct the syntax error(s) and resubmit the job.

NDVRCULP: E002

INPUT=ARCHIVE OPTION SPECIFIED NOT SUPPORTEDFOR REQUESTED REPORT

Reason:

User Reports. The INPUT=ARCHIVE option is only supported on Change Log (NDVRRCLG) reports.

NDVRCULP: E099

ERROR ENCOUNTERED IN USER REPORTS

Reason:

User Reports. This message accompanies other messages in the CA Culprit output which indicate the actual cause and severity of a detected problem.

NDVRCULP: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

User Reports. Internal error. Contact CA Endevor/DB Technical Support.

NDVRCULP: F001

LOOP COUNTER SET TO 0 WHEN SCANNING VCON TABLE

Reason:

User Reports. Internal error. Contact CA Endevor/DB Technical Support.

NDVRCULP: F002

USER MODULE NAME SPECIFIED ON "IN" CARD INVALID

Reason:

User Reports. Internal error. Contact CA Endevor/DB Technical Support.

NDVRCULP: F003

REGISTER 15 WAS SET TO NON-ZERO BY LOWER LEVELPROGRAM

Reason:

User Reports. Internal error. Contact CA Endevor/DB Technical Support.

NDVRRCCI: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

User Reports. Internal error. Contact CA Endevor/DB Technical Support.

NDVRRCLG: E001

OPEN ERROR ON SYS011

Reason:

User Reports. INPUT ARCHIVE was specified but the SYSO11 input file, which identifies either an archive file produced by a REPORT 90 job or an NDVRARCO run, could not be opened. Check the job log messages for the reason for the open failure, and then correct the JCL and resubmit the job.

NDVRRCLG: E002

READ ERROR ON SYS011

Reason:

User Reports. INPUT ARCHIVE was specified but the SYSO11 input file, which identifies either an archive file produced by a REPORT 90 job or an NDVRARCO run, could not be read. Check the job log messages for the reason for the open failure, and then correct the JCL and resubmit the job.

NDVRRCLG: E003

HEADER ON RECORD READ IS INVALID -- BAD DATA ONINPUT

Reason:

User Reports. INPUT ARCHIVE was specified but the SYS011 input file, which identifies either an archive file produced by a REPORT 90 job or an NDVRARCO run, is not an archive file. Correct the JCL and resubmit the job.

NDVRRCLG: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

User Reports. Internal error. Contact CA Endevor/DB Technical Support.

NDVRRCMP: F001

UNABLE TO LOAD NDVRSORT MODULE

Reason:

User Reports. Internal error executing NDVRDCMP or NDVRCOMP utility. This message will be followed by a User Abend Code LOAD number 1. Contact CA Endevor/DB Technical Support.

NDVRRCSL: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

User Reports. Internal error. Contact CA Endevor/DB Technical Support.

NDVRRMGC: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

User Reports. Internal error. Contact CA Endevor/DB Technical Support.

NDVRRMGP: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

User Reports. Internal error. Contact CA Endevor/DB Technical Support.

NDVRRSTA: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

User Reports. Internal error. Contact CA Endevor/DB Technical Support.

NDVRRUSR: E998

SYSTEM ERROR -- SERVICE REQUEST NOT PROCESSED-- CALL CA-E/DB TECH SUPPORT

Reason:

User Reports. Internal error. Contact CA Endevor/DB Technical Support. .

Appendix A: Internal Errors and Diagnostics

This section contains the following topics:

<u>Introduction</u> (see page 157) <u>User Abend Codes</u> (see page 158)

Introduction

This appendix describes generic internal errors; i.e., those errors not specific to individual modules. When serious, unrecoverable errors are detected, standard abends will be observed.

There are two types of abends:

- A user abend with trace back.
- An intentional program check which triggers a S(0C3) abend. These are only issued when internal errors occur.

In cases of abnormal software termination (ABEND), a calling path trace back is generally produced. In certain cases, however, this is not feasible due to storage integrity errors, etc. The trace back data (see diagram below) is written to an output media, selected from the following list in order of availability:

■ File NDVRERR (not available to T/P monitors), if provided.

volser COMPUTER ASSOCIATES INTERNATIONAL, INC. TIME RELEASE nn.n CA-ENDEVOR/DB mm/dd/yy 08:40:07 00001 DIAGNOSTICS OUTPUT LISTING PRODUCT: CA-ENDEVOR/DB VERSION nn.n RELEASE volser OPERATING SYSTEM: 0S/390 RELEASE: SP5.2.2 TASK/JOB/USERID: RUNDSEL LOADED MODULES SUMMARY: LOAD SVCS:0000002 DELETE SVCS:0000000 MODULE SERVICE REQUESTS: LAOD:0000002 DELETE:0000000 IDENTIFY:0000000 PRESENT: RMODE HI:0000001 LO:0000001 HLL PGMS:0000000 IDENTIFY:0000000 OVERALL: RMODE HI:0000001 LO:0000001 HLL PGMS:0000000 IDENTIFY:0000000 CALL FROM \$FUNC=\$BABEND EPA=000545B8 R1=0005E0F8 R14=80054860 STACK=0005E0A0 CSECT=NDVRIPGM mm/dd/yy CALL FROM \$FUNC=NDVROPSV EPA=0004FEC0 R1=0005E000 R14=8004FF52 STACK=0005E040 CSECT=NDVROPSV mm/dd/yy CALL FROM \$FUNC=PROCESS EPA=06A015E8 R1=0005BC48 R14=86A018BC STACK=0005D0E8

CALL FROM \$FUNC=NDVRDSEL EPA=06A00258 R1=0005BC48 R14=86A0043C STACK=0005C2F8 CSECT=NDVRDSEL mm/dd/yy

CALL FROM PROGM=NDVRDSEL ASM DT=mm/dd/yy VERS=0140 EPA=86A001B0 RET=86A0024A

The call trace displays the modules and subfunctions at the point of ABEND.

- User's Terminal (CA IDMS/DC, TSO, CMS...).
- System consolelog.

When severe errors occur due to improper linkage or storage integrity, the CA Endevor/DB system may abend without trace back, or even via a special program check - System OC3 (Execute Exception).

In the event of OC3 program check, examine the contents of the registers at entry to abend. There is text loaded into registers 0 through 5 that describes the error and the abending module.

User Abend Codes

The following User Abend codes are produced by CA Endevor/DB. In most cases, the abend is accompanied by an error message from the module producing the abend; the error messages further defines the cause of the failure.

User Abend Code	User Abend Number	Reason
CNFG	2222	Invalid NDVRCNFG server table.
CSRT	0101	Internal Sort/Merge failure.
DBNM	1008	Internal Sort failure.
FMRG	0901	Internal Sort/Merge failure.
IMRG	0902	Internal Sort/Merge failure.
KRNL	2001	NDVRBOOT or NDVRVECT improperly assembled/linked.
KRNL	2002	Too many CA Endevor/DB jobs are concurrently active within a task.
LINK	0998	Internal linkage failure.
LOAD	0001	Unable to load module NDVRSORT.
LODI	4002	Program management integrity failure.
MACR	3009	Error on unconditional-form macro.

User Abend Code	User Abend Number	Reason	
MPNT	0801	Internal Sort/Merge failure.	
NDVR	2111	Servers not up.	
NDVR	2112	Server initialization failure.	
NDVX	2000	Stack Baseor NDVRSYVV invalid.	
NVVI	2001	Attempted to invoke unimplemented vectored function.	
OPSV	3010	Invalid OpSys Macro requested.	
OVFL	1001	Stack overflow too many nested calls.	
RECL	0902	Internal Sort/Merge failure.	
SCTL	0901	Internal Sort/Merge failure.	
SERV	3456	Server failure.	
SERV	3987	Server failure.	
STGI	4001	Storage Integrity Error. RC=rcode where rcode is: 0 Storage element is a storage management anchor 4 Storage not found or duplicate/invalid storage element 8 Storage management chain broken 12 STGID=0 named storage function or storage element is already freed 16 Storage has been violated (overrun)	
STGL	4002	Invalid storage macro request.	
TCEA	n/a	Probable incompatibility with CA IDMS/DC release being used by NDVRIOPS.	
U806	806	Unable to load module.	
XTSK	4006	Cross task check failure	
\$DNT	2222	Unable to allocate \$DNT control block.	
\$FSB	3001	Comparison failure.	
\$NVS	1010	Unable to acquire/locate signon element.	
\$NVV	1110	Bad link-edit of NDVRBOOT or incompatible version of NDVRSYVV.	
1001	1001	General I/O failure.	

User Abend Code	User Abend Number	Reason
1002	1002	General I/O failure.
2222	2222	General processing failure.