

Installation and Upgrade Guide

CA NetVoyant
Version 7.1



This Documentation, which includes embedded help systems and electronically distributed materials, (hereinafter referred to as the "Documentation") is for your informational purposes only and is subject to change or withdrawal by CA at any time.

This Documentation may not be copied, transferred, reproduced, disclosed, modified or duplicated, in whole or in part, without the prior written consent of CA. This Documentation is confidential and proprietary information of CA and may not be disclosed by you or used for any purpose other than as may be permitted in (i) a separate agreement between you and CA governing your use of the CA software to which the Documentation relates; or (ii) a separate confidentiality agreement between you and CA.

Notwithstanding the foregoing, if you are a licensed user of the software product(s) addressed in the Documentation, you may print or otherwise make available a reasonable number of copies of the Documentation for internal use by you and your employees in connection with that software, provided that all CA copyright notices and legends are affixed to each reproduced copy.

The right to print or otherwise make available copies of the Documentation is limited to the period during which the applicable license for such software remains in full force and effect. Should the license terminate for any reason, it is your responsibility to certify in writing to CA that all copies and partial copies of the Documentation have been returned to CA or destroyed.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, CA PROVIDES THIS DOCUMENTATION "AS IS" WITHOUT WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL CA BE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, FROM THE USE OF THIS DOCUMENTATION, INCLUDING WITHOUT LIMITATION, LOST PROFITS, LOST INVESTMENT, BUSINESS INTERRUPTION, GOODWILL, OR LOST DATA, EVEN IF CA IS EXPRESSLY ADVISED IN ADVANCE OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The use of any software product referenced in the Documentation is governed by the applicable license agreement and such license agreement is not modified in any way by the terms of this notice.

The manufacturer of this Documentation is CA.

Provided with "Restricted Rights." Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-14, and 52.227-19(c)(1) - (2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Copyright © 2013 CA. All rights reserved. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

Contact CA Technologies

Contact CA Support

For your convenience, CA Technologies provides one site where you can access the information that you need for your Home Office, Small Business, and Enterprise CA Technologies products. At <http://ca.com/support>, you can access the following resources:

- Online and telephone contact information for technical assistance and customer services
- Information about user communities and forums
- Product and documentation downloads
- CA Support policies and guidelines
- Other helpful resources appropriate for your product

Providing Feedback About Product Documentation

If you have comments or questions about CA Technologies product documentation, you can send a message to techpubs@ca.com.

To provide feedback about CA Technologies product documentation, complete our short customer survey which is available on the CA Support website at <http://ca.com/docs>.

Contents

Chapter 1: Introduction	7
Chapter 2: System Requirements	9
Supported Operating Systems	9
Hardware Requirements	9
Supported Web Browsers	10
Adobe Applications	10
NetVoyant in a Virtual Environment	10
Chapter 3: Installing NetVoyant Software	11
Installation Prerequisites	11
Install NetVoyant in a Distributed System	12
Install NetVoyant in a Standalone System	13
Chapter 4: Upgrading NetVoyant Software	15
Upgrade Prerequisites	15
Back Up the Database	16
Upgrade NetVoyant in a Distributed System	17
Upgrade NetVoyant in a Standalone System	18
Troubleshooting	19
Error message: Error Number -132 (or Error Number -115)	19
Error message: Not enough disk space available for upgrade	20
Error message: This appears to be a new installation of NetVoyant	20
Error message: Database cannot be found	21
Appendix A: Allow an Executable to Run	23

Chapter 1: Introduction

CA NetVoyant (NetVoyant) provides SNMP-based performance metrics for managing network infrastructure, devices, and services. Using data collected from devices such as routers, switches, and servers, NetVoyant summarizes and condenses data into easy-to-understand, web-based reports.

This document describes the steps for the following tasks:

- Installing the software for a new installation of NetVoyant version 7.1 and subsequent service packs
- Upgrading the software in an existing installation to NetVoyant version 7.1 and subsequent service packs

Chapter 2: System Requirements

This section contains the following topics:

- [Supported Operating Systems](#) (see page 9)
- [Hardware Requirements](#) (see page 9)
- [Supported Web Browsers](#) (see page 10)
- [Adobe Applications](#) (see page 10)
- [NetVoyant in a Virtual Environment](#) (see page 10)

Supported Operating Systems

Servers that host NetVoyant components are supported on the following Microsoft operating systems.

- Windows Server 2008 R2
- Windows Server 2003 64-bit
- Windows Server 2003 Web Edition
- Windows Server 2003 Standard Edition

Install the version of IIS that ships with the operating system.

Hardware Requirements

In a *distributed* system, the Master server and poller are installed on separate servers or virtual machines. In a *standalone* system, the Master console and poller are installed on the same server or virtual machine. In both systems, the servers that host NetVoyant components have the following requirements.

CA has tested NetVoyant on servers with the following specifications. CA supports NetVoyant installed on servers from any vendor, if the servers conform to these specifications, *at minimum*:

- Intel E5520 Xeon quad-core 2.66 GHz, 1333 MHz FSB processor
- 12 GB RAM
- Six 146-GB SAS hard drives in RAID 5 configuration. The drives should have a minimum speed of 15000 RPM.
- DVD drive

- Hard disk space:
 - 30 GB on the C: drive to host the operating system
 - 846 GB on the D: drive, the default location for installing the NetVoyant software
- One 10/100/1000 Mbps Ethernet RJ-45 port

Supported Web Browsers

The NetVoyant console is supported on Microsoft Internet Explorer versions 6, 7, and 8. Other browsers or versions may work but have not been tested with NetVoyant.

Adobe Applications

Adobe Acrobat Reader and Flash Player are required to view reports, charts, and the product documentation.

- Install the latest version of Acrobat Reader from <http://get.adobe.com/reader/>.
- Install the latest version of Flash Player from <http://get.adobe.com/flashplayer/>.

NetVoyant in a Virtual Environment

NetVoyant is supported in virtual environments.

- You can install NetVoyant on a virtual machine that conforms to the hardware requirements described in [System Requirements](#) (see page 9).
- To install the NetVoyant software on a virtual machine, follow the instructions in [Installing the Software](#) (see page 11).

Chapter 3: Installing NetVoyant Software

This section contains the following topics:

[Installation Prerequisites](#) (see page 11)

[Install NetVoyant in a Distributed System](#) (see page 12)

[Install NetVoyant in a Standalone System](#) (see page 13)

Installation Prerequisites

Before you install NetVoyant, perform the following tasks:

- Open the following ports:
 - TCP ports 900, 3308, and 9601 through 9608 between the Master server and all remote poller servers. Open these ports bi-directionally.
 - Ports 80 and 443 (optional if SSL is implemented) for web service calls.
- Disable the following types of third-party software on all servers:
 - Anti-virus
 - Anti-spyware
 - Server monitoring and maintenance tools such as SMS, SUS, or MoM
- Restart all servers to ensure that available Microsoft Windows patches are applied.
- Obtain the NetVoyant installation files from [CA Technical Support](#).
- Extract or copy the following files to the servers on which you want to install the software:
 - netvoyant-7.1.x-win32-i586.exe
 - netvoyant-post-1.1.x.exe
- Allow the netvoyant-7.1.x-win32-i586.exe file to run. For more information, see [Allow an Executable to Run](#) (see page 23).

Install NetVoyant in a Distributed System

Distributed systems are those with separate servers for the NetVoyant Master server and remote pollers. As a best practice, install pollers close to the devices you want to monitor, to reduce polling latency.

Follow these steps:

1. Double-click the netvoyant-7.1.x-win32-i586.exe file on the Master server:
 - a. Click Next on the introduction dialog.
 - b. Click Yes to accept the EULA.
 - c. Enter your name and company name in the fields provided.
 - d. Click Yes for a new installation.
 - e. Select NetVoyant at the version to install.
 - f. Accept the defaults on the components dialog.
 - g. Install the software to the d:\ drive, which is the default location.
 - h. Accept the default for the program folder name.
 - i. Select Yes to allow NetVoyant to start automatically when the server is restarted.
 - j. Click Next to start the installation.
 - k. Click Cancel when prompted to restart the server.
2. Double-click the netvoyant-post-1.1.x.exe file on the Master server.
 - a. Click Next to accept defaults.
 - b. Restart the server when prompted.
3. Repeat steps 1 and 2 on each polling server.
4. Verify a successful installation:
 - a. Access the NetVoyant user interface:
 - Type **http://localhost/nv** in the Address field of your browser.
The NetVoyant login page opens.
 - b. Log in with the following credentials:
 - User name: nvadmin
 - Password: nv
 - c. Click the services tab and verify that services are in a Running state.

Your system is now ready for configuration. For more information, see the *CA NetVoyant Administrator Guide*.

Install NetVoyant in a Standalone System

A standalone NetVoyant system contains one NetVoyant server that hosts the NetVoyant web interface, Master server, and poller.

As a best practice, install the server close to the devices you want to monitor, to reduce polling latency.

Follow these steps:

1. Double-click the netvoyant-7.1.x-win32-i586.exe file.
 - a. Click Next on the introduction dialog.
 - b. Click Yes to accept the EULA.
 - c. Enter your name and company name in the fields provided.
 - d. Click Yes for a new installation.
 - e. Select NetVoyant as the version to install.
 - f. Accept the defaults on the components dialog.
 - g. Install the software to the d:\ drive, which is the default location.
 - h. Accept the default for the program folder name.
 - i. Select Yes to allow NetVoyant to start automatically when the server is restarted.
 - j. Click Next to start the installation.
 - k. When prompted to restart the server, click Cancel.
2. Double-click the netvoyant-post-1.1.x.exe file.
 - a. Click Next to accept defaults.
 - b. Restart the server when prompted.
3. Verify a successful installation:
 - a. Access the NetVoyant user interface:
 - Type **http://localhost/nv** in the Address field of your browser.
The NetVoyant login page opens.
 - b. Log in with the following credentials:
 - User name: nvadmin
 - Password: nv
 - c. Click the Services tab and verify that services are in a Running state.

Your system is now ready for configuration. For more information, see the *CA NetVoyant Administrator Guide*.

Chapter 4: Upgrading NetVoyant Software

Important: An upgrade from version 6.1 contains minor database architecture changes. This upgrade can take from several minutes to several hours to complete, depending on the size of the NetVoyant database. Plan the timing of your upgrade accordingly.

This section contains the following topics:

- [Upgrade Prerequisites](#) (see page 15)
- [Back Up the Database](#) (see page 16)
- [Upgrade NetVoyant in a Distributed System](#) (see page 17)
- [Upgrade NetVoyant in a Standalone System](#) (see page 18)
- [Troubleshooting](#) (see page 19)

Upgrade Prerequisites

Before you upgrade NetVoyant, perform the following tasks:

- Ensure the NetVoyant servers you want to upgrade are running NetVoyant version 6.1.18, at minimum.
- Ensure that the amount of free disk space on each server is greater than the largest file in D:\netqos\mysql51\data\nms2
- Open the following ports:
 - TCP ports 900, 3308, and 9601 through 9608 between the Master server and all remote poller servers. Open these ports bi-directionally.
 - Ports 80 and 443 (optional if SSL is implemented) for web service calls.
- Backup the NetVoyant databases. For more information, see [Back Up the Database](#) (see page 16).
- Disable the following types of third-party software on all servers you want to upgrade:
 - Anti-virus
 - Anti-spyware
 - Server monitoring and maintenance tools such as SMS, SUS, or MoM
- Restart all servers to ensure that available Windows patches are applied.
- Obtain the NetVoyant upgrade files from [CA Technical Support](#).

- Extract or copy the following files to the servers you want to upgrade:
 - netvoyant-7.1.x-win32-i586.exe
 - netvoyant-post-1.1.x.exe
 - nvSyncPreview.exe
- Enable the netvoyant-7.1.x-win32-i586.exe file to run. For more information, see [Allow an Executable to Run](#) (see page 23).

Back Up the Database

Before upgrading your NetVoyant system, back up the database on all NetVoyant servers, including remote pollers.

Follow these steps:

1. Navigate to the Control Panel and click Administrative Tools, Services.
 - Stop all NetQoS services, including the NetVoyant Email Scheduler Service and NetVoyant Service Manager.
 - Stop the MySQL service.
 - Close the Services window.
2. Navigate to D:\netqos\mysql51\data\ in Windows Explorer.
3. Copy the \nms2 directory to a remote location to prevent data loss in the event of a hardware or operating system failure on the main server.

Tip: Use a mapped network drive or remote administrative share such as \\server\D\$\NetVoyantBackup.
4. Navigate to the Control Panel and click Administrative Tools, Services.
 - Start all NetQoS services, including the NetVoyant Email Scheduler Service and NetVoyant Service Manager.
 - Start the MySQL service.
 - Close the Services window.
5. Repeat steps 1 through 4 for each server you want to update.

Upgrade NetVoyant in a Distributed System

Distributed systems are those with separate servers for the NetVoyant Master server and remote pollers.

Follow these steps:

1. Run nvSyncPreview.exe on the Master Server if you are upgrading from version 6.1.18.

In version 7.1, settings on the Master server should match those found on the pollers. The nvSyncPreview.exe tool generates a list of configuration items from each poller. Use this list in step 8.

2. Double-click the netvoyant-7.1.x-win32-i586.exe file on the Master server:

- a. Click Cancel when prompted to restart the server.

- b. Click Yes when prompted to perform a Database Consistency Check.

Note: The amount of time needed for the Database Consistency Check varies based on your database size. The consistency check takes about 10 minutes per 1 GB of database files. The size of your database is approximately the size of the D:\NetVoyant\db\nms2 folder that you backed up in [Back Up the Database](#) (see page 16).

- c. Close the log file after the Database Consistency Check is complete. If you do not close the log file, the upgrade process fails.
- d. Click Yes if prompted to retry the database move.

Note: The upgrade process may seem to be stalled when in fact critical database changes are occurring. A "Not Responding" message may appear. Do not end the upgrade or restart the server during this process. Doing so will invalidate the upgrade and cause undesirable results.

3. Double-click the netvoyant-post-1.1.x.exe file on the Master server.

4. Restart the server when prompted.

5. Repeat steps 2 and 3 on each polling server.

6. Verify that services are in a Running state:

- a. Open the NetVoyant user interface.

- b. Click the Services tab and verify the state of each service.

7. Verify a successful upgrade:

- a. Allow 60 minutes to pass.

- b. Verify that new data for your interfaces appears in the NetVoyant user interface and the NetVoyant web reports.

- c. Click Tools, Polling Monitor. Verify that the next poll cycle is within the next 15, 10, or 5 minutes, depending on your devices' polling rates. View the Polling Monitor during the first 15-minute poll cycle to verify the completed polls for devices.
- d. Click the Groups tab and verify that your devices are populated.

The upgrade is successful when you see new data, when polls complete, and when devices are populated.

8. Verify the settings in the user interface with the settings from the configuration list from step 1. Correct the settings in the user interface as necessary. Because the user interface is the single source for configuration of all of your pollers, settings on the pollers are overwritten by those from the user interface.

Upgrade NetVoyant in a Standalone System

A standalone NetVoyant system contains one NetVoyant server that hosts the NetVoyant web interface, Master server, and poller.

Follow these steps:

1. Double-click the netvoyant-7.1.x-win32-i586.exe file.
 - a. Click Cancel when prompted to restart the server.
 - b. Click Yes when prompted to perform a Database Consistency Check.
Note: The amount of time needed for the Database Consistency Check varies based on your database size. The consistency check takes about 10 minutes per 1 GB of database files. The size of your database is approximately the size of the D:\NetVoyant\db\nms2 folder that you backed up in [Back Up the Database](#) (see page 16).
 - c. Close the log file after the Database Consistency Check is complete. If you do not close the log file, the upgrade process fails.
 - d. Click Yes if prompted to retry the database move.
Note: The upgrade process may seem to be stalled when in fact critical database changes are occurring. A "Not Responding" message may appear. Do not end the upgrade or restart the server during this process. Doing so will invalidate the upgrade and cause undesirable results.
2. Double-click the netvoyant-post-1.1.x.exe file.
3. Restart the server when prompted.
4. Verify that services are in a Running state:
 - a. Open the NetVoyant user interface.
 - b. Click the Services tab and verify the state of each service.

5. Verify a successful upgrade:
 - a. Allow 60 minutes to pass.
 - b. Verify that new data for your interfaces appears in the NetVoyant user interface and the NetVoyant web reports.
 - c. Click Tools, Polling Monitor. Verify that the next poll cycle is within the next 15, 10, or 5 minutes, depending on your devices' polling rates. View the Polling Monitor during the first 15-minute poll cycle to verify the completed polls for devices.
 - d. Click the Groups tab and verify that your devices are populated.

The upgrade is successful when you see new data, when polls complete, and when devices are populated.

Troubleshooting

This topic provides solutions to problems you may encounter during the upgrade process.

For an error that is not specifically described in this topic, take the following steps:

1. Click Cancel to stop the upgrade process.
2. Restart the server that you are upgrading.
3. Start the upgrade process again.

Error message: Error Number -132 (or Error Number -115)

Symptom:

You receive the following error message during the upgrade process:

ComponentMoveData had the following error
Error Number -132 (or Error Number -115)

Solution:

1. Click Cancel in the upgrade dialog.
2. Disable all third-party software, such as anti-virus software. For more information, see [Upgrade Prerequisites](#) (see page 15).
3. Click Start, Control Panel, Administrative Tools, Services.
4. Restart the Windows Management Instrumentation service.
5. Repeat the upgrade process for a standalone or distributed system.

Error message: Not enough disk space available for upgrade

Symptom:

The upgrade process fails with an error message that indicates there is insufficient disk space to complete the upgrade.

Solution:

Perform one or more of the following tasks:

- Empty the Recycle Bin.
- Empty the \Windows\Temp folder on the installation drive.
- Reboot the server.
- Run the installer from a different drive.

Error message: This appears to be a new installation of NetVoyant

Symptom:

You receive the following error message during the upgrade process:

This appears to be a new installation of NetVoyant. If this is correct, press Yes to continue, otherwise press No and contact NetVoyant support personnel to review your system.

Solution:

1. Download the following registry file to your NetVoyant system:

ftp://ftp.ca.com/pub/netqos/product_patches/NV/6.1/nv61to7reg.zip

2. Extract the nv61.reg file and copy it to the C:\ drive.
3. Double click the file and click Yes.
4. Click OK to acknowledge the completed task if prompted.
5. Repeat the upgrade process for a standalone or distributed system.


Error message: Database cannot be found

Symptom:


The upgrade installer warns you that the database cannot be found and that the previous installation does not exist, and prompts you to install a new copy of NetVoyant.

Solution:

1. Verify that the MySQL service is running:
 - a. Click Start, Control Panel, System and Security, Administrative Tools, Services.
 - b. Right-click the service and select Start if the service is not running.
2. Verify that ODBC uses the correct port for installing MySQL:
 - a. Double-click Data Sources (ODBC) in the Administrative Tools window. The ODBC Data Source Administrator dialog opens.
 - b. Click the System DSN tab.



- c. Select nms2 in the System Data Sources list.
- d. Click Configure. The ODBC Data Source Configuration dialog opens.



- e. Type **3306** on the Port field.
- f. Click Test to verify the connection.
- g. If successful, click OK.
If the test fails, contact [CA Technical Support](#).


- h. Click OK to close the ODBC Data Source Administrator dialog.
3. Continue with the upgrade.
If the symptom is repeated, contact [CA Technical Support](#).

Appendix A: Allow an Executable to Run

Before installing or upgrading NetVoyant, enable the netvoyant-7.1.x-win32-i586.exe file to run.

Follow these steps:

1. Right-click netvoyant-7.1.x-win32-i586.exe and select Properties.
2. Click the General tab.



3. Click Unblock.
4. Click OK.