

CA PMA Chargeback™

Messages and Codes Guide

r12.5



This documentation and any related computer software help programs (hereinafter referred to as the "Documentation") are for your informational purposes only and are subject to change or withdrawal by CA at any time.

This Documentation may not be copied, transferred, reproduced, disclosed, modified or duplicated, in whole or in part, without the prior written consent of CA. This Documentation is confidential and proprietary information of CA and may not be used or disclosed by you except as may be permitted in a separate confidentiality agreement between you and CA.

Notwithstanding the foregoing, if you are a licensed user of the software product(s) addressed in the Documentation, you may print a reasonable number of copies of the Documentation for internal use by you and your employees in connection with that software, provided that all CA copyright notices and legends are affixed to each reproduced copy.

The right to print copies of the Documentation is limited to the period during which the applicable license for such software remains in full force and effect. Should the license terminate for any reason, it is your responsibility to certify in writing to CA that all copies and partial copies of the Documentation have been returned to CA or destroyed.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, CA PROVIDES THIS DOCUMENTATION "AS IS" WITHOUT WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL CA BE LIABLE TO THE END USER OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, FROM THE USE OF THIS DOCUMENTATION, INCLUDING WITHOUT LIMITATION, LOST PROFITS, LOST INVESTMENT, BUSINESS INTERRUPTION, GOODWILL, OR LOST DATA, EVEN IF CA IS EXPRESSLY ADVISED IN ADVANCE OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The use of any software product referenced in the Documentation is governed by the applicable license agreement and is not modified in any way by the terms of this notice.

The manufacturer of this Documentation is CA.

Provided with "Restricted Rights." Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-14, and 52.227-19(c)(1) - (2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Copyright © 2010 CA. All rights reserved. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

Contact CA

Contact Technical Support

For your convenience, CA provides one site where you can access the information you need for your Home Office, Small Business, and Enterprise CA products. At <http://ca.com/support>, you can access the following:

- Online and telephone contact information for technical assistance and customer services
- Information about user communities and forums
- Product and documentation downloads
- CA Support policies and guidelines
- Other helpful resources appropriate for your product

Provide Feedback

If you have comments or questions about CA product documentation, you can send a message to techpubs@ca.com.

If you would like to provide feedback about CA product documentation, complete our short [customer survey](#), which is also available on the CA Support website, found at <http://ca.com/docs>.

Contents

Chapter 1: Introduction	7
Notation	7
Chapter 2: CAKR Messages	9
Chapter 3: CAKS Messages	169
Chapter 4: Miscellaneous Messages	267

Chapter 1: Introduction

This manual contains messages for CA PMA Chargeback and DataManager. The messages are listed in numerical order by message code, with a one-letter code at the end of each message giving you additional information:

This code	Means
A	You must perform a specific action before continuing.
D	You must make a decision before continuing. (You must reply to this message.)
E	An error has occurred.
I	This message is for information only.
P	The currently running task has stopped. An operator command is required.
S	An error has occurred. A return code is set.
T	An error has occurred. The task is terminated.
W	Warning message. Something has gone wrong, but it is not serious enough to stop processing.

Note: IBM DATABASE2 users should refer to IBM's Messages and Codes manual since SQL message and code numbers differ from those of CA Datacom®.

CA Datacom users should refer to the appropriate CA Datacom Messages and Codes Guide for SQL messages.

This section contains the following topics:

[Notation](#) (see page 7)

Notation

insert, delete, or update	Either an insert, delete, or update will be displayed in the message text on the panel.
N	Represents one numeric digit that is displayed in the message text. In most cases, multiple n's represent the maximum

	number of digits returned for the variable.
X	Represents one character that is displayed in the message text. In most cases, multiple x's represent the maximum number of characters returned for the variable.
S	Represents a variable length character string displayed in the message text.
D	Represents a numeric of any length displayed in the message text.
C	Represents a single character displayed in the message text.

Chapter 2: CAKR Messages

CAKR000II

CA DATACOM/AD INSTALLATION.

Reason:

Database used is CA Datacom/AD.

Action:

No action required. Message is informational only.

CAKR001I

SHIFT IS USER-DEFINED. ENTER SHIFT IN HH:MM FORMAT.

Reason:

You have selected the PROMPT function in the Start column for a shift entry. Since this is a user-defined entry field, no prompts are available.

Action:

Enter the shift time in HH:MM format.

CAKR002W

SHIFT SPLIT insert/delete/update WAS NOT PERFORMED.

Reason:

The Shift Split INSERT, DELETE, or UPDATE function was not performed, since No was selected at the 'ARE YOU SURE?' prompt.

Action:

Reset the panel.

CAKR003I

SHIFT SPLIT insert/delete/update WAS SUCCESSFUL.

Reason:

The Shift Split INSERT, DELETE, or UPDATE function was successful.

Action:

No action required. Message is informational only.

CAKR004E

THE FIRST SHIFT MUST BE ENTERED BEFORE SAVE FUNCTION.

Reason:

You must enter the first shift time before you can execute the save.

Action:

Enter the first shift time and then save.

CAKR005E

SHIFT ENTRIES MUST BE CONTIGUOUS.

Reason:

Shift chop times do not allow for breaks. For example, if you enter values for the first and third shifts, you must also specify a value for the second shift.

Action:

Ensure that all times entered are contiguous (follow one after the other without any breaks).

CAKR006E

SHIFT ENTRIES MAY NOT BE DUPLICATED.

Reason:

Duplicate shift chop times were entered.

Action:

Remove any duplicate shift chop entries.

CAKR007E**SHIFT MUST BE GREATER THAN PREVIOUS SHIFT.****Reason:**

Shift chop times are not in earliest to latest order.

Action:

Ensure that the shift chop entries are listed in earliest to latest order.

CAKR008W**DELETE CANNOT BE PERFORMED, DATA HAS NOT BEEN SAVED.****Reason:**

A delete was attempted on unsaved data.

Action:

Reset the panel.

CAKR009E**HOOR CANNOT BE SPECIFIED AS GREATER THAN 24.****Reason:**

The hour (HH) entered is greater than 24.

Action:

Ensure that all entries are in correct format and that hours (HH) are less than or equal to 24.

CAKR010E**MINUTE CANNOT BE SPECIFIED AS GREATER THAN 59.****Reason:**

The minutes (MM) entered are greater than 59.

Action:

Ensure that all minute entries are less than or equal to 59.

CAKR011E

IF HOUR IS 24 MINUTES MUST BE ZEROES.

Reason:

Since hours (HH) = 24, you cannot enter a minutes value in the (MM) field.

Action:

Ensure that all times entered are less than or equal to 24:00.

CAKR012E

INVALID DATA ENTERED. PLEASE ENTER NEW DATA.

Reason:

The data entered is not correct due to the following:

- improper format
- typo

Action:

Review your entry and correct as appropriate.

CAKR013E

SHIFT TIME OF 00:00 IS INVALID. USE 24:00 INSTEAD.

Reason:

The shift time entered is invalid.

Action:

Use 24:00 instead of 00:00.

CAKR020I

A PANEL WITHIN THE SAME PANEL SET MAY NOT BE ACTIVATED BY THE CURSOR.

Reason:

You have attempted to activate a panel within the same panel set as the one you have currently displayed. This is not allowed.

Action:

No action required. Message is informational only.

CAKR021E

THE ORDID ENTERED DOES NOT EXIST, USE PROMPT TO GET A VALID LIST.

Reason:

You have entered an ORDID that does not exist.

Action:

Use the PROMPT function to view a list of valid ORDIDs and optionally select one by pressing Enter next to it.

CAKR022W

THE ELEMENT SELECTED ALREADY EXISTS, USE BROWSE.

Reason:

The charge element you have selected already exists.

Action:

Use the BROWSE function instead of the CREATE function to view and optionally update the element.

CAKR023I

NO RECORDS MATCH YOUR BROWSE CRITERIA, ENTER NEW BROWSE CRITERIA.

Reason:

No records matched the browse criteria specified.

Action:

Enter new browse criteria.

CAKR024I

THE ENTER FUNCTION MAY NOT BE ACTIVATED BY USING THE CURSOR.

Reason:

Since the ENTER function uses the cursor to determine where an action is to take place, it cannot be activated using the cursor.

Action:

No action required. Message is informational only.

CAKR025I

THERE ARE NO PROMPTS AVAILABLE FOR THIS PANEL.

Reason:

No prompts currently exist for this panel.

Action:

No action required. Message is informational only.

CAKR026I

THIS FIELD IS USER-DEFINED, ENTER VALUE.

Reason:

You have selected the PROMPT function in the field. Since this is a user-defined entry field, no prompts are available.

Action:

Enter a value within the field.

CAKR027W

DELETE CANNOT BE PERFORMED BECAUSE THE RECORD HAS NOT BEEN SAVED.

Reason:

You have attempted to delete an unsaved record.

Action:

No action required. Message is informational only.

CAKR028I

CHARGE ELEMENT DELETE WAS SUCCESSFUL.

Reason:

You have successfully deleted the charge element.

Action:

No action required. Message is informational only.

CAKR029I**CHARGE ELEMENTS insert/delete/update WAS NOT PERFORMED.****Reason:**

The requested function (either INSERT, DELETE, or UPDATE) was not performed.

Action:

No action required. Message is informational only.

CAKR030I**CHARGE ELEMENTS insert/delete/update WAS SUCCESSFUL.****Reason:**

Charge elements Insert, Delete, or Update was successful.

Action:

No action required. Message is informational only.

CAKR031E**THE NORMALIZER FIELD MUST BE ENTERED BEFORE PRESSING F8.****Reason:**

The normalizer field which is required has not been specified.

Action:

Enter a value in the normalizer field before pressing F8.

CAKR032E**THE UNIT FIELD MUST BE ENTERED BEFORE PRESSING F7.****Reason:**

The unit field which is required has not been specified.

Action:

Enter a value in the unit field before pressing F7.

CAKR033W

THE ELEMENT FIELD MUST BE ENTERED FOR FUNCTION CREATE.

Reason:

The element field which is required has not been specified.

Action:

Enter a value in the element field and then press CREATE.

CAKR034E

THE UNIT FIELD MUST BE FILLED IN, USE PROMPT FOR VALID LIST.

Reason:

The unit field which is required has not been specified.

Action:

Use the PROMPT function to view a list of all valid entries and optionally select one.

CAKR035E

COMPLEX UNIT DOES NOT EXIST, USE F7 TO CREATE COMPLEX UNIT.

Reason:

The complex unit you have selected does not exist.

Action:

Use F7 to create the complex unit before saving.

CAKR036E

ORD FIELD DOES NOT EXIST, USE PROMPT TO GET A VALID LIST.

Reason:

The ORD entered does not exist.

Action:

Use the PROMPT function to view a list of valid entries and optionally select one.

CAKR037E

THE NORMALIZER ENTERED DOES NOT EXIST, USE F8 TO CREATE.

Reason:

The normalizer entered does not exist.

Action:

Create the normalizer by using the F8 key.

CAKR038E

THE DEFAULT RATE FIELD MUST BE ENTERED.

Reason:

No default rate has been specified.

Action:

Specify a default rate before saving.

CAKR039E

THE FIELD ENTERED IS REQUIRED TO BE NUMERIC.

Reason:

A non-numeric entry has been made in a numeric field.

Action:

Ensure that entries made in this field are only numeric.

CAKR040W

DELETE CANNOT BE PERFORMED, RECORD HAS NOT BEEN PREVIOUSLY SAVED.

Reason:

A delete was attempted on an unsaved record.

Action:

Reset the panel.

CAKR041W

THE REQUESTED FUNCTION IS NOT AVAILABLE WHEN INSERTING.

Reason:

When in insert mode, the function requested is not available.

Action:

Do not attempt to use the function while inserting.

CAKR042E

AT LEAST ONE ENTRY MUST BE MADE TO FORM A COMPLEX UNIT.

Reason:

You have attempted to form a complex unit without any entries.

Action:

Make at least one entry in order to form the complex unit.

CAKR043I

UNIT TABLE UPDATE WAS NOT PERFORMED.

Reason:

An update was not performed on the unit table, since you specified NO at the 'ARE YOU SURE?' prompt.

Action:

No action required. Message is informational only.

CAKR044I

UNIT TABLE INSERT WAS NOT PERFORMED.

Reason:

An insert was not performed on the unit table.

Action:

No action required. Message is informational only.

CAKR045E**A COMMAND HAS BEEN ENTERED PAST THE END OF EXISTING DATA.****Reason:**

You have entered a command past the end of existing data.

Action:

Reset the screen and optionally re-enter the command before the end of the existing data.

CAKR046E**x IS NOT A VALID LINE COMMAND.****Reason:**

The user entry is not a valid line command.

Action:

Reset the screen and optionally re-enter a valid command.

CAKR047I**UNIT TABLE insert/delete/update WAS NOT PERFORMED.****Reason:**

The function requested (INSERT, DELETE, or UPDATE) was not performed on the Unit table.

Action:

No action required. Message is informational only.

CAKR048I**UNIT insert/delete/update WAS SUCCESSFUL.****Reason:**

The function requested (INSERT, DELETE, or UPDATE) was successfully performed.

Action:

No action required. Message is informational only.

CAKR049I

THE DELETE REQUEST WAS NOT PERFORMED.

Reason:

The DELETE function you requested was not performed, since you selected NO at the 'ARE YOU SURE?' prompt.

Action:

No action required. Message is informational only.

CAKR050I

DATABASE TABLE UNITTAB IS BEING RE-SEQUENCED, PLEASE WAIT.

Reason:

When the maximum allowable line inserts between two rows of the table is reached, the system automatically performs a re-sequencing of the lines.

Action:

No action required. Message is informational only.

CAKR051I

DATABASE RE-SEQUENCE COMPLETE, INSERT MAY NOW BE PERFORMED.

Reason:

The re-sequencing process has been completed.

Action:

An insert can now be performed on the table.

CAKR052E

THE FIRST CHARACTER OF A COMPLEX UNIT MUST BE @.

Reason:

The first character of a complex unit must be @.

Action:

Enter the @ character before specifying the complex unit name.

CAKR053E**COMPLEX UNIT CANNOT CONTAIN A REFERENCE TO ITSELF.****Reason:**

A complex unit cannot refer to itself.

Action:

Ensure that the complex unit does not contain a reference to itself.

CAKR054E**COMPLEX UNIT DOES NOT EXIST. PULL DOWN UNITS AND CREATE.****Reason:**

The complex unit does not exist.

Action:

Create the complex unit using the Units pull-down.

CAKR055E**THE ORD FIELD ENTERED DOES NOT EXIST, USE PROMPT FOR VALID LIST.****Reason:**

The ORD entered does not exist.

Action:

Enter a valid ORD using the PROMPT function to view a list of valid ORDs and optionally select an entry.

CAKR056E**THE SELECTED ORD FIELD IS NOT A NUMERIC FIELD. USE PROMPT FOR LIST.****Reason:**

You have entered a numeric value in a non-numeric field.

Action:

Use the PROMPT function to view a list of valid ORDs and optionally select an entry.

CAKR057E

OPERATOR MUST BE ENTERED WHEN ord/unit AND field/constant PRESENT.

Reason:

Values are specified within the ORD FIELD/@UNIT and FIELD/CONSTANT fields, but no operator is specified in the AOP field.

Action:

Enter a valid operator.

CAKR058E

THE OPERATOR ENTERED IS NOT VALID. USE PROMPT TO GET VALID LIST.

Reason:

The operator entered is not a valid one.

Action:

Use the PROMPT function to view valid entries and optionally select one by pressing Enter next to it.

CAKR059E

field/constant FIELD MUST BE ENTERED IF PRECEDING OPERATOR ENTERED.

Reason:

If the preceding operator field is specified, the FIELD/CONSTANT field must also be specified.

Action:

Enter a value in the FIELD/CONSTANT field.

CAKR060E**CLOSING QUOTE IS MISSING ON field/constant FIELD.****Reason:**

A constant value has been specified in the FIELD/CONSTANT field without the closing quote.

Action:

Enter the closing quote.

CAKR061E**THE CONSTANT ENTERED IS NOT NUMERIC, PLEASE RE-ENTER.****Reason:**

Only a numeric entry is allowed as a constant in the FIELD/CONSTANT field.

Action:

Ensure that any constant specified is numeric.

CAKR062E**IF RIGHTMOST OPERATOR IS ENTERED, THEN NEXT LINE MUST BE ALSO.****Reason:**

If the rightmost operator is specified, the following line must also be specified.

Action:

Make valid entries on the line following the rightmost operator.

CAKR063E**IF PRECEDING OPERATOR ENTERED ord/unit OR field/constant MUST ALSO.****Reason:**

If the preceding operator is specified, fields ORD/UNIT and FIELD/CONSTANT on the following line must also be specified.

Action:

Enter values into fields ORD/UNIT and FIELD/CONSTANT. Be sure to enter an arithmetic operator between the two fields if both are specified.

CAKR064E

PREVIOUS OPERATOR MUST BE SPECIFIED.

Reason:

The previous operator was not specified.

Action:

Enter a valid operator

CAKR065E

INSERTING BETWEEN EXISTING RECORDS REQUIRES SECOND OPERATOR.

Reason:

A second operator must be entered before an insert can take place between existing records.

Action:

Enter a valid operator between the existing records.

CAKR066E

THERE IS A MISSING OPERATOR FIELD, PLEASE REVIEW DATA.

Reason:

An operator is missing.

Action:

Review the data and enter the missing operator.

CAKR067E

A UNIT REFERENCED BY OTHER units/elements CANNOT BE DELETED.

Reason:

The Unit value cannot be deleted, since it is referenced by other Units/Elements.

Action:

Reset the panel.

CAKR068E**QUALIFIER NAME MUST BEGIN WITH THE CHARACTER @.****Reason:**

A qualifier name must begin with the @ character.

Action:

Enter the @ character followed by the qualifier name before saving.

CAKR069E**QUALIFIER DOES NOT EXIST, USE F2 TO CREATE.****Reason:**

The qualifier does not exist.

Action:

Use the F2 key to create the qualifier before saving.

CAKR070E**THE RATE FIELD MUST BE ENTERED IF A QUALIFIER IS ENTERED.****Reason:**

If a qualifier is entered, a rate must be specified.

Action:

Specify a rate for the qualifier.

CAKR071E**THE QUALIFIER FIELD MUST BE ENTERED IF A RATE IS ENTERED.****Reason:**

If a rate is entered, a qualifier must be specified.

Action:

Specify a qualifier for the rate.

CAKR072E

THE RATE FIELD MUST BE NUMERIC.

Reason:

A non-numeric value has been entered in the Rate field.

Action:

Ensure that entries made to this field are numeric.

CAKR073I

DATABASE TABLE RATETAB IS BEING RE-SEQUENCED, PLEASE WAIT.

Reason:

When the maximum allowable line inserts between two rows of the table is reached, the system automatically performs a re-sequencing of the lines.

Action:

No action required. Message is informational only.

CAKR074I

QUALIFIED RATE insert/delete/update WAS SUCCESSFUL.

Reason:

The requested function (INSERT, DELETE, or UPDATE) was performed successfully.

Action:

No action required. Message is informational only.

CAKR075I

QUALIFIED RATE insert/delete/update WAS NOT PERFORMED.

Reason:

The requested function (INSERT, DELETE, or UPDATE) was not performed.

Action:

Reset the panel.

CAKR076I**QUALIFIED RATE insert/delete/update WAS SUCCESSFUL.****Reason:**

The requested function (INSERT, DELETE, or UPDATE) was successfully performed.

Action:

No action required. Message is informational only.

CAKR077E**AT LEAST ONE ENTRY MUST BE MADE TO FORM A QUALIFIER.****Reason:**

A qualifier can only be formed if at least one entry is made.

Action:

Ensure that an entry is made in order to form the qualifier.

CAKR078E**A QUALIFIER MAY NOT CONTAIN A REFERENCE TO ITSELF.****Reason:**

A qualifier cannot contain a reference to itself.

Action:

Ensure that the qualifier does not refer to itself.

CAKR079E**QUALIFIER DOES NOT EXIST. PULL DOWN QUALIFIERS TO CREATE.****Reason:**

The specified qualifier does not exist.

Action:

Use the Qualifiers pull-down to create it.

CAKR080E

THE ORD FIELD ENTERED DOES NOT EXIST, USE PROMPT FOR VALID LIST.

Reason:

The ORD field specified does not exist.

Action:

Use the PROMPT function to view a list of valid ORD fields and optionally select one by pressing Enter next to it.

CAKR081E

OPERATOR MUST BE ENTERED WHEN ord/qual AND field/constant PRESENT.

Reason:

When values are entered within the ORD/QUAL and FIELD/CONSTANT fields, an operator must be specified.

Action:

Specify an operator in the ROP field.

CAKR082E

THE OPERATOR ENTERED IS NOT VALID. USE PROMPT TO GET VALID LIST.

Reason:

An invalid operator has been entered.

Action:

Use the PROMPT function to view a list of valid operators and optionally select one by pressing Enter next to it.

CAKR083E

field/constant FIELD MUST BE ENTERED IF PRECEDING OPERATOR IS ENTERED .

Reason:

If the preceding operator is entered, the FIELD/CONSTANT field must also be specified.

Action:

Enter a valid FIELD/CONSTANT value.

CAKR084E

CLOSING QUOTE IS MISSING.

Reason:

The closing quote is missing.

Action:

Enter the closing quote.

CAKR085E

THE OPERATOR ENTERED IS INVALID, USE PROMPT TO GET A VALID LIST.

Reason:

The operator entered is invalid.

Action:

Use the PROMPT function to view a list of valid operators and optionally select one by pressing Enter next to it.

CAKR086E

RELATIONAL OPERATOR ENTERED, ord/qual, OPER, field/constant MUST ALSO BE ENTERED

Reason:

The ORD/QUAL, OPER, and FIELD/CONSTANT fields must be specified when a relational operator has been entered.

Action:

Enter values within the ORD/QUAL, OPER, and FIELD/CONSTANT fields.

CAKR087E

IF PREVIOUS OPERATOR ENTERED THIS FIELD MUST ALSO BE ENTERED.

Reason:

If a previous operator has been entered, this field must also be specified.

Action:

Enter a value within the field.

CAKR088E

THE PREVIOUS LOGICAL OPERATOR MUST BE ENTERED.

Reason:

Since no previous logical operator has been specified, data cannot be entered on this line.

Action:

Enter a logical operator prior to the line for which values are to be entered.

CAKR089I

QUALIFIER UPDATE WAS NOT PERFORMED.

Reason:

An update was not performed on the Qualifier table.

Action:

No action required. Message is informational only.

CAKR090I

QUALIFIER TABLE INSERT WAS NOT PERFORMED.

Reason:

An insert was not performed on the Qualifier table.

Action:

No action required. Message is informational only.

CAKR091E**A COMMAND HAS BEEN ENTERED PAST THE END OF EXISTING DATA.****Reason:**

You have attempted to enter a command past the end of existing data. This is not allowed.

Action:

Reset and optionally re-enter the command prior to the end of the existing data.

CAKR092I**QUALIFIER insert/delete/update WAS NOT PERFORMED.****Reason:**

You specified a NO at the 'ARE YOU SURE?' prompt, or selected F3 before completion of an action.

Action:

No action required. Message is informational only.

CAKR093I**QUALIFIER insert/delete/update WAS SUCCESSFUL.****Reason:**

The function requested (INSERT, DELETE or UPDATE) was successfully performed.

Action:

No action required. Message is informational only.

CAKR094I**DATABASE TABLE QUALTAB IS BEING RE-SEQUENCED, PLEASE WAIT.****Reason:**

When the maximum allowable line inserts between two rows of the table is reached, the system automatically performs a re-sequencing of the lines.

Action:

No action required. Message is informational only.

CAKR095E

QUALIFIER REFERENCED BY OTHER TABLES, CANNOT BE DELETED.

Reason:

A delete cannot be performed on the qualifier, since it is referenced by other tables.

Action:

No action required. Message is informational only.

CAKR096E

IF A RELATIONAL OPERATOR ENTERED, ALL PRECEDING FIELDS MUST ALSO.

Reason:

All preceding fields must contain values, since a relational operator has been entered.

Action:

Enter values in all preceding fields.

CAKR097E

ord/qual MUST BE ENTERED IF OTHER ENTRIES ARE MADE.

Reason:

Values must be made within the ORD/QUAL field, since other entries have been specified.

Action:

Enter a value within the ORD/QUAL field.

CAKR098E

IF COMPLEX QUALIFIER ENTERED, ROP AND field/constant MUST NOT.

Reason:

No values are to be specified within the ROP and FIELD/CONSTANT fields, when a complex qualifier is specified.

Action:

Ensure that values are not entered within the ROP and FIELD/CONSTANT fields.

CAKR099E**THE LOGICAL OPERATOR FIELD MUST BE ENTERED.****Reason:**

The logical operator field has not been specified.

Action:

Enter a value within the logical operator field.

CAKR100I**THE FACTOR FIELD IS A USER-DEFINED FIELD, ENTER VALUE.****Reason:**

You have selected the PROMPT function for the Factor field. Since this is a user-defined entry field, no prompts are available.

Action:

Enter a value within the Factor field.

CAKR101E**AT LEAST ONE ENTRY MUST BE MADE TO FORM A NORMALIZER.****Reason:**

In order to form a normalizer, at least one entry must be specified.

Action:

Specify an entry in order to form a normalizer.

CAKR102E**QUALIFIER DOES NOT EXIST. USE PROMPT TO GET A VALID LIST.****Reason:**

The qualifer entered does not exist.

Action:

Enter a valid qualifier by using the PROMPT function to view a list of valid qualifiers and optionally select one by pressing Enter next to it.

CAKR103E

THE QUALIFIER FIELD ENTRY MUST BEGIN WITH AN @.

Reason:

The qualifier field must begin with the @ character.

Action:

Enter the @ character and a qualifier name.

CAKR104E

THE FACTOR FIELD MUST BE ENTERED IF QUALIFIER IS ENTERED.

Reason:

A factor must be entered if a qualifier is specified.

Action:

Enter a factor for the specified qualifier.

CAKR105E

THE QUALIFIER FIELD MUST BE ENTERED IF THE FACTOR FIELD IS ENTERED.

Reason:

A qualifier must be entered if a factor is specified.

Action:

Enter a qualifier for the specified factor.

CAKR106E

COMMAND HAS BEEN ENTERED PAST END OF EXISTING DATA.

Reason:

You have attempted to enter a command past the end of existing data. This is not allowed.

Action:

Reset and optionally re-enter the command prior to the end of the existing data.

CAKR107I**NORMALIZER insert/delete/update WAS NOT PERFORMED.****Reason:**

The function requested (INSERT, DELETE, or UPDATE) was not performed.

Action:

No action required. Message is informational only.

CAKR108I**NORMALIZER insert/delete/update WAS SUCCESSFUL.****Reason:**

The function requested (INSERT, DELETE, or UPDATE) was successfully performed.

Action:

No action required. Message is informational only.

CAKR109I**DATABASE TABLE NORMTAB IS BEING RE-SEQUENCED, PLEASE WAIT.****Reason:**

When the maximum allowable line inserts between two rows of the table is reached, the system automatically performs a re-sequencing of the lines.

Action:

No action required. Message is informational only.

CAKR110E**NORMALIZER REFERENCED BY OTHER ELEMENTS, CANNOT BE DELETED.****Reason:**

The normalizer cannot be deleted, since it is referenced by other elements.

Action:

Reset the panel.

CAKR111I

NORMALIZER TABLE INSERT WAS NOT PERFORMED.

Reason:

An insert was not performed on the normalizer table.

Action:

No action required. Message is informational only.

CAKR112I

NORMALIZER TABLE UPDATE WAS NOT PERFORMED.

Reason:

An update was not performed on the normalizer table.

Action:

No action required. Message is informational only.

CAKR113I

ENTER 0 OR RATE. ALL 9 WITH DECIMAL PLACE AT # FOR NOREC.

Reason:

You have selected the PROMPT function for the Rate field. Since this is a user-defined entry field, no prompts are available.

Action:

Enter one of the following:

- Zero
- A specific rate
- All 9s with a decimal point placed at # (user-defined precision) for the NOREC option which allows charging for special conditions.

CAKR114E

DUPLICATE QUALIFIERS ARE NOT ALLOWED. PLEASE ENTER NEW DATA.

Reason:

Duplicate qualifiers have been entered.

Action:

Delete any duplicate qualifiers and enter new data.

CAKR115E

x IS NOT A VALID LINE COMMAND.

Reason:

The user entry is not a valid line command.

Action:

Reset and optionally re-enter a valid line command.

CAKR116E

x IS NOT A VALID LINE COMMAND.

Reason:

The user entry is not a valid line command.

Action:

Reset and optionally re-enter a valid line command.

CAKR117E

x IS NOT A VALID LINE COMMAND.

Reason:

The user entry is not a valid line command.

Action:

Reset and optionally re-enter a valid line command.

CAKR118E

x IS NOT A VALID LINE COMMAND.

Reason:

The user entry is not a valid line command.

Action:

Reset and optionally re-enter a valid line command.

CAKR119E

x IS NOT A VALID LINE COMMAND.

Reason:

The user entry is not a valid line command.

Action:

Reset and optionally re-enter a valid line command.

CAKR120E

THE MINIMUM CHARGE FIELD MUST BE LESS THAN THE MAXIMUM CHARGE FIELD.

Reason:

You have specified a minimum charge larger than or equal to the maximum charge value.

Action:

Ensure that the minimum charge is less than the maximum charge.

CAKR150W

THE MODIFIER FIELD MUST BE ENTERED FOR FUNCTION CREATE.

Reason:

An entry must be made for Modifier before the CREATE function can be performed.

Action:

Enter a value in the Modifier field.

CAKR151W

THE MODIFIER SELECTED ALREADY EXISTS, USE BROWSE.

Reason:

You have attempted to create an already existing modifier.

Action:

Use the BROWSE function instead of the CREATE function to view and optionally update the modifier.

CAKR152I

NO RECORDS MATCH YOUR BROWSE CRITERIA, ENTER NEW BROWSE CRITERIA.

Reason:

No records match the browse criteria specified.

Action:

Enter new browse criteria.

CAKR153E

THE ORDID ENTERED DOES NOT EXIST, USE PROMPT TO GET A VALID LIST.

Reason:

The ORDID entered does not exist.

Action:

Use the PROMPT function to view a list of valid ORDIDs and optionally select one.

CAKR154I

THIS IS A USER-DEFINED FIELD, ENTER VALUE.

Reason:

You have selected the PROMPT function in a user-defined field for which no prompts are available.

Action:

Enter a value within the field.

CAKR155I

MODIFIER insert/delete/update WAS SUCCESSFUL.

Reason:

The function requested (INSERT, DELETE, or UPDATE) was successfully performed.

Action:

No action required. Message is informational only.

CAKR156I

MODIFIER insert/delete/update WAS NOT PERFORMED.

Reason:

The function requested (INSERT, DELETE, or UPDATE) was not performed.

Action:

Reset the panel.

CAKR157I

NO ELEMENTS EXIST THAT MATCH YOUR CRITERIA.

Reason:

No elements match the criteria specified.

Action:

No action required. Message is informational only.

CAKR158E

THE ELEMENT ENTERED DOES NOT EXIST.

Reason:

The element entered does not exist.

Action:

Enter a valid element by using the PROMPT function to view a list of entries and optionally select one.

CAKR159I**NO QUALIFIERS EXIST THAT MATCH YOUR CRITERIA.****Reason:**

No qualifiers match the criteria specified.

Action:

No action required. Message is informational only.

CAKR160I**THE QUALIFIER ENTERED DOES NOT EXIST.****Reason:**

The qualifer entered does not exist.

Action:

Enter a valid qualfier by using the PROMPT function to view a list of qualifiers and optionally select one for entry.

CAKR161E**THE AMOUNT FIELD IS REQUIRED AND MAY NOT BE ZERO.****Reason:**

The Modify amount field must be specified with a non-zero number.

Action:

Enter a non-zero value within the Modify amount field before saving.

CAKR162E**THE PERCENT FIELD MUST BE AN F OR P.****Reason:**

The percent field must be fixed (F) or a percentage (P).

Action:

Ensure that a F or P is entered in this field before saving.

CAKR163E

THE EXIT ON TRUE FLAG MUST BE A Y OR N.

Reason:

A Y(es) or N(o) must be specified for the EXIT ON TRUE flag.

Action:

Ensure that the EXIT ON TRUE flag is Y(es) or N(o) before saving.

CAKR164E

THE SEQUENCE NUMBER FIELD MUST BE ENTERED.

Reason:

The sequence number, which is required must be specified.

Action:

Enter a value within the sequence number field before saving.

CAKR165E

THE SEQUENCE NUMBER ENTERED ALREADY EXISTS, PLEASE ENTER NEW NUMBER.

Reason:

The sequence number entered already exists.

Action:

Enter a new sequence number.

CAKR166E

THE STRUCTURE FIELD MAY NOT BE LONGER THAN nn.

Reason:

The Structure field may not be longer than the user-specified length (nn).

Action:

Ensure that the Structure field is not longer than (nn).

CAKR167E**THE FIRST CHARACTER OF QUALIFIER MUST BE AN @.****Reason:**

The first character of the qualifer field must be @.

Action:

Enter the @ character followed by the qualifier name.

CAKR168I**THE QUALIFIER ENTERED DOES NOT EXIST.****Reason:**

The qualifier entered does not exist.

Action:

No action required. Message is informational only.

CAKR169E**DELETE CANNOT BE PERFORMED. DATA HAS NOT BEEN PREVIOUSLY SAVED.****Reason:**

A delete has been attempted on unsaved data.

Action:

No action required. Message is informational only.

CAKR180E**THE ORDID ENTERED DOES NOT EXIST, USE PROMPT TO GET A VALID LIST.****Reason:**

The ORDID entered does not exist.

Action:

Use the PROMPT function to view a list of valid ORDs and optionally select one for entry.

CAKR181E

THE RECOVERY FIELD MUST BE ENTERED FOR FUNCTION CREATE.

Reason:

A value must be entered in the recovery field before the CREATE function is performed.

Action:

Enter a value within the recovery field.

CAKR182E

THE RECOVERY SELECTED ALREADY EXISTS, USE BROWSE.

Reason:

The recovery specified already exists.

Action:

Use the BROWSE function to view a list of existing recoveries and optionally select one to view or update.

CAKR183I

NO RECORDS MATCH YOUR BROWSE CRITERIA, ENTER NEW BROWSE CRITERIA.

Reason:

No records match the browse criteria specified.

Action:

Enter new browse criteria.

CAKR184I

A PANEL WITHIN THE SAME PANEL SET MAY NOT BE ACTIVATED BY THE CURSOR.

Reason:

You have attempted to activate a panel within the same panel set as the one you have currently active. This is not allowed.

Action:

No action required. Message is informational only.

CAKR185I

THE ENTER FUNCTION MAY NOT BE ACTIVATED BY USING THE CURSOR.

Reason:

Since the ENTER function uses the cursor to determine where an action is to take place, it cannot be activated using the cursor.

Action:

Reset the panel.

CAKR186I

THERE ARE NO PROMPTS AVAILABLE FOR THIS PANEL.

Reason:

No prompts currently exist for this panel.

Action:

No action required. Message is informational only.

CAKR187E

DELETE CANNOT BE PERFORMED. DATA HAS NOT BEEN PREVIOUSLY SAVED.

Reason:

A delete has been attempted on unsaved data.

Action:

Reset the panel.

CAKR188I

OVERHEAD insert/delete/update WAS NOT PERFORMED.

Reason:

The function requested (INSERT, DELETE, or UPDATE) was not performed.

Action:

No action required. Message is informational only.

CAKR189I

OVERHEAD insert/delete/update WAS SUCCESSFUL.

Reason:

The function requested (INSERT, DELETE, or UPDATE) was successfully performed.

Action:

No action required. Message is informational only.

CAKR190E

ELEMENT IS A REQUIRED FIELD. USE PROMPT FOR A VALID LIST.

Reason:

You have not specified a value in the Element field. It is a required entity.

Action:

Use the PROMPT function to view a list of valid entries and optionally select one by pressing Enter next to it.

CAKR191E

THE ELEMENT SELECTED DOES NOT EXIST, USE PROMPT TO GET A VALID LIST.

Reason:

The element selected does not exist.

Action:

Use the PROMPT function to view a list of entries and optionally select one by pressing Enter next to it.

CAKR192E

THE FIRST CHARACTER OF QUALIFIER MUST BE AN @.

Reason:

The first character of the qualifier field must be @.

Action:

Enter the @ character followed by the qualifier name.

CAKR193E

THE QUALIFIER ENTERED DOES NOT EXIST, USE PROMPT FOR VALID LIST.

Reason:

The qualifier entered does not exist.

Action:

Enter a valid qualifier by using the PROMPT function to view a list of entries and optionally select one by pressing Enter next to it.

CAKR194E

THE PERIOD ENTERED DOES NOT EXIST, USE PROMPT FOR A VALID LIST.

Reason:

The period entered does not exist.

Action:

Enter a valid period by using the PROMPT function to view a list of entries and optionally select one by pressing Enter next to it.

CAKR195E

THE STRUCTURE FIELD MAY NOT BE LONGER THAN nn.

Reason:

The value entered in the Structure Field is longer than the allowable user-defined length nn.

Action:

Ensure that the length of the Structure field does not exceed the maximum length nn. Specify a value within the recovery field.

CAKR196E

OVERHEAD ORD IS REQUIRED. USE PROMPT TO GET A VALID LIST.

Reason:

The Overhead ORD field is not specified.

Action:

Enter a value within the Overhead ORD field by using the PROMPT function to view a list of entries and optionally select one by pressing Enter next to it.

CAKR198E

THE ORDID ENTERED DOES NOT EXIST. USE PROMPT TO GET A VALID LIST.

Reason:

The ORDID entered does not exist.

Action:

Enter a valid ORDID by using the PROMPT function to view a list of entries and optionally select one by pressing Enter next to it.

CAKR199E

THE OVERHEAD ELEMENT FIELD IS REQUIRED. USE PROMPT FOR VALID LIST.

Reason:

The Overhead Element field is not specified.

Action:

Enter a value within the Overhead Element field by using the PROMPT function to view a list of entries and optionally select one by pressing Enter next to it.

CAKR200E

THE OVERHEAD ELEMENT ENTERED DOES NOT EXIST. USE PROMPT.

Reason:

The Overhead Element entered does not exist.

Action:

Enter a valid Overhead Element by using the PROMPT function to view a list of entries and optionally select one by pressing Enter next to it.

CAKR210I**THE DATE FIELD IS USER-DEFINED, ENTER A VALID DATE.****Reason:**

You have selected the PROMPT function for the Date field. Since it is user-defined, no prompts are available.

Action:

Enter a valid date.

CAKR211I**THE TIME FIELD IS USER-DEFINED. ENTER A VALID TIME.****Reason:**

You have selected the PROMPT function for the Time field. Since it is user-defined, no prompts are available.

Action:

Enter a valid time.

CAKR212W**THE REQUESTED FUNCTION IS NOT AVAILABLE IN INSERT MODE.****Reason:**

When in insert mode, the requested function is not available.

Action:

Select another function.

CAKR213I**PERIOD UPDATE WAS NOT PERFORMED.****Reason:**

An update was not performed for the period.

Action:

No action required. Message is informational only.

CAKR214I

PERIOD INSERT WAS NOT PERFORMED.

Reason:

An insert was not performed for the period.

Action:

No action required. Message is informational only.

CAKR215E

A COMMAND HAS BEEN ENTERED PAST THE END OF EXISTING DATA.

Reason:

You have attempted to enter a command past the end of existing data. This is not allowed.

Action:

Reset and re-enter the command prior to the end of the existing data.

CAKR216E

x IS NOT A VALID LINE COMMAND.

Reason:

The user entry is not a valid line command.

Action:

Reset and optionally re-enter a valid line command.

CAKR217E

LINE DELETE CAN ONLY BE DONE ON LAST ENTRY.

Reason:

A line delete was attempted on an entry other than the last entry.

Action:

Reset the panel.

CAKR218I**PERIOD insert/delete/update WAS SUCCESSFUL.****Reason:**

The function requested (INSERT, DELETE, or UPDATE) was performed successfully.

Action:

No action required. Message is informational only.

CAKR219I**THE DELETE REQUEST WAS NOT PERFORMED.****Reason:**

The DELETE function requested was not performed, since NO was selected at the 'ARE YOU SURE?' prompt.

Action:

No action required. Message is informational only.

CAKR220E**THE HOUR FIELD CANNOT BE GREATER THAN 24.****Reason:**

The value entered in the hour field (HH) is greater than 24.

Action:

Ensure that the hour (HH) entered is less than or equal to 24.

CAKR221E**MINUTE CANNOT BE SPECIFIED AS GREATER THAN 59.****Reason:**

The value entered in the minute field (MM) is greater than 59.

Action:

Ensure that the minutes (MM) entered are less than or equal to 59.

CAKR222E

IF HOUR IS 24 MINUTES MUST BE ZEROES.

Reason:

If the hour (HH) specified is 24, you cannot enter a minutes value in the MM field.

Action:

Ensure that no value is entered in the MM field when HH = 24.

CAKR223E

THE DATE ENTERED WAS INVALID, PLEASE RE-ENTER.

Reason:

An invalid date was entered.

Action:

Re-enter a valid date.

CAKR224E

PERIOD TO BE CHANGED HAS ALREADY BEEN PROCESSED, UPDATE DENIED.

Reason:

The period you want to change has already been processed. The update was denied.

Action:

Reset the panel and optionally specify another period.

CAKR225E

THE CURRENT PERIOD END MUST BE GREATER THAN THE CURRENT DATE.

Reason:

The end of the current period must be greater than the current date.

Action:

Ensure that the current period end is greater than the current date.

CAKR226E**AT LEAST ONE PERIOD ENTRY MUST BE MADE BEFORE SAVE.****Reason:**

At least one period must be entered before specifying a SAVE function.

Action:

Enter information for the period and then SAVE.

CAKR227E**IF PERIOD DATE IS ENTERED TIME MUST BE ALSO.****Reason:**

If the period date is entered, the time must also be specified.

Action:

Enter the time for the period, or remove the period date.

CAKR228E**PERIOD ENTRIES MUST BE CONTIGUOUS.****Reason:**

A break occurred between period entries.

Action:

Enter period information so that it is contiguous.

CAKR229E**ZERO IS NOT A VALID ENTRY FOR END TIME. USE 24:00 INSTEAD.****Reason:**

Zero (00:00) was entered for the End Time field.

Action:

Re-enter the value for the End Time field, using 24:00 instead.

CAKR230E

PERIOD DATE MUST BE GREATER THAN PREVIOUS PERIOD END.

Reason:

The period date must be greater than the previous period end.

Action:

Re-enter the period date ensuring that it is greater than the previous period end.

CAKR231E

PERIOD HAS ALREADY BEEN PROCESSED. DELETE REQUEST DENIED.

Reason:

The period you want to delete has already been processed. The delete request was denied.

Action:

Reset the panel.

CAKR235I

NO RECORDS MATCH YOUR BROWSE CRITERIA, ENTER NEW BROWSE CRITERIA.

Reason:

The browse criteria specified was not met.

Action:

Enter new browse criteria.

CAKR236E

THE ORDID ENTERED DOES NOT EXIST, USE PROMPT TO GET A VALID LIST.

Reason:

The ORDID entered does not exist.

Action:

Use the PROMPT function to view a list of valid ORDs and optionally select one to view or update.

CAKR237W**THE QUALIFIER FIELD MUST BE ENTERED FOR FUNCTION CREATE.****Reason:**

The qualifier field is not specified.

Action:

Enter a value for the qualifier field before using function CREATE.

CAKR238E**THE FIRST CHARACTER OF A COMPLEX QUALIFIER MUST BE @.****Reason:**

The first character of a complex qualifier must be @.

Action:

Enter the @ character followed by the complex qualifier.

CAKR239W**THE QUALIFIER SELECTED ALREADY EXISTS, USE BROWSE.****Reason:**

The qualifier selected already exists.

Action:

Use the BROWSE function to view a list of existing qualifiers and optionally select one.

CAKR240I**A PANEL WITHIN THE SAME PANEL SET MAY NOT BE ACTIVATED BY THE CURSOR.****Reason:**

You have attempted to activate a panel within the same panel set as the one you have currently active. This is not allowed.

Action:

Reset the panel.

CAKR241I

THE ENTER FUNCTION MAY NOT BE ACTIVATED BY USING THE CURSOR.

Reason:

Since the ENTER function uses the cursor to determine where an action is to take place, it cannot be activated using the cursor.

Action:

Reset the panel.

CAKR242I

THERE ARE NO PROMPTS AVAILABLE FOR THIS PANEL.

Reason:

No prompts currently exist for this panel.

Action:

No action required. Message is informational only.

CAKR243E

x IS NOT A VALID LINE COMMAND.

Reason:

The function requested is not a valid line command.

Action:

Re-set and optionally enter a valid line command.

CAKR244E

x IS NOT A VALID LINE COMMAND.

Reason:

The function requested is not a valid line command.

Action:

Re-set and optionally enter a valid line command.

CAKR250E

THE ORDID ENTERED DOES NOT EXIST, USE PROMPT TO GET A VALID LIST.

Reason:

The ORDID entered does not exist.

Action:

Enter a valid ORDID by using the PROMPT function to view a list of ORDIDs and optionally select one by pressing Enter next to an entry.

CAKR251E

THE RECOVERY FIELD MUST BE ENTERED FOR FUNCTION CREATE.

Reason:

A value must be entered within the recovery field before the CREATE function is used.

Action:

Enter a value within the recovery field.

CAKR252W

THE RECOVERY SELECTED ALREADY EXISTS, USE BROWSE.

Reason:

The recovery selected already exists.

Action:

Use the BROWSE function to view a list of recoveries and optionally select an entry to view or update.

CAKR253W

NO RECORDS MATCH YOUR BROWSE CRITERIA, ENTER NEW BROWSE CRITERIA.

Reason:

No records match the browse criteria specified.

Action:

Enter new browse criteria.

CAKR254W

A PANEL WITHIN THE SAME PANEL SET MAY NOT BE ACTIVATED BY THE CURSOR.

Reason:

You have attempted to activate a panel within the same panel set as the one you have currently active. This is not allowed.

Action:

Reset the panel.

CAKR255W

THE ENTER FUNCTION MAY NOT BE ACTIVATED BY USING THE CURSOR.

Reason:

Since the ENTER function uses the cursor to determine where an action is to take place, it cannot be activated using the cursor.

Action:

Reset the panel.

CAKR256I

THERE ARE NO PROMPTS AVAILABLE FOR THIS PANEL.

Reason:

No prompts currently exist for this panel.

Action:

No action required. Message is informational only.

CAKR257I

AMOUNT IS A USER-DEFINED FIELD, ENTER VALUE.

Reason:

The amount field is not specified.

Action:

Enter a value within the amount field.

CAKR258E

DELETE CANNOT BE PERFORMED. DATA HAS NOT BEEN PREVIOUSLY SAVED.

Reason:

A delete was attempted on unsaved data.

Action:

Reset the panel.

CAKR259I

RECOVERY insert/delete/update WAS NOT PERFORMED.

Reason:

The function requested (INSERT, DELETE, or UPDATE) was not performed.

Action:

No action required. Message is informational only.

CAKR260I

RECOVERY insert/delete/update WAS SUCCESSFUL.

Reason:

The function requested (INSERT, DELETE, or UPDATE) was performed successfully.

Action:

No action required. Message is informational only.

CAKR261E

CHARGE ELEMENT IS A REQUIRED FIELD, USE PROMPT TO GET A VALID LIST.

Reason:

You have not specified a value in the Charge Element field. It is a required entity.

Action:

Use the PROMPT function to view a list of existing charge elements and optionally select one by pressing Enter next to it.

CAKR262E

THE ELEMENT SELECTED DOES NOT EXIST, USE PROMPT TO GET A VALID LIST.

Reason:

The element selected does not exist.

Action:

Use the PROMPT function to view a list of existing elements and optionally select an entry by pressing Enter next to it.

CAKR263E

THE FIRST CHARACTER OF QUALIFIER MUST BE AN @.

Reason:

The first character of the qualifier field must be @.

Action:

Enter the @ character and the qualifier.

CAKR264E

THE QUALIFIER ENTERED DOES NOT EXIST, USE PROMPT FOR VALID LIST.

Reason:

The qualifier entered does not exist.

Action:

Use the PROMPT function to view a list of existing qualifiers and optionally select an entry by pressing Enter next to it.

CAKR265E

THE AMOUNT FIELD IS REQUIRED, ZERO IS A VALID ENTRY.

Reason:

The amount field is not specified.

Action:

Enter a numeric value within the Amount field. Zero is a valid entry.

CAKR266E

THE PERIOD ENTERED DOES NOT EXIST, USE PROMPT FOR A VALID LIST.

Reason:

The period entered does not exist.

Action:

Use the PROMPT function to view a list of valid periods and optionally select an entry by pressing Enter next to it.

CAKR267E

THE STRUCTURE FIELD MAY NOT BE LONGER THAN nn.

Reason:

The Structure field cannot be longer than the length specified by the user (nn).

Action:

Ensure that the length entered in the Structure field is not longer than nn.

CAKR268W

THE RECOVERY FIELD MUST BE ENTERED FOR FUNCTION CREATE.

Reason:

The recovery field must contain a value before the CREATE function is used.

Action:

Enter a value within the recovery field.

CAKR280I

A PANEL WITHIN THE SAME PANEL SET MAY NOT BE ACTIVATED BY THE CURSOR.

Reason:

You have attempted to activate a panel within the same panel set as the one you have currently active. This is not allowed.

Action:

Reset the panel.

CAKR281E

THE ORDID ENTERED DOES NOT EXIST, USE PROMPT TO GET A VALID LIST.

Reason:

The ORD entered does not exist.

Action:

Use the PROMPT function to view a list of valid ORDs and optionally select one by pressing Enter next to it.

CAKR282W

THE SPLIT SELECTED ALREADY EXISTS, USE BROWSE.

Reason:

You have attempted to create an existing Split Charge.

Action:

Use the BROWSE function instead of the CREATE function to view and optionally update the Split Charge.

CAKR283W

NO RECORDS MATCH YOUR BROWSE CRITERIA, ENTER NEW BROWSE CRITERIA.

Reason:

No records match the browse criteria specified.

Action:

Enter new browse criteria.

CAKR284W

THE ENTER FUNCTION MAY NOT BE ACTIVATED BY USING THE CURSOR.

Reason:

Since the ENTER function uses the cursor to determine where an action is to take place, it cannot be activated using the cursor.

Action:

Reset the panel.

CAKR285I

THERE ARE NO PROMPTS AVAILABLE FOR THIS PANEL.

Reason:

No prompts currently exist for this panel.

Action:

No action required. Message is informational only.

CAKR286W

THE SPLIT FIELD MUST BE ENTERED FOR FUNCTION CREATE.

Reason:

A value within the Split field must be entered before the CREATE function is used.

Action:

Enter a value within the Split field.

CAKR287I

THE PERCENT FIELD IS USER-DEFINED. ENTER PERCENTAGE OF SPLIT.

Reason:

You have selected the PROMPT function for the Percent field. Since it is user-defined, no prompts are available.

Action:

Enter the percentage of split in the Percent field.

CAKR288I

ORIGINAL SPLIT INFORMATION insert/delete/update WAS SUCCESSFUL.

Reason:

The function requested (INSERT, DELETE, or UPDATE) was performed successfully.

Action:

No action required. Message is informational only.

CAKR289I

SPLIT CHARGE INFORMATION SAVE WAS SUCCESSFUL. PLEASE CONTINUE.

Reason:

The Split Charge Save was performed successfully.

Action:

Continue with the next action.

CAKR290I

SPLIT CHARGE INFORMATION SAVE WAS SUCCESSFUL.

Reason:

The Split Charge Save was performed successfully.

Action:

No action required. Message is informational only.

CAKR291I

SPLIT CHARGES UPDATE WAS SUCCESSFUL. PLEASE CONTINUE.

Reason:

The Split Charges Update was performed successfully.

Action:

Continue with the next action.

CAKR292I

SPLIT CHARGES UPDATE WAS SUCCESSFUL. PLEASE CONTINUE.

Reason:

The Split Charges Update was performed successfully.

Action:

Continue with the next action.

CAKR293I**SPLIT CHARGE DELETE WAS SUCCESSFUL.****Reason:**

The Split Charges Delete was performed successfully.

Action:

No action required. Message is informational only.

CAKR294E**THE REQUESTED FUNCTION IS NOT AVAILABLE IN INSERT MODE.****Reason:**

The function requested is not available in insert mode.

Action:

Do not attempt this function when in insert mode.

CAKR295E**THIS PANEL MAY NOT BE EXITED UNTIL PERCENT USED IS 100.00%.****Reason:**

The Percent Used field is not 100.00%.

Action:

Ensure that Percent Used = 100.00% before attempting to exit by

- Changing existing information so that Percent Used = 100%
- Continuing to enter new information until Percent Used = 100%, if Percent Used < 100%.

CAKR296I**SPLIT CHARGES insert/delete/update WAS NOT PERFORMED.****Reason:**

The function requested (INSERT, DELETE, or UPDATE) was not performed, since you specified NO at the 'ARE YOU SURE?' prompt.

Action:

No action required. Message is informational only.

CAKR297E

THE INSERT FUNCTION MAY NOT BE PERFORMED WHILE IN INSERT MODE.

Reason:

You have selected the PF key INSERT function while in insert mode. This is not allowed.

Action:

Reset the panel.

CAKR298E

ORIGINAL ACCOUNTING STRUCTURE MUST BE SAVED PRIOR TO INSERT FUNCTION.

Reason:

Prior to using the INSERT function, the original accounting structure must be saved.

Action:

Ensure that the original accounting structure is saved.

CAKR299E

INSERT CANNOT BE PERFORMED WHEN PERCENT USED IS 100.

Reason:

An insert was attempted when Percent used = 100.

Action:

Ensure that the percent used is less than 100, before performing an INSERT function.

CAKR300E

THE ORIGINAL STRUCTURE FIELD MAY NOT BE LONGER THAN nn.

Reason:

The Original Structure field cannot be longer than the user-specified length (nn).

Action:

Ensure that the Original Structure field does not exceed the maximum length (nn).

CAKR301E**THE NEW STRUCTURE FIELD MAY NOT BE LONGER THAN nn.****Reason:**

The New Structure field cannot be longer than the user-specified length (nn).

Action:

Ensure that the New Structure field does not exceed the maximum length (nn).

CAKR302E**THE PERCENT FIELD MAY NOT BE GREATER THAT 100.****Reason:**

The Percent field is greater than 100.

Action:

Ensure that the Percent field is less than or equal to 100.

CAKR303E**THE SUM OF PERCENT USED AND PERCENT MAY NOT EXCEED 100.****Reason:**

The sum of the Percent Used field and the Percent field may not exceed 100.

Action:

Ensure that the sum of the Percent Used field and the Percent field is less than or equal to 100.

CAKR304E**THE PERCENT FIELD IS A REQUIRED ENTRY.****Reason:**

The Percent field, which is required, is not specified.

Action:

Enter a value for the Percent field.

CAKR305E

PRESERVE MAY NOT BE SPECIFIED IF ORIGINAL STRUCTURE IS BLANK.

Reason:

The Preserve option allows accounting levels from the original entity to be carried over to the new entity. If accounting levels in the original entity are not specified, and a Preserve is selected for those levels in the new entity, an error will occur.

Action:

Ensure that when a Preserve is selected for accounting levels in the new entity, these accounting levels exist in the original entity.

CAKR306I

THIS UPDATE MAKES PERCENT USED nnn.nn%. ENTER NEW DATA.

Reason:

The percentage utilized is nnn.nn%, where nnn.nn is a decimal percentage representing the sum of the percent used by all entities. This message occurs when nnn.nn% does not equal to 100 %.

Action:

Ensure that the sum of the percent used by all entities is 100%.

CAKR307E

DUPLICATE SPLIT CHARGE DATA HAS BEEN ENTERED. PLEASE ENTER NEW DATA.

Reason:

Duplicate Split Charge data has been entered.

Action:

Delete any duplicate Split Charge data and enter new data.

CAKR319E**ACCOUNTING SOURCES FIELD MUST BE CHARACTER, DATE OR TIME.****Reason:**

You have attempted to define an accounting source with an invalid format. Format must be C, D, or T.

Action:

Choose a source field with the correct format, or use the PROMPT function to view a list of ORD names with an appropriate format.

CAKR320W**A PANEL WITHIN THE SAME PANEL SET MAY NOT BE ACTIVATED BY THE CURSOR.****Reason:**

You have attempted to activate a panel within the same panel set as the one you have currently active. This is not allowed.

Action:

Reset the panel.

CAKR321E**THE ORDID ENTERED DOES NOT EXIST, USE PROMPT TO GET A VALID LIST.****Reason:**

The ORD entered does not exist.

Action:

Use the PROMPT function to view a list of existing ORDs and optionally select one by pressing Enter next to it.

CAKR322E

THE STRUCTURE ENTERED DOES NOT EXIST, USE PROMPT TO GET VALID LIST.

Reason:

You have attempted to create accounting sources for a non-existent structure.

Action:

Use the PROMPT function to view a list of valid structures and optionally select one by pressing Enter next to it.

CAKR323W

ACCOUNTING SOURCES FOR STRUCTURE ALREADY EXISTS, USE BROWSE.

Reason:

The accounting sources for the structure already exist.

Action:

Use the BROWSE function instead of CREATE to view and optionally update the accounting sources for the structure.

CAKR324E

THE STRUCTURE FIELD MUST NOT BE BLANK.

Reason:

The Accounting Structure field is required and must be specified.

Action:

Enter a value in the Accounting Structure field.

CAKR325E

AT LEAST ONE ORD FIELD NAME HAS TO BE ENTERED.

Reason:

No ORD field names were entered and a save was requested. At least one ORD field is required before saving.

Action:

Enter at least one ORD field name, start, and length.

CAKR326E

THIS ORD FIELD NAME DOES NOT EXIST, USE PROMPT FOR VALID LIST.

Reason:

The ORD field name specified does not exist.

Action:

Use the PROMPT function to view a list of existing ORD names and optionally select one by pressing Enter next to it.

CAKR327E

THE START FIELD MUST BE NUMERIC.

Reason:

A non-numeric value was entered in the Start field.

Action:

Ensure that entries made within this field are numeric.

CAKR328E

THE START FIELD MUST BE GREATER THAN ZERO AND LESS THAN nn.

Reason:

The value specified in the Start field must be greater than zero and less than nn, a user-defined maximum start.

Action:

Ensure that the value specified in the Start field is greater than zero and less than nn.

CAKR329E

THE LENGTH FIELD MUST EQUAL OR BE LESS THAN nn, AND NOT ZERO.

Reason:

The length field is greater than nn, where nn is length of the ORD, or the length field is equal to zero.

Action:

Ensure that the length field does not exceed nn and is not equal to zero.

CAKR330E

THE LENGTH FIELD MUST BE NUMERIC.

Reason:

A non-numeric value was entered in the Length field.

Action:

Ensure that values entered within the Length field are numeric.

CAKR331E

ACCOUNTING SOURCES ENTRIES MUST BE CONTIGUOUS.

Reason:

The Accounting Sources entered are not contiguous.

Action:

Ensure that the Accounting Sources entered follow one another without any breaks.

CAKR332W

ACCOUNTING STRUCTURE NOT FOUND. PLEASE EXIT AND CHECK STRUCTURE.

Reason:

The Accounting Structure specified was not found.

Action:

Exit and check the Accounting Structure.

CAKR333E

THE MAXIMUM COMBINED LENGTH FOR THIS STRUCTURE IS nn.

Reason:

The maximum combined lengths of the ORD fields have exceeded the maximum length (nn) defined for the accounting structure.

Action:

Ensure that the maximum combined lengths of the ORD fields do not exceed the maximum length (nn) of the structure.

CAKR334E

THE MAXIMUM COMBINED LENGTH FOR THIS LOOKUP IS 16.

Reason:

The maximum combined length of ORD field lengths has exceeded 16.

Action:

Ensure that the combined length of ORD field lengths does not exceed 16.

CAKR335I

ACCOUNTING SOURCES insert/delete/update WAS NOT PERFORMED.

Reason:

The function requested (INSERT, DELETE, or UPDATE) was not performed.

Action:

No action required. Message is informational only.

CAKR336I

ACCOUNTING SOURCES insert/delete/update WAS SUCCESSFUL.

Reason:

The function requested (INSERT, DELETE, or UPDATE) was successfully performed.

Action:

No action required. Message is informational only.

CAKR337W

DELETE CANNOT BE PERFORMED BECAUSE THE RECORD HAS NOT BEEN SAVED.

Reason:

A delete was attempted on unsaved data.

Action:

No action required. Message is informational only.

CAKR338I

THIS IS A USER-DEFINED FIELD, ENTER VALUE.

Reason:

You have selected the PROMPT function for this field. Since it is user-defined, no prompts are available.

Action:

No action required. Message is informational only.

CAKR339W

NO RECORDS MATCH YOUR BROWSE CRITERIA, ENTER NEW BROWSE CRITERIA.

Reason:

No records match the browse criteria specified.

Action:

Enter new browse criteria.

CAKR341W

THE ENTER FUNCTION MAY NOT BE ACTIVATED BY USING THE CURSOR.

Reason:

Since the ENTER function uses the cursor to determine where an action is to take place, it cannot be activated using the cursor.

Action:

Reset the panel.

CAKR342I

ACCOUNTING SOURCES DELETE WAS SUCCESSFUL.

Reason:

A delete of the Accounting Sources was successful.

Action:

No action required. Message is informational only.

CAKR343I

THIS IS A USER-DEFINED FIELD, ENTER VALUE.

Reason:

You have selected the PROMPT function for this field. Since it is user-defined, no prompts are available.

Action:

Enter a value within the user-defined field.

CAKR344E

LOOK-UP TABLE xxxxxx DOES NOT EXIST, USE F11 TO CREATE.

Reason:

The look-up table (xxxxxx) you have specified does not exist.

Action:

Use the F11 key to create the look-up table.

CAKR345I

THE LOOKUP FIELD IS USER-DEFINED. ENTER ANY EIGHT CHARACTERS.

Reason:

You have selected the PROMPT function for the Lookup field. Since it is user-defined, no prompts are available.

Action:

Enter any eight characters in the Lookup field.

CAKR346E

THE LOOKUP TABLE FIELD MUST BE ENTERED BEFORE PRESSING F11.

Reason:

A value must be entered in the Lookup Table field before F11(LOOKUP) is pressed.

Action:

Enter a value in the Lookup Table field.

CAKR347I

LOOKUP TABLE UPDATE WAS NOT PERFORMED.

Reason:

An update was not performed on the Lookup Table.

Action:

No action required. Message is informational only.

CAKR348I

LOOKUP TABLE INSERT WAS NOT PERFORMED.

Reason:

An insert was not performed on the Lookup Table.

Action:

No action required. Message is informational only.

CAKR349E

A COMMAND HAS BEEN ENTERED PAST THE END OF EXISTING DATA.

Reason:

You have attempted to enter a command past the end of existing data. This is not allowed.

Action:

Reset and optionally re-enter the command prior to the end of the existing data.

CAKR350I

THE DELETE REQUEST WAS NOT PERFORMED.

Reason:

The DELETE function requested was not performed.

Action:

No action required. Message is informational only.

CAKR351W

THE REQUESTED FUNCTION IS NOT AVAILABLE UNTIL DATA HAS BEEN SAVED.

Reason:

The requested function is not available in insert mode.

Action:

No action required. Message is informational only.

CAKR352E

x IS NOT A VALID LINE COMMAND.

Reason:

The user-specified entry is not a valid line command.

Action:

Reset the panel and optionally re-enter a valid line command.

CAKR353I

ACCOUNT LOOKUP insert/delete/update WAS NOT PERFORMED.

Reason:

The requested function (INSERT, DELETE, or UPDATE) was not performed.

Action:

No action required. Message is informational only.

CAKR354I

ACCOUNT LOOKUP insert/delete/update WAS SUCCESSFUL.

Reason:

The requested function (INSERT, DELETE, or UPDATE) was successfully performed.

Action:

No action required. Message is informational only.

CAKR355I

DATABASE RE-SEQUENCE COMPLETE, INSERT MAY NOW BE PERFORMED.

Reason:

When the maximum allowable line inserts between of tables is reached, the system automatically performs a re-sequencing of the lines of the tables.

Action:

The INSERT function can now be performed.

CAKR356I

DATABASE TABLE ACCTLOOK IS BEING RE-SEQUENCED, PLEASE WAIT.

Reason:

When the maximum allowable line inserts between two rows of the table is reached, the system automatically performs a re-sequencing of the lines.

Action:

No action required. Message is informational only.

CAKR357E

AT LEAST ONE ACCOUNTING LOOK-UP ENTRY MUST BE MADE.

Reason:

An Accounting Look-up Entry is not specified, or specified incompletely.

Action:

Enter at least one Accounting Look-up entry. Ensure that all fields of the entry are filled accordingly.

CAKR358E

THE TO FIELD MUST BE EQUAL TO OR GREATER THEN THE FROM FIELD.

Reason:

The value within the To field must be greater than or equal to the value within the From field.

Action:

Ensure that the value within the To field is greater than or equal to the value within the From field.

CAKR359E**THE RETURN VALUE FIELD MUST BE ENTERED.****Reason:**

The Return Value field is not specified.

Action:

Enter a value within the Return Value field.

CAKR360E**IF THE TO VALUE HAS BEEN ENTERED, A FROM VALUE MUST BE ENTERED.****Reason:**

The To Value field is entered, but the From Value field is not specified.

Action:

Enter a value in the From Value field.

CAKR361E**IF THE TO FIELD HAS BEEN ENTERED, THE RETURN VALUE MUST BE ALSO.****Reason:**

The To field was specified, but the Return Value field was not.

Action:

Enter a value in the Return Value field.

CAKR362E**IF THE RETURN VALUE FIELD IS ENTERED, THE FROM FIELD MUST BE ENTERED.****Reason:**

The Return Value field was specified, but the From Value field was not.

Action:

Enter a value in the From Value field.

CAKR363E

IF THE RETURN VALUE FIELD IS ENTERED, THE TO FIELD MUST BE ENTERED.

Reason:

The Return Value field was specified, but the To Value field was not.

Action:

Enter a value in the To Value field.

CAKR364E

THE MAXIMUM LENGTH FOR RETURN VALUE FOR THIS STRUCTURE IS nn.

Reason:

The value specified in the *Return value* field exceeds the maximum length (nn) for the structure.

Action:

Ensure that the value specified in the *Return value* field does not exceed the maximum length (nn) for the structure.

CAKR365E

THE FROM FIELD IS A REQUIRED ENTRY.

Reason:

The From field is not specified and is required for processing.

Action:

Enter a value in the From field.

CAKR366W

THE REQUESTED FUNCTION IS NOT AVAILABLE ON THIS PANEL.

Reason:

The function you have requested is not currently available for this panel.

Action:

No action required. Message is informational only.

CAKR367E**FROM LENGTH EXCEEDS SOURCES LENGTH, MUST BE nn OR LESS.****Reason:**

The value specified in the *From range* field exceeds the maximum length (nn) for the source.

Action:

Ensure that the value specified in the *From range* field does not exceed the maximum allowable length (nn).

CAKR368E**TO LENGTH EXCEEDS SOURCES LENGTH, MUST BE nn OR LESS.****Reason:**

The value specified in the *To range* field exceeds the maximum length nn for the source.

Action:

Ensure that the value specified in the *To range* field does not exceed the maximum allowable length nn.

CAKR369E**THE LENGTH FIELD MUST BE GREATER THAN 0.****Reason:**

The Length specified is less than 0.

Action:

Ensure that the length entered is greater than 0.

CAKR370I**VALID COMMANDS ARE 'I' FOR INSERT AND 'D' FOR DELETE.****Reason:**

You have specified an invalid command.

Action:

Ensure that the command requested is either an 'I' for Insert or a 'D' for Delete.

CAKR371I

THIS IS NOT AN ENTRY FIELD. PRESS ENTER TO CONTINUE TO ENTRY PANEL.

Reason:

You have selected the PROMPT function on a non-entry field. No prompts currently exist.

Action:

Press Enter to continue to an entry panel.

CAKR372I

VALID COMMAND IS 'D'.

Reason:

You have specified an invalid command.

Action:

Ensure that the command requested is 'D'.

CAKR373E

THE 'TO' FIELD MAY NOT BE ENTERED IF 'FROM' CONTAINS A PERCENT.

Reason:

You specified a value in the *To* field, when the *From* field contains a percent.

Action:

Ensure that the *To* field is blank when the *From* field contains a percent.

CAKR374E

THE 'TO' FIELD MAY NOT CONTAIN THE PERCENT CHARACTER.

Reason:

You have specified the percent character in the *To* field.

Action:

Ensure that the percent character is not entered in the *To* field.

CAKR380E**LENGTH MUST BE A NUMBER BETWEEN 1 AND 16.****Reason:**

The length can only be a number between 1 and 16.

Action:

Ensure that the length entered is between 1 and 16.

CAKR381E**STRUCTURE MUST BE ENTERED IF LENGTH IS ENTERED.****Reason:**

The Length field is specified, but Structure is not.

Action:

Enter a value within the Structure field.

CAKR382E**STRUCTURE MUST BE UNIQUE.****Reason:**

Duplicate Structure was entered.

Action:

Ensure that the Structure entered is unique.

CAKR383E**STRUCTURE ENTRIES MUST BE CONTIGUOUS.****Reason:**

The Structure specified is not contiguous.

Action:

Ensure that the Structure specified is contiguous.

CAKR384I

ACCOUNTING STRUCTURE insert/delete/update WAS SUCCESSFUL.

Reason:

The function requested (INSERT, DELETE, or UPDATE) was successfully performed.

Action:

No action required. Message is informational only.

CAKR385E

ACCOUNTING STRUCTURE insert/delete/update WAS NOT PERFORMED.

Reason:

The function requested (INSERT, DELETE, or UPDATE) was not performed.

Action:

Enter a value for the Structure field.

CAKR387I

POSITION CURSOR, PRESS ENTER. F7=UP, F8=DOWN, F5=RIGHT, F6=LEFT.

Reason:

Informational message displayed when you select the Panel function's Move option.

Action:

You can move the panel by positioning the cursor and pressing Enter or by using the function keys.

CAKR388I

THE LENGTH FIELD MAY CONTAIN THE VALUES 1 THRU 16.

Reason:

You have selected the PROMPT function for the Length field. Since it is user-defined, no prompts are available.

Action:

Enter a value between 1 and 16 for the Length field.

CAKR389E**AT LEAST ONE ACCOUNTING STRUCTURE HAS TO BE ENTERED.****Reason:**

No Accounting Structures have been entered and a save attempted. At least one is required before saving.

Action:

Enter at least one Accounting Structure.

CAKR390E**INSERT, UPDATE, DELETE, AND SAVE NOT ALLOWED. CBVERSION NOT BLANK.****Reason:**

You have attempted an INSERT, UPDATE, DELETE, or a SAVE function. While the CBVersion is blank, these functions are not allowed.

Action:

Ensure that the CBVersion is specified in the Primary Panel's Options Function before attempting to insert, update, delete or save records.

CAKR391I**STRUCTURE IS A USER-DEFINED FIELD, ENTER VALUE.****Reason:**

You have selected the PROMPT function for the Structure field. Since it is user-defined, no prompts are available.

Action:

Enter a value for the Structure field.

CAKR400W

A PANEL WITHIN THE SAME PANEL SET MAY NOT BE ACTIVATED BY THE CURSOR.

Reason:

You have attempted to activate a panel within the same panel set as the one you have currently active. This is not allowed.

Action:

Reset the panel.

CAKR401E

THE ORDID ENTERED DOES NOT EXIST, USE PROMPT TO GET A VALID LIST.

Reason:

The ORD type you have specified does not exist.

Action:

Use the PROMPT function to view a list of existing ORD types and optionally select one by pressing Enter next to it.

CAKR402W

THE UNIT SELECTED ALREADY EXISTS, USE BROWSE.

Reason:

The Unit selected already exists.

Action:

Use the BROWSE function to view and optionally update the Unit.

CAKR403W

NO RECORDS MATCH YOUR BROWSE CRITERIA, ENTER NEW BROWSE CRITERIA.

Reason:

No records match the browse criteria specified.

Action:

Enter new browse criteria.

CAKR404W**THE ENTER FUNCTION MAY NOT BE ACTIVATED BY USING THE CURSOR.****Reason:**

Since the ENTER function uses the cursor to determine where an action is to take place, it cannot be activated using the cursor.

Action:

Reset the panel.

CAKR405I**THERE ARE NO PROMPTS AVAILABLE FOR THIS PANEL.****Reason:**

No prompts currently exist for this panel.

Action:

No action required. Message is informational only.

CAKR406E**THE UNIT FIELD MUST BE ENTERED FOR FUNCTION CREATE.****Reason:**

The Unit field must be specified to use the CREATE function.

Action:

Enter a value within the Unit field and then select the CREATE function.

CAKR407E**THE FIRST CHARACTER OF A COMPLEX UNIT MUST BE @.****Reason:**

The first character of a complex unit must be @.

Action:

Enter the @ character and the complex unit.

CAKR408E

x IS NOT A VALID LINE COMMAND.

Reason:

The user-specified entry is not a valid line command.

Action:

Reset and optionally re-enter a valid line command.

CAKR409E

x IS NOT A VALID LINE COMMAND.

Reason:

The user-specified entry is not a valid line command.

Action:

Reset and optionally re-enter a valid line command.

CAKR425E

SQL ERROR, CODE = 'nnnn'

Reason:

You attempted an invalid SQL action and received an error message number.

Action:

Refer to the *SQL Error Messages and Codes manual* for the appropriate message.

CAKR426W

NO RECORDS MATCH CRITERIA.

Reason:

No records match the criteria specified.

Action:

Reset the panel.

CAKR427W**THE PENDING ACTION HAS BEEN CANCELLED.****Reason:**

You have specified No at the 'ARE YOU SURE?' prompt.

Action:

Reset the panel.

CAKR428E**THE ORD DOES NOT EXIST. USE PROMPT FOR A LIST OF VALID ORDS.****Reason:**

The ORD you have specified does not exist.

Action:

Use the PROMPT function to view a list of valid ORDs and optionally select one by pressing Enter next to it.

CAKR430E**PERIOD MUST BE NUMERIC.****Reason:**

You have entered a nonnumeric character in the Period field.

Action:

Ensure that the value entered in the Period field is numeric.

CAKR431E**AMOUNT MUST BE NUMERIC.****Reason:**

You have entered a nonnumeric character in the Amount field.

Action:

Ensure that the value entered in the Amount field is numeric.

CAKR432E

PERIOD RANGE IS INVALID.

Reason:

The Period Range specified is invalid.

Action:

Enter a valid Period Range.

CAKR433E

INFORMATION IS INCOMPLETE.

Reason:

All required information has not been entered.

Action:

Ensure that all entries are specified.

CAKR450E

SQL ERROR, CODE = 'nnnn'

Reason:

You attempted an invalid SQL action and received an error message number.

Action:

Refer to the *SQL Error Messages and Codes manual* for the appropriate message.

CAKR451W

NO RECORDS MATCH CRITERIA.

Reason:

No records match the criteria you have specified.

Action:

Reset the panel.

CAKR452I**THE PENDING ACTION HAS BEEN CANCELLED.****Reason:**

You have specified No at the 'ARE YOU SURE?' prompt.

Action:

Reset the panel.

CAKR453E**ORD DOES NOT EXIST. USE PROMPT FOR A LIST OF VALID ORDS.****Reason:**

The ORD you have specified does not exist.

Action:

Use the PROMPT function to view a list of valid ORDs and optionally select one by pressing Enter next to it.

CAKR454E**DB/CR FIELD MUST BE DEBIT OR CREDIT****Reason:**

The value within the DB/CR field must be a debit or credit.

Action:

Ensure that either a debit or a credit is specified.

CAKR455E**PERIOD MUST BE NUMERIC.****Reason:**

You have specified a non-numeric value in the period field, or you have left the period field blank.

Action:

Ensure that a numeric value is specified within the period field.

CAKR456E

AMOUNT MUST BE NUMERIC.

Reason:

You have specified a nonnumeric value in the debit/credit amount field, or you have left the amount field blank.

Action:

Ensure that a numeric value is specified within the amount field.

CAKR457E

PERIOD RANGE INVALID.

Reason:

The period range you have specified is invalid.

Action:

Ensure that you have specified a valid period range.

CAKR458E

INFORMATION IS INCOMPLETE.

Reason:

The information specified is not complete.

Action:

Complete the information, then process.

CAKR459E

DB/CR FIELD MUST CONTAIN 'DB' or 'CR'.

Reason:

The DB/CR field must contain either a debit or a credit.

Action:

Ensure that either a debit or a credit is specified.

CAKR460E

THIS ORD DOES NOT EXIST.

Reason:

The ORD specified does not exist.

Action:

Reset the panel.

CAKR465E

GLOBAL PARAMETERS COULD NOT BE LOADED - OR RUNNING ON INCORRECT SYSTEM.

Reason:

CAIKSPAR is **not** allocated to the user session.

Action:

Allocate and re-start the CA PMA Chargeback online session.

CAKR470E

THE FUNCTION REQUESTED IS NOT VALID FOR THIS PANEL.

Reason:

You have selected an invalid function.

Action:

Reset the panel or select another function.

CAKR475W

PROMPT MAY NOT BE ACTIVATED THROUGH USE OF THE CURSOR.

Reason:

You have attempted to use the cursor to activate the PROMPT function. This is not allowed.

Action:

Reset the panel.

CAKR476E

insert/delete/update IS NOT A VALID COMMAND.

Reason:

The function requested (INSERT, DELETE, or UPDATE) is not a valid command.

Action:

Reset the panel.

CAKR477W

THERE IS NO PREVIOUS COMMAND TO EXECUTE.

Reason:

You have attempted to execute a non-existent previous command.

Action:

Reset the panel.

CAKR478E

SYSTEM COMMANDS MUST HAVE AT LEAST ONE OPERAND.

Reason:

You have specified a system command at the command line with no operands.

Action:

Re-enter the system command using at least one operand.

CAKR479E

xx IS NOT A VALID FASTPATH COMMAND.

Reason:

An invalid fastpath command was entered.

Action:

Reenter a valid fastpath command or check to ensure that database table ACCTDISP has been properly installed.

CAKR480E**DISPATCH NOT PERFORMED, CURSOR WAS NOT ON A VALID PANEL.****Reason:**

The Dispatch function, which allows you to activate suspended panels, was not performed. The cursor was not on a panel.

Action:

Ensure that the cursor is placed on the panel you want to activate and then press Enter.

CAKR481W**PROMPT MAY NOT BE ACTIVATED BY CURSOR, MUST USE FUNCTION KEY.****Reason:**

You have used the cursor to activate the PROMPT function. This is not allowed.

Action:

Use the function key to activate PROMPT. Ensure that you are on a valid field when doing so.

CAKR482E**COMMAND insert/delete/update IS NOT A VALID COMMAND FOR THIS PANEL.****Reason:**

The INSERT, DELETE, and UPDATE commands are not valid for this panel.

Action:

Reset the panel.

CAKR483I**NO CHOICES AVAILABLE.****Reason:**

No choices are available for this panel.

Action:

No action required. Message is informational only.

CAKR500W

NO RECORDS MEET CRITERIA.

Reason:

No records meet the criteria specified.

Action:

Enter new criteria.

CAKR501W

DELETE UNAVAILABLE AS RECORD HAS NOT BEEN INSERTED.

Reason:

A delete was attempted on unsaved data.

Action:

No action required. Message is informational only.

CAKR502E

MAXIMUM LENGTH OF xxxxxxxxxxx IS nnn.

Reason:

The maximum length of xxxxxxxxxxx is nnn, where xxxxxxxxxxx is a variable representing the first Accounting Structure defined by the user and nnn is the maximum length of xxxxxxxxxxx also defined by the user.

Action:

Ensure that the value specified for xxxxxxxxxxx does not exceed the maximum length nnn.

CAKR503E

MAXIMUM LENGTH OF xxxxxxxxxxx IS nnn.

Reason:

The maximum length of xxxxxxxxxxx is nnn, where xxxxxxxxxxx is a variable representing the second Accounting Structure defined by the user and nnn is the maximum length of xxxxxxxxxxx also defined by the user.

Action:

Ensure that the value specified for xxxxxxxxxxx does not exceed the maximum length nnn.

CAKR504E**MAXIMUM LENGTH OF xxxxxxxxxxxx IS nnn.****Reason:**

The maximum length of xxxxxxxxxxxx is nnn, where xxxxxxxxxxxx is a variable representing the third Accounting Structure defined by the user and nnn is the maximum length of xxxxxxxxxxxx also defined by the user.

Action:

Ensure that the value specified for xxxxxxxxxxxx does not exceed the maximum length nnn.

CAKR505E**MAXIMUM LENGTH OF xxxxxxxxxxxx IS nnn.****Reason:**

The maximum length of xxxxxxxxxxxx is nnn, where xxxxxxxxxxxx is a variable representing the fourth Accounting Structure defined by the user and nnn is the maximum length of xxxxxxxxxxxx also defined by the user.

Action:

Ensure that the value specified for xxxxxxxxxxxx does not exceed the maximum length nnn.

CAKR506E**MAXIMUM LENGTH OF xxxxxxxxxxxx IS nnn.****Reason:**

The maximum length of xxxxxxxxxxxx is nnn, where xxxxxxxxxxxx is a variable representing the fifth Accounting Structure defined by the user and nnn is the maximum length of xxxxxxxxxxxx also defined by the user.

Action:

Ensure that the value specified for xxxxxxxxxxxx does not exceed the maximum length nnn.

CAKR507I

RECORD SUCCESSFULLY UPDATED.

Reason:

The record has been successfully updated.

Action:

No action required. Message is informational only.

CAKR508I

RECORD SUCCESSFULLY INSERTED.

Reason:

The record has been successfully inserted.

Action:

No action required. Message is informational only.

CAKR509I

RECORD SUCCESSFULLY DELETED.

Reason:

The record has been successfully deleted.

Action:

No action required. Message is informational only.

CAKR510I

NO RECORDS FOUND - F3 TO EXIT .

Reason:

The records searched for were not found.

Action:

Use the F3 key to exit.

CAKR511E**SELECTION MUST BE EITHER 1 OR 2.****Reason:**

You can select only a 1 or a 2.

Action:

Ensure that the value entered is either a 1 or a 2.

CAKR512E**AMOUNT MUST BE EITHER DEBIT OR CREDIT.****Reason:**

This message is returned when one of two events occurs:

1. You have specified a value other than 'debit' or 'credit' in this field.
2. You have changed a value in this field to a 'debit' value. To erase the sixth location, you spaced over it. CA PMA Chargeback considers the space as a character in this field; therefore it does not allow the 'debit ' value.

Action:

If the reason for the error message is 1, ensure that the value entered for the Amount field is either 'debit' or 'credit'. If the reason for the error message is 2, enter the value 'debit' and press the EOF key.

CAKR520W**COPY OPERATION FAILED.****Reason:**

A Copy operation was attempted and failed.

Action:

Reset the panel.

CAKR521I

COPY OPERATION SUCCESSFUL.

Reason:

A Copy operation was attempted and succeeded.

Action:

No action required. Message is informational only.

CAKR522E

PERIOD 'MINIMUM PERIOD' EARLIEST - CANNOT SCROLL LEFT.

Reason:

You have reached the beginning of the scroll. There are no prior periods to view.

Action:

No action required. Message is informational only.

CAKR523E

PERIOD 'MAXIMUM PERIOD' IS LATEST - CANNOT SCROLL RIGHT.

Reason:

You have reached the end of the scroll. There are no further periods to view.

Action:

No action required. Message is informational only.

CAKR524W

CALCULATION IS ONLY AVAILABLE FOR UNITS.

Reason:

The CALCULATION function is only available for Units.

Action:

Specify Units and then select the calculation function.

CAKR525E**CALCULATION MUST BE FOR A VALID ELEMENT.****Reason:**

Calculations can only be performed for valid elements.

Action:

Ensure that the element entered is valid.

CAKR526W**FACTOR TOO LARGE TO CALCULATE****Reason:**

The calculation cannot be performed using the value(s) specified.

Action:

Change the value(s) originally specified and then perform the calculation.

CAKR527E**FORECAST MUST BE IN CHARGES OR UNITS.****Reason:**

The Forecast function can only be performed on Charges or Units.

Action:

Ensure that Charges or Units are specified for the FORECAST function.

CAKR528W**QUERY RETURNED ZERO ROWS. F3 TO EXIT.****Reason:**

No records meet the criteria specified.

Action:

Enter F3 to exit.

CAKR555E

VERSION MUST BE PROD OR TEST.

Reason:

The version specified must be PROD or TEST.

Action:

Ensure that the version specified is PROD or TEST.

CAKR556E

VERSION MUST BE PROD OR TEST.

Reason:

The version specified must be PROD or TEST.

Action:

Ensure that the version specified is PROD or TEST.

CAKR557W

OPTIONS MAY ONLY BE SET WHEN NO OTHER DIALOGS ARE ACTIVE.

Reason:

You cannot change any of the Primary Panel's Options settings while a panel is suspended.

Action:

Unsuspend any active panels, before attempting to change any Options settings.

CAKR558E

MNEMONIC SETTING MUST BE YES OR NO.

Reason:

You have entered an invalid selection for *Mnemonic Setting*.

Action:

Ensure that the value entered is either a Y(es) or N(o).

CAKR559E**BASE VERSION MUST BE PROD OR TEST.****Reason:**

The Base version specified must be PROD or TEST.

Action:

Ensure that the version specified is PROD or TEST.

CAKR560E**ACTION BAR SETTING CAN BE REV OR NOREV.****Reason:**

You have entered an invalid selection for the Action Bar Setting.

Action:

Ensure that the value entered is either Rev or Norev.

CAKR561E**WARNING MSGS CAN BE YES OR NO****Reason:**

You have entered an invalid selection for the *Warning Messages* field.

Action:

Ensure that the value entered is either a Y(es) or N(o).

CAKR562E**INFO MSGS CAN BE YES OR NO.****Reason:**

You have entered an invalid selection for the *Informational Messages* field.

Action:

Ensure that the value entered is either a Y(es) or N(o).

CAKR563E

SAVE/DELETE PROMPT CAN BE DEL, SAVE, BOTH OR OFF.

Reason:

You have entered an invalid selection for the SAVE/DELETE prompt.

Action:

Ensure that the value entered is DEL, SAVE, BOTH, or OFF.

CAKR564I

OPTIONS HAVE BEEN UPDATED.

Reason:

Message informing that the options you have selected have been successfully updated.

Action:

No action required. Message is informational only.

CAKR565E

ALT PFKEYS MUST BE YES OR NO.

Reason:

Invalid entry in the ALT PFKEYS field.

Action:

Specify Yes or No.

CAKR566E

DATABASE DEPTH MUST BE AT LEAST 10.

Reason:

The Database Depth, which denotes the maximum number of records returned from a database access for Query purposes, must be a minimum of 10 records. You have specified the depth as less than 10.

Action:

Enter a value within the Database Depth field that is greater than 9 records.

CAKR570E**PERIOD IS EARLIEST.****Reason:**

There are no periods earlier than the one that is displayed.

Action:

Reset the panel.

CAKR571E**PERIOD IS LATEST.****Reason:**

There are no periods later than the one that is displayed.

Action:

Reset the panel.

CAKR572E**COST AND SCALE MUST BOTH BE SPECIFIED.****Reason:**

The Cost and Scale fields work in conjunction. When one is specified, both must be specified.

Action:

Ensure that values are specified for both the Cost and Scale fields.

CAKR573W**FACTOR IS ZERO - CALCULATION NOT PERFORMED.****Reason:**

The calculation cannot be performed using the value(s) specified.

Action:

Change the value(s) originally specified to different value(s) and then perform the calculation.

CAKR574E

CMD MUST BE C OR Q.

Reason:

You have selected an invalid command.

Action:

Ensure that either a C or a Q is selected.

CAKR575E

INCORRECT SCALE VALUE.

Reason:

The Scale value entered is incorrect.

Action:

Enter only U (units), K (thousands), M (millions), B (billions), or T (trillions).

CAKR576I

RATES HAVE BEEN GENERATED.

Reason:

Rates have been successfully generated.

Action:

No action required. Message is informational only.

CAKR577W

RATES HAVE NOT BEEN GENERATED - RATETAB IS NOW EMPTY !

Reason:

The Rate generation function has failed.

Action:

Perform rate generation again to copy rates from the CCCMOD to the RATETAB.

CAKR578W**NO RECORDS ON CCCMOD. F3 TO EXIT.****Reason:**

The CCCMOD table is empty; therefore the function was not performed.

Action:

Press F3 to exit.

CAKR579E**VERSION = x, ORD = x, ELEM = x - NOT FOUND ON ELEM TAB.****Reason:**

Version = x, Ord = x, and Elem = x are not found on the ELEM TAB table, where x is user-specified variables.

Action:

Reset the panel and optionally enter new values for the Version, ORD, and Elem fields.

CAKR585E**BASE VERSION MUST BE EITHER PROD OR TEST.****Reason:**

You have made an invalid selection for the Base Version field.

Action:

Enter either PROD or TEST for this field.

CAKR586E**PERIOD IS INVALID.****Reason:**

You have selected an invalid period.

Action:

Enter a valid period.

CAKR587E

CB VERSION IS INVALID.

Reason:

The CB Version selected is invalid.

Action:

Select a valid version.

CAKR600W

NO RECORDS MEET CRITERIA F3 TO EXIT

Reason:

No records meet the criteria specified.

Action:

Enter F3 to exit.

CAKR601E

INVALID SCROLL AMOUNT.

Reason:

The Scroll amount entered is invalid.

Action:

Enter a valid Scroll amount.

CAKR602E

SQL ERROR, CODE = 'nnnn'

Reason:

You attempted an invalid SQL action and received error message number nnnn.

Action:

Refer to the *SQL Error Messages and Codes manual* for the appropriate message.

CAKR603W**BROWSE RETURNED NO ROWS. F3 TO EXIT.****Reason:**

No records meet the browse criteria.

Action:

Press F3 to exit.

CAKR604W**NO RECORDS MEET CRITERIA.****Reason:**

No records meet the criteria specified.

Action:

Reset the panel.

CAKR605W**NAME MUST BE SPECIFIED FOR A CREATE OPERATION.****Reason:**

You selected the CREATE operation without specifying a name.

Action:

Enter a valid name and then select the CREATE operation.

CAKR606W**xxxxxxx ALREADY EXISTS.****Reason:**

The user-defined variable xxxxxxx already exists.

Action:

Specify another variable.

CAKR607W

ENTER EITHER A NEW NAME FOR CREATE, OR A MASK FOR BROWSE.

Reason:

You have attempted to create an entry with no items defined.

Action:

Specify a new name and press the CREATE function or specify a criteria and press the BROWSE function.

CAKR608W

QUERY 'xxxx' ALREADY EXISTS. F11 TO BROWSE, OR NEW NAME.

Reason:

The query 'xxxx' already exists, where 'xxxx' is a variable used to represent the query name you have entered.

Action:

Use the F11 key to Browse a list of existing queries and optionally select one to view or update, or specify the name of a new query you want to create.

CAKR609E

QUERY NAME IS BLANK, AND CANNOT BE SAVED.

Reason:

The query field is not specified, and therefore cannot be saved.

Action:

Enter a query name and then save.

CAKR610W

RECORD HAS NOT BEEN INSERTED. REFRESH NOT AVAILABLE.

Reason:

Refresh can only be performed on saved records.

Action:

Reset the panel.

CAKR611E**ZERO IS AN INVALID PERIOD SPECIFICATION.****Reason:**

You have entered zero in the Period number field. This is an invalid selection.

Action:

Enter a valid Period number.

CAKR612I**NO ACTION TAKEN.****Reason:**

No action was taken.

Action:

No action required. Message is informational only.

CAKR613E**SUMMARY FLAG MUST BE EITHER Y OR N****Reason:**

You have made an invalid selection for the Summary flag.

Action:

Enter either a Y(es) or N(o) for the Summary flag.

CAKR614E**xxxxxxxxxx BREAK FLAG MUST BE EITHER Y OR N****Reason:**

The Break flag for xxxxxxxxxxxx is not Y or N, where xxxxxxxxxxxx is a variable used to represent the second accounting structure specified by the user.

Action:

Ensure that the Break flag for xxxxxxxxxxxx is set to Y or N.

CAKR615E

xxxxxxxxxx BREAK FLAG MUST BE EITHER Y OR N

Reason:

The Break flag for xxxxxxxxxxxx is not Y or N, where xxxxxxxxxxxx is a variable used to represent the third accounting structure specified by the user.

Action:

Ensure that the Break flag for xxxxxxxxxxxx is set to Y or N.

CAKR616E

xxxxxxxxxx BREAK FLAG MUST BE EITHER Y OR N

Reason:

The Break flag for xxxxxxxxxxxx is not Y or N, where xxxxxxxxxxxx is a variable used to represent the fourth accounting structure specified by the user.

Action:

Ensure that the Break flag for xxxxxxxxxxxx is set to Y or N.

CAKR617E

xxxxxxxxxx BREAK FLAG MUST BE EITHER Y OR N

Reason:

The Break flag for xxxxxxxxxxxx is not Y or N, where xxxxxxxxxxxx is a variable used to represent the fifth accounting structure specified by the user.

Action:

Ensure that the Break flag for xxxxxxxxxxxx is set to Y or N.

CAKR618E

COUNT OPERATOR MUST BE <, >, OR =

Reason:

You have made an invalid selection for the Count operator.

Action:

Enter >, <, or = for the Count operator field.

CAKR619E**RATE OPERATOR MUST BE EITHER <, >, OR =****Reason:**

You have made an invalid selection for the Rate operator.

Action:

Enter >, <, or = for the Rate operator field.

CAKR620E**UNIT OPERATOR MUST BE EITHER <, >, OR =****Reason:**

You have made an invalid selection for the Unit operator.

Action:

Enter >, <, or = for the Unit operator field.

CAKR621E**COUNT SUMMARY OPTION MUST BE SUM, AVG, MIN OR MAX****Reason:**

You have made an invalid selection for the Count Summary Option.

Action:

Enter SUM (summation), AVG (average), MIN (minimum), or MAX (maximum).

CAKR622E**RATE SUMMARY OPTION MUST BE SUM, AVG, MIN OR MAX****Reason:**

You have made an invalid selection for the Rate Summary Option.

Action:

Enter SUM (summation), AVG (average), MIN (minimum), or MAX (maximum).

CAKR623E

UNIT SUMMARY OPTION MUST BE SUM, AVG, MIN OR MAX

Reason:

You have made an invalid selection for the Unit Summary Option.

Action:

Enter SUM (summation), AVG (average), MIN (minimum), or MAX (maximum).

CAKR624E

BREAK FLAG MUST BE EITHER Y OR N

Reason:

You have made an invalid selection for the Break flag.

Action:

Enter either a Y(es) or N(o) for the Break flag. Remember that if the Summary flag is set to N(o), the Break flag must also be set to N(o).

CAKR625E

CHARGE SUMMARY OPTION MUST BE SUM, AVG, MIN OR MAX

Reason:

You have made an invalid selection for the Charge Summary Option.

Action:

Enter SUM (summation), AVG (average), MIN (minimum), or MAX (maximum).

CAKR626E

CHARGE OPERATOR MUST BE EITHER <, > OR =

Reason:

You have made an invalid selection for the Charge Operator.

Action:

Enter either <, >, or =.

CAKR627E**ORDID ORDER MUST BE Y OR N****Reason:**

You have made an invalid selection for ORDID order.

Action:

Enter either Y(es) or N(o).

CAKR628E**ELEMENT ORDER MUST BE Y OR N****Reason:**

You have made an invalid selection for Element order.

Action:

Enter either Y(es) or N(o).

CAKR629E**QUALIFIER ORDER MUST BE Y OR N****Reason:**

You have made an invalid selection for Qualifier Order.

Action:

Enter either Y(es) or N(o).

CAKR630E**PERIOD END MUST BE GREATER THAN OR EQUAL TO PERIOD BEGIN****Reason:**

You have specified a Period End that is less than the Period Begin.

Action:

Ensure that Period End is greater than or equal to Period Begin.

CAKR631E

PERIOD ORDER MUST BE Y OR N

Reason:

You have made an invalid selection for Period Order.

Action:

Enter either Y(es) or N(o).

CAKR632E

xxxxxxxxxx ORDER MUST BE Y OR N

Reason:

You have made an invalid selection for xxxxxxxxxx Order, where xxxxxxxxxx is a variable used to represent the first accounting structure specified by the user.

Action:

Enter either Y(es) or N(o).

CAKR633E

xxxxxxxxxx ORDER MUST BE Y OR N

Reason:

You have made an invalid selection for xxxxxxxxxx Order, where xxxxxxxxxx is a variable used to represent the second accounting structure specified by the user.

Action:

Enter either Y(es) or N(o).

CAKR634E

xxxxxxxxxx ORDER MUST BE Y OR N

Reason:

You have made an invalid selection for xxxxxxxxxx Order, where xxxxxxxxxx is a variable used to represent the third accounting structure specified by the user.

Action:

Enter either Y(es) or N(o).

CAKR635E**BUDGET FLAG MUST BE EITHER Y OR N****Reason:**

You have made an invalid selection for the Budget flag.

Action:

Enter either a Y(es) or a N(o) for the Budget flag.

CAKR636E**xxxxxxxxxx ORDER MUST BE Y OR N****Reason:**

You have made an invalid selection for xxxxxxxxxx Order, where xxxxxxxxxx is a variable used to represent the fourth accounting structure specified by the user.

Action:

Enter either Y(es) or N(o) for the xxxxxxxxxx Order field.

CAKR637E**xxxxxxxxxx ORDER MUST BE Y OR N****Reason:**

You have made an invalid selection for xxxxxxxxxx Order, where xxxxxxxxxx is a variable used to represent the fifth accounting structure specified by the user.

Action:

Enter either Y(es) or N(o) for the xxxxxxxxxx Order field.

CAKR638E**TABLE SPECIFIED MUST BE TAB OR MOD****Reason:**

You have made an invalid selection for the Table field.

Action:

Enter either a TAB for the CCCTAB table or a MOD for the CCCMOD table.

CAKR640E

CB VERSION MUST BE EITHER PROD OR TEST

Reason:

You have made an invalid selection for the CB Version field.

Action:

Enter either PROD for production or TEST.

CAKR641E

ORDID BREAK FLAG MUST BE EITHER Y OR N

Reason:

You have made an invalid selection for the ORD Break flag.

Action:

Enter either a Y(es) or N(o) for the ORD Break flag.

CAKR642E

ELEMENT BREAK FLAG MUST BE EITHER Y OR N

Reason:

You have made an invalid selection for the Element Break flag.

Action:

Enter either a Y(es) or N(o) for the Element Break flag.

CAKR643E

QUALIFIER BREAK FLAG MUST BE EITHER Y OR N

Reason:

You have made an invalid selection for the Qualifier Break flag.

Action:

Enter either a Y(es) or N(o) for the Qualifier Break flag.

CAKR644E**PERIOD BREAK FLAG MUST BE EITHER Y OR N****Reason:**

You have made an invalid selection for the Period Break flag.

Action:

Enter either a Y(es) or N(o) for the Period Break flag.

CAKR645E**xxxxxxxxxx BREAK FLAG MUST BE EITHER Y OR N****Reason:**

You have made an invalid selection for the xxxxxxxxxx Break flag, where xxxxxxxxxx is a variable used to represent the first accounting structure defined by the user.

Action:

Enter either a Y(es) or N(o) for the xxxxxxxxxx Break flag.

CAKR646E**ZERO IS AN INVALID PERIOD SPECIFICATION.****Reason:**

The period specified, 000 is invalid.

Action:

Enter a valid period.

CAKR647W**REQUIRED RECORD WAS NOT FOUND F3 TO EXIT.****Reason:**

The required record was not found.

Action:

Use F3 to exit.

CAKR648W

NO RECORDS MEET CRITERIA.

Reason:

No records meet the criteria specified.

Action:

Reset the panel.

CAKR649E

INVALID BUDGET FLAG SETTING.

Reason:

An invalid selection has been made for the Budget Flag.

Action:

Enter a valid selection for the Budget flag: either Y(es) or N(o).

CAKR650E

WHEN BREAK FLAG IS Y, THEN SUMMARY FLAG MUST ALSO BE SET TO Y.

Reason:

The Break flag is set to Y(es) and the Summary flag is set to N(o).

Action:

Ensure that when the Break flag is set to Y(es), the Summary flag is also set to Y(es). This is required.

CAKR651I

RECORD HAS BEEN INSERTED.

Reason:

The record has been successfully inserted.

Action:

No action required. Message is informational only.

CAKR652I**RECORD HAS BEEN UPDATED****Reason:**

The record has been successfully updated.

Action:

No action required. Message is informational only.

CAKR653W**DELETE IS INVALID. RECORD HAS NOT BEEN INSERTED YET.****Reason:**

You have attempted to delete a record that has not yet been inserted.

Action:

Reset the panel.

CAKR654E**IF BREAK FLAG = Y AT LEAST ONE FIELD MUST HAVE A BREAK.****Reason:**

The Break flag is set to Y(es), but no fields have a Break.

Action:

Enter a Y(es) for the Break flag for at least one field.

CAKR655W**NO RECORDS MATCH YOUR CRITERIA.****Reason:**

No records meet the criteria specified.

Action:

Enter new criteria.

CAKR656W

NO BUDGETS MATCH THE CRITERIA ENTERED.

Reason:

No budgets matched the criteria you specified.

Action:

Reset the panel.

CAKR657W

NO DEBITS OR CREDITS MATCH THE CRITERIA ENTERED.

Reason:

No debits or credits matched the criteria you specified.

Action:

Reset the panel.

CAKR658E

INVALID BUDGET FLAG SETTING.

Reason:

You have made an invalid selection for the Budget flag setting.

Action:

Enter a valid selection for the Budget flag setting: either Y(es) or N(o).

CAKR665W

THE NORMALIZER SELECTED ALREADY EXISTS, USE BROWSE.

Reason:

The normalizer you have specified already exists.

Action:

Use the BROWSE function instead of the CREATE function to view and optionally update the normalizer.

CAKR666E**THE NORMALIZER FIELD MUST BE ENTERED FOR FUNCTION CREATE.****Reason:**

You have selected the CREATE function without specifying a normalizer.

Action:

Specify a normalizer before selection the CREATE function.

CAKR667I**THE FACTOR FIELD IS A USER-DEFINED FIELD, ENTER VALUE.****Reason:**

You have selected the PROMPT function for the Factor field. Since it is user-defined, no prompts are available.

Action:

Enter a value within the Factor field.

CAKR668E**x IS NOT A VALID LINE COMMAND.****Reason:**

The user entry is not a valid line command.

Action:

Reset the screen and optionally re-enter a valid command.

CAKR675W**PANEL HAS BEEN MOVED TO ITS LEFTMOST POSITION.****Reason:**

You have moved the panel to its leftmost position.

Action:

Do not attempt to move the panel left any farther.

CAKR676W

PANEL HAS BEEN MOVED TO ITS RIGHTMOST POSITION.

Reason:

You have moved the panel to its rightmost position.

Action:

Do not attempt to move the panel right any farther.

CAKR678I

PANEL HAS BEEN MOVED TO ITS UPPERMOST POSITION.

Reason:

You have moved the panel to its uppermost position.

Action:

Do not attempt to move the panel upward any farther.

CAKR679I

HAVE REACHED THE TOP OF THE LIST. NO MORE TO SCROLL.

Reason:

You have reached the top of the list. You cannot scroll any farther.

Action:

Reset the panel.

CAKR680I

SAVE, UPDATE, DELETE, ONLY VALID WHEN VERSION IS BLANK.

Reason:

You have attempted to perform a save, update or delete on a non-blank version.

Action:

Do not attempt the above functions unless version is blank.

CAKR681I

HAVE REACHED THE BOTTOM OF THE LIST. NO MORE TO SCROLL.

Reason:

You have reached the bottom of the list. There are no more entries to scroll.

Action:

Reset the panel.

CAKR682E

DATA MUST BE SAVED BEFORE SELECTING F11 OR DATA WILL BE LOST.

Reason:

You have requested an F11(EXPAND) function to view the expanded entry panel and you have not saved the data already entered.

Action:

Save the data on the panel before selecting F11(EXPAND).

CAKR683E

THE CHARACTERS QUOTE AND PERCENT ARE NOT VALID FOR THIS FIELD.

Reason:

You have entered either a quote or a percent in a field which does not accept these two characters.

Action:

Ensure that the quote or the percent characters are not specified in the field.

CAKR684E

THE NORMALIZER NAME MUST BEGIN WITH AN ALPHABETIC CHARACTER.

Reason:

You have attempted to define a normalizer with an invalid name. A Normalizer name must begin with an alpha character.

Action:

Correct the normalizer name.

CAKR700E

ERROR IN FORECAST CONTROL FILE, NO PARAMETER PASSED: xx

Reason:

Invalid statement syntax in the Control File.

Action:

Correct the statement.

CAKR701E

MODIFIER: INVALID MODIFIER ACTION SPECIFIED

Reason:

The MODIFIER value may be YES, NO or MERGE.

Action:

Correct the statement.

CAKR702E

FORECAST ALGORITHM: xx IS INVALID.

Reason:

The Algorithm value may be COPY, LINE or SMOOTH.

Action:

Correct the statement.

CAKR703E

nn: nn IS INVALID MINIMUM VALUE

Reason:

The Period value is invalid.

Action:

Correct the statement.

CAKR704E**STRUCTn: PARAMETER SPECIFIED NO VALUE****Reason:**

The Structure indicated has no value specified.

Action:

Correct the statement.

CAKR705E**STRUCTn: IS TOO LONG, LENGTH = nn MAXIMUM LENGTH IS nn****Reason:**

The Structure indicated has been specified incorrectly.

Action:

Correct the statement.

CAKR706E**UNKNOWN WORD IN PARAMETER FILE: >xxxxxx<****Reason:**

Unknown statement encountered in Control File.

Action:

Correct the statement.

CAKR707E**VERSION: NOT SPECIFIED****Reason:**

No VERSION parameter was found in the Control File.

Action:

Ensure a VERSION is specified.

CAKR708E

VERSION: xx IS INVALID, VERSION MUST START WITH PROD OR TEST

Reason:

Versions must either start with PROD or TEST.

Action:

Correct the value.

CAKR709E

VERSION: xx IS TOO LONG

Reason:

The maximum version length is 8.

Action:

Correct the value.

CAKR710E

VERSION: xx IS TOO SHORT

Reason:

The minimum version length is 5.

Action:

Correct the value.

CAKR711E

ORDID: xxxx IS TOO LONG

Reason:

The ORDID cannot be more than 3 characters long.

Action:

Correct the value.

CAKR712E**ORDID: PARAMETER SPECIFIED NO VALUE****Reason:**

The ORDID value was not specified.

Action:

Correct the value.

CAKR713E**ORDID: xx IS INVALID, ORDID MUST START WITH A LETTER****Reason:**

All ORDIDs must begin with an alpha character.

Action:

Correct the value.

CAKR714E**ELEMENT:xxxxxxxxxxxxxxxx IS TOO LONG, MAXIMUM LENGTH IS 16****Reason:**

The maximum length of an element is 16 characters.

Action:

Correct the value.

CAKR715E**nx IS INVALID, ELEMENTS MUST START WITH A LETTER****Reason:**

All elements must begin with an alpha character.

Action:

Correct the value.

CAKR716E

QUALIFIER: xxxxxxxxxxxxxxxxxxxx IS TOO LONG, MAXIMUM LENGTH IS 16

Reason:

The maximum length of a qualifier is 16 characters.

Action:

Correct the value.

CAKR717E

QUALIFIER: nx IS INVALID, QUALIFIERS MUST START WITH A LETTER

Reason:

All qualifiers must begin with an alpha character.

Action:

Correct the value.

CAKR718E

AVERAGE PARAMETER MUST BE YES OR NO

Reason:

The Average value must be YES or NO.

Action:

Correct the value.

CAKR719W

NUMBER_TO_FORECAST: ZERO PERIODS REQUESTED, MINIMUM IS ONE

Reason:

The NUMBER_TO_FORECAST is mandatory.

Action:

Create a NUMBER_TO_FORECAST parameter.

CAKR720I**NUMBER_TO_FORECAST: SETTING NUMBER_TO_FORECAST TO ONE****Reason:**

A previous error condition requires the default.

Action:

Correct the previous error.

CAKR721W**NUMBER_TO_FORECAST: nn PERIODS REQUESTED MAXIMUM IS 6****Reason:**

The NUMBER_TO_FORECAST cannot be greater than 6.

Action:

Correct the previous error.

CAKR722I**NUMBER_TO_FORECAST: SETTING NUMBER_TO_FORECAST TO 6****Reason:**

A previous error condition requires the default.

Action:

Correct the previous error.

CAKR723W**NUMBER_TO_FORECAST: nn PERIODS REQUESTED MINIMUM IS ONE****Reason:**

The NUMBER_TO_FORECAST cannot be less than one.

Action:

Correct the NUMBER_TO_FORECAST parameter.

CAKR724I

NUMBER_TO_FORECAST: SETTING NUMBER_TO_FORECAST TO 1

Reason:

A previous error condition requires the default.

Action:

Correct the previous error.

CAKR725E

KEEP_STRUCTURE: VALUE OF nn WAS SPECIFIED, RANGE IS BETWEEN 1 and 5 INCLUSIVE

Reason:

KEEP_STRUCTURE must be 1 thru 5.

Action:

Correct the value.

CAKR726E

UNABLE TO ACCESS FORECAST PARAMETER FILE

Reason:

Open failed for CAFSTP DD.

Action:

Check that the JCL is correct.

CAKR727E

STARTING PERIOD IS GREATER THAN OR EQUAL TO THE ENDING PERIOD

Reason:

If specified, the Ending period must be greater than the Starting period.

Action:

Correct the value.

CAKR728E**STARTING PERIOD NOT SPECIFIED****Reason:**

The Starting Period is mandatory.

Action:

Include a Starting Period parameter.

CAKR729W**NUMBER_TO_FORECAST: nn EXCEEDS THE ALLOWABLE AMOUNT****Reason:**

Not enough history to generate this many periods.

Action:

Decrease the NUMBER_TO_FORECAST parameter.

CAKR730I**SETTING NUMBER_TO_FORECAST TO nn****Reason:**

Previous CAKR729W message, applying maximum default.

Action:

Correct the previous error.

CAKR731E**UNABLE TO LOAD GLOBAL PARAMETERS****Reason:**

The CAIKSPAR file could not be accessed.

Action:

Check JCL for valid allocation of CAIKSPAR.

CAKR732E

SQL ERROR: nn CONSULT YOUR SQL MANUAL FOR DETAILS.

Reason:

SQL returned an error condition.

Action:

Check returned code in Manual.

CAKR733E

INTERNAL ERROR xx

Reason:

An unexpected condition occurred.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR734I

PARAMETER LIST IS :

Reason:

Informational message

Action:

None.

CAKR735I

SUCCESSFUL EXECUTION

Reason:

Informational message.

Action:

None.

CAKR740E**UNABLE TO ALLOCATE STORAGE FOR A SEGMENT RECORD****Reason:**

Probable lack of storage.

Action:

Increase Region Size.

CAKR741E**UNABLE TO WRITE TO RECONCILIATION FILE (1)****Reason:**

Possible out-of-space condition.

Action:

Check JCL for the Reconciliation file, and that sufficient space was allocated.

CAKR742E**UNABLE TO WRITE TO RECONCILIATION FILE (2)****Reason:**

Overflow Record write failed.

Action:

Check JCL for the Reconciliation field, and that sufficient space was allocated.

CAKR750E

QUERY ERROR: nn SQLCODE = nn LOC=nn

Reason:

Error occurred during processing.

Action:

See return code for LOC.

LOC=1

Reason: Error issuing SELECT COUNT(*).

Action: Check that the synonyms are correct, and that the user is authorized.

LOC=2

Reason: Error issuing FETCHROW for COUNT.

Action: Check contents of the ACCSTTAB, ACCSRTAB and PERTAB.

LOC=3

Reason: Error issuing SELECT from ACCSRTAF.

Action: Check that synonyms are correct and that the user is authorized.

LOC=4

Reason: Error issuing FETCHROW for ACCSRTAF.

Action: Check contents of the ACCSRTAB, and be sure synonyms are correct.

LOC=5

Reason: Error issuing SELECT from ACCTLOOF.

Action: Check the contents of the ACCTLOOK, and that synonyms are correct.

LOC=6

Reason: Error issuing FETCHROW for ACCTLOOF.

Action: Check the contents of the ACCTLOOK, and be sure synonyms are correct.

LOC=7

Reason: Error issuing SELECT for PERTAF.

Action: Check the contents of the PERTAF, and be sure synonyms are correct.

LOC=8

Reason: Error issuing FETCHROW for PERTAF.

Action: Check the contents of the PERTAB, and be sure synonyms are correct.

LOC=9

Reason: Database Connect failed in CA\$KRCN.

Action: Check settings in the CAIKSPAR file, and be sure the user is authorized.

CAKR751

INVALID INDEX SUPPLIED, xx

Reason:

Routine Find_Count was passed an invalid index number.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR752E

PARMS: xxx

Reason:

Produced in conjunction with CAKR750E for information.

Action:

See CAKR750E.

CAKR753E

NO MATCH - LOOKING FOR LOOKNAME=xxx

Reason:

A Lookup Table was referenced in an ACCSRTAB entry, but could not be found.

Action:

Check that all referenced LOOKUP tables are present on the ACCTLOOK table.

CAKR754E

DISCONNECT ERROR = xx

Reason:

CA\$KRCN encountered an error while disconnecting.

Action:

Check that the database had no error indication, and run the database utility to determine error.

CAKR760E

SORTPUT FAILURE xx

Reason:

SORTPUT returned non-zero.

Action:

Check SORT messages for indication of error.

CAKR761E

SORTGET RETURNED A NULL POINTER

Reason:

The record returned by Sort is incorrect.

Action:

Check for any SORT error messages. For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR762E

MAIN SORTGET SORT RC = nn

Reason:

The SORTGET routine returned an error indication.

Action:

Check for any SORT error messages. For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR763E**DATABASE UPDATE ERROR nn****Reason:**

Routine dbupdate returned an error indication.

Action:

Check the database log for any indication. Be sure the user is authorized, and that the CAIKRPAR/CAIKSPAR files are alright.

CAKR800I

XX

Reason:

Text may vary. Informational Message Prefix.

Action:

No action required. Message is informational only.

CAKR801E**INPUT GRAMMAR ERROR, PARSER RC = nn****Reason:**

An SQL statement has been encountered that is syntactically incorrect.

Action:

Please review the input data and correct any erroneous SQL statements.

CAKR802E**INVALID TABLE OR FIELD NAME****Reason:**

While executing an SQL CREATE statement, a table name or field name was encountered that is not valid.

Action:

The CAKRINST program will only create tables and fields that are used by the CA PMA Chargeback product. Please review the input data to ensure that you are executing the pre-supplied SQL CREATE statements.

CAKR803E

ERROR RETURNED FROM DATABASE, RC = nn

Reason:

An error occurred while trying to disconnect from the database.

Action:

Look up the SQL return code in the appropriate message guide and for any previous error messages issued for this execution.

CAKR804S

ERROR RETURNED FROM SQLLINK, xx (xx)

Reason:

An error occurred trying to execute an SQL statement.

Action:

Look up the SQL return code in the appropriate message guide and for any previous error messages issued for this execution.

CAKR805E

UNABLE TO ALLOCATE SUFFICIENT MEMORY (xx)

Reason:

An error occurred while trying to allocate memory for temporary buffers.

Action:

Increase the region size and submit the job again.

CAKR806E

FILE ERROR DETECTED

Reason:

An error occurred while trying to process the input file containing the SQL statements to be executed.

Action:

Review the JCL and the input data set for correctness.

CAKR807E**CANNOT OPERATE IN THIS ENVIRONMENT****Reason:**

An error occurred while processing the CAIKSPAR data set.

Action:

Review the parameters specified in the CAIKSPAR file to ensure the correct SQL_TYPE and DATABASE_NAME have been specified for your database environment.

CAKR808E**UNABLE TO CONNECT TO DATABASE, RC = nn****Reason:**

An error occurred while trying to connect to the database.

Action:

Review the parameters specified in the CAIKSPAR file to ensure the correct SQL_TYPE and DATABASE_NAME have been specified for your database environment. Also look up the SQL return code in the appropriate message guide.

Note: Common problems associated with connect failures for CA Datacom/DB:

1. The MUF (Multi User Facility) is not up and running.
2. The MUF is up but has not generated with SQL support active.
3. The user trying to connect to the database has not been authorized for database access.

CAKR809E**UNABLE TO ROLLBACK TRANSACTION, RC = nn****Reason:**

Due to a previous error condition, a rollback was attempted but the rollback failed.

Action:

Look up the SQL return code in the appropriate message guide for the cause of the failure. Due to the failure of the rollback, the data contained in the table being processed may no longer be valid and a restore from a backup may be required.

CAKR810E

UNABLE TO DISCONNECT FROM DATABASE, RC = nn

Reason:

An error occurred when trying to disconnect from the database.

Action:

Look up the SQL return code in the appropriate message guide for the cause of the failure.

CAKR811S

UNABLE TO OPEN INPUT FILE xx

Reason:

An error occurred when trying to open the input data set.

Action:

Review the JCL submitted and ensure that the first parameter of the PARM statement points at a valid DDNAME that contains SQL statements to be processed by CAKRINST.

CAKR812E

UNABLE TO CLOSE INPUT FILE

Reason:

An error was encountered during the execution of the CAKRINST program.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR816E

INDEX xx ALREADY EXISTS

Reason:

An attempt was made to build an index from a table that already exists.

Action:

If the table the index is being built for is intact, use the SQL DROP INDEX statement and re-submit the job.

CAKR817E**NUMBER OF INDEX NAMES PERMISSIBLE EXCEEDED****Reason:**

The maximum number of index builds allowed per execution has been exceeded.

Action:

The maximum number of index builds that may be performed in a single execution is 64. Reduce the number of table creates and index builds and re-submit the job.

CAKR818E**NUMBER OF FIELD NAMES PERMISSIBLE EXCEEDED****Reason:**

The maximum number of field names within tables has been exceeded for this execution.

Action:

The maximum number of field names for a single execution is 500. Reduce the number of field names to be created and re-submit the job.

CAKR819E**TABLE xx ALREADY EXISTS****Reason:**

An attempt was made to create a table that already exists.

Action:

Use the SQL command DROP TABLE to remove the existing table and re-submit the job.

CAKR820E

NUMBER OF TABLE NAMES PERMISSIBLE EXCEEDED

Reason:

The maximum number of table creates allowed per execution has been exceeded.

Action:

The maximum number of table creates that may be performed in a single execution is 64. Reduce the number of table creates and re-submit the job.

CAKR821E

BASE NAME xx DIFFERS FROM xx

Reason:

An attempt was made to perform processing on more than one database name during an execution.

Action:

Review input data to ensure that you are not trying to create tables in more than one database name per run.

CAKR822E

UNKNOWN TYPE PASSED TO INTERNAL FUNCTION

Reason:

An attempt was made to create a table, index or field that is not a CA PMA Chargeback table, index or field.

Action:

Review input data to ensure that you are executing one of the pre-supplied install members. CAKRINST will only create tables, indexes or fields that apply to the CA PMA Chargeback product.

CAKR823E**UNTERMINATED COMMENT, END OF FILE REACHED****Reason:**

A begin comment was encountered (/*) with no associated end comment (*/).

Action:

Review input and either add the end comment delimiter or remove the begin comment.

CAKR824E**TOO MANY DIGITS RECEIVED AS NUMERIC VALUE****Reason:**

A numeric field was encountered that contained more than 20 digits.

Action:

Review input to CAKRINST and reduce numeric fields to 20 or less digits.

CAKR825E**UNKNOWN CHARACTER INPUT xx****Reason:**

A punctuation character other than parentheses, comma, or semicolon was encountered.

Action:

Please review input data and remove any invalid punctuation characters.

CAKR826E**MISMATCHED PARENTHESES NEAR LINE xx****Reason:**

A pair of mismatched parentheses was encountered.

Action:

Review input for mismatched parentheses and make any necessary corrections.

CAKR831E

EMPTY FIELD NAME LIST ON INDEX

Reason:

A request was made to create an index but no fields were specified for the index.

Action:

Review input for CREATE INDEX statement that does not contain any corresponding field names.

CAKR860E

DEFAULT CBLOAD VERSION IS INVALID

Reason:

Either the version was too long or length was zero.

Action:

Correct the setting in CAIKRPAR.

CAKR861E

PERIOD VERSIONS NOT PERMITTED WHEN THERE ARE APPLICATION PERIODS SPECIFIED

Reason:

Mismatch between versions.

Action:

Correct the version settings.

CAKR862E

UNABLE TO ALLOCATE MEMORY FOR xx

Reason:

Probable lack of memory.

Action:

Increase region size.

CAKR863E**PERIOD VERSION IS INVALID xx****Reason:**

Either the version length is too long or zero.

Action:

Correct the version setting.

CAKR864E**INVALID PERIOD SPECIFIED START IS GREATER THAN STOP****Reason:**

A Period Version parameter has a Start > Stop.

Action:

Correct the Period Version parameter.

CAKR865E**INVALID PERIOD SPECIFIED FOR START****Reason:**

A character or zero period was specified.

Action:

The statement in error is listed, and must be corrected.

CAKR866E**INVALID PERIOD SPECIFIED FOR END****Reason:**

A character or zero period was specified.

Action:

The statement in error is listed, and must be corrected.

CAKR867E

INVALID VERSION SPECIFIED

Reason:

The version specified is incorrect.

Action:

The statement in error is listed, and must be corrected.

CAKR868E

INVALID PERIOD PARAMETERS

Reason:

Conflicting period version parameters were found.

Action:

Overlap is printed after message, and must be corrected.

CAKR869E

INVALID PERIOD PARAMETERS

Reason:

Conflicting period version parameters were found.

Action:

Overlap is printed after message, and must be corrected.

CAKR873E

INTERNAL ERROR IN GET_REC

Reason:

Unknown Data Type from database.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR877E**INSUFFICIENT PARAMETERS PASSED IN: xx xxxxx****Reason:**

Syntax error in the PARM.

Action:

Correct the PARM specifications.

CAKR878I**FORMAT IS:****Reason:**

Information for message CAKR877E.

Action:

See CAKR877E.

CAKR879E**INVALID CONNECT PARAMETER****Reason:**

PARM must be either CONNECT or NOCONNECT.

Action:

Correct the PARM specification.

CAKR880E**VERSION PARAMETER IS INVALID****Reason:**

VERSION PARM setting is invalid.

Action:

Correct the PARM specification.

CAKR881E

PERIOD PARAMETER IS INVALID

Reason:

Period must be a positive number.

Action:

Correct the PARM specification.

CAKR882W

NO RECORDS IN THE CCCTAB FILE MATCHED THE FOLLOWING COST RECOVERY RULE

Reason:

An active summary rule could find no matching records on the CCCTAB.

Action:

Check rule definition.

CAKR883W

NO RECORDS IN THE CCCTAB FILE MATCHED THE FOLLOWING OVERHEAD ALLOCATION RULE

Reason:

An active Summary rule could find no matching records on the CCCTAB.

Action:

Check rule definition.

CAKR884W

NO RECORDS IN THE CCCTAB FILE COULD BE READ IN FOR THE FOLLOWING COST RECOVERY RULE

Reason:

SELECT returned zero rows from the CCCTAB.

Action:

Check Rule definition.

CAKR885E**UNABLE TO WRITE RECORD IN THE CCCTAB FILE FOR THE FOLLOWING COST RECOVERY RULE****Reason:**

Possible database or authorization error or CAKR886E.

Action:

Check database log for further indication.

CAKR886E**PLEASE VERIFY THAT THE RULES HAVE NOT ALREADY BEEN APPLIED****Reason:**

Probable duplicate record on CCCTAB.

Action:

Check whether CAKRBREC has already been run for this period.

CAKR887I**FOR THE FOLLOWING RULE:.....****Reason:**

Informational.

Action:

None.

CAKR888I**xxx CURRENT DATABASE VALUE****Reason:**

Informational.

Action:

None.

CAKR889W

ERROR UNKNOWN TYPE IN NOT_DONE

Reason:

Parameter passed to routine NOT_DONE was unexpected.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR890E

ERROR IN GET_REC, SQLTYPE = xx

Reason:

Unknown column type returned from the database.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR891W

NO RECORDS IN SUMTAB, NO PROCESSING PERFORMED

Reason:

No active rules in the database for summary processing.

Action:

None (if expected)

CAKR892E

INSUFFICIENT NUMBER OF CURSORS AVAILABLE

Reason:

At least 6 cursors are required to run CAKRBREC.

Action:

Consult database documentation to allocate more cursors.

CAKR893I**END OF PROCESSING****Reason:**

Informational.

Action:

None.

CAKR894I**SORT RECORD SIZE nn****Reason:**

Produced in combination with CAKR893I.

Action:

See CAKR893I.

CAKR895E**UNKNOWN RETURN CODE FROM USER EXIT nn****Reason:**

Valid return codes are 0, 4, or 8.

Action:

Correct code in the user exit (KRUSRTX)

CAKR898E**PERIOD xx NOT DEFINED****Reason:**

Period number could not be found in the input PARMs.

Action:

Check and correct the input (SYSIN) statements.

CAKR899E

VERSION xx NOT DEFINED

Reason:

Version could not be found in the input PARMs.

Action:

Check and correct the input (SYSIN) statements.

CAKR900E

INTERNAL ERROR UNABLE TO ALLOCATE VECTORS

Reason:

Probable lack of memory.

Action:

Increase region size.

CAKR901E

UNABLE TO CONNECT TO THE DATABASE

Reason:

Connection attempt was unsuccessful.

Action:

Check the CAIKSPAR/CAIKRPAR files, and that the user is authorized to access.

CAKR902E

UNABLE TO OPEN THE ORD FILE

Reason:

OPEN failed for the CAIKSORD DD.

Action:

Check for JCL errors or bad allocation.

CAKR903E**UNABLE TO ACCESS ACCSTTAB.****Reason:**

SELECT for ACCSTTAF failed.

Action:

Check synonyms are correct and authorization is okay.

CAKR904E**UNABLE TO READ FROM ACCSTTAB****Reason:**

FETCHROW for ACCSTTAB failed.

Action:

Check that there are ACCSTTAB entries for this version.

CAKR905E**UNABLE TO ALLOCATE VARN****Reason:**

CBVARN SQL request failed.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR906E**UNABLE TO OPEN RECONCILIATION FILE****Reason:**

OPEN failed for the file.

Action:

Check JCL and allocation for the CAIKRREC DD.

CAKR907E

ALLOCATING RECONCILIATION BUFFER

Reason:

Probable lack of memory.

Action:

Increase region size.

CAKR908E

ORDTABLE HAS NO xx ORDS DEFINED

Reason:

Input file had ORD records which were not defined.

Action:

Check the version setting is correct, and that the ORDTAB/ORDDESC tables are current.

CAKR909E

INTERNAL ERROR IN GETORD

Reason:

Unexpected condition in GETORD routine.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR910E

INTERNAL ERROR IN GETORD

Reason:

Previous error conditions require termination of run.

Action:

Correct previous errors.

CAKR911E**CBOPEN FOR TABLE# nn****Reason:**

SELECT for table failed.

Action:

Check CAIKSPAR/CAIKRPAR settings are correct; also check for user authorization.

CAKR912E**CBGETREC FOR TABLE# nn****Reason:**

FETCHROW for table failed.

Action:

Ensure that the table is not empty for this version.

CAKR913E**CBVARN FOR TABLE# nn****Reason:**

Column selection failed for table.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR914E**CBCLOSE FOR TABLE# nn****Reason:**

Error while freeing cursor.

Action:

Check database log for any indication.

CAKR915E

CBOPEN FOR TABLE# nn

Reason:

SELECT for table failed.

Action:

Check CAIKSPAR/CAIKRPAR settings are correct; also check for user authorization.

CAKR916E

CBGETREC FOR TABLE# nn

Reason:

FETCHROW for table failed.

Action:

Ensure that the table is not empty for this version.

CAKR917E

CBGETCOL FOR TABLE# nn

Reason:

Column selection failed for table.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR918E

CBCLOSE FOR TABLE# nn

Reason:

Error while freeing cursor.

Action:

Check database log for any indication.

CAKR919E**INTERNAL ERROR, BUFFER = xx****Reason:**

Overflow would have occurred in buffer (> 50).

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR925E**INVALID CASE IN QUALTEST****Reason:**

RETVAl expects cases 0 thru 6 only.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR926E**DIVISION BY ZERO DETECTED (n) UNITNAME: xx****Reason:**

During complex unit calculation, a divide by zero was encountered.

Action:

Check your complex unit definition.

CAKR929E

SQL CONNECT ERROR xx
SQL CODE = xx
SQL MESSAGE = xx

Reason:

Error while attempting to connect to database.

Action:

Check codes in database message manual. Also ensure that CAIKSPAR/CAIKRPAR are correct and that the user is authorized.

CAKR930I

ABNORMAL TERMINATION SYSTEM ERROR DUMP FOLLOWS

Reason:

Program could not continue.

Action:

Check for previous error indications. For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR931E

DATABASE RAN OUT OF CURSORS

Reason:

Not enough cursors to continue.

Action:

Increase number of available cursors. Consult your database manuals.

CAKR932E**BAD CURSOR NUMBER****Reason:**

Internal error.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR933E**DATABASE RAN OUT OF CURSORS****Reason:**

Not enough cursors to continue.

Action:

Increase number of available cursors. Consult your database manuals.

CAKR934E**INVALID TIMESTAMP xx****Reason:**

Timestamp in ORD record is invalid.

Action:

Check Timestamps in ORD record(s).

CAKR935E**DURATION NOT VALID****Reason:**

RC6 from PCALC routine.

Action:

Check whether DURATION is valid in the ORD record(s).

CAKR937E

INTERNAL ERROR x

Reason:

Routine ORDDATE was entered with unknown function code.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR938E

UNKNOWN TABLE xx

Reason:

Routine XCBLOC was entered with unknown tableID.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR939E

UNKNOWN TABLE xx

Reason:

Routine XCBLOCN was entered with unknown tableID.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR941E

UNABLE TO ALLOCATE STORAGE

Reason:

Probable lack of memory.

Action:

Increase region size.

CAKR942E**CB_CONS IS NOT DEFINED****Reason:**

The construct field (CB-CONS) was not found in the ORD.

Action:

Check that the ORDTAB definitions for CB_CONS are correct.

CAKR944E**MISSING NORMALIZER
SEARCHING FOR xx****Reason:**

A normalizer was defined for an element, but it could be found.

Action:

Check that the normalizer exists on the database (NORMTAB) for this version.

CAKR947I**CAKRLOAD EXECUTION BEGINS ...****Reason:**

Informational.

Action:

None.

CAKR948E**E15_PROCESS DID NOT WRITE ANY RECORDS****Reason:**

No input records were processed through CA PMA Chargeback.

Action:

Check for correct input file(s), correct version, and that the definition tables are correct. In rare instances, if all the computed charges for the charge elements result in a zero charge, no records will be written to the CCCTAB.

CAKR949E

MAIN, CBCURSOR FAILURE

Reason:

No cursor available for database update (CCCTAB).

Action:

Check the database log for any indication.

CAKR950E

MAIN SORTGET SORT RC - nn

Reason:

SORTGET routine returned an error indication.

Action:

Check for any SORT error messages. For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKR951E

ERROR LOADING CAIKSPAR DATA

Reason:

The CAIKSPAR/CAIKRPAR file(s) could not be read.

Action:

Check JCL for the CAIKSPAR/CAIKRPAR file(s).

CAKR952E

UNABLE TO OPEN PCLSPARM FILE

Reason:

The OPEN for the CAIKRINP file failed.

Action:

Check JCL for the CAIKRINP file.

CAKR953E**UNABLE TO READ PCLSPARM FILE OR FILE EMPTY****Reason:**

No information could be read from the CAIKRINP file.

Action:

Ensure that the CAIKRINP file contains the correct information.

CAKR954E**INPUT PCLSPARM PARAMETERS INVALID****Reason:**

Format of the record from CAIKRINP was incorrect.

Action:

Correct the parameter(s).

CAKR955E**ERROR CONNECTING TO DATABASE - RC = nn****Reason:**

Could not connect to the database.

Action:

Check parameter settings in CAIKSPAR and database authorization.

CAKR956E**DATABASE DISCONNECT FAILED - RC = nn****Reason:**

While attempting to ROLLBACK, an error was encountered.

Action:

Check the database logs and/or run DB diagnostics.

CAKR957I

PROCESSING COMPLETED

Reason:

End of job.

Action:

None.

CAKR958E

SQL ERROR IN CCCTAB|DBCRTAB - CODE = xx, RC = nn

Reason:

Error returned during SQL processing.

Action:

Check code in message for SQL error indication.

CAKR959I

ROLLBACK SUCCESSFUL

Reason:

An error was found which caused the program to ROLLBACK the database - which completed successfully.

Action:

None.

CAKR961E

ERROR LOADING CAIKSPAR DATA

Reason:

The CAIKSPAR/CAIKRPAR file(s) could not be read.

Action:

Check JCL for the CAIKSPAR/CAIKRPAR file(s).

CAKR962E**UNABLE TO OPEN PCLSPARM FILE****Reason:**

The OPEN for the CAIKRINP file failed.

Action:

Check JCL for the CAIKRINP file.

CAKR963E**UNABLE TO READ PCLSPARM FILE OR FILE EMPTY****Reason:**

No information could be read from the CAIKRINP file.

Action:

Ensure that the CAIKRINP file contains the correct information.

CAKR964E**INPUT PCLSPARM PARAMETERS INVALID****Reason:**

Format of the record from CAIKRINP was incorrect.

Action:

Correct the parameter(s).

CAKR965E**ERROR CONNECTING TO DATABASE - RC = nn****Reason:**

Could not connect to the database.

Action:

Check parameter settings in CAIKSPAR and database authorization.

CAKR966E

DATABASE DISCONNECT FAILED - RC = nn

Reason:

While attempting to ROLLBACK, an error was encountered.

Action:

Check the database logs, and/or run DB diagnostics.

CAKR967I

PROCESSING COMPLETED

Reason:

End of job.

Action:

None.

CAKR968E

SQL ERROR IN CCCTAB|DBCRTAB - CODE = xx, RC = nn

Reason:

Error returned during SQL processing.

Action:

Check code in message for SQL error indication.

CAKR969I

ROLLBACK SUCCESSFUL

Reason:

An error was found which caused the program to ROLLBACK the database, which completed successfully.

Action:

None.

Chapter 3: CAKS Messages

CAKS001E

ERROR IN IRD_C ROUTINE

Reason:

A conversion was attempted from an IRD field to an ORD field which was not possible. Probably due to invalid input data. IRD field was Character.

Action:

Examine the accompanying dump of the input record to determine the field in error. If RECYCLE OUTPUT was specified, the IRD record in error will be found there.

CAKS002E

ERROR IN IRD_B ROUTINE

Reason:

A conversion was attempted from an IRD field to an ORD field which was not possible. Probably due to invalid input data. IRD field was Binary.

Action:

Examine the accompanying dump of the input record to determine the field in error. If RECYCLE OUTPUT was specified, the IRD record in error will be found there.

CAKS003E

ERROR IN IRD_H ROUTINE

Reason:

A conversion was attempted from an IRD field to an ORD field which was not possible. Probably due to invalid input data. IRD field was Hexadecimal.

Action:

Examine the accompanying dump of the input record to determine the field in error. If RECYCLE OUTPUT was specified, the IRD record in error will be found there.

CAKS004E

ERROR IN IRD_N ROUTINE

Reason:

A conversion was attempted from an IRD field to an ORD field which was not possible. Probably due to invalid input data. IRD field was Numeric.

Action:

Examine the accompanying dump of the input record to determine the field in error. If RECYCLE OUTPUT was specified, the IRD record in error will be found there.

CAKS005E

ERROR IN IRD_P ROUTINE

Reason:

A conversion was attempted from an IRD field to an ORD field which was not possible. Probably due to invalid input data. IRD field was Packed.

Action:

Examine the accompanying dump of the input record to determine the field in error. If RECYCLE OUTPUT was specified, the IRD record in error will be found there.

CAKS007E

ERROR IN IRD_X ROUTINE

Reason:

A conversion was attempted from an IRD field to an ORD field which was not possible. Probably due to invalid input data.

Action:

Examine the accompanying dump of the input record to determine the field in error. If RECYCLE OUTPUT was specified, the IRD record in error will be found there.

CAKS008E**ERROR IN IRD_F ROUTINE****Reason:**

A conversion was attempted from an IRD field to an ORD field which was not possible. Probably due to invalid input data. IRD field was Flag Byte.

Action:

Examine the accompanying dump of the input record to determine the field in error. If RECYCLE OUTPUT was specified, the IRD record in error will be found there.

CAKS009E**ERROR IN xxxxx ROUTINE****Reason:**

A call was made to MAKE_ELEMENT with an unknown format.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKS010E**ERROR IN SQLLINK: INVALID EUROPEAN PARSE - RC = nn****Reason:**

An internal error occurred in the EUROPEAN DB2 routine.

Action:

Contact Technical Support.

CAKS011E

ERROR IN SQLLINK: DBINAME = xxxxxxxx

Reason:

The appropriate database service was not found.

Action:

If running DB2, verify that the CA Common Services module CAISSQL3 is available. If running CA Datacom, verify that the CA Datacom library containing module CALLSQL is available.

CAKS012E

ERROR IN SQLLINK: FUNCTION callSQL NOT PRESENT IN THE DLL

Reason:

CALLSQL module was not found (CA Datacom users only).

Action:

Check whether the CA Datacom library containing the CALLSQL module is available.

CAKS013E

ERROR IN SQLLINK: COMMIT FAILED

Reason:

COMMIT operation failed while disconnecting the database.

Action:

Verify your database connectivity.

CAKS014E

ERROR IN SQLLINK: UNSUPPORTED FUNCTION IN DATACOM API nn

Reason:

An invalid CA Datacom function call was issued.

Action:

Contact Technical Support.

CAKS015E**ERROR IN SQLLINK: TEXT IS TOO LONG (MAXIMUM IS nnnn)****Reason:**

SQL request overflow occurred.

Action:

Contact Technical Support.

CAKS016E**ERROR IN SQLLINK: ROLLBACK FAILED****Reason:**

COMMIT operation failed while disconnecting the database.

Action:

Verify your database connectivity.

CAKS017E**ERROR IN SYSTEMCF: FAILED TO LOAD DLL xxxxxxxx****Reason:**

The requested DLL module xxxxxxxx was not found.

Action:

Verify that the module xxxxxxxx is available in a STEPLIB library or in the link list.

CAKS018E**ERROR IN SYSTEMCF: FAILED TO RETRIEVE func****Reason:**

The DLL load failed.

Action:

Contact Technical Support.

CAKS019E

ERROR IN SYSTEMCF: nn IS UNSUPPORTED COUNT OF PARAMETERS

Reason:

DLL function call mismatch.

Action:

Contact Technical Support.

CAKS020E

ERROR IN IBMLIB: DLL ENTRY POINT ssi_main() NOT FOUND.

Reason:

The subsystem initialization call failed.

Action:

Contact Technical Support.

CAKS021E

ERROR IN IBMLIB: DLL INIT FAILED

Reason:

The subsystem initialization call failed.

Action:

Contact Technical Support.

CAKS022E

ERROR IN STRING2: INTERNAL ERROR nn

Reason:

An internal error occurred in the parsing routine.

Action:

Verify that the arguments passed through PARM JCL statement are correct.

CAKS023E**UNABLE TO LOAD CAKSGEN****Reason:**

The requested module CAKSGEN was not found.

Action:

Verify that the module CAKSGEN is available in a STEPLIB library or in the link list.

CAKS100I**NORMAL TERMINATION****Reason:**

Job terminated.

Action:

No action required. Message is informational only.

CAKS101I**EXECUTION TERMINATED DUE TO PREVIOUS ERRORS FOUND****Reason:**

Errors encountered.

Action:

Check previous messages.

CAKS103E**THIRD TOKEN OF ERRORS STATEMENT MUST BE NUMERIC (0 - 99)****Reason:**

The ERRORS parameter has an invalid syntax.

Action:

Correct the ERRORS parameter.

CAKS104E

SYNTAX ERROR IN ERRORS STATEMENT - FURTHER EDITS BYPASSED

Reason:

The ERRORS parameter has an invalid syntax.

Action:

Correct the ERRORS parameter.

CAKS105E

DUPLICATE ERRORS STATEMENT - FURTHER EDITS BYPASSED

Reason:

ERRORS PARM already found.

Action:

Delete the duplicate PARM.

CAKS106E

OUTREC STATEMENT IS REQUIRED BUT MISSING.

Reason:

The OUTREC statement is mandatory.

Action:

Add the OUTREC statement.

CAKS107E

CONTINUATION OF LAST STATEMENT IS ILLEGAL.

Reason:

Previous statement continuation is incorrect.

Action:

Correct the statement.

CAKS108E**CONTINUED STATEMENT BYPASSED DUE TO PREVIOUS ERROR.****Reason:**

See previous error message for the error indication.

Action:

See above.

CAKS109E**UNRECOGNIZABLE STATEMENT - REJECTED****Reason:**

Unknown statement detected.

Action:

Delete the statement.

CAKS110E**DUPLICATE LINES STATEMENT - FURTHER EDITS BYPASSED****Reason:**

LINES statement already found.

Action:

Delete the duplicate LINES statement.

CAKS111E**SYNTAX ERROR IN LINES STATEMENT - FURTHER EDITS BYPASSED****Reason:**

LINES statement in error.

Action:

Correct the statement.

CAKS112E

THIRD TOKEN OF LINES STATEMENT MUST BE NUMERIC (25 - 99)

Reason:

LINES statement has incorrect syntax.

Action:

Correct the statement.

CAKS120E

DUPLICATE OUTPUT STATEMENT - FURTHER EDITS BYPASSED

Reason:

Duplicate OUTPUT statements.

Action:

Remove the duplicate.

CAKS121E

SYNTAX ERROR IN OUTPUT STATEMENT - FURTHER EDITS BYPASSED.

Reason:

OUTPUT statement has invalid syntax.

Action:

Correct the statement.

CAKS122E

THIRD TOKEN OF OUTPUT STATEMENT MUST BE A VALID DDNAME

Reason:

DDNAME specified on OUTPUT statement is invalid.

Action:

Correct the statement.

CAKS123E**DUPLICATE OUTREC STATEMENT - FURTHER EDITS BYPASSED.****Reason:**

Duplicate OUTREC statements.

Action:

Remove the duplicate statement.

CAKS124E**INVALID ORDID IN OUTREC STATEMENT - FURTHER EDITS BYPASSED.****Reason:**

ORDID specified on the OUTREC statement was invalid.

Action:

Correct the statement.

CAKS125E**SYNTAX ERROR IN OUTREC STATEMENT - FURTHER EDITS BYPASSED.****Reason:**

OUTREC statement contains invalid syntax.

Action:

Correct the statement.

CAKS126E**BAD USE OF ALL IN OUTREC STATEMENT - FURTHER EDITS BYPASSED.****Reason:**

OUTREC statement specified ALL.

Action:

See the *CA PMA Chargeback User Guide* for details.

CAKS127E

INVALID DSNAME IN INPUT STATEMENT - FURTHER EDITS BYPASSED.

Reason:

Internal DSNAME is invalid.

Action:

Check syntax and correct.

CAKS128E

INVALID DDNAME IN INPUT STATEMENT - FURTHER EDITS BYPASSED.

Reason:

External DDNAME is invalid.

Action:

Correct the statement.

CAKS129E

SYNTAX ERROR IN INPUT STATEMENT - FURTHER EDITS BYPASSED.

Reason:

Syntax error found in INPUT statement.

Action:

Correct the statement.

CAKS130E

ORDID xxx IN OUTREC STATEMENT PREVIOUSLY USED

Reason:

A duplicate ORDID was specified on the OUTREC statement.

Action:

Remove the additional ORDID.

CAKS131E**DSNAME xxxxxxxx IN INPUT STATEMENT PREVIOUSLY USED****Reason:**

Duplicate DSNAMES were found on the INPUT statement.

Action:

DSNAME refers to the IRD data set name, not the MVS dsn.

CAKS132E**DDNAME xxxxxxxx IN INPUT STATEMENT PREVIOUSLY USED****Reason:**

Duplicate DDNAMEs were found on the INPUT statement.

Action:

Remove duplicate DDNAME.

CAKS133E**DDNAME xxxxxxxx USED IN INPUT AND OUTPUT STATEMENTS****Reason:**

The DDNAME used in the OUTPUT statement is also used in an INPUT statement.

Action:

Ensure that a unique DDNAME is used for the OUTPUT

CAKS134E**NO ORD FOR SPECIFIED VERSION CAN BE FOUND WHEN OUTREC = ALL.****Reason:**

There are no ORDTAB entries.

Action:

Check if the version specified is correct.

CAKS135E

ORD DOES NOT EXIST.

Reason:

The requested ORD does not exist.

Action:

Check if the version specified is correct.

CAKS136W

NO INPUT STATEMENT FOR DATA SET WAS ENCOUNTERED.

Reason:

OUTRECS requested an ORD whose IRD data set was not specified.

Action:

Correct the INPUT statement.

CAKS138E

DSNAME xxxxxxxx NOT IMPLICITLY REFERENCED

Reason:

The data set indicated is not referenced by any ORDs.

Action:

None.

CAKS139E

CONSTRUCT DOES NOT EXIST.

Reason:

Requested construct cannot be found.

Action:

Check ORD specifications and LOADLIB.

CAKS140E**CONSTRUCT INITIALIZATION ERROR****Reason:**

Construct was found but could not access required information.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKS141E**DUPLICATE RECYCLE INPUT STATEMENT - FURTHER EDITS BYPASSED.****Reason:**

Duplicate RECYCLE INPUT statement found.

Action:

Remove the duplicate statement.

CAKS142E**RECYCLE INPUT STMNT SYNTAX ERROR - FURTHER EDITS BYPASSED.****Reason:**

Syntax error found in RECYCLE INPUT statement.

Action:

Correct the statement.

CAKS143E**FOURTH TOKEN OF RECYCLE INPUT STMNT MUST BE A VALID DDNAME.****Reason:**

The RECYCLE INPUT statement must refer to a valid DDNAME.

Action:

Correct the statement.

CAKS144E

INPUT FILE OPEN FAILURE - DDNAME = xxxxxxxx

Reason:

Error opening an Input IRD file.

Action:

Check JCL for the DD indicated in the message.

CAKS145E

INPUT FILE READ FAILURE - DDNAME = xxxxxxxx

Reason:

Error while reading the Input IRD file.

Action:

Check that the attributes of the file are correct.

CAKS146E

DUPLICATE RECYCLE OUTPUT STATEMENT - FURTHER EDITS BYPASSED.

Reason:

Duplicate recycle OUTPUT statement must refer to a valid DDNAME.

Action:

Remove the duplicate statement.

CAKS147E

RECYCLE OUTPUT STMT SYNTAX ERROR - FURTHER EDITS BYPASSED.

Reason:

Syntax error found in RECYCLE OUTPUT statement.

Action:

Correct the statement.

CAKS148E**FOURTH TOKEN OF RECYCLE OUTPUT STMT MUST BE A VALID DDNAME.****Reason:**

The RECYCLE OUTPUT statement must refer to a valid DDNAME.

Action:

Correct the statement.

CAKS149E**ERROR=0 INVALID WHEN RECYCLE OUTPUT SPECIFIED.****Reason:**

When specifying a recycle output, errors cannot be 0.

Action:

Correct the statement.

CAKS150E**DDNAME xxxxxxxx USED IN INPUT AND RECYCLE INPUT STATEMENTS****Reason:**

The DDNAME on the RECYCLE INPUT statement has already been used in an INPUT statement.

Action:

Ensure that a unique DDNAME is used for the RECYCLE INPUT statement.

CAKS151E**DDNAME xxxxxxxx USED IN INPUT AND RECYCLE OUTPUT STATEMENTS****Reason:**

The DDNAME on the RECYCLE OUTPUT statement has already been used in an INPUT statement.

Action:

Ensure that a unique DDNAME is used for the RECYCLE OUTPUT statement.

CAKS152E

DDNAME xxxxxxxx USED IN OUTPUT AND RECYCLE INPUT STATEMENTS

Reason:

The DDNAME on the RECYCLE INPUT statement has already been used in an OUTPUT statement.

Action:

Ensure that a unique DDNAME is used for the RECYCLE INPUT statement.

CAKS153E

DDNAME xxxxxxxx USED IN OUTPUT and RECYCLE OUTPUT STATEMENTS

Reason:

The DDNAME on the RECYCLE OUTPUT statement has already been used in an OUTPUT statement.

Action:

Ensure that a unique DDNAME is used for the RECYCLE OUTPUT statement.

CAKS154E

DDNAME xxxxxxxx USED IN RECYCLE INPUT AND RECYCLE OUTPUT

Reason:

The DDNAME on the RECYCLE OUTPUT statement has already been used in a RECYCLE INPUT statement.

Action:

Ensure that a unique DDNAME is used for the RECYCLE INPUT statement.

CAKS168E

MISSING 2 or more: START TIME STAMP, STOP STAMP, OR DURATION

Reason:

In order to build the ORD Header, at least 2 of the above fields are required.

Action:

Update the ORD Header definition online and specify at least two of the above.

CAKS171E**UNKNOWN ORD FIELD TYPE SPECIFIED****Reason:**

A call was made to BLD_ORD with an known type.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKS179E**ERROR IN CONVERTING IRD_F DATA.****Reason:**

Error in converting bit IRD data.

Action:

Check field content.

CAKS181E**ERROR IN CONVERTING IRD_X DATA****Reason:**

Error in converting character HEX IRD data.

Action:

Check field content.

CAKS184E**ERROR IN CONVERTING IRD_P DATA****Reason:**

Error in converting packed IRD data.

Action:

Check field content.

CAKS185E

ERROR IN CONVERTING IRD_N DATA

Reason:

Error in converting numeric character IRD data.

Action:

Check field content.

CAKS190E

ERROR IN CONVERTING IRD_H DATA

Reason:

Error in converting numeric hex IRD data.

Action:

Check field content.

CAKS193E

ERROR IN CONVERTING IRD_B DATA

Reason:

Error in converting binary IRD data.

Action:

Check field content.

CAKS194E

ERROR IN CONVERTING IRD_C DATA

Reason:

Error in converting character data.

Action:

Check field content.

CAKS198E

UNABLE TO FIND IRD FIELD SPECIFIED BY ORD FIELD.

Reason:

Logic Error.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKS199E

INTERNAL EXECUTION ERROR, CODE = nn.

Reason:

A CAKSLOAD processing routine has encountered an error.

Action:

Check the reason indicated by the code value.

Code 001 Could not open Print file (normally SYSPRINT)

Reason: SYSPRINT DD may be missing.

Action: Check JCL for correct SYSPRINT DD.

Code 002 Error writing to Print file (normally SYSPRINT)

Reason: Possible error with SYSPRINT DD.

Action: Check Logmsg for any indication.

Code 003 Error closing Print file (normally SYSPRINT)

Reason: Possible error with SYSPRINT DD.

Action: Check Logmsg for any indication.

Code 004 Open for the Reader failed

Reason: SYSIN DD may be missing.

Action: Check JCL for the SYSIN DD.

Code 005 Error while Reading Input from the Reader

Reason: Check SYSIN data for correctness.

Action: Check that no special characters were in SYSIN.

Code 006 Error closing the Reader

Reason: Check SYSIN DD.

Action: For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

Code 008 Error allocating ORLE buffer

Reason: Probable lack of memory available.

Action: Increase region size.

Code 009 Error allocating IDLE buffer

Reason: Probable lack of memory available.

Action: Increase region size.

Code 019 CA\$KRCN could not find source ORDTE

Reason: An entry in the ACCSRTAB referenced an ORD field which could not be located in the ORDTE table.

Action: Check the ACCRSTAB against the ORDTAB to ensure that all required fields are available.

Code 020 CB CONS overflow condition in CA\$KRCN

Reason: The combined lengths of the structures are greater than the length of the construct.

Action: Ensure that the defined length of the CB-CONS ORD field is large enough to hold the OH and the Period.

Code 021 CA\$KRCN can't find Start Stamp

Reason: To generate a period number, the construct routine requires each ORD to have a valid header. The startstamp could not be located.

Action: Check that the ORD definition includes all fields in the Header: StartStamp, StopStamp, Duration.

Code 022 Error on SELECT from PERTAF in CA\$KRCN

Reason: SQL SELECT returned an error indication.

Action: Use database SQL trace facility to determine the cause.

Code 023 Error retrieving from PERTAF in CA\$KRCN

Reason: No rows were returned from a SELECT from PERTAB.

Action: Check the contents of the PERTAB for this version.

Code 024 No Period Match in CA\$KRCN

Reason: The Construct routine was attempting to allocate a Period Number, but the PERTAB did not contain the period information for the date and time this ORD executed.

Action: Check the contents of PERTAB for this version.

Code 025 Error on SELECT from ACTLOOF in CA\$KRCN

Reason: SQL SELECT returned an error indication.

Action: Use database SQL trace facility to determine the cause.

Code 026 Error retrieving from ACCTLOOF in CA\$KRCN

Reason: No rows were returned from a SELECT from ACCTLOOK.

Action: Check the contents of the ACCTLOOK for this version.

Code 027 Error on SELECT from ACCSRTAF in CA\$KRCN

Reason: SQL SELECT returned an error indication.

Action: Use database SQL trace facility to determine the cause.

Code 028 Error retrieving from ACCSRTAF in CA\$KRCN

Reason: No rows were returned from a SELECT from ACCSRTAF, or a LOOKUP table could not be found (CAKR893E).

Action: Check the contents of the ACCSRTAB for this version.

Code 029 Error on SELECT from ACCSTTAF in CA\$KRCN

Reason: SQL SELECT returned an error indication.
Action: Use database SQL trace facility to determine the cause.

Code 030 Error writing output recycling file

Reason: Recycle DD ran out of space.
Action: Check the JCL for the RECYCLE OUTPUT file, and ensure that enough space was allocated.

Code 031 Error closing the output recycle file

Reason: Possible error for recycle DD.
Action: Check Logmsg for any indication.

Code 032 Error opening the RECYCLE OUTPUT file

Reason: Possible missing RECYCLE OUTPUT DD.
Action: Check the JCL for the recycle file.

Code 033 Error writing output recycling file

Reason: Possible error with recycle DD.
Action: Check JCL for the recycle file and ensure that enough space was allocated.

Code 034 Couldn't find IRNTE for Recycle record

Reason: Internal Error.
Action: For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

Code 040 Error allocating IDDNLE buffer

Reason: Probable lack of memory available.
Action: Increase region size.

Code 041 Database connect failed

Reason: Invalid PARMs or user not authorized.
Action: Check parameter file and authorization.

Code 042 ORDDDESC SELECT failed

Reason: SQL error which accessing ORDDDESC table.
Action: Check parameter file values and authorization.

Code 043 Memory allocation for ORNTE failed

Reason: Probable lack of memory.
Action: Increase region size.

Code 044 Column could not be found

Reason: VARN scan could not locate requested information.
Action: For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

Code 045 ORDDDESC SELECT failed

Reason: SQL error while addressing ORDDDESC table.
Action: Check parameter file values and authorization.

Code 046 Memory allocation for ORNTE failed

Reason: Probable lack of memory.
Action: Increase region size.

Code 047 SELECT from ORDTAB failed

Reason: SQL returned an error indication while issuing SELECT.
Action: Check user authorization and synonyms/views.

Code 048 Memory allocation for ORDTE failed

Reason: Probable lack of memory.
Action: Increase region size.

Code 049 No ORDTAB row found when ORDDDESC present

Reason: No rows for the ORD found on the ORDTAB.
Action: Check the ORD using the Online system to ensure it is available.

Code 050 SELECT from IRDDDESC failed

Reason: SQL returned an error indication while issuing SELECT.
Action: Check user authorization and synonyms/views.

Code 051 IRDDDESC Fetchrow failed

Reason: Probable no data found condition.
Action: Verify that an IRDDDESC entry is present for the IRD.

Code 052 Memory allocation for IDNTE failed

Reason: Probable lack of memory.
Action: Increase region size.

Code 053 Memory allocation for IRNTE failed

Reason: Probable lack of memory.
Action: Increase region size.

Code 054 Memory allocation for Temp space failed

Reason: Probable lack of memory.
Action: Increase region size.

Code 055 Memory allocation for IRDTE failed

Reason: Probable lack of memory.
Action: Increase region size.

Code 056 SELECT for IRDTAB failed

Reason: SQL returned an error indication while issuing SELECT.
Action: Check user authorization and synonyms/view.

Code 057 IRDTAB Fetchrow failed

Reason: Probable no data found condition or IRD/ORD mismatch.
Action: Verify that an IRDTAB entry is present for the IRD.

Code 058 Memory allocation failed for IDDNT

Reason: Probable lack of memory.
Action: Increase region size.

Code 059 Error allocating 32K recycle buffer

Reason: Probable lack of memory available.
Action: Increase region size.

Code 060 Error while allocating storage for ORD in IRDDISPATCHER

Reason: Probable lack of memory.
Action: Increase region size.

Code 063 Unknown IRD source

Reason: An ORD field had no link to an IRD field.
Action: Check the ORDTAB and correct the definition.

Code 064 IRD name not found

Reason: In IRDDISPATCHER, the required entry could not be found in the ORNTE table.

Action: For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

Code 065 Unknown ORD type with NO source name

Reason: An ORD field is logically incomplete.
Action: Check the ORDTAB and correct the definition.

Code 066 IRD name not found

Reason: In IRDDISPATCHER, the required entry could not be found in the IRNTE table.

Action: For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

Code 071 Could not find required error message

Reason: PB1400 attempted to produce an undefined error.
Action: Previous message is "ERROR_TABLE LOOKING FOR xx." For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

Code 073 Error retrieving from ACCSTTAF in CA\$KRCN

Reason: No rows were returned from a SELECT from ACCSTTAF.
Action: Check the contents of the ACCSTTAB for this version.

Code 074 Unexpected error in CA\$KRCN routine

Reason: Either DB Connect failed (and CAKR891E was produced), BadIndex (CAKR890E was produced), DB Discon. failed, Exit returned non-zero code, or Find_Count routine failed (CAKR891E was produced).

Action: Reason-dependent.

Code 075 Length mismatch in CA\$KRCN

Reason: The length returned from a Lookup was greater than the structure length.

Action: Ensure that the Return Value from a LOOKUP table is not greater than the Structure field length.

Code 080 Error opening the ORD file

Reason: Check for presence and correctness of the CAIKSOP DD.

Action: Check the JCL for the ORD file.

Code 081 Error writing to the ORD file

Reason: CAIKSOP DD may have run out of space.

Action: Check for sufficient space on the file.

Code 082 Error closing the ORD file

Reason: Check CAIKSOP DD.

Action: For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

Code 083 Error allocating 32K raw input buffer

Reason: Probable lack of memory available

Action: Increase region size.

Code 084 Error allocating 32K IRD buffer

Reason: Probable lack of memory available.

Action: Increase region size.

Code 086 Memory allocation for CLTE failed

Reason: Probable lack of memory.

Action: Increase region size.

Code 087 Subsystem load for construct returned error indication

Reason: Unexpected return from _loadss.

Action: For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

Code 088 ORNTE ORDID match routine failed

Reason: Internal error.

Action: For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

Code 089 Construct routine not found in LCLTE

Reason: Internal error.

Action: Check that Construct name in the ORD is CS\$KRCN. For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKS200E

ILLEGAL COMMAND.

Reason:

The command you requested is illegal.

Action:

Do not attempt this action again.

CAKS201I

THERE ARE NO COMMITTED REAL RECORDS.

Reason:

There are no committed records defined.

Action:

No action required. Message is informational only.

CAKS205I

xxxxxxx HAS BEEN UPDATED.

Reason:

The IRD record, xxxxxxxx, has been successfully updated. xxxxxxxx is a variable used to denote the user-defined name of the record.

Action:

No action required. Message is informational only.

CAKS206W**THE RECORD xxxxxxxxxxxxxxxxxxxx HAS ALREADY BEEN SAVED****Reason:**

You are trying to **SAVE** a record that has already been saved.

Action:

Use the BROWSE function to review the contents of this record.

CAKS207E**THE FORMAT TYPE FOR xxxxxxxxxxxxxxxxxxxx IS INVALID.****Reason:**

You specified an invalid format type (FMT) for field name xxxxxxxxxxxxxxxxxxxx. xxxxxxxxxxxxxxxxxxxx is a variable which denotes the user-defined field name.

Action:

Specify one of the following valid format types:

- B (binary)
- P (packed)
- C (character)
- H (hexadecimal numeric)
- N (character numeric)
- X hexadecimal
- F (flag byte)

CAKS208E

THE ATTRIBUTE FOR xxxxxxxxxxxxxxxx IS INVALID.

Reason:

You specified an invalid attribute (Atr) for field name xxxxxxxxxxxxxxxx. xxxxxxxxxxxxxxxx is a variable which denotes a user-defined field name.

Action:

Specify one of the following valid Atr. Ensure that you use the Atr with format types (FMT) of B, C, F, H, N, P, or X.

- M mmddy (American)
- T hhmmss
- D ddmyy (European)
- N mmmm (duration)
- J yydd (Julian)
- S s.ss (duration to 1/100 second)
- Y yymmdd (normalized part)
- H h.hh (duration to 1/100 second)
- YC yyyyymmdd (normalized full)
- MC mmddyyyy
- DC ddmyyyyy
- JC yyyyddd

CAKS210E

THE HEX VALUE MUST BE DEFINED.

Reason:

You defined an input IRD, but you did not specify a hexadecimal number in the ID Hex Value field.

Action:

Specify a hexadecimal number before selecting a SAVE function.

CAKS211E**THE ID LENGTH MUST BE DEFINED IF THE POSITION AND LENGTH IS DEFINED.****Reason:**

You specified values for the Length of Record and Starting Position fields, without specifying a value for the ID Length field.

Action:

Specify a value for the ID Length field.

CAKS212E**THE BEGINNING POSITION MUST BE DEFINED IF THE LENGTH IS DEFINED.****Reason:**

You specified a value for the ID Length field, without specifying a value for the Starting Position field.

Action:

Specify a value for Starting Position.

CAKS213E**PRECISION IS INVALID FOR A CHARACTER FIELD.****Reason:**

You specified a precision value (Prec) for a field of character format (Fmt).

Action:

Do not specify a value in the Prec field, unless Fmt is of type B, H, N, or P.

CAKS214E**INVALID COMMAND ENTERED.****Reason:**

You specified an invalid command in the CMD column.

Action:

Ensure that only valid commands are specified. Use the PROMPT function to view a list of choices.

CAKS215E

A COMMAND HAS BEEN ENTERED PAST THE END OF DATA.

Reason:

You specified a command in the CMD column of a blank line.

Action:

Ensure that you enter commands on lines of text.

CAKS216E

INVALID REQUEST.

Reason:

The request you made is invalid.

Action:

Do not attempt this action.

CAKS217E

LENGTH OF IDHEXVAL DOES NOT MATCH IDLENGTH.

Reason:

The length of the IDHEX value specified does not match the ID length defined.

Action:

Ensure that the IDHEX value and the ID length match.

CAKS218E

xxxxxxxxxxxxxxxxxx EXCEEDS THE TOTAL RECORD LENGTH OF nn.

Reason:

The length of Field Name xxxxxxxxxxxxxxxxxxxx exceeds the total record length nn.

Action:

Ensure that xxxxxxxxxxxxxxxxxxxx does not exceed the total record length.

CAKS219E**ATTRIBUTES FOR FORMAT TYPE x ARE INVALID.****Reason:**

You specified an attribute value (Atr) for a field of format type (Fmt) x. x is a variable used to denote a user-specified value in the Fmt column.

Action:

When specifying attribute values, ensure that format types are correct.

CAKS220E**x FORMAT TYPE CAN HAVE LENGTH OF 3 OR 4.****Reason:**

You specified a format type of x as having a length (Len) other than 3 or 4. x is a variable used to denote a user-specified value in the Fmt column.

Action:

When specifying this format type, ensure that length values (Len) are 3 or 4.

CAKS221E**INVALID LENGTH WITH SPECIFIED ATTRIBUTE.****Reason:**

The attribute value (Atr) you specified requires a valid length. For example, if Format = c for character and Atr is Y for yymmdd, Length must be 8.

Action:

Ensure that you specify a valid length for an attribute.

CAKS222E**xxxxxxxxxxxxxxxxxxxxx HAS AN ILLEGAL CHARACTER.****Reason:**

You specified an illegal character for Field name xxxxxxxxxxxxxxxxxxxx.

Action:

Specify only valid characters for this field. Ensure that the initial character specified is an alphanumeric.

CAKS223E

xxxxxxxxxxxxxxxxxxxxx HAS ALREADY BEEN DEFINED.

Reason:

The Field Name you are trying to save xxxxxxxxxxxxxxxxxxxx has already been defined.

Action:

Either update the existing Field Name, or create a new one.

CAKS230I

THE ONLY VALID OPTION FOR THIS FIELD IS ENTER.

Reason:

You requested an invalid option for this field.

Action:

The only valid option for this field is ENTER.

CAKS235E

xxxxxxxxxxxxxxxxxxxxx MUST HAVE AN OFFSET GREATER THAN 0.

Reason:

The user-defined Field Name, xxxxxxxxxxxxxxxxxxxx must have an Offset value greater than 0. You specified:

- No value
- Negative value
- zero

Action:

Specify an Offset greater than 0.

CAKS236E**THE FIELD NAME MUST START WITH CHARACTERS A THROUGH Z.****Reason:**

You started a field name with an invalid character.

Action:

Specify a start character of A through Z.

CAKS240E**THE ID BEGINNING POSITION IS GREATER THAN THE RECORD LENGTH.****Reason:**

You have not specified a value for the Length of Record field, or you specified a number larger than the Length of Record for the Starting Position.

Action:

Ensure that you specify a value greater than 0 and less than Length of Record for Starting Position.

CAKS241E**THE ID LENGTH GOES PAST THE END OF THE RECORD.****Reason:**

The value specified for the ID Length is greater than the value specified for the Length of Record field.

Action:

Ensure that the ID Length is less than or equal to the Length of Record field.

CAKS242W

OTHER IRDS REFERENCE THIS DD USING A DIFFERENT STARTING POSITION.

Reason:

The Starting Position value is used in conjunction with the ID Length to determine where the Key Positional is for this shared data set and the values do not match.

Action:

You may go ahead and update this record but take care to update all othe IRDs that reference this DD name so that Starting Position and ID Length match.

CAKS243W

OTHER IRDS REFERENCE THIS DD USING A DIFFERENT ID LENGTH.

Reason:

The Length value is used in conjunction with the Starting Position to determine where the Key Position is for this shared data set and the values do not match.

Action:

You may go ahead and update this record but take care to update all other IRDs that reference this DD name so that Starting Position and ID Length match.

CAKS245E

AN ERROR HAS OCCURRED.

Reason:

An error has occurred during processing.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKS246E**THE IRD ALREADY EXISTS, USE F11 TO BROWSE.****Reason:**

You attempted to CREATE an IRD that already exists.

Action:

Use F11 to BROWSE the existing IRD, or CREATE a new one.

CAKS247W**NO RECORDS FOUND.****Reason:**

The browse criteria you specified were not met.

Action:

Specify another browse criteria, or use the SQL wildcard character %.

CAKS248E**THE IRD NAME MUST START WITH A CHARACTER.****Reason:**

You attempted to CREATE an IRD without specifying a valid start character.

Action:

Ensure that you use only alphanumerics as start characters.

CAKS249E**THE DDNAME IS A REQUIRED FIELD.****Reason:**

You have not specified a value in the DD Name field, or you specified an incorrect value.

Action:

Before selecting the CREATE function, ensure that a valid entry is made in the DD Name field.

CAKS250E

THE LENGTH OF THIS IRD MUST BE GREATER THAN 0.

Reason:

You specified an incorrect value for Length of Record.

Action:

Before specifying a SAVE function, ensure that a valid entry is made in the Length of Record field.

CAKS255E

xxxxxxxxxxxxxxxxxxxx IS REFERENCED BY AN ORD.

Reason:

You attempted to delete a Field Name which is referenced by an ORD.

Action:

To delete the Field Name, you must first delete the ORD that references it.

CAKS256E

xxxxxxx CANNOT BE DELETED BECAUSE IT IS REFERENCED BY AT LEAST ONE ORD.

Reason:

The IRD Name xxxxxxxx cannot be deleted. It is referenced by an ORD.

Action:

To delete this input record definition, you must first delete the ORD that references it.

CAKS260E

THIS IS AN INVALID REQUEST.

Reason:

The request you made is invalid.

Action:

Do not attempt this action.

CAKS261E

xxxxxxxxxxxxxxxxxxxxx MUST HAVE A LENGTH GREATER THAN 0.

Reason:

The user-defined Field Name xxxxxxxxxxxxxxxxxxxx must have a length greater than 0. You specified:

- No value
- Negative value
- zero

Action:

Specify a valid length before selecting the SAVE function.

CAKS265E

THE IRD NAME MUST BE ENTERED BEFORE CONTINUING.

Reason:

You tried to save the Output Record Definition:

- without specifying an IRD Name
- without specifying a valid IRD Name.

Action:

Enter a valid name for IRD Name, and then SAVE the ORD.

CAKS266I

FUNCTION KEY IS INVALID ON THIS PANEL.

Reason:

You requested an invalid function.

Action:

Do not use this function with this panel.

CAKS267I

OPERATION HAS BEEN CANCELLED.

Reason:

You specified NO at the 'ARE YOU SURE?' prompt.

Action:

No action required. Message is informational only.

CAKS270E

THE CONSTRUCT NAME FOR xxxxxxxxxxxxxxxx IS TOO LONG.

Reason:

The length of the name of the Source Field for ORD field xxxxxxxxxxxxxxxx is longer than eight characters.

Action:

Specify a name for Source field that is less than or equal to eight characters.

CAKS271E

THE FIRST CHARACTER OF xxxxxxxxxxxxxxxx IS ILLEGAL.

Reason:

You specified an illegal first character for xxxxxxxxxxxxxxxx. xxxxxxxxxxxxxxxx is a variable which stands for the user-defined ORD field.

Action:

Enter a valid start character for the ORD field.

CAKS272E

THERE IS AN ILLEGAL CHARACTER IN xxxxxxxxxxxxxxxx.

Reason:

You specified an illegal character for xxxxxxxxxxxxxxxx. xxxxxxxxxxxxxxxx is a variable which stands for the user-defined ORD field.

Action:

Ensure that all characters in the ORD field are valid.

CAKS273E

xxxxxxxxxxxxxxxxxxx PRECISION MUST BE A NUMERIC VALUE.

Reason:

You specified a nonnumeric value in the Prec field for the ORD Field name xxxxxxxxxxxxxxxxxxxx.

Action:

Enter a numeric value for the Prec field.

CAKS275E

THE ELEMENT TYPE FOR xxxxxxxxxxxxxxxxxxxx IS INVALID.

Reason:

The element Type you specified is invalid for ORD Field name xxxxxxxxxxxxxxxxxxxx.

Action:

Ensure that Type is:

- C - a constant
- E - a field extracted from an input record
- R - a redefined value

CAKS276E

THE FORMAT FOR xxxxxxxxxxxxxxxxxxxx IS INVALID.

Reason:

The Format you specified is invalid for ORD Field name xxxxxxxxxxxxxxxxxxxx.

Action:

Ensure that the format specified is valid for the ORD Field. The following are valid formats:

- C - character
- D - date
- N - numeric
- R - duration
- T - time
- S - date/time stamp

CAKS277E

THE LENGTH OF xxxxxxxxxxxxxxxx IS NOT NUMERIC.

Reason:

You specified a nonnumeric value in the Len field for ORD field xxxxxxxxxxxxxxxx.

Action:

Specify numeric values for the Len field.

CAKS278E

IRD ELEMENT xxxxxxxxxxxxxxxx IS NOT IN xxxxxxxx

Reason:

The ORD Field value you specified xxxxxxxxxxxxxxxx is not defined for IRD xxxxxxxx.

Action:

Either specify another ORD Field value, or ensure that xxxxxxxxxxxxxxxx is defined for the IRD.

CAKS280E

xxxxxxxxxxxxxxxxxx HAS PREVIOUSLY BEEN DEFINED.

Reason:

The ORD Field you want to SAVE has already been defined.

Action:

Specify a new ORD Field name or update the existing one.

CAKS281E

xxxxxxxxxxxxxxxxxx CANNOT BE USED IN A REDEFINITION.

Reason:

The value you specified for Source Field cannot be used in a redefinition since it is not a valid IRD element.

Action:

Ensure that any entry made for Source Field exists for IRD Name.

CAKS282I**INPUT RECORD HAS BEEN SAVED.****Reason:**

You specified YES at the 'ARE YOU SURE?' prompt. The IRD has been saved.

Action:

No action required. Message is informational only.

CAKS283I**INPUT RECORD HAS BEEN UPDATED .****Reason:**

You specified YES at the 'ARE YOU SURE?' prompt. The IRD has been updated.

Action:

No action required. Message is informational only.

CAKS284E**YOU MUST SPECIFY AT LEAST TWO FIELDS. STARTSTAMP DATE, STOPSTAMP DATE OR DURATION.****Reason:**

You attempted to SAVE an Output Record Header without entering values in one of the following combination of fields:

- Start Stamp and Stop Stamp
- Start Stamp and Duration
- Stop Stamp and Duration
- Start Stamp, Stop Stamp and Duration

Action:

Specify values for one of the above combinations.

CAKS285I

THE HEADER DATA WAS NOT SAVED .

Reason:

You specified NO at the 'ARE YOU SURE?' prompt.

Action:

No action required. Message is informational only.

CAKS286E

ELEMENT xxxxxxxxxxxxxxxx IS INVALID.

Reason:

The value specified for Start Stamp, xxxxxxxxxxxxxxxx, is invalid or does not exist.

Action:

Ensure that a valid entry is made. Use the PROMPT function to view a list of valid choices.

CAKS287E

ELEMENT xxxxxxxxxxxxxxxx IS INVALID.

Reason:

The value specified for Stop Stamp, xxxxxxxxxxxxxxxx, is invalid or does not exist.

Action:

Ensure that a valid entry is made. Use the PROMPT function to view a list of valid choices.

CAKS288E

PRECISION FOR A CHARACTER FIELD IS ILLEGAL.

Reason:

You specified a value in the Prec field for an ORD of character type.

Action:

Specify only numeric values for the Prec field.

CAKS289E

THE LENGTH OF xxxxxxxxxxxxxxxx MUST BE GREATER THAN 0.

Reason:

You specified:

- no value for length (LEN)
- a value less than 0

Action:

Ensure that a valid length is specified for Len.

CAKS290I

ENTER THE NUMBER OF DECIMAL PLACES.

Reason:

You requested the PROMPT function for the Prec field.

Action:

Specify the number of decimal places.

CAKS291E

THE IRD MUST BE SAVED BEFORE SELECTING F11.

Reason:

You selected F11 to view the Input Record Definition panel before saving the input record description.

Action:

Save the input record description, and then select F11.

CAKS292E

PROD OR TEST ARE THE ONLY VALID ENTRIES.

Reason:

You specified an invalid entry for the Version field.

Action:

Valid choices are PROD or TEST.

CAKS293I

PROD OR TEST ARE THE ONLY VALID CHOICES.

Reason:

You requested the PROMPT function for the Version field.

Action:

The only valid entries for this field are PROD or TEST.

CAKS294I

THERE ARE NO COMMITTED xxxx RECORDS.

Reason:

No committed records match the value specified for the Version field, xxxx.

Action:

Specify another value for Version (PROD, TEST).

CAKS296E

OFFSET IS INVALID.

Reason:

You specified an invalid offset value in the Redefine window.

Action:

Specify only positive numbers for offset.

CAKS297I

THE HEADER INFORMATION HAS BEEN SAVED.

Reason:

The header information you specified has been successfully saved.

Action:

No action required. Message is informational only.

CAKS298E**THE ORD ALREADY EXISTS.****Reason:**

You attempted to create an ORD which already exists.

Action:

Either browse the existing ORD or create a new one.

CAKS299E**YOU MUST BE IN UPDATE MODE TO DELETE AN ORD.****Reason:**

You attempted to delete an ORD while in INSERT mode.

Action:

You must be in UPDATE mode to delete an Output Record Definition.

CAKS300E**THE ORD NAME MUST BE ENTERED.****Reason:**

You attempted to create an ORD without specifying an ORD Name.

Action:

Enter a name in the ORD Name field prior to selecting CREATE.

CAKS301I**SAVE SUCCESSFUL.****Reason:**

The record has been successfully saved.

Action:

No action required. Message is informational only.

CAKS302I

UPDATE SUCCESSFUL.

Reason:

The record has been successfully updated.

Action:

No action required. Message is informational only.

CAKS303I

HEADER INFORMATION MUST BE ENTERED BEFORE EXITING.

Reason:

You attempted to exit without specifying any header information.

Action:

Specify header information before exiting.

CAKS304E

xxxxxxxxxxxxxxxxx ATTRIBUTE CONVERSION IS INVALID.

Reason:

An attribute of ORD Field xxxxxxxxxxxxxxxx does not match the value specified for the input record definition.

Action:

Check the input record definition for IRD Name to view the correct value for the attribute.

CAKS305E

THE FIRST LETTER OF THE ORD MUST BE GREATER THAN A.

Reason:

You attempted to create an ORD without specifying a valid ORD Name.

Action:

Specify only alphanumerics (except for the letter A) as the first character of this field.

CAKS306E

xxxxxxx IS NOT A VALID IRD.

Reason:

The IRD Name xxxxxxxx you specified does not exist. xxxxxxxx is a variable representing the IRD Name.

Action:

Specify an existing IRD Name.

CAKS309W

A PANEL WITHIN THE SAME PANEL SET MAY NOT BE ACTIVATED BY THE CURSOR.

Reason:

You attempted to activate a panel within the same panel set as the one currently displayed. This is not allowed.

Action:

No action required. Message is informational only.

CAKS310I

THIS IS A USER-DEFINED FIELD, ENTER VALUE.

Reason:

You requested the PROMPT function for a user-defined field for which no choices exist.

Action:

Enter a value in this field.

CAKS311W

THE ENTER FUNCTION MAY NOT BE ACTIVATED BY USING THE CURSOR.

Reason:

Since the Enter function uses the cursor to determine where an action is to take place, it cannot be activated using the cursor.

Action:

Do not attempt to activate the ENTER function using the cursor.

CAKS312I

POSITION CURSOR, PRESS ENTER. F7=UP, F8=DOWN, F5=RIGHT, F6=LEFT.

Reason:

Informational message displayed when you select the Panel function's Move option.

Action:

You can move the panel by positioning the cursor and pressing Enter, or by using the function keys.

CAKS313E

SQL ERROR, CODE = nn

Reason:

You attempted an invalid SQL action and received error message number nn.

Action:

Refer to the *SQL Error Messages and Codes* manual for the appropriate message.

CAKS314E

THE FUNCTION REQUESTED IS NOT VALID FOR THIS PANEL.

Reason:

The function you have requested is not valid.

Action:

Do not attempt to use the function for this panel.

CAKS315W

PROMPT MAY NOT BE ACTIVATED THROUGH USE OF THE CURSOR.

Reason:

You have attempted to use the cursor to activate the PROMPT function. This is not allowed.

Action:

No action required. Message is informational only.

CAKS320E

XXXXXXXXXXXXXXXXXXXXXXXXXXXXX IS NOT A VALID COMMAND.

Reason:

The function requested is not a valid command.

Action:

Reset the panel.

CAKS321I

THERE IS NO PREVIOUS COMMAND TO EXECUTE.

Reason:

You attempted to execute a nonexistent previous command.

Action:

Reset the panel.

CAKS322E

SYSTEM COMMANDS MUST HAVE AT LEAST ONE OPERAND.

Reason:

You specified a system command at the command line with no operands.

Action:

Enter the system command using at least one operand.

CAKS323E

XXXXXXXXXXXXXXXXXXXXXXXXXXXXX IS NOT A VALID FASTPATH COMMAND.

Reason:

The command you have specified is not valid for the fastpath area.

Action:

Specify a valid command.

CAKS324E

DISPATCH NOT PERFORMED, CURSOR WAS NOT ON A VALID PANEL.

Reason:

The Dispatch function, which allows you to activate suspended panels, was not performed. The cursor was not on a panel.

Action:

Ensure that the cursor is placed on the panel you want to activate and then press Enter.

CAKS326E

COMMAND xxxxxxxxxxxxxxxxxxxxxxxxxxxx IS NOT A VALID COMMAND FOR THIS PANEL.

Reason:

The xxxxxxxxxxxxxxxxxxxxxxxxxxxx command is not valid for this panel.

Action:

Reset the panel.

CAKS327E

MNEMONIC SETTING MUST BE YES OR NO.

Reason:

You specified a value other than YES or NO for the mnemonic field.

Action:

Ensure that only YES or NO is entered in this field.

CAKS329E

ACTION BAR SETTING CAN BE REV OR NOREV.

Reason:

You specified a value other than REV or NOREV for the action bar setting.

Action:

Ensure that only REV or NOREV is entered in this field.

CAKS330E**WARNING MSGS CAN BE YES OR NO****Reason:**

You specified a value other than YES or NO for the Warning Msgs field.

Action:

Ensure that only YES or NO is entered in this field.

CAKS331E**INFO MSGS CAN BE YES OR NO.****Reason:**

You specified a value other than YES or NO for the Info Msgs field.

Action:

Ensure that only YES or NO is entered in this field.

CAKS332E**SAVE/DELETE PROMPT CAN BE DEL, SAVE, BOTH OR OFF.****Reason:**

You entered an invalid selection for the Save/Delete Prompt.

Action:

Ensure that only DEL, SAVE, BOTH, or OFF is specified in this field.

CAKS333I**DATABASE DEPTH MUST BE AT LEAST 10.****Reason:**

The Database Depth, which denotes the maximum number of records returned from a database access, must be a minimum of ten records. You have specified the depth as less than ten.

Action:

Enter a value for Database Depth that is greater than nine records.

CAKS334I

OPTIONS HAVE BEEN UPDATED.

Reason:

You specified YES at the 'ARE YOU SURE?' prompt.

Action:

No action required. Message is informational only.

CAKS335I

ENTER IS THE ONLY VALID CHOICE.

Reason:

The only valid choice for this field is ENTER.

Action:

No action required. Message is informational only.

CAKS336I

THIS IS A USER-DEFINED FIELD.

Reason:

You requested the PROMPT function for a user-defined field. There are no prompts available for user-defined fields.

Action:

Enter a value in this field.

CAKS337E

ORD INFORMATION MUST BE SAVED PRIOR TO ENTERING HEADER.

Reason:

You attempted to enter the Output Record Header panel before saving the Output Record Definition.

Action:

Ensure that the Output Record Definition is saved prior to viewing the Output Record Header panel.

CAKS338E**FIELD DATA MUST BE ENTERED BEFORE DATA CAN BE SAVED.****Reason:**

You attempted to save an ORD without specifying a value in the ORD field.

Action:

Specify field data and then SAVE.

CAKS339E**THE LENGTH FIELD MUST BE GREATER THAN 0.****Reason:**

You specified a value in the length field less than 0.

Action:

Ensure that the length field has a value greater than 0.

CAKS340E**CHARACTER FORMAT FIELDS MAY NOT HAVE A PRECISION.****Reason:**

You specified a precision for a field of format character.

Action:

Ensure that any fields of format character do not have a precision.

CAKS341E**FORMAT AND ATTRIBUTE REQUIRE LENGTH TO BE nn.****Reason:**

This format and attribute combination require length to be nn.

Action:

Ensure that the length is nn.

CAKS342E

FORMAT AND ATTRIBUTE REQUIRE A LENGTH BETWEEN 1 AND 4.

Reason:

This format and attribute combination require length of 1 through 4.

Action:

Ensure that the length is between 1 and 4.

CAKS343E

FORMAT AND ATTRIBUTE REQUIRE A PRECISION OF 0.

Reason:

You specified an incorrect precision for the format and attribute.

Action:

Ensure that the precision is 0.

CAKS344E

FORMAT AND ATTRIBUTE REQUIRE PRECISION TO BE nn OR LESS.

Reason:

You specified an incorrect precision for the format and attribute.

Action:

Ensure that the precision is nn or less.

CAKS345E

FORMAT REQUIRES LENGTH TO BE BETWEEN 1 AND 8.

Reason:

You specified an incorrect length for the format.

Action:

Ensure that the length is between 1 and 8.

CAKS346E**FORMAT AND ATTRIBUTE REQUIRE LENGTH TO BE GREATER THAN nn.****Reason:**

You specified a length less than or equal to nn for the format and attribute.

Action:

Ensure that the length is greater than nn.

CAKS347E**PRECISION VALUE IS TOO HIGH FOR LENGTH OF FIELD.****Reason:**

The precision value specified is too high.

Action:

Ensure that the precision specified is correct for the length of the field.

CAKS348E**THE LENGTH FIELD MUST BE BETWEEN 1 AND 15 FOR THIS FORMAT.****Reason:**

You specified an incorrect length for the format.

Action:

Ensure that the length specified is between 1 and 15.

CAKS349E**PRECISION MAY NOT BE GREATER THAN THE LENGTH OF THE FIELD.****Reason:**

You specified a precision greater than the length of the field.

Action:

Ensure that the precision specified is correct for the length of the field.

CAKS350E

FORMAT REQUIRES ATTRIBUTE TO BE BLANK.

Reason:

You specified an attribute for the format.

Action:

Ensure that the format has a blank attribute value.

CAKS351E

LENGTH MUST BE BETWEEN 1 AND 8 FOR THIS FORMAT.

Reason:

You specified an incorrect length for the format.

Action:

Ensure that the length specified is between 1 and 8 for this format.

CAKS352E

IRD FORMAT AND ATTRIBUTE REQUIRE ORD FORMAT TO BE R OR T.

Reason:

You specified an incorrect ORD format.

Action:

Ensure that the ORD format is either R or T for the IRD format and attribute.

CAKS353E

IRD FORMAT AND ATTRIBUTE REQUIRE ORD FORMAT TO BE C.

Reason:

You specified an incorrect ORD format.

Action:

Ensure that the ORD format is C for the IRD format and attribute.

CAKS354E**IRD FORMAT AND ATTRIBUTE REQUIRE ORD FORMAT TO BE N.****Reason:**

You specified an incorrect ORD format.

Action:

Ensure that the ORD format is N for the IRD format and attribute.

CAKS355E**ATTRIBUTE IS NOT VALID WITH THIS FORMAT.****Reason:**

The attribute specified is not valid with this format.

Action:

Ensure that the attribute specified is correct for the format.

CAKS356E**FORMAT REQUIRES PRECISION TO BE ZERO.****Reason:**

You specified an incorrect precision for the format.

Action:

Ensure that the precision is zero for the format.

CAKS357E**THE CHARACTERS QUOTE AND PERCENT ARE NOT ALLOWED FOR CREATE.****Reason:**

You entered either a quote or a percent when using the CREATE function.

Action:

Ensure that when creating a new name, you do not use a quote or a percent.

CAKS358W

HEADER MUST BE CREATED BEFORE EXITING THIS PANEL. USE F11.

Reason:

You attempted to exit the Output Record Definition panel without creating a header.

Action:

You must create a header prior to exiting. Use the F11 key.

CAKS359E

ALTERNATE FUNCTION KEY SETTING MUST BE YES OR NO.

Reason:

You specified an invalid function key setting.

Action:

Enter either a YES or NO for the function key setting of the Options function.

CAKS360E

THE CAIKSPAR PARAMETER FILE COULD NOT BE LOADED.

Reason:

CAIKSPAR is **not** allocated to the user session.

Action:

Allocate and start the CA PMA Chargeback online session.

CAKS361

FORMAT AND ATTRIBUTE REQUIRE LENGTH TO BE 3 OR 4.

Reason:

You specified an incorrect length for the format and attribute.

Action:

Ensure that the length specified is 3 or 4.

CAKS362E

IRD FORMAT AND LENGTH REQUIRE ORD FIELD LENGTH TO BE nn.

Reason:

You specified an incorrect length for the ORD field.

Action:

Ensure that the length specified for the ORD field is nn.

CAKS363E

DDNAME MAY CONSIST OF CHARACTERS A-Z, 0-9 AND BLANKS.

Reason:

You specified an invalid entry for DDNAME.

Action:

Ensure that the DDNAME consists of characters A-Z, 0-9, and blanks.

CAKS364I

PRESS ENTER TO SELECT ITEM.

Reason:

Press the Enter key to select any of the items.

Action:

No action required. Message is informational only.

CAKS365E

DATE AND TIME MUST BOTH BE ENTERED TO CREATE TIME STAMP.

Reason:

To create a time stamp, you must specify both the IRD date and IRD time.

Action:

Specify the IRD date and IRD time.

CAKS366E

FIELD MUST CONTAIN A VALUE BETWEEN AA AND FF.

Reason:

You did not specify a correct value for the field.

Action:

Ensure that the field contains a value between AA and FF.

CAKS367E

THE REDEFINED ORD FIELD DOES NOT EXIST OR HAS NOT BEEN SAVED.

Reason:

You specified an ORD Field that does not exist, or has not been saved.

Action:

Ensure that the ORD Field being redefined exists, and has been saved prior to redefining it.

CAKS368E

FIELD LENGTH PLUS OFFSET EXCEED REDEFINED FIELD'S LENGTH.

Reason:

The value in the length field plus the offset value are greater than the length of the ORD field you are redefining.

Action:

Ensure that the current field's length plus the offset value do not exceed the length of the ORD field being redefined.

CAKS369E

LENGTH MAY NOT EXCEED LENGTH OF REDEFINED ITEM.

Reason:

The value in the length field is greater than the length of the ORD field you are redefining.

Action:

Ensure that the current field's length does not exceed the length of the ORD field being redefined.

CAKS370E**TYPE OF C REQUIRES ORD FIELD NAME TO BE CB-CONS.****Reason:**

You attempted to define CA PMA Chargeback's construct with an invalid name.

Action:

Ensure that when defining CA PMA Chargeback's construct, you use the name CB-CONS.

CAKS371E**TYPE OF C REQUIRES IRD FIELD TO BE CA\$KRCN.****Reason:**

You attempted to define a construct with an invalid value in the IRD field.

Action:

Ensure that the value in the IRD field is CA\$KRCN.

CAKS372E**TYPE REQUIRES FORMAT TO BE C.****Reason:**

You specified an incorrect format for a CB-CONS construct.

Action:

Specify C for the format field.

CAKS373E**TYPE REQUIRES LENGTH BE LESS THAN 85.****Reason:**

You specified an incorrect length for a CB-CONS construct.

Action:

Specify 84 for the length field.

CAKS374E

TYPE OF C REQUIRES PRECISION TO BE 0.

Reason:

The type specified requires precision to be 0.

Action:

Ensure that the precision entered is 0.

CAKS560I

COMMAND FORMAT: COPY DM VERSION

Reason:

Statement syntax is shown.

Action:

Check statement if in error.

CAKS561E

ERROR IN GET_REC, SQLTYPE = nn

Reason:

Unknown SQL column type encountered.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKS562E

ERROR IN GET_REC, SQLTYPE = nn

Reason:

Unknown SQL column type encountered.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKS563I**PROCESSING TABLE: xxxxxxxx****Reason:**

Table xxxxxxxx is being processed.

Action:

No action required. Message is informational only.

CAKS564I**PROCESSING COMPLETE FOR: xxxxxxxx****Reason:**

Processing is complete for xxxxxxxx.

Action:

No action required. Message is informational only.

CAKS566E**REFRESH/REPLACE NOT SPECIFIED UNIQUELY****Reason:**

REFRESH and REPLACE both start with R.

Action:

Specify at least three characters.

CAKS567E**ERROR BASE VERSION MUST BE PROD OR TEST****Reason:**

The version must be either PROD or TEST in the CAIKSPAR file.

Action:

Correct the statement.

CAKS568E

FROM_VERSION HAS AN INVALID LENGTH

Reason:

FROM_VERSION is either too long or too short (<5, >8).

Action:

Correct the statement.

CAKS569E

VERSION MUST BE PROD OR TEST

Reason:

Version must be either PROD or TEST.

Action:

Correct the statement.

CAKS570E

OPTION MUST BE ONE OF

Reason:

Option must be REFRESH/REPLACE or NOREPLACE.

Action:

Correct the syntax.

CAKS571E

VERSION MUST BE EITHER PROD OR TEST

Reason:

Version must be either PROD or TEST.

Action:

Correct the statement.

CAKS572E**OPTION MUST BE ONE OF****Reason:**

Option must be either REFRESH/REPLACE or NOREPLACE.

Action:

Correct the syntax.

CAKS573E**INVALID PROCESS PARAMETER PASSED IN****Reason:**

Second parameter must be either CB or DM.

Action:

Correct the statement.

CAKS574E**UNABLE TO ALLOCATE BUFF1****Reason:**

No storage to allocate buffers.

Action:

Increase storage.

CAKS575I**END OF PROCESSING (nn)****Reason:**

Processing completed.

Action:

No action required. Message is informational only.

CAKS576I

TEXT: xxxxxxxx

Reason:

SQL returned error indication.

Action:

Check text of SQL for message.

CAKS577I

SQL STATEMENT:

Reason:

SQL statement is empty.

Action:

Check specification.

CAKS578I

NO RECORDS FOUND FOR: xxxxxxxx

Reason:

No records found in the requested table.

Action:

No action required. Job continues.

CAKS579E

INTERNAL CALCULATION ERROR nn

Reason:

Error converting a packed number to character.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKS580E**UNABLE TO ALLOCATE BUFF2****Reason:**

No storage to allocate buffers.

Action:

Increase storage.

CAKS581E**UNABLE TO ALLOCATE BUFF3****Reason:**

No storage to allocate buffers.

Action:

Increase storage.

CAKS582I**SQL STATEMENT is NULL****Reason:**

SQL statement is empty.

Action:

No action required. Message is informational only.

CAKS600E**BAD HANDLES= nn****Reason:**

Open failed for the SYSIN file.

Action:

Check the DD statement.

CAKS602E

QUERY ERROR: nn SQLCODE = nn

Reason:

Could not connect to the database.

Action:

Check parameters and DB log.

CAKS603E

PARMS: xxxxxxxx

Reason:

Could not connect to the database.

Action:

Check parameters in CAIKSPAR and DB log.

CAKS604E

xxxxxxx(TBL or DD) NOT FOUND

Reason:

Invalid statement syntax.

Action:

Check statement syntax.

CAKS605E

xxxxxxx(WHERE) NOT FOUND

Reason:

Invalid statement syntax. Expecting WHERE clause.

Action:

Check statement syntax.

CAKS606E**NO ; FOUND, EOF****Reason:**

The WHERE clause must be terminated with a semi-colon.

Action:

Check the syntax of the WHERE clause.

CAKS607I**BACKUP PROCESSING COMPLETED****Reason:**

The BACKUP process is complete.

Action:

No action required. Message is informational only.

CAKS608E**xxxxxxx(DD) NOT FOUND****Reason:**

Invalid statement syntax.

Action:

Check statement syntax.

CAKS609E**DUPL VALUE MUST BE NO IF PRESENT****Reason:**

DUPL value must be YES or NO.

Action:

Correct the statement.

CAKS610E

xxxxxxx(INS) NOT FOUND

Reason:

Invalid statement syntax. INS expected.

Action:

Correct the statement.

CAKS611I

**RESTORE PROCESSING COMPLETED OR RESTORE PROCESSING
COMPLETED WITH ERRORS**

Reason:

The RESTORE process is complete.

Action:

If the first message is received, no action is required. If the second message is received, refer to the preceding CAKS message to determine the error.

CAKS612E

EXPECTED 3 OR 4 TOKENS, FOUND nn

Reason:

Incorrect statement syntax.

Action:

Correct the statement.

CAKS613I

COMMIT PROCESSING COMPLETED

Reason:

The COMMIT process is complete.

Action:

No action required. Message is informational only.

CAKS614E**EXPECTED 4 OR 5 TOKENS, FOUND nn****Reason:**

Invalid statement syntax.

Action:

Correct the statement.

CAKS615I**COPY PROCESSING COMPLETED****Reason:**

The COPY process is complete.

Action:

No action required. Message is informational only.

CAKS616E**TOKEN xxxxxxxx IS INVALID****Reason:**

Unknown parameter specified.

Action:

Correct the statement.

CAKS617E**ERROR CLOSING FILE nn****Reason:**

Error attempting to close RDR file.

Action:

Check the log.

CAKS618E

DISCONNECT ERROR = nn

Reason:

Error disconnecting.

Action:

Check database integrity.

CAKS619E

EXPECTED 2 TOKENS, FOUND nn

Reason:

Invalid statement syntax.

Action:

Correct the statement.

CAKS620E

LINES PARAMETER VALUE INVALID

Reason:

Lines parameter must be between 25 and 99.

Action:

Correct the statement.

CAKS621E

UNABLE TO OPEN INPUT FILE DD=xxxxxxxxx ERR=nn

Reason:

Open failed for input (BACKUP) file.

Action:

Check the JCL.

CAKS622E**ERROR READING FILE CODE=nn****Reason:**

Read failed for input (BACKUP) file.

Action:

Check file attributes.

CAKS623E**UNABLE TO ALLOCATE MEMORY****Reason:**

Not enough memory to allocate buffers.

Action:

Increase memory size.

CAKS624E**UNEXPECTED TYPE=nn, INVALID RUN****Reason:**

Unknown database column type.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKS625W**QUERY ERROR: nn SQLCODE = nn****Reason:**

SQL error on restore.

Action:

Check the code.

CAKS626W

TABLE=xxxxxxx EXISTS, (DELETING / MERGING)

Reason:

The table you are attempting to restore already exists. If the backup file is from the VAX, the tables will be merged. Otherwise, the existing table is deleted prior to the restore.

Action:

Informational message, no action is needed.

CAKS627E

QUERY ERROR: nn SQLCODE = nn

Reason:

SQL error on RESTORE.

Action:

Check the code and parameters for error.

CAKS628E

UNABLE TO (CREATE/DELETE) TABLE=xxxxxxx, EDITING

Reason:

Table could not be created or deleted.

Action:

Check the previous message for SQL error code.

CAKS629E

QUERY ERROR: nn SQLCODE = nn

Reason:

SQL error.

Action:

Check the code and parameters for error indication.

CAKS630W**INDEX EXISTS, CAN'T CREATE INDEX****Reason:**

Attempted to create an index which already exists.

Action:

Ensure that the index specified does not exist.

CAKS631E**ROLL/COMM ERROR: nn SQLCODE = nn PARMS: xxxxxxxx****Reason:**

Error in COMMIT or ROLLBACK.

Action:

Check the return code and parameters.

CAKS632I**TOTAL NUMBER OF ROWS PROCESSED=nn****Reason:**

The total number of rows processed are nn.

Action:

No action required. Message is informational only.

CAKS633I**NUMBER OF FAILED INSERTS=nn****Reason:**

The number of failed inserts are nn.

Action:

No action required. Message is informational only.

CAKS634E

UNABLE OPEN FILE DD=xxxxxxx RETC=nn ERR=nn

Reason:

Status failed on dd xxxxxxxx.

Action:

Check the JCL.

CAKS635E

QUERY ERROR: nn SQLCODE = nn

Reason:

SQL error.

Action:

Check the code and parameters for error indication.

CAKS636W

NO ROWS SELECTED FROM SELECT CMD

Reason:

The requested table was empty.

Action:

No action.

CAKS637E

FETCHROW ERROR = nn, CODE = nn

Reason:

Error retrieving next row from table.

Action:

Check the code for error indication. The resulting output file will be invalid.

CAKS638E**CANCEL SQL ERROR = nn, CODE = nn****Reason:**

Cancel SQL failed.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKS639I**NUMBER OF ROWS PROCESSED=nn****Reason:**

The number of rows processed are nn.

Action:

No action required. Message is informational only.

CAKS640E**ERROR FOUND DURING PROCESSING****Reason:**

This message is always be preceded by another CAKS message that provides the detail concerning the error encountered.

Action:

Check the SQL statement and/or the specific error indicator.

CAKS640W**ERROR (OR ROWS=0) - NO OUTPUT FILE PRODUCED****Reason:**

Either an error occurred during processing, or the table was empty.

Action:

Check the SQL statement and/or check the specific error.

CAKS641E

UNABLE WRITE FILE (DATA) ERR=nn

Reason:

Error writing output file.

Action:

Check the JCL.

CAKS641W

NO ROWS WERE SELECTED FROM TABLE

Reason:

Table was empty or WHERE clause did not find any rows.

Action:

Check the JCL or WHERE clause.

CAKS642E

ABORTING RESTORE, BAD FILE

Reason:

Error during backup caused this file to be invalid.

Action:

Do not use this file. Rerun the backup job.

CAKS643E

UNABLE WRITE FILE (DATA) ERR=nn

Reason:

Error writing output file.

Action:

Check the JCL.

CAKS644E**FILE IS NOT VARIABLE LENGTH REC. DD=xxxxxxxx****Reason:**

Input file format is not variable length. It cannot be a backup file.

Action:

No action.

CAKS645E**UNABLE TO CREATE INDEX, EXITING****Reason:**

Attempted to create an index which failed.

Action:

Check the previous message.

CAKS646E**ERROR READING FILE CODE=nn****Reason:**

Error reading input file.

Action:

Check the log.

CAKS647E**WRONG FILE FORMAT, EXPECTED INDEX RECORD****Reason:**

Input file has incorrect format.

Action:

Check if data set is a backup.

CAKS648E

UNEXPECTED TYPE=nn, INVALID RUN

Reason:

Unknown type of data.

Action:

For online technical assistance and a complete list of locations, primary service hours, and telephone numbers, contact Technical Support at <http://ca.com/support>.

CAKS649W

DUPLICATE ROW IGNORED

Reason:

Duplicate record found.

Action:

No action. Job continues.

CAKS650E

ERROR ON INSERT, CAN'T RECOVER, EXITING

Reason:

The insert requested failed.

Action:

Check the previous message.

CAKS651E

FETCHROW ERROR = nn, CODE = nn

Reason:

Error retrieving first row from table. No output file will be generated.

Action:

Check return code for error indicator.

CAKS652E**ERROR PROCESSING TABLE xxxxxxxx****Reason:**

Error found in processing this table.

Action:

Check previous messages.

CAKS653E**SQL ERROR nn****Reason:**

SQL returned error indication.

Action:

Check code from message.

CAKS659E**INVALID CHARGE VERSION SPECIFIED: xxxxxxxx****Reason:**

The charge version specified is invalid.

Action:

Ensure that the version specified is valid.

CAKS660E**INVALID COMMIT VERSION xxxxxxxx****Reason:**

The commit version specified is invalid.

Action:

Ensure that the version specified is valid.

CAKS661E

INVALID COMMIT TYPE xxxxxxxx

Reason:

Second parameter must be either DM or CB.

Action:

Correct the statement.

CAKS662E

COPY NOT VALID FOR

Reason:

Version must be PROD or TEST.

Action:

Correct the statement.

CAKS663E

NO CHARGEBACK VERSION SPECIFIED

Reason:

Second parameter must specify the version PROD or TEST.

Action:

Correct the statement.

CAKS664E

DATABASE CONNECT ERROR RC = nn

Reason:

Cannot connect to database.

Action:

Check CAIKSPAR files and database log, and ensure that the user is authorized.

CAKS665E**PROCESSING SQL COMMAND****Reason:**

Error during SQL command.

Action:

Check codes and text for error.

CAKS666E**PROCESSING SQL COMMAND****Reason:**

Error during SQL command.

Action:

Check codes and text for error.

CAKS667I**NUMBER OF UNDEFINED ELEMENTS nn****Reason:**

The number of undefined elements are nn.

Action:

No action required. Message is informational only.

CAKS668I**CHARGEBACK CHECKING COMPLETE****Reason:**

Checking is complete.

Action:

No action required. Message is informational only.

CAKS669E

PROCESSING SQL COMMAND (nn)

Reason:

Error during SQL command.

Action:

Check codes and text for error.

CAKS670E

PROCESSING SQL COMMAND nn

Reason:

Error during SQL command.

Action:

Check codes and text for error.

CAKS671E

PROCESSING EARL SQL COMMAND

Reason:

SQL error while building EARL statements.

Action:

Check codes and text.

CAKS672E

BUILDING EARL FILE

Reason:

SQL error while building EARL statements.

Action:

Check codes and text.

CAKS673E**PROCESSING SQL COMMAND****Reason:**

Error during SQL command.

Action:

Check codes and text for error.

CAKS674E**PROCESSING SQL COMMAND nn****Reason:**

Error during SQL command.

Action:

Check codes and text for error.

CAKS675E**EARL FILE OPEN FAILED****Reason:**

Open failed for CAIKSERL.

Action:

Check JCL.

CAKS676E**SQL ERROR ON TABLE CREATE****Reason:**

Error encountered.

Action:

Check previous messages.

CAKS677E

ERROR OCCURRED DURING MEMORY ALLOCATION

Reason:

Buffer allocation failed.

Action:

Increase the size of memory.

CAKS678E

FREECURSOR nn

Reason:

Error during a freecursor operation.

Action:

Check the database log.

CAKS679E

CB_ELEM_NAME ERROR nn

Reason:

Error during SQL command.

Action:

Check any previous messages.

CAKS680E

FREECURSOR ERROR nn

Reason:

Error during a freecursor operation.

Action:

Check database log.

CAKS681E**UNDEFINED ELEMENT: xxxx ORD NAME: yyy TABLE: zzz****Reason:**

Cross-checking found an invalid reference. A reference exists in table zzz for element name xxxx in ORD name yyy, but the element name was not found in the committed version specified.

Action:

Update definitions. Verify that the correct version was specified during commit processing.

CAKS682I**NO ROWS RETRIEVED FROM CB TABLES****Reason:**

No CB definitions found.

Action:

Check if version is correct.

CAKS683E**DATABASE ERROR ON RECORD #nn****Reason:**

Error during SQL command.

Action:

Check codes and text for error.

CAKS684E**RETRIEVED ORD TABLE VALUES****Reason:**

Error during SQL command.

Action:

Check codes and text for error.

CAKS685E

NO ROWS RETRIEVED, ORD TABLE IS EMPTY

Reason:

No data found in ORDTAB.

Action:

Check if version specification is correct.

CAKS686E

RETRIEVING CHARGEBACK VALUES

Reason:

Error during SQL command.

Action:

Check codes and text for error.

CAKS687E

UNABLE TO DISCONNECT FROM THE DATABASE

Reason:

The disconnect failed.

Action:

Check the database log.

CAKS688E

UNABLE TO ACCESS CAIKSPAR FILE

Reason:

Cannot access the CAIKSPAR file.

Action:

Check the JCL.

CAKS689I**COMMIT TYPE: xx****Reason:**

The COMMIT type is xx.

Action:

No action required. Message is informational only.

CAKS690I**DATABASE COMMIT BEING PERFORMED****Reason:**

The database is being committed.

Action:

No action required. Message is informational only.

CAKS691I**NO ELEMENTS DEFINED****Reason:**

No elements are defined.

Action:

No action required. Message is informational only.

CAKS692I**PROCESSING TERMINATED DUE TO****Reason:**

Processing terminated.

Action:

No action required. Message is informational only.

CAKS693E

ORD NAME: xxxxxxxx IS UNDEFINED TABLE: zzzzzz

Reason:

Crosschecking found an invalid reference. The ORD name indicated was not found in any of the ORD tables. However, a reference to that ORD name was found in the table specified.

Action:

Update definitions.

CAKS694E

DATABASE ERROR ON RECORD# 1

Reason:

Error during SQL command.

Action:

Check codes and text for error.

CAKS695E

UNABLE TO ACCESS CAIKRPAR FILE

Reason:

Cannot access the CAIKRPAR file.

Action:

Check the JCL.

CAKS696I

DATA MANAGER VERSION: xxxx

Reason:

Displays the DataManager version.

Action:

No action required. Message is informational only.

CAKS697I**FROM VERSION: xxxx****Reason:**

Displays the From version.

Action:

No action required. Message is informational only.

CAKS698I**TO VERSION: xxxxxxxx****Reason:**

Displays the To version.

Action:

No action required. Message is informational only.

CAKS699I**DATABASE BEING ROLLED BACK****Reason:**

The database is being rolled back.

Action:

No action required. Message is informational only.

CAKS701I**NO PARM SPECIFIED - TAKING TODAY'S DATE****Reason:**

The program attempted to open the CAKSNETP file, but couldn't.

Action:

The DATE= parameter was defaulted to the current date.

CAKS702E

INVALID PARM STATEMENT

Reason:

The CAKSNETP file was read, and the first PARM was not DATE=.

Action:

Correct the CAKSNETP PARM statement.

CAKS703E

COULDN'T OPEN INPUT NETMAN FILE

Reason:

OPEN for the CAKSNETI file failed.

Action:

Check for correct JCL for the CAKSNETI DD statement.

CAKS704E

COULDN'T OPEN OUTPUT NETMAN FILE

Reason:

OPEN for the CAKSNETO file failed.

Action:

Check for correct JCL for the CAKSNETO DD statement.

CAKS705E

ERROR WRITING OUTPUT FILE

Reason:

Error encountered during WRITE to CAKSNETO file.

Action:

Ensure sufficient space was allocated, and that the file attributes are correct.

CAKS800I**ERROR IN PARAMETER FILE, NO PARAMETER FOUND****Reason:**

Error in reading parameter file.

Action:

Check the contents of the parameter file.

CAKS801E**INTERNAL ERROR - WORD NOT IN TABLE nn****Reason:**

Unknown parameter found.

Action:

Correct the contents of the parameter file.

CAKS802I**LINE IS: xxxxxxxx****Reason:**

The line is xxxxxxxx.

Action:

No action required. Message is informational only.

CAKS803E**UNKNOWN CONTROL WORD IN PARAMETER FILE****Reason:**

Unknown parameter found.

Action:

Correct the contents of the parameter file.

CAKS804I

IN CAKSLOAD PARAMETER FILE

Reason:

Line is shown.

Action:

No action required. Message is informational only.

CAKS805I

IN CAIKSPAR PARAMETER FILE

Reason:

Line is shown.

Action:

No action required. Message is informational only.

CAKS806I

IN PARAMETER FILE

Reason:

Line is shown.

Action:

No action required. Message is informational only.

CAKS807E

ERROR UNKNOWN SQL: xxxxxxxx

Reason:

Unknown SQL value.

Action:

Check statement in parameter file.

CAKS808E**INVALID CHARGE PRECISION: >xxxxxxx<****Reason:**

Charge precision is too high.

Action:

Decrease the setting.

CAKS809E**INVALID RATE PRECISION: >xxxxxxx<****Reason:**

Rate precision is too high.

Action:

Decrease the setting.

CAKS810E**INVALID UNIT PRECISION: >xxxxxxx<****Reason:**

Unit precision is too high.

Action:

Decrease the setting.

CAKS811E**MULTIPLE APPLICATION****Reason:**

Only one version may be specified in the parameter file.

Action:

Correct the parameter file.

CAKS812E

APPLICATION VERSIONS NOT PERMITTED

Reason:

Application versions are not permitted in the CAIKSPAR file.

Action:

Specify a valid version.

CAKS813E

APPLICATION VERSION IS INVALID >xxxxxxx<

Reason:

Version must be specified and less than 5 characters.

Action:

Correct the version specified.

CAKS814E

BASE VERSION IS INVALID >xxxxxxx<

Reason:

Base version must be PROD or TEST.

Action:

Correct the version in the parameter file.

CAKS850E

ERROR UNKNOWN

Reason:

RECON must be YES or NO.

Action:

Correct statement in parameter file.

Chapter 4: Miscellaneous Messages

The xx in these message numbers indicate that other characters will appear in these positions. If a message cannot be found in the preceding sections, look for it below.

CAxx0564SI

HAVE REACHED BOTTOM OF LIST NO MORE TO SCROLL.

Reason:

You have reached the bottom of the list.

Action:

Do not attempt to scroll any lower.

CAxx0565SI

HAVE REACHED TOP OF LIST NO MORE TO SCROLL.

Reason:

You have reached the top of the list.

Action:

Do not attempt to scroll any higher.