

# CA NetMaster® Network Management for SNA

## Release Notes

Release 12.1



This Documentation, which includes embedded help systems and electronically distributed materials, (hereinafter referred to as the "Documentation") is for your informational purposes only and is subject to change or withdrawal by CA at any time.

This Documentation may not be copied, transferred, reproduced, disclosed, modified or duplicated, in whole or in part, without the prior written consent of CA. This Documentation is confidential and proprietary information of CA and may not be disclosed by you or used for any purpose other than as may be permitted in (i) a separate agreement between you and CA governing your use of the CA software to which the Documentation relates; or (ii) a separate confidentiality agreement between you and CA.

Notwithstanding the foregoing, if you are a licensed user of the software product(s) addressed in the Documentation, you may print or otherwise make available a reasonable number of copies of the Documentation for internal use by you and your employees in connection with that software, provided that all CA copyright notices and legends are affixed to each reproduced copy.

The right to print or otherwise make available copies of the Documentation is limited to the period during which the applicable license for such software remains in full force and effect. Should the license terminate for any reason, it is your responsibility to certify in writing to CA that all copies and partial copies of the Documentation have been returned to CA or destroyed.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, CA PROVIDES THIS DOCUMENTATION "AS IS" WITHOUT WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL CA BE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, FROM THE USE OF THIS DOCUMENTATION, INCLUDING WITHOUT LIMITATION, LOST PROFITS, LOST INVESTMENT, BUSINESS INTERRUPTION, GOODWILL, OR LOST DATA, EVEN IF CA IS EXPRESSLY ADVISED IN ADVANCE OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The use of any software product referenced in the Documentation is governed by the applicable license agreement and such license agreement is not modified in any way by the terms of this notice.

The manufacturer of this Documentation is CA.

Provided with "Restricted Rights." Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-14, and 52.227-19(c)(1) - (2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Copyright © 2012 CA. All rights reserved. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

## CA Technologies Product References

This document references the following CA Technologies products:

- CA Mainframe Software Manager™ (CA MSM)
- CA NetMaster® Network Management for SNA (CA NetMaster NM for SNA)
- CA NetSpy™ Network Performance (CA NetSpy)
- CA OPS/MVS® Event Management and Automation (CA OPS/MVS)

## Contact CA Technologies

### Contact CA Support

For your convenience, CA Technologies provides one site where you can access the information that you need for your Home Office, Small Business, and Enterprise CA Technologies products. At <http://ca.com/support>, you can access the following resources:

- Online and telephone contact information for technical assistance and customer services
- Information about user communities and forums
- Product and documentation downloads
- CA Support policies and guidelines
- Other helpful resources appropriate for your product

### Providing Feedback About Product Documentation

If you have comments or questions about CA Technologies product documentation, you can send a message to [techpubs@ca.com](mailto:techpubs@ca.com).

To provide feedback about CA Technologies product documentation, complete our short customer survey which is available on the CA Support website at <http://ca.com/docs>.



# Contents

---

## **Chapter 1: New Features** **7**

USS Command .....	7
NMSAFF Security Solution.....	7
CA OPS/MVS System State Manager.....	7

## **Chapter 2: Changes to Existing Features** **9**

Transport Resource List Panel .....	9
PPO Parameter Group.....	9
Command Entry.....	10
Alert Monitor .....	10
Alert Forwarding .....	11
Alert Filters .....	12
Knowledge Base Export Utility .....	12
Knowledge Base Import Utility.....	12
Multisystem Communication Access Methods .....	13
Panel Shortcuts .....	13
NMSAF Security Modeling.....	13
Install Utility .....	13
PDS Member Statistics .....	13
CA MSM.....	14
Documentation .....	14
Changes to Data Set Names .....	14
Product Removed From Family .....	15

## **Appendix A: Changes that Affect Resource-Level Security** **17**

Menu Option Changes.....	17
OCS Command Changes .....	17

## **Appendix B: Changes to Distributed Knowledge Base** **19**

Alert Monitor Filters.....	19
----------------------------	----

## **Appendix C: Changes to Messages** **21**

Changed Messages.....	21
Deleted Messages .....	22
New Messages.....	23



# Chapter 1: New Features

---

This section contains the following topics:

[USS Command](#) (see page 7)

[NMSAFF Security Solution](#) (see page 7)

[CA OPS/MVS System State Manager](#) (see page 7)

## USS Command

The USS command issues shell commands in UNIX System Services (USS). You issue the command from Command Entry.

This command has the following format:

```
USS shell_command
```

**Note:** The SOLVE SSI issues the shell commands on behalf of the user. The SOLVE SSI user ID authority determines which commands can be issued. To limit who can use the USS command, implement resource-level security. For information about resource-level security, see the *Security Guide*.

## NMSAFF Security Solution

The NMSAFF security solution provides a full security exit to interface with your external security package. The exit uses the SXCTL parameter file. The file defines the security resources that you use to configure the user security.

To use this solution, specify **NMSAFF** for the SEC region JCL parameter.

**Note:** For more information, see *Security Guide*.

## CA OPS/MVS System State Manager

A CA NetMaster NM for SNA region and the SOLVE Subsystem Interface can automatically communicate both active status events and heart beat events to CA OPS/MVS EMA. The enabling technology is through a generic active status or heartbeat event API call. CA OPS/MVS EMA provides this API to other CA Technologies mainframe products so that they can communicate events consistently to CA OPS/MVS EMA.





# Chapter 2: Changes to Existing Features

---

This section contains the following topics:

[Transport Resource List Panel](#) (see page 9)

[PPO Parameter Group](#) (see page 9)

[Command Entry](#) (see page 10)

[Alert Monitor](#) (see page 10)

[Alert Forwarding](#) (see page 11)

[Alert Filters](#) (see page 12)

[Knowledge Base Export Utility](#) (see page 12)

[Knowledge Base Import Utility](#) (see page 12)

[Multisystem Communication Access Methods](#) (see page 13)

[Panel Shortcuts](#) (see page 13)

[NMSAF Security Modeling](#) (see page 13)

[Install Utility](#) (see page 13)

[PDS Member Statistics](#) (see page 13)

[CA MSM](#) (see page 14)

[Documentation](#) (see page 14)

[Changes to Data Set Names](#) (see page 14)

[Product Removed From Family](#) (see page 15)

## Transport Resource List Panel

A listed transport resource list element (TRLE) has the following additional information:

- Name of the VTAM major node that defines the TRLE
- Channel path identifier (CHPID) for an OSA or HiperSockets device
- Type of CHPID

## PPO Parameter Group

You can control whether to log unsolicited primary program operator (PPO) messages and secondary program operator (SPO) messages through the PPO parameter group. The default is no logging.

The parameter group has the following new fields:

- Log Unsolicited PPO Messages?
- Log SPO Messages?

These fields set respectively the PPOUSMSG and PPOSOMSG system parameters.

If you want to use CA OPS/MVS to automate responses to unsolicited PPO messages, specify **WTO** in the Log Unsolicited PPO Messages? field. The setting writes all unsolicited PPO messages to the system hardcopy log. Having these messages in the system hardcopy log helps CA OPS/MVS to automate responses to them.

## Command Entry

Command Entry on a 3270 terminal has the following enhancements:

- The maximum value for the Limit field has increased to 32767.
- The panel supports a new LOG field. The field enables you to suppress the logging of the response to a local command to the activity log.

## Alert Monitor

You can add your own actions to the Alert Monitor. You customize the CC2DEXEC(\$AMCBCMX) exit to specify your actions.

**Note:** For information about how to customize the \$AMCBCMX exit, see the *Reference Guide*.

## Alert Forwarding

The CC2DSAMP(\$AMTRAP) management information base (MIB) definition used by alert forwarding includes the following new object identifiers:

- ...
- sourceTime (1.3.6.1.4.1.1126.1.2.1.3.9)
- updateTime (1.3.6.1.4.1.1126.1.2.1.3.10)
- closeTime (1.3.6.1.4.1.1126.1.2.1.3.11)
- lastTime (1.3.6.1.4.1.1126.1.2.1.3.12)
- elapsedTime (1.3.6.1.4.1.1126.1.2.1.3.13)
- occurrences (1.3.6.1.4.1.1126.1.2.1.3.14)
- sourceId (1.3.6.1.4.1.1126.1.2.1.3.15)
- explanationCount (1.3.6.1.4.1.1126.1.2.1.3.16)
- explanationTable (1.3.6.1.4.1.1126.1.2.1.3.17)
  - explanationEntry (1.3.6.1.4.1.1126.1.2.1.3.17.1)
    - explanation (1.3.6.1.4.1.1126.1.2.1.3.17.1.1)
- systemActionCount (1.3.6.1.4.1.1126.1.2.1.3.18)
- systemActionTable (1.3.6.1.4.1.1126.1.2.1.3.19)
  - systemActionEntry (1.3.6.1.4.1.1126.1.2.1.3.19.1)
    - systemAction (1.3.6.1.4.1.1126.1.2.1.3.19.1.1)
- userActionCount (1.3.6.1.4.1.1126.1.2.1.3.20)
- userActionTable (1.3.6.1.4.1.1126.1.2.1.3.21)
  - userActionEntry (1.3.6.1.4.1.1126.1.2.1.3.21.1)
    - userAction (1.3.6.1.4.1.1126.1.2.1.3.21.1.1)
- ...
- text2 (1.3.6.1.4.1.1126.1.2.1.3.105)
- text3 (1.3.6.1.4.1.1126.1.2.1.3.106)
- text4 (1.3.6.1.4.1.1126.1.2.1.3.107)
- opSysId (1.3.6.1.4.1.1126.1.2.1.3.201)
- opSysName (1.3.6.1.4.1.1126.1.2.1.3.202)
- sysplex (1.3.6.1.4.1.1126.1.2.1.3.203)
- ipHostName (1.3.6.1.4.1.1126.1.2.1.3.204)
- ipHostAddr (1.3.6.1.4.1.1126.1.2.1.3.205)

## Alert Filters

Alert filters have the following enhancements:

- You can use Network Control Language (NCL) system variables in to provide values in the filter expression. For example, the following expression restricts the alerts to those alerts that originate from the local region:

```
SOURCE EQ &ZNMDID
```

- The following new filters are available:
  - LOCAL for local alerts
  - REMOTE for alerts from remote regions
  - SYSLOGD for alerts from SYSLOGD event detectors (for use by CA NetMaster NM for TCP/IP)

## Knowledge Base Export Utility

You can use the EXPORTRM utility to export one of the following types of definitions:

- A system image with the included resource definitions
- A class of common components

The utility does not support the selection of individual definitions.

The export data set must exist as a sequential file with a record length of at least 80 characters. You can use DISP=MOD to append multiple exports to a single data set.

Use the following format:

```
EXPORTRM DSNAME=data_set_name [DISP=MOD]  
          {[OPT=IMAGE SYS=system_image_name VER=version] |  
          [OPT=COMMON TYPE=component_type [VER=version]]}
```

**Note:** For more information, see the *Reference Guide*.

## Knowledge Base Import Utility

The IMPORTRM utility imports definitions in a data set to the knowledge base. The data set contains definitions exported by the EXPORTRM utility.

This utility has the following format:

```
IMPORTRM DSNAME=data_set_name  
         MODE={REPLACE|OVERLAY|MERGE}
```

**Note:** For more information, see the *Reference Guide*.

## Multisystem Communication Access Methods

You can update the MULTISYS parameter group to change the communication access methods that can be used without having to unlink the region. When you apply the changes, links with the region are stopped and restarted.

## Panel Shortcuts

You can suppress panel shortcuts or change the shortcut character. You control shortcuts through the PMENUCONTROL parameter group.

## NMSAF Security Modeling

The NMSAF security solution is enhanced to build Userid Access Maintenance Subsystem (UAMS) records based on the modeling controls of a user. This build happens each time the user logs in. When the model for a user changes in external security, you no longer need to update the UAMS definitions.

## Install Utility

The Install Utility has the following changes:

- The Install Utility is now unloaded into the CC2DJCL data set.
- Field-level online help is available.

**Note:** For more information, see the *Installation Guide*.

## PDS Member Statistics

When you use Dataset Services to create or update a partitioned data set (PDS) member, interactive system productivity facility (ISPF) statistics are generated. The DSSISPST system parameter controls the generation of these statistics.

**Note:** For information about the system parameter, see the *Reference Guide*.

## CA MSM

The Software Configuration Service (SCS) has been added for CA MSM. Use this service to configure CA Technologies mainframe products from the software inventory of the driving system to your target enterprise systems.

The SCS guides you through the configuration creation process, and through the manual steps to implement the configuration. The SCS also includes an address space communications service running on each targeted z/OS system.

**Note:** For more information, see the *CA Mainframe Software Manager User Guide*.

## Documentation

This section contains topics that are related to documentation enhancements.

The following list shows the documentation library changes in this release:

- The *Managed Object Development Services Programmer and Administrator Guide* is renamed the *Managed Object Development Services Guide*.
- The *Network Control Language Programmer Guide* is renamed the *Network Control Language Programming Guide*.

## Changes to Data Set Names

The names of the data sets have changed. We recommend that you review the following table to determine the impact to your installation:

Original Name	New Name	Description
CAIJCL	CC2DJCL	This partitioned data set (PDS) contains the installation and maintenance JCL members.
CAILINK	CC2DLINK	This PDS contains various [set the NetView variable for your book] exits.
CAILPA	CC2DLPA	This PDS contains modules that must be executed from the link pack area (LPA).

**Note:** For information about data sets, see the *Reference Guide*.

## Product Removed From Family

The following product is not included in this release: CA NetSpy, which remains at r12.

**Important!** When you upgrade to CA Mainframe Network Management Release 12.1 and you use CA NetSpy r12, do *not* delete the NMC0.CC2DLOAD data set. CA NetSpy requires the data set for health checks.





# Appendix A: Changes that Affect Resource-Level Security

---

Some product resources (for example, commands) have been added or deleted. If you are using resource-level security, review your implementation and modify as required.

This section contains the following topics:

[Menu Option Changes](#) (see page 17)

[OCS Command Changes](#) (see page 17)

## Menu Option Changes

The following list shows the affected menu options:

### New

**Menu ID:** \$RM.029 (Automation Services : RAMDB Utilities Menu)

F - Browse RAMDB Field Descriptions

## OCS Command Changes

The following list shows the affected Operator Console Services (OCS) commands:

### New

USS - Issue a UNIX System Services command



# Appendix B: Changes to Distributed Knowledge Base

---

If you have previously customized any of the changed objects or are using any of the deleted objects, review each instance in your old knowledge base and make modifications in your new knowledge base as required.

**Note:** For more information about knowledge base migration, see the *Installation Guide*.

This section contains the following topics:

[Alert Monitor Filters](#) (see page 19)

## Alert Monitor Filters

The following list shows the new, changed, and deleted alert monitor filters. The list has the following format:

*monitor\_filter\_name - monitor\_filter\_description*

### **New**

LOCAL	- Local system alerts only
REMOTE	- Alerts from linked regions only

### **Changed**

No definitions have been changed.

### **Deleted**

No definitions have been deleted.



# Appendix C: Changes to Messages

---

This section lists the changed, deleted, and new messages in Release 12.1.

**Note:** For information about each message, see the *Message Reference Guide*.

This section contains the following topics:

[Changed Messages](#) (see page 21)

[Deleted Messages](#) (see page 22)

[New Messages](#) (see page 23)

## Changed Messages

The text of the following messages changed:

BAIPWI12	Cannot change TCP/IP Software Type: multisystem link(
GP0027	~P1 requires System Base version of ~P2
N13218	MPREF REFRESH MRESP- LIMIT ACTION NTFY APPST SESS- -M
N13219	~P1 ~P2 ~P3 ~P4 ~P5 ~P6 ~P7 ~P8 ~P9 ~P10
N3AN01	TCP/IP SERVER ACTIVE ON type: pppp SOCKET: ssss
N3AN90	TCP/IP SERVER REGISTER FAILED. type: pppp RC: rc FB:
N3AN91	TCP/IP SERVER ACCEPT FAILED. SOCKET: ssss type: pppp
N53H01	POOL NAME USE#
N53H02	~P1 ~P2
N59006	PANEL panelname EXPANSION ERROR
RE0108	RULESET &P1 INCLUDED BY RULESET &P2
RMAOMNX00	BURST SUPPRESS=> ~P1
RMCALL22	'~P1' COMMAND CANNOT BE ISSUED AGAINST A LOCALLY LOAD
RMDM0038	ARM RESTART FAILED - &p1 - START COMMAND WILL BE ISSU
RMINWI56	No common access method with ~P1
RMINWI60	TCP/IP not available on this system
RMRS0002	No &P1 records found &P2
RMVM0069	OPERATION MODE MUST BE AUTOMATED, STARTAUTO, MANUAL,
RMVM0124	~p1 selection list not available for this resource

## Deleted Messages

The following messages were deleted:

NMCP0100	The Minute-Minder Listener is already running
NMCP0101	~P1 must be a number between ~P2 and ~P3 inclusive.
NMCP0102	LOCPU value must be less than HICPU value
NMCP0103	~P1 is not a valid data set name
NMCP0110	Minute-Minder Listener started
NMCP0111	~P1 = ~P2
NMCP0197	Minute-Minder Listener is not active
NMCP0198	Minute-Minder Listener stop requested
NMCP0199	Minute-Minder Listener ended

## New Messages

The following messages are new:

AMEVFW27	Invalid parameter to alert forwarding. PARAMETER=~p1
BACP0100	The Minute-Minder Listener is already running
BACP0101	~P1 must be a number between ~P2 and ~P3 inclusive.
BACP0102	LOCPU value must be less than HICPU value
BACP0103	~P1 is not a valid data set name
BACP0110	Minute-Minder Listener started
BACP0111	~P1 = ~P2
BACP0197	Minute-Minder Listener is not active
BACP0198	Minute-Minder Listener stop requested
BACP0199	Minute-Minder Listener ended
CAPKG030W	Server token set failed! &p1="&p2" rc=&p3 fdbk=&p4
CAPKG031W	Server &p1 socket registration failed! &p2 rc=&p3 fdb
CAPKG032I	Server &p1 socket registered on port &p2 &p3 servlet=
CAPKG033W	Server &p1 TCP connection accept failed for port &p2
CAPKG034W	Server &p1 APPC start failed for servlet &p2 rc=&p3 m
CAPKG035W	Server &p1 TCP connection socket transfer failed! Soc
CAPKG036I	Server &p1 has had &p2 TCP connections since &p3
CAPKG037I	Server &p1 stats: &p2 conns, &p3 in error, &p4 bytes
CAPKG038I	&p1
CAPKG039E	Socket call failed in &p1 : rc="&p2" fdbk=&p3 errno=&
CAPKG039I	&p1
CAPKG040W	&p1 servlet socket transfer notification timed out.
CAPKG041W	&p1 servlet received an unexpected socket transfer ms
CAPKG042W	&p1 servlet socket transfer accept failed. rc=&p2 fdb
CAPKG043W	Server &p1 has not yet registered.
CSCALLG13	SNA NMI error ~p1, connection RTP status not applied
CSCALLG14	EPS ~p1 error: Errno=~p2 Reason=~p3
CSCALLG15	EPS ID error: Verb=~p1, ID=~p2, SSID=~p3, system=~p4,
CSCALLG16	SSI ~p1 on ~p2 not contactable or Packet Analyzer not
CSCALLG17	Request timed out on SSID=~p1, system=~p2 for ~p3 wit
CSCALLG18	Number of RTPs displayed truncated from ~p1 to 4095
DFAL0523	Alert actions must be defined
DFPKG20	Alert actions executed for &P1 : &P2
FAPKG26	Incompatible Packet Analyzer level ~p1 found. Level ~
FAPKG61	A XSCAN Compile Check Expression failed, Result=~p1
GP1021	Invalid locate value specified
NF8A90	P/A S/T REQ STALLS... #CR: aaa #SR: bbb #NSR: ccc
NH0080	HC INTERFACE SETUP FAILURE: code - desc
NH0310	HC INTERFACE INSTALLED AND AVAILABLE
NH0311	HC INTERFACE UNAVAILABLE. REASON: reason
NH0312	HC INTERFACE STATUS UNKNOWN
NH0319	IBM HC REGION STATUS IS: aaa PROC NAME IS: bbb
NH0410	HC INTERFACE STATUS INFORMATION FOLLOWS...
NH0411	CHECK I/F STATUS: aaa QUERY I/F STATUS: bbb CHECKS DE
NH0412	IBM HC REGION STATUS IS: aaa PROC NAME IS: bbb

NH0413	TYP CHECK NAME	HANDLER	F-CODE	NM-PARM
NH0414	typ check name	handler	f-code	nm-parm
NH0420	HZSQUERY REQUEST=aaa SCHEDULED...			
NH0421	HZSQUERY REQUEST=aaa RESULT: bbb-ccc ddd eee fff			
NH0428	DUMP OF RETURNED HZSQUAA. @=aaa XL=bbb DL=ccc			
NH0429	hex dump data			
NH0430	HZSQUAA HEADER FIELD NAME..... VALUE			
NH0431	field-name		value	
NH0432	HZSQUAAG FIELD NAME..... VALUE			
NH0433	field-name		value	
NH0440	LIST OF CHECKS FOLLOWS. NUMBER: nnn			
NH0441	CHECK-NAME	OWNER		S
NH0442		MSGTOKEN		
NH0445	check-name	owner		s
NH0446		msgtoken		
NH0450	CHECK LINES FOLLOW. BUFFERS: aaa NUMBER LINES: bbb			
NH0455	line-data			
NH0610	HC DEFINE COMMAND COMPLETE. CHECK: aaa DEFINED			
NH0620	HC DELETE COMMAND COMPLETE. CHECK: aaa DELETED			
NH0621	HC DELETE COMMAND FAILED. CHECK: aaa NOT FOUND			
NH0622	HC DELETE COMMAND COMPLETE. CHECK: aaa MARKED FOR PEN			
NH0670	INVALID HEALTH CHECK NAME			
NH0671	INVALID HEALTH CHECK REASON			
NH0673	INVALID INTERVAL FORMAT			
NH0680	HC DEFINE COMMAND FAILED - STORAGE SHORTAGE (1)			
NH0681	HC DEFINE COMMAND FAILED - CHECK ALREADY EXISTS: aaa			
NH0682	HC DEFINE COMMAND FAILED - STORAGE SHORTAGE (2)			
NH2101	SCHEDULING PROCEDURE (pppp) FOR HEALTH CHECK: cccc			
NH2201	PROCESS pppppp FOR CHECK: cccc HAS COMPLETED. RESULT			
NH2210	PROCESS pppppp FOR CHECK: cccc RESULT ERROR. INFO FO			
NH2211	NO RESULT SET			
NH2212	RESULT: aaaa NO TEXT SET FOR bbbb			
NH2213	RESULT: aaaa NO MSGID SET FOR bbbb			
NH2214	RESULT: aaaa NO DIAG VALUE SET			
NH2288	PROCESS pppppp FOR CHECK: cccc TERMINATED IN ERROR			
NH2289	PROCESS pppppp FOR CHECK: cccc FLUSHED DUT TO TIMEOUT			
NH2980	HC_UTIL VERB ONLY VALID IN A HCPROC PROCEDURE			
NH2981	NO RESULT SET			
NH2982	RESULT: aaa NO TEXT SET FOR bbb			
NH2983	RESULT: aaa NO MSGID SET FOR bbb			
NH2984	RESULT: aaa NO DIAG VALUE SET			
NH2988	STEM. VARNAME TOO LONG			
NH2989	STEM. VALUE LENGTH EXCEEDS 255			
NH3010	LOAD FAILED FOR aaaaaaaa - HC CHECK API DISABLED			
NH3011	HC CHECK API FAILED TO INITIALISE, RC: rrr, R0/1 (HEX			
NH3020	CHECK: aaaaaaa DEFINED. CORR: bbbb			
NH3021	CHECK: aaaaaaa DEFINE FAILED. RC: rr R0/1 (HEX): bb			
NY6001	SSM support initialized for ~P1			
NY6002	SSM support initialization failed - Not supported on			



```

NY6101      SSM SUPPORT STATUS
NY6102      SSM SUPPORT ACTIVE
NY6103      SSM ~P1 STATUS COMPLETE
NY6104      SSM HEARTBEAT ACTIVE
NY6105      SSM SUPPORT FAILED
NY6106      SSM ~P1 STATUS FAILED
NY6107      SSM ~P1 STATUS PENDING
NY6501      SSM support initialized for ~P1
NY6502      SSM support initialization failed- ~P1
NY6503      SSM STATUS attach failed RC:~RC
NY6504      SSM support may not be active
NY6505      SSM subtask error during detach, RC: ~RC, RS: ~RS
NY6506      SSM heartbeat active
NY6601      SSM support initialized for ~P1
NY6602      SSM support initialization failed- ~P1
NY6603      SSM STATUS attach failed RC:~RC
NY6604      SSM support may not be active
NY6605      SSM subtask error during detach, RC: ~RC, RS: ~RC
NY6606      SSM heartbeat active
NY6701      SSM support initialized for ~P1
NY6702      SSM support initialization failed - Not supported on
NY6801      SSM SUPPORT STATUS
NY6802      SSM SUPPORT ACTIVE
NY6803      SSM ~P1 STATUS COMPLETE
NY6804      SSM HEARTBEAT ACTIVE
NY6805      SSM SUPPORT FAILED
NY6806      SSM ~P1 STATUS FAILED
NY6807      SSM ~P1 STATUS PENDING
N09709      ~P1 ACTIVE AS GENERIC RESOURCE ~P2
N14E01      XOPT command processed, option: ~P1 set
N14E02      XOPT command ignored, missing option name
N14E03      XOPT command ignored, option: ~P1 name invalid
N14E04      XOPT command ignored, option: ~P1 can not be changed
N14E05      XOPT command ignored, option: ~P1 is not used
N16C59      INVALID DSNAME, DSN=aaaaaa
N2D001      Datacom interface is now ~P1
N2D002      Datacom ~P1 failed with return code ~P2 and internal
N2D801      The OML/DATACOM interface status is: ~P1
N2D802      NCLID  OWNER
N2D803      ~P1 ~P2
N2D901      State is already ~P1
N2D902      Disconnecting - ~P1 users currently connected
N2D903      Command ignored - currently ~P1
N2D904      Command accepted
N3AF18      UNIX  TYPE OWNER    CLIENTID LOCAL-PATH
N3AF19      socket type owner    clientid lpath
N3AF43
N3AF44      -----
N3AF45      -----

```

N3AF46	
N3C106	TAKEOVER=YES required if SERVER= and PATH= specified
N3ZB18	UNDEFINED DOMAIN NAME FOR INCOMING CONN REQ VIA PROXY
N32912	LINK DEFINITION ~P1 TO ~P2 COMPLETED USING DEFINITION
N33D01	BIND OF LINK ATTEMPT FROM luname REJECTED: RUSIZE OUT
N33201	BIND OF LINK ATTEMPT TO luname REJECTED: RUSIZE OUT 0
N80519	PASSTICKET GENERATION ENTRY POINT NOT ACCESSIBLE
N80520	PASSTICKET GENERATION FAILED FOR APPL=~p1, RC=X'~p2'
N99792	SHOW EPS COMMAND NOT PROCESSED, SSI ~P1 NOT CONNECTED
RMAD0115	CANNOT DELETE SYSTEM IMAGE WITH A HOME SYSTEM OF &P1
RMAMAPI02	CANNOT LOCATE ALERT
RMDBMS31	CANNOT COPY A ~p1 SYSTEM IMAGE TO AN EXISTING ~p2 SYS
RMDB0206	Export rejected - the export dataset is not in the co
RMDB0207	Export rejected - dataset contains data from a differ
RMDM0041	ARM RESTART DENIED - ~p1 - START COMMAND WILL NOT BE
RMINWI89	Invalid value, must be REGION, SERVER or USER
RMINWI90	Invalid value for ~P1
RMINWI91	~P1 is not a named pipe
RMINWI92	~P1 is required if ~P2 is set
RMINWI94	Could not ~P1 named pipe ~P2, RC=~P3
RMINWI95	~P1
RMINWI96	Could not restart the SYSLOG daemon
RMSL0101	SYSLOGD Pipe Receiver initialization complete
RMSL0102	~P1 is a required parameter
RMSL0103	Could not open pipe ~P1, RC=~P2
RMSL0104	SYSLOGD Pipe Receiver read error, RC=~P1
RMSL0105	~P1
RMVM0125	~P1 must start with ~P2
SD3947	OML globals excluded because this environment is bein
SD3948	Message overflow, some variables not displayed, use N
SNINW19	PPI receiver failed to start, check log for messages
SYMS1230	Review Userid ~P1 not defined
WRINWI53	Datacom JDBC DLL directory does not contain required
WRINWI54	Datacom JDBC Class directory does not contain require

# Appendix D: Published Fixes

---

The complete list of published fixes for this product can be found through MyCA or Published Solutions at the CA Support Download Center.

If you have CA MSM, use it to download the fixes.