

CA SiteMinder®

SDK Release Notes

12.52 SP1



This Documentation, which includes embedded help systems and electronically distributed materials, (hereinafter referred to as the "Documentation") is for your informational purposes only and is subject to change or withdrawal by CA at any time. This Documentation is proprietary information of CA and may not be copied, transferred, reproduced, disclosed, modified or duplicated, in whole or in part, without the prior written consent of CA.

If you are a licensed user of the software product(s) addressed in the Documentation, you may print or otherwise make available a reasonable number of copies of the Documentation for internal use by you and your employees in connection with that software, provided that all CA copyright notices and legends are affixed to each reproduced copy.

The right to print or otherwise make available copies of the Documentation is limited to the period during which the applicable license for such software remains in full force and effect. Should the license terminate for any reason, it is your responsibility to certify in writing to CA that all copies and partial copies of the Documentation have been returned to CA or destroyed.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, CA PROVIDES THIS DOCUMENTATION "AS IS" WITHOUT WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL CA BE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, FROM THE USE OF THIS DOCUMENTATION, INCLUDING WITHOUT LIMITATION, LOST PROFITS, LOST INVESTMENT, BUSINESS INTERRUPTION, GOODWILL, OR LOST DATA, EVEN IF CA IS EXPRESSLY ADVISED IN ADVANCE OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The use of any software product referenced in the Documentation is governed by the applicable license agreement and such license agreement is not modified in any way by the terms of this notice.

The manufacturer of this Documentation is CA.

Provided with "Restricted Rights." Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-14, and 52.227-19(c)(1) - (2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Copyright © 2014 CA. All rights reserved. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

CA Technologies Product References

This document references the following CA Technologies products:

- CA SiteMinder®
- CA DataMinder™ (formerly CA DLP)

Contact CA Technologies

Contact CA Support

For your convenience, CA Technologies provides one site where you can access the information that you need for your Home Office, Small Business, and Enterprise CA Technologies products. At <http://ca.com/support>, you can access the following resources:

- Online and telephone contact information for technical assistance and customer services
- Information about user communities and forums
- Product and documentation downloads
- CA Support policies and guidelines
- Other helpful resources appropriate for your product

Providing Feedback About Product Documentation

If you have comments or questions about CA Technologies product documentation, you can send a message to techpubs@ca.com.

To provide feedback about CA Technologies product documentation, complete our short customer survey which is available on the CA Support website at <http://ca.com/docs>.

Contents

Chapter 1: SDK Release Notes	7
Chapter 2: Operating System Support	9
Chapter 3: System Requirements	11
Chapter 4: Installation Considerations	11
System Locale Must Match the Language of Installation and Configuration Directories	11
Considerations for Localized Installations	11
Install the SDK on Windows	11
Windows Server 2008 System Considerations.....	12
Install the SDK on UNIX in GUI mode	13
Install the SDK on UNIX in Console Mode	14
Unattended Installation of the SDK on Windows.....	15
Unattended Installation of SDK on UNIX.....	16
Uninstallation of the SDK	16
Chapter 5: General Considerations	19
Policy Management API	19
SSO Support in Custom Agents	19
Custom Agents and SiteMinder 12.52 SP1	20
LDAP SDK Integration	20
Chapter 6: New Feature in SDK 12.52 SP1	21
SetPath Method Added to the Perl CLI	21
Upgrade of CAPKI	21
Chapter 7: SDK Defects Fixed in 12.52 SP1	23
Java Agent SDK Returns Connection Error (55842)	23
Pure Java SDK Causes Compilation Error (62843)	23
Chapter 8: SDK Defects Fixed in 12.52	25
Agent SDK Updated to Support SSO Zones (168974)	25
Failure of the createSession() Method in SmSessionServer Class (171759)	25

Impossible to Modify the Description of an Object Using the SDK (170888).....	26
---	----

Chapter 9: SDK Defects Fixed in 12.51 **27**

Incorrect Values in smreghost.sh file of 64-bit Java SDK (165718)	27
Application Server Agent fails to Reconnect to Policy Server (167819)	27
Policy Management API Performance Issues (169497).....	28
Running C Sample Program with a 4.x Agent Requires Setting an Environment Variable [156186]	28
Decoding SSO Token Degrades Performance (159533)	28
Error when Customizing Validity Duration of SAML Service Provide Object (153929)	29
smtest Tool Errors when Run from the bin64 Directory (CQ162346)	29
IdentityMinder and SiteMinder Policy Server Connection Issue (CQ158253)	30

Chapter 10: Documentation **31**

CA SiteMinder® Bookshelf.....	31
Known Issues.....	31
Release Numbers on Documentation	32

Chapter 1: SDK Release Notes

This document contains operating system support, installation considerations, known issues, fixes, and information about contacting CA Technical Support.

Chapter 2: Operating System Support

To learn about operating system support for the SDK, see the CA SiteMinder® Platform Support Matrix for CA SiteMinder® r12 on the Technical Support [site](#). This matrix includes supported platforms for CA SiteMinder® 12.52 SP1.

The SDK platform support matrix is typically included with the SiteMinder Platform Support Matrix.

Note: Some platforms in previous releases might possibly no longer be supported.

Chapter 3: System Requirements

Ensure that you have the required JRE version installed. For the required version, refer to the CA SiteMinder® Platform Support Matrix for r12 on the Technical Support [site](#).

Applications developed with the SiteMinder SDK 12.52 SP1 cannot be run against Policy Server versions prior to v6.0. Applications developed with a previous version of the SDK and that worked with the SiteMinder Policy Server v5.0, v5.5, and 6.x will continue to work with Policy Server 12.52 SP1.

Chapter 4: Installation Considerations

System Locale Must Match the Language of Installation and Configuration Directories

To install and configure a CA SiteMinder® component to a non-English directory, set the system to the same locale as the directory. Also, make sure that you installed the required language packages so the system can display and users can type localized characters in the installer screens.

For the details on how to set locale and required language packages, refer to respective operating system documents.

Considerations for Localized Installations

When installing the SiteMinder SDK on a system with a non-English operating system, remember that the `smpolicyapi` is an UTF-8 based API. The library expects UTF-8 encoded strings as input. It returns UTF-8 encoded strings as output parameters.

Install the SDK on Windows

No special accounts or privileges are required to install the CA SiteMinder® SDK. Instructions for installing a first version of the SDK and upgrading from an existing version are the same.

Do not install the CA SiteMinder® SDK in the installation path with the Policy Server or Web Agent. The SDK can possibly have different versions of the same support libraries.

To install the SDK

1. Close all programs.
2. Download the SDK from the [CA Technical Support site](#).
3. Navigate to the win32 directory and run the following program:

```
ca-sdk-12.52sp1-win32.exe
```

Follow the wizard.

Windows Server 2008 System Considerations

For Windows Server 2008, the User Account Control feature helps prevent unauthorized changes to your system. When the User Account Control feature is enabled on the Windows Server 2008 operating environment, prerequisite steps are required before doing any of the following tasks with a CA SiteMinder® component:

- Installation
- Configuration
- Administration
- Upgrade

Note: For more information about which CA SiteMinder® components support Windows Server 2008, see the CA SiteMinder® Platform Support matrix.

To run CA SiteMinder® installation or configuration wizards on a Windows Server 2008 system

1. Right-click the executable and select Run as administrator.
The User Account Control dialog appears and prompts you for permission.
2. Click Allow.
The wizard starts.

To access the CA SiteMinder® Policy Server Management Console on a Windows Server 2008 system

1. Right-click the shortcut and select Run as administrator.
The User Account Control dialog appears and prompts you for permission.
2. Click Allow.
The Policy Server Management Console opens.

To run CA SiteMinder® command–line tools or utilities on a Windows Server 2008 system

1. Open your Control Panel.
2. Verify that your task bar and Start Menu Properties are set to Start menu and *not* Classic Start menu.
3. Click Start and type the following in the Start Search field:

Cmd

4. Press Ctrl+Shift+Enter.

The User Account Control dialog appears and prompts you for permission.

5. Click Continue.

A command window with elevated privileges appears. The title bar text begins with Administrator:

6. Run the CA SiteMinder® command.

More information:

[Contact CA Technologies](#) (see page 3)

Install the SDK on UNIX in GUI mode

No special accounts or privileges are required to install the CA SiteMinder® SDK. Instructions for installing a first version of the SDK and upgrading from an existing version are the same.

Do not install the CA SiteMinder® SDK in the same path as the Policy Server or Web Agent. The SDK can possibly have different versions of the same support libraries.

Note: When installing the SiteMinder SDK on Linux systems, be sure that you have the appropriate 32-bit C runtime library for your operating environment (that is, libstdc++.so.6). You can obtain this library by installing the following rpm:

- `compat-gcc-34-c++-3.4.6-patch_version.i386.rpm`

On UNIX, the installation executable file is `ca-sdk-12.52sp1-platform.bin`.

You can install the SDK in GUI mode or console mode.

To Install the SDK in UNIX GUI Mode

1. Close all programs.
2. Download the SDK from the [CA Technical Support site](#).

3. In a UNIX shell, navigate to the directory that corresponds to your platform (solaris, aix, linux, or hpux).

4. Enter the following command:

```
sh ./ca-sdk-12.52sp1-OS.bin
```

OS

Replace *OS* with sol, aix, linux, suse, or hp.

For example, on Solaris platforms, the command is:

```
sh ./ca-sdk-12.52sp1-sol.bin
```

5. Follow the wizard.

Install the SDK on UNIX in Console Mode

No special accounts or privileges are required to install the CA SiteMinder® SDK. Instructions for installing a first version of the SDK and upgrading from an existing version are the same.

Do not install the SDK in the installation path with the Policy Server or Web Agent. The SDK can possibly have different versions of the same support libraries.

Note: When installing the SiteMinder SDK on Linux systems, be sure that you have the appropriate 32-bit C runtime library for your operating environment (that is, libstdc++.so.6). You can obtain this library by installing the following rpm:

- compat-gcc-34-c++-3.4.6-patch_version.i386.rpm

On UNIX, the installation executable file is *ca-sdk-12.52sp1-platform.bin*.

You can install the SDK in GUI mode or console mode.

To Install the SDK in UNIX Console Mode

1. Close all programs.
2. Download the CA SiteMinder® SDK from the [CA Technical Support site](#).
3. In a UNIX shell, navigate to the directory that corresponds to your platform (solaris, aix, linux, or hpux).

4. Enter the following command:

```
sh ./ca-sdk-12.52sp1-platform.bin -i console
```

platform

Replace *platform* with sol, aix, linux, suse, or hp.

For example, on Solaris platforms, the command is:

```
sh ./ca-sdk-12.52sp1-sol.bin -i console
```

Follow the wizard.

Unattended Installation of the SDK on Windows

After the CA SiteMinder® SDK has been manually installed, you can install it on the same system, or a different system, using the silent installation mode. An unattended installation uses one command that points to a properties file for installation preferences. The default properties template file (sdk-installer.properties in the install_config_info folder) can be modified to suit your requirements.

To install the SDK in silent mode on Windows

1. Navigate to the directory where the SDK executable is located.
2. Enter the following command at a command prompt:

```
ca-sdk-12.52sp1-win32.exe -f sdk-installer.properties -i silent
```

-f

Specifies the name of the SDK installer properties file. If the properties file is not in the same directory as the installation executable file, specify the relative path to the properties file.

-i

Specifies the installation mode.

The installation is complete.

Unattended Installation of SDK on UNIX

After the CA SiteMinder® SDK has been manually installed, you can install it on the same system, or a different system, using the silent installation mode. An unattended installation uses one command that points to a properties file for installation preferences. The default properties template file (`sdk-installer.properties` in the `install_config_info` folder) can be modified to suit your requirements.

To install the SDK in silent mode on UNIX

1. Navigate to the directory where the SDK executable is located.
2. Enter the following command at a command prompt:

```
sh ./ca-sdk-12.52sp1-platform.bin -f sdk-installer.properties -i silent
```

-f

Specifies the name of the SDK installer properties file. If the properties file is not in the same directory as the installation executable file, specify the relative path to the properties file.

-i

Specifies the installation mode.

The installation is complete.

Uninstallation of the SDK

To uninstall the SiteMinder SDK from the UNIX console

1. In a console window, navigate to the `install_config_info/ca-sdk-uninstall` directory within the SDK installation—for example:

```
/export/ca/sdk/install_config_info/ca-sdk-uninstall
```

2. Run the following command:

```
./uninstall -i console
```

3. When prompted, press Enter to begin the uninstallation.

Note: When you are uninstalling the SDK in UNIX, make sure the JRE is in the PATH variable. If the JRE is not in the PATH variable, the following error occurs:

No Java virtual machine could be found from your PATH environment variable. You must install a VM prior to running this program.

To set the JRE in your PATH, run the following two commands:

1. `PATH=$PATH:JRE_location/bin`

For example: `PATH=$PATH:/usr/bin/jdk141/jre/bin`

2. `export PATH`

To uninstall the SiteMinder SDK from Windows:

1. From the Control Panel, double-click Add/Remove Programs.

2. Select SiteMinder SDK 12.52 SP1 and click Change/Remove.

Follow the screen prompts, and click Close when done.

Chapter 5: General Considerations

This section contains the following topics:

- [Policy Management API](#) (see page 19)
- [SSO Support in Custom Agents](#) (see page 19)
- [Custom Agents and SiteMinder 12.52 SP1](#) (see page 20)
- [LDAP SDK Integration](#) (see page 20)

Policy Management API

Significant changes to the Policy Management API occurred beginning with SiteMinder v4.5—for example, the introduction of the OID as an object’s unique identifier, and the addition of functions such as `Sm_PolicyApi_Init()` and `Sm_PolicyApi_Release()`.

Developers who continue to use Policy Management APIs from a release prior to SiteMinder v4.5 should refer to the documentation that accompanied the earlier release. Further:

- SiteMinder SDK v6.0 SP 2 and later versions do not support Policy Management APIs from releases prior to SiteMinder v5.0.
- Policy Server v5.x does not support applications built with Policy Management APIs from releases prior to SiteMinder v4.5.

SSO Support in Custom Agents

When enabled with single sign-on support, custom agents can accept the `SMSESSION` single sign-on cookie that is created by a standard SiteMinder Web Agent of a previous release.

To accept an `SMSESSION` cookie created by a custom agent, the Web Agent must be upgraded to at least:

QMR	Supported SiteMinder Agent
4.x QMR4	SiteMinder v4.x Agents
5.x QMR1	SiteMinder v5.x and v6.x Agents

To enable a SiteMinder v4.x, v5.x, or v6.x Web Agent with the appropriate QMR upgrade to accept SMSESSION cookies created by a custom agent, the Web Agent configuration file (LocalConfig.conf with IIS servers or WebAgent.conf with other servers) or central configuration object (for v5.x or higher) must contain the following entry:

```
AcceptTPCookie="yes"
```

Set AcceptTPCookie as follows:

- With 4.x QMR4 Agents and above, add AcceptTPCookie="yes" directly in the standard agent's Agent configuration file.
- With 5.x QMR1 Agents and above, add the entry to the standard agent's Agent Configuration Object if the AllowLocalConfig parameter for that object is set to no. If AllowLocalConfig is set to yes, you can set AcceptTPCookie in the Web Agent configuration file.

Custom Agents and SiteMinder 12.52 SP1

When you build a custom agent with SDK 12.52 SP1, you can run the custom Agent only against v6.0 up through r6.0 SP 5, and r12 Policy Servers.

Agents built with the SiteMinder Agent API from SDK 5.5 can be used with SiteMinder Policy Servers v5.x and v6.0 up through r6.0 SP 5.

LDAP SDK Integration

Beginning with CA SiteMinder® r12.5, the Policy Server is integrating with the Mozilla LDAP SDK for C SDK, version 6.0.7 (version 6.0.4 for HP-UX). If your custom code had been linked with an older version of the LDAP SDK, link with the new SDK. Older versions were named the iPlanet Directory SDK, or the Netscape LDAP SDK.

Chapter 6: New Feature in SDK 12.52 SP1

SetPath Method Added to the Perl CLI

The Perl CLI includes a new SetPath method to set the user path. This method was created to match a parallel function in the C-language API, Sm_PolicyApi_SetPath().

Upgrade of CAPKI

CA SiteMinder® is upgraded to use CAPKI 4.3.4 to fix the following OpenSSL vulnerabilities:

- CVE-2014-0224: An SSL/TLS MITM vulnerability exists in OpenSSL 0.9.8y and earlier. An attacker using a carefully crafted handshake can force the use of weak keying material in OpenSSL SSL/TLS clients and servers. This can be exploited by a Man-in-the-middle (MITM) attack where the attacker can decrypt and modify traffic from the attacked client and server.
- CVE-2014-0221: DTLS recursion flaw exists in OpenSSL 0.9.8y and earlier. By sending an invalid DTLS handshake to an OpenSSL DTLS client, the code can be made to recurse, eventually crashing in a DoS attack.
- CVE-2014-3470: Anonymous ECDH denial of service flaw exists in OpenSSL 0.9.8y and earlier. OpenSSL TLS clients enabling anonymous ECDH ciphersuites are subject to a denial of service attack.
- CVE-2014-0076: Fix for the attack described in the paper "Recovering OpenSSL ECDSA Nonces Using the FLUSH+RELOAD Cache Side-channel Attack".

For more information about the vulnerabilities, see the OpenSSL documentation.

Chapter 7: SDK Defects Fixed in 12.52 SP1

Java Agent SDK Returns Connection Error (55842)

Symptom:

Java SDK fails to retry the connection when EOF is received from the server.

Solution:

This issue is resolved.

STAR issue: 21742696-01

Pure Java SDK Causes Compilation Error (62843)

Symptom:

Pure Java SDK does not have the ATTR_SSOZONE declaration and causes a compilation error.

Solution:

This issue is fixed.

STAR issue: 21758116-01

Chapter 8: SDK Defects Fixed in 12.52

This section contains the following topics:

[Agent SDK Updated to Support SSO Zones \(168974\)](#) (see page 25)

[Failure of the createSession\(\) Method in SmSessionServer Class \(171759\)](#) (see page 25)

[Impossible to Modify the Description of an Object Using the SDK \(170888\)](#) (see page 26)

Agent SDK Updated to Support SSO Zones (168974)

Symptom:

Web agents accepted session cookies with no SSO zone name. This omission gave a session cookie from an old agent full access to all zones, regardless of configuration. This was a security defect in the SSO Zone implementation.

Solution:

The CreateSSOToken interface now supports inserting the SM_AGENTAPI_ATTR_SSOZONE attribute into the session token. The DecodeSSOToken reads the SSOZONE attribute from the provided token and places its value in the attribute list.

The JAVA Agent API SDK, includes the new attribute type ATTR_SSOZONE in the AttributeList class.

If the token has no SSOZONE attribute, the default value is "SM."

Star issue 21313153;1

Failure of the createSession() Method in SmSessionServer Class (171759)

Symptom:

The createSession() method in SmSessionServer class (com.netegrity.policyserver.smapi) failed to create a session in 12.0.5.02 build 841, but reportedly worked in 12.5.0.0 (GA) and confirmed to work in 6.0.6.10.

Solution:

The issue is a result of an incorrect merge and has been corrected.

Star issue 21440836-1.

Impossible to Modify the Description of an Object Using the SDK (170888)

Symptom:

Users were not able to modify the description of an ACO using the SDK API.

Solution:

This issue has been corrected.

Chapter 9: SDK Defects Fixed in 12.51

This section contains the following topics:

[Incorrect Values in smregghost.sh file of 64-bit Java SDK \(165718\)](#) (see page 27)

[Application Server Agent fails to Reconnect to Policy Server \(167819\)](#) (see page 27)

[Policy Management API Performance Issues \(169497\)](#) (see page 28)

[Running C Sample Program with a 4.x Agent Requires Setting an Environment Variable \[156186\]](#) (see page 28)

[Decoding SSO Token Degrades Performance \(159533\)](#) (see page 28)

[Error when Customizing Validity Duration of SAML Service Provide Object \(153929\)](#) (see page 29)

[smtest Tool Errors when Run from the bin64 Directory \(CQ162346\)](#) (see page 29)

[IdentityMinder and SiteMinder Policy Server Connection Issue \(CQ158253\)](#) (see page 30)

Incorrect Values in smregghost.sh file of 64-bit Java SDK (165718)

Symptom:

The smregghost.sh file included with the 64-bit Java SDK had incorrect values for the following variables:

- JAVA_HOME
- SMREGHOST_CLASSPATH

Solution:

This issue is fixed.

STAR Issue # 21181913:01

Application Server Agent fails to Reconnect to Policy Server (167819)

Symptom:

After a network failure, an application agent fails to reconnect to the Policy Server.

Solution:

The issue is fixed.

STAR issue: 20619959-1

Policy Management API Performance Issues (169497)

Symptom:

Custom applications experience poor performance when manipulating large numbers of policy objects using the Policy Management API.

Solution:

This is no longer an issue.

STAR issue: 21359599-1

Running C Sample Program with a 4.x Agent Requires Setting an Environment Variable [156186]

Setting the environment variable for FIPs only is required for running the SmAgentAPI 'C' Samples for the 4x Agent connection to work. Make sure that this environment variable is set as follows:

```
export CA_SM_PS_FIPS140=ONLY.
```

After setting this environmental variable the SmAgentAPI 'C' Samples started working.

This setting is not required for 5.x agents.

Decoding SSO Token Degrades Performance (159533)

Symptom:

Expected behavior:

The decodeSSOToken method is to call the doManagement method every 30 seconds.

Actual behavior:

The decodeSSOToken method calls the doManagement method every time the SDK agent calls the decodeSSOToken method.

Solution:

The issue is fixed. The expected behavior occurs.

STAR issue: 21052982-3

Error when Customizing Validity Duration of SAML Service Provide Object (153929)

Using the C API SDK application to complete the following items results in an error:

- Customize the validity duration of the SAML Service Provider object.
- Configure the SAML 2.0 authentication scheme to validate the TARGET URL.

The error is as follows:

-157(Sm_PolicyApi_SAML_UnknownProperty)

smtest Tool Errors when Run from the bin64 Directory (CQ162346)

Valid on Windows 2008

Symptom:

I installed the test tool and saw the following error message when I tried to run it from the bin64 directory:

```
libetpki2.dll not found
```

Solution:

This issue is fixed.

STAR Issue # 20994844:01

IdentityMinder and SiteMinder Policy Server Connection Issue (CQ158253)

Valid on RedHat

Symptom:

I received the following error message:

```
WARN [org.jboss.resource.connectionmanager.JBossManagedConnectionPool] (main)
Throwable while attempting to get a new connection: null
javax.resource.spi.EISSystemException: Cannot connect to policy server: Failed to
init Agent API: -
```

Solution:

This issue is fixed.

STAR Issue # 20950919:01

Chapter 10: Documentation

This section contains the following topics:

[CA SiteMinder® Bookshelf](#) (see page 31)

[Known Issues](#) (see page 31)

[Release Numbers on Documentation](#) (see page 32)

CA SiteMinder® Bookshelf

Complete information about CA SiteMinder® is available from the CA SiteMinder® bookshelf. The CA SiteMinder® bookshelf lets you:

- Use a single console to view all documents published for CA SiteMinder®.
- Use a single alphabetical index to find a topic in any document.
- Search all documents for one or more words.

View and download the CA SiteMinder® bookshelf from the [CA Technical Support site](#). You do not need to log in to the site to access the bookshelf.

If you plan to download the documentation, we recommend that you download it before beginning the installation process.

Known Issues

The known issues of the following CA SiteMinder® components are confidential and are no longer included in Release Notes:

- Policy Server
- Web Agent
- SDK
- Federation
- Web Services Security
- CA SiteMinder® SPS

To view the known issues, perform the following steps:

1. Click Release Notes in the bookshelf main page.
2. Click Confidential Content against Known Issues and log in to CA Support Online.

Release Numbers on Documentation

The release number on the title page of a document does not always correspond to the current product release number; however, all documentation delivered with the product, regardless of release number on the title page, supports the current product release.

The release number changes only when a significant portion of a document changes to support a new or updated product release. If no substantive changes are made to a document, the release number does not change. For example, a document for r12 can still be valid for r12 SP1. Documentation bookshelves always reflect the current product release number.

Occasionally, we must update documentation outside of a new or updated release. To indicate a minor change to the documentation that does not invalidate it for any releases that it supports, we update the edition number on the cover page. First editions do not have an edition number.