

CA Clarity™ PPM

IT Service Management User Guide

v13.0.00



This documentation, which includes embedded help systems and electronically distributed materials, (hereinafter referred to as the "Documentation") is for your informational purposes only and is subject to change or withdrawal by CA at any time.

This Documentation may not be copied, transferred, reproduced, disclosed, modified or duplicated, in whole or in part, without the prior written consent of CA. This Documentation is confidential and proprietary information of CA and may not be disclosed by you or used for any purpose other than as may be permitted in (i) a separate agreement between you and CA governing your use of the CA software to which the Documentation relates; or (ii) a separate confidentiality agreement between you and CA.

Notwithstanding the foregoing, if you are a licensed user of the software product(s) addressed in the Documentation, you may print or otherwise make available a reasonable number of copies of the Documentation for internal use by you and your employees in connection with that software, provided that all CA copyright notices and legends are affixed to each reproduced copy.

The right to print or otherwise make available copies of the Documentation is limited to the period during which the applicable license for such software remains in full force and effect. Should the license terminate for any reason, it is your responsibility to certify in writing to CA that all copies and partial copies of the Documentation have been returned to CA or destroyed.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, CA PROVIDES THIS DOCUMENTATION "AS IS" WITHOUT WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL CA BE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, FROM THE USE OF THIS DOCUMENTATION, INCLUDING WITHOUT LIMITATION, LOST PROFITS, LOST INVESTMENT, BUSINESS INTERRUPTION, GOODWILL, OR LOST DATA, EVEN IF CA IS EXPRESSLY ADVISED IN ADVANCE OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The use of any software product referenced in the Documentation is governed by the applicable license agreement and such license agreement is not modified in any way by the terms of this notice.

The manufacturer of this Documentation is CA.

Provided with "Restricted Rights." Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-14, and 52.227-19(c)(1) - (2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Copyright © 2011 CA. All rights reserved. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

Contact CA Technologies

Contact CA Support

For your convenience, CA Technologies provides one site where you can access the information you need for your Home Office, Small Business, and Enterprise CA Technologies products. At <http://ca.com/support>, you can access the following:

- Online and telephone contact information for technical assistance and customer services
- Information about user communities and forums
- Product and documentation downloads
- CA Support policies and guidelines
- Other helpful resources appropriate for your product

Providing Feedback About Product Documentation

If you have comments or questions about CA Technologies product documentation, you can send a message to techpubs@ca.com.

If you would like to provide feedback about CA Technologies product documentation, complete our short customer survey, which is available on the CA Support website at <http://ca.com/docs>.

Contents

Chapter 1: Service Management 9

IT Services Overview	9
Access Services	10
Service Management Reports	11
Service Management Jobs	11

Chapter 2: Managing Services 13

Create Services	13
Filter and Sort Lists	16
Define Risk and Alignment	16
Main Properties	16
Edit General Information	17
Manage Scheduling Information	20
Budget Properties	21
Enable Financial Transactions	25
Incidents	26
View or Define Dependencies	27
Baselines	28
Subscriptions	31
Monitor Service Subscriptions	31
Subscribe Departments to Services	32
Cancel Department Subscriptions	32
Capacity Planning Scenarios	33
Create Capacity Planning Scenarios	33
Apply Capacity Planning Scenarios to Services	33
Mark Services for Deletion	33

Chapter 3: Hierarchies 35

About Hierarchies	35
Filter the List of Child Investments	36
How to Build a Hierarchy	36
About Sharing Services Across Investments	37
Add Child Investments and Services from the Financial Rollup	37
View the Financial Rollup	38
Define Child Investment Allocations	38
View Effort Rollup	39

View Total Cost of Ownership	39
How to Manage Parent Investments	40
Add Parent Investments.....	40
Define Parent Investment Allocations	40

Chapter 4: Service Team 43

About Building a Team	43
Edit Staff Member Details	43
About the Team: Staff Page	46
How to Staff a Team	47
Add Resources or Roles to the Staff.....	48
Book Over-allocated Resources	48
Role Capacity	49
Staff Allocations	49
Edit Staff Allocations	50
How to Manage Staff Member Properties.....	51
Change a Resource's Default Allocation.....	51
How to Reset Staff Allocations.....	52
Edit Planned and Committed Resource Allocations.....	56
Staff Member Replacement	56
Guidelines to Replace Staff Members.....	57
How Data Transfers When Replacing Staff Members.....	57
Replace Staff Members	58
Change Staff Member Roles on the Service	59
Remove Staff Members.....	59

Chapter 5: Managing Your Business, Service, and IT Units 61

BRM Accelerator Overview	61
Department Subscriptions	62
Business Relationship Manager Portals	63
Business Relationship Manager Dashboards	64
How to Fully Utilize the BRM Accelerator.....	64
Access BRM Accelerator Dashboards and Portals.....	64
Service Dashboard.....	65
Service Health	65
Customer Watch	74
Project Analysis	75
Cost Analysis	76
Provider Dashboard	76
Customer Watch	76
Project Analysis	77

Cost Analysis	77
All Services	78
Customer Dashboard	83
Subscription Watch	83
Project Analysis	83
Customer Charge Analysis.....	84
All Subscriptions	84
Customer Portal	85
Subscription Delivery	86
Subscription Requests.....	86
Subscription Charges.....	88
Provider Portal	89
Overview	89
Customers	92
Incidents.....	93
Projects/Change Orders	94
Workload.....	95
Financials.....	95

Appendix A: BRM Accelerator Setup **99**

How to Set up BRM with Required Attributes	99
Service Object	99
Key Metric Object	100
Service Desk Integration	101
How Incidents Portlets are Populated	101
Relevant CA Clarity PPM Fields	101
Relevant Service Desk Fields	103
Relevant BRM Portlets	104
Set up the Import Unicenter Service Desk Data Job	105

Appendix B: Access Rights **107**

Service Access Rights.....	107
BRM Accelerator Access Rights	109
Portlet Viewer - All	110
Customer Department Manager Access Rights	111
IT Manager Access Rights.....	113
Service Manager Access Rights	114
Provider Department Manager Access Rights	115

Chapter 1: Service Management

This section contains the following topics:

[IT Services Overview](#) (see page 9)

[Access Services](#) (see page 10)

[Service Management Reports](#) (see page 11)

[Service Management Jobs](#) (see page 11)

IT Services Overview

IT services represent a collection of investments that can be analyzed for value and quality. IT services allow you to make informed financial decisions by viewing comparative data on your IT service cost and labor. You can share investments and services across other investments and services. Each child investment or service can have allocations that define how much a service is shared.

With IT services, you can:

- View an aggregation of financial and effort data to see, in real time, your service total cost of ownership
- Define the percentage value each child investment or service is allocated to the service
- Allocate a percentage value of the service to other services, investments, or ideas
- View the multilevel hierarchy of child investments that are associated with the service

IT services consist of the following components:

- **Properties.** Use the Properties menu to define the investment, from its name and schedule to baselines that capture snapshots at various stages in the investment lifecycle. In addition, you can define budget information and enable the investment for financial transactions.
- **Team.** Use the Team menu to build a team for the investment. A team consists of staff which performs the work and participants who assist the staff by providing information, suggestions, and concerns. But the participants do not perform any work directly related to the investment.
- **Financial Plans.** A financial plan is a tool that helps managers estimate and predict future cost requirements. Financial planning tools allow managers to model in detail where cost or revenues for a specific period occur. The tools also enable them to create the budget most suitable for their business needs.

Finance managers set up defaults that define how financial plans can be created and the financial time periods used. The investment managers create multiple financial cost plans as estimates for a budget. They can submit the most appropriate cost plan for approval as a budget. Finance managers approve the submitted cost plans.

The investment financial planning pages shows bottom up aggregation of the plan and the line item plan details from child investments.

See the *Financial Management User Guide* for more information.

- Hierarchies. Use the Hierarchy tab to view and manage parent and child relationships with other investments. With a hierarchy, you can view the financial rollup and effort rollup.
- Processes. Use Processes to view initiated processes or create them. For example, you can create a process that notifies the managers when the status of an investment changes to "Approved." You can also define a process to do actions, such as changing the progress to "Completed."

Your CA Clarity PPM administrator can define service type-specific processes—or global processes designed to work on a specific service—from the Administration Tool. Use the *Processes: Initiated* page to create and run processes on services.

See the *Administration Guide* for more information.

- Audit. Audit trail keeps a historical record of all changes, additions, and deletions that occurs to specified investment fields. Use the Audit menu to view a log of change, addition, or deletion records for any of the fields chosen for auditing.

The Audit menu appears only if it is set up your CA Clarity PPM administrator and if you have the appropriate access rights. The CA Clarity PPM administrator also determines the fields audited and what information is stored in the audit trail.

See the *CA Clarity Basics User Guide* for more information.

Access Services

To manage your IT services, click Home, and from IT Service Management, click Services.

A list page appears with a list of all the approved and unapproved services to which you have view, edit, or delete access rights. From the list page, you can create services, view details, financial plans, hierarchy, subscriptions, and more.

You can edit some of the service properties from the list page.

See the *CA Clarity Basics User Guide* for more information.

If you do not have access rights to specific services, they do not display on your list page. If you do not have view access rights to any service, the list is empty.

Service Management Reports

The following are suggested reports for IT service management:

- Budget/Forecast Analysis
- Chargeback GL Account
- Customer & Provider Chargeback
- Investment Status
- Portfolio Alignment
- Project Transaction Inquiry
- Resource Assignments
- Timesheet Detail
- Capacity vs Demand By Resource (The PMO Accelerator add-in is required)
- Capacity vs Demand By Role (The PMO Accelerator add-in is required)

See the *CA Clarity Basics User Guide* for more information.

See the *PMO Accelerator Product Guide* for more information.

Service Management Jobs

The Investment Allocations job can influence data or performance in IT service management.

See the *Administration Guide* for more information.

Chapter 2: Managing Services

This section contains the following topics:

[Create Services](#) (see page 13)
[Filter and Sort Lists](#) (see page 16)
[Define Risk and Alignment](#) (see page 16)
[Main Properties](#) (see page 16)
[Subscriptions](#) (see page 31)
[Capacity Planning Scenarios](#) (see page 33)
[Mark Services for Deletion](#) (see page 33)

Create Services

This procedure explains how to create a service.

You can also import a service from another system of record using the XML Open Gateway.

See the *XML Open Gateway Developer Guide* for more information.

Follow these steps:

1. Open Home, and from IT Service Management, click Services.
The list page appears.
2. Click New.
The create page appears.
3. In the General section of the page, complete the following required fields:

Service Name

Defines the name of the service.

Limit: 80 characters

Service ID

Defines the unique identifier for the service.

Description

Defines the detailed description for the service.

Limit: 762 characters.

Main Application

Defines the main application associated with the service.

Manager

Defines the manager of the service. By default, the manager is the user who creates the service.

Start Date

Defines when the service starts.

Note: If the start date and finish dates are not specified, you cannot calculate the allocation data that displays on the Team page.

Finish Date

Indicates when the service finishes.

Set Planned Cost Dates

Specifies if the planned cost dates are synchronized with the service dates. Selecting the option for a detailed financial plan, does not affect the planned cost dates.

Default: Selected

Required: No

Goal

Defines the goal for the service that aligns it with the main corporate strategy. Select a goal from the drop-down. Your organization defines the values and your CA Clarity PPM administrator sets them.

The metric is used in portfolio analysis when you use comparable goal criteria across all portfolio services.

Alignment

Indicates how the service aligns with the organization business goal. The higher the value, the stronger the alignment. The metric is used in portfolio analysis for comparable business alignment criteria across all portfolio services.

Enter a numeric value. When saved, one of the following stoplight symbols displays:

- Red stoplight. Score from 0 to 33 are not aligned.
- Yellow stoplight. Score from 34 to 67.
- Green stoplight. Score from 68 to 100 are aligned.

Status

Indicates the status of the service.

Values: Approved, Rejected, Unapproved

Default: Unapproved

Status Indicator

Displays a graphical representation of the status. For example, if the status is "Approved," you can visually represent the status as a Green stoplight.

Values: Red, Yellow, and Green. When saved, the selection displays as a stoplight symbol.

Stage

Defines the stage in the investment lifecycle. The list of choices is company-specific and depends on the values that your administrator sets.

The metric is used in portfolio analysis when you use comparable stage criteria across all portfolio investments.

Priority

Indicates the relative importance to the organization business goal. The metric is used in portfolio analysis when you use comparable priority criteria across all portfolio investments.

Limit: zero (low) to 36 (high).

Default: 10

Risk

Indicates the numeric score for risk. Lower the value, lower is the risk. The metric is used in portfolio analysis when you use comparable risk criteria across all portfolio investments.

Enter a numeric value. When saved, one of the following stoplight symbols is displayed.

- Green stoplight. Score from 0 to 33 indicates low risk.
- Yellow stoplight. Score from 34 to 67.
- Red stoplight. Score from 68 to 100 indicates high risk.

Progress

Indicates the progress of the investment.

Values:

- Completed
- Not Started
- Started

Default: Not Started

Required

Indicates if the investment is included in scenario selection criteria. The option is used for portfolio scenario constraints to pin required investments. Select the check box to include in scenario selection criteria.

See the *Portfolio Management User Guide* for more information.

4. In the Organizational Breakdown Structure section, associate an OBS with the service for security, organizational, or reporting purposes. When editing properties, if a department is selected on the financial properties page, the field can be auto-populated.

The OBS named Department is used to associate the service with a CA Clarity PPM department. If multiple OBS of the same name exist, the department is listed last.

See the *CA Clarity Basics User Guide* for more information.

5. Save the changes.

Filter and Sort Lists

You can filter, sort, and reconfigure the services list page. The services that display in the list are sorted in ascending order by the service name. Clicking a column header does not sort the list.

You can also save and use filters, build and use power filters, delete filters, and sort lists.

See the *CA Clarity Basics User Guide* for more information.

Define Risk and Alignment

Risk and alignment data is essential in managing and analyzing a portfolio of investments. The metrics allow you to assess and analyze investments during portfolio management.

To define the service risk and alignment data, use the Alignment and Risk fields in the General section of the service properties page.

Main Properties

Main properties let you define base information about the investment. To view main properties, open the investment. The properties page appears by default.

You can manage services as follows:

- Edit general information, such as name, manager, goals, status, alignment, and OBS associations.
- Manage scheduling information, such as start and finish dates, and tracking methods.
- Manage budget information, such as planned and budgeted cost and benefit, and set financial planning and metrics options.
- Enable for financial transactions.

Edit General Information

Use the service properties page to view or edit general information, such as the name, ID, description, and so on.

You can also view or associate an Organizational breakdown structure (OBS) with the service for security, organizational, or reporting purposes.

Follow these steps:

1. Open the service.

The properties page appears.

2. In the General section, view or edit the following fields, and save the changes:

Service Name

Defines the name of the service.

Limit: 80 characters

Service ID

Defines the unique identifier of the service.

Description

Defines the detailed description for the service.

Limit: 762 characters.

Main Application

Defines the main application associated with the service.

Manager

Defines the manager of the service. By default, the manager is the user who creates the service.

Active

Specifies if the service is active. Activate the service to allow resources to view services in portfolios and in any capacity planning portlet.

Default: Selected

Goal

Defines the goal for the service that aligns it with the main corporate strategy. Select a goal from the drop-down. Your organization defines the values and your CA Clarity PPM administrator sets them.

The metric is used in portfolio analysis when you use comparable goal criteria across all portfolio services.

Alignment

Indicates how the service aligns with the organization business goal. The higher the value, the stronger the alignment. The metric is used in portfolio analysis for comparable business alignment criteria across all portfolio services.

Enter a numeric value. When saved, one of the following stoplight symbols displays:

- Red stoplight. Score from 0 to 33 are not aligned.
- Yellow stoplight. Score from 34 to 67.
- Green stoplight. Score from 68 to 100 are aligned.

Status

Indicates the status of the service.

Values: Approved, Rejected, Unapproved

Default: Unapproved

Status Indicator

Displays a graphical representation of the status. For example, if the status is "Approved," you can visually represent the status as a Green stoplight.

Values: Red, Yellow, and Green. When saved, the selection displays as a stoplight symbol.

Stage

Defines the stage in the investment lifecycle. The list of choices is company-specific and depends on the values that your administrator sets.

The metric is used in portfolio analysis when you use comparable stage criteria across all portfolio investments.

Priority

Indicates the relative importance to the organization business goal. The metric is used in portfolio analysis when you use comparable priority criteria across all portfolio investments.

Limit: zero (low) to 36 (high).

Default: 10

Risk

Indicates the numeric score for risk. Lower the value, lower is the risk. The metric is used in portfolio analysis when you use comparable risk criteria across all portfolio investments.

Enter a numeric value. When saved, one of the following stoplight symbols is displayed.

- Green stoplight. Score from 0 to 33 indicates low risk.
- Yellow stoplight. Score from 34 to 67.
- Red stoplight. Score from 68 to 100 indicates high risk.

Progress

Indicates the progress of the investment.

Values:

- Completed
- Not Started
- Started

Default: Not Started

Required

Indicates if the investment is included in scenario selection criteria. The option is used for portfolio scenario constraints to pin required investments. Select the check box to include in scenario selection criteria.

Date Created

Displays the date on which the service was created.

Last Modified

Displays the date the service was last modified.

3. In the OBS section, associate an OBS to the service.

Manage Scheduling Information

Use the schedule page of service properties to set the start and finish dates, time entry, and define the charge code.

Follow these steps:

1. Open the service.
2. Open the Properties menu, and from Properties, click Schedule.
The properties page appears.
3. In the Schedule section of the page, complete the following fields:

Start Date

Defines when the service starts.

Note: If the start date and finish dates are not specified, you cannot calculate the allocation data that displays on the Team page.

Finish Date

Indicates when the service finishes.

Set Planned Cost Dates

Indicates if planned cost dates are synchronized with the service start and finish dates. Select the check box to synchronize.

4. In the Tracking section of the page, complete the following fields:

Time Entry

Indicates if staff members can enter time on their timesheets for the service. Select the check box to enable the service for time entry.

Important! Each staff member must also be enabled for time entry.

See the *CA Clarity Basics User Guide* for more information.

Track Mode

Indicates the tracking method used to enter time for the service.

Values:

- Clarity. Staff members enter time against their assigned tasks using timesheets.
- None. Non-labor resources, such as expenses, materials, and equipment track actuals through transaction vouchers, or through a scheduler, such as Open Workbench or Microsoft Project.
- Other. Indicates that actuals are imported from a third-party program.

Default: Clarity

Charge Code

Defines the charge code associated with the service. Charge codes help process financial transaction and in financial planning, to track the actuals.

If you enter a different charge code at the task level on timesheets, the task level charge codes override them.

5. Save the changes.

Budget Properties

You can define the service budget properties using the budget page of service properties. Budget data is essential in managing and analyzing portfolios. Correctly defining and recording planned cost and benefit information is key to assessing and analyzing services.

With a simple budget, you can define metrics such as the service planned cost, Net Present Value (NPV), Return on Investment (ROI), and breakeven information.

You can also use the page to define planned costs and benefits for the service. You can set the start and end date over which the budget is experienced. Money flows constantly and evenly over the period. The values you enter are applied over only one time period—from the service start date to the finish date. The values are applied only to your investment but not to any of its child or parent investments.

Alternatively, a detailed financial plan lets you budget costs over multiple periods. If you create a financial plan, data from the plan is automatically populated in the budget properties page.

See the *Financial Management User Guide* for more information.

Define Simple Budgets

Define a simple budget for a service using the budget page of service properties. If you later define a detailed plan, data from the detailed plan overrides the simple budget, and the fields on the page become display-only.

See the *Financial Management User Guide* for more information.

Follow these steps:

1. Open the service.
2. Open the Properties menu, and click Budget.
The properties page appears.
3. Complete the following fields in the financial planning section:

Currency

Specifies the currency for calculating the budget and forecast values.

Budget equals Planned Values

Specifies if the budget values in the budget properties of an investment match the planned values. If a detailed budget plan exists for the investment, all the field values in the Budget section are display-only. The fields reflect the values in the detailed budget plan. When the check box is cleared, you can edit the budget fields.

Default: Selected

Calculate Financial Metrics

Specifies if financial metrics for the investment are calculated automatically. If unselected, you can define the financial metrics manually.

Default: Selected

4. Complete the following fields in the financial metrics options section:

Use System Rate for Total Cost of Capital

Select the field to calculate the total cost of capital at system rate.

System Rate

Displays the system rate for calculating the total cost of capital.

Investment Rate

Displays the investment rate for calculating the total cost of capital.

Initial Investment

Defines the initial investment on the service.

Use System Reinvestment Rate

Select the field to calculate the total cost of capital at the system reinvestment rate.

System Rate

Displays the system rate for calculating the total cost of capital.

Investment Rate

Displays the investment rate for calculating the total cost of capital.

5. Complete the following fields in the planned section:

Planned Cost

Defines the total planned cost for the investment. The value is distributed between the Planned Cost Start and the Planned Cost Finish dates.

Planned Cost Start

Defines the scheduled start date for the investment budget.

Planned Cost Finish

Defines the scheduled finish date for the investment budget.

Planned Benefit

Defines the anticipated financial benefit for the investment. The value is distributed between the planned benefit start and finish dates.

Planned Benefit Start

Defines the scheduled start date for the investment benefit.

Planned Benefit Finish

Defines the scheduled finish date for the investment benefit.

Planned NPV

Displays the planned net present value (NPV), which is calculated based on the following formula:

$$\text{Planned NPV} = \text{Planned Benefit} - \text{Planned Cost}$$

Note: To make this field available for data entry, clear the Calculate NPV Data field.

Default: Locked

Planned ROI

The value in the field is calculated based on the following formula:

$$\text{Planned ROI} = \text{Planned NPV} / \text{Planned Cost}$$

Note: To make the field available for data entry, clear the Calculate NPV Data field.

Default: Locked

Planned Breakeven

Displays the date and amount to indicate the period and value at which the program becomes profitable.

Note: To make the field available for data entry, clear the Calculate NPV Data field.

Default: Locked

Planned IRR

Displays the planned internal rate of return for the investment.

Planned MIRR

Displays the planned modified internal rate of return (MIRR) for the investment.

Planned Payback Period

Displays the date of the investment planned payback period.

6. Complete the following fields in the Budget section:

Budget Cost

Displays the total budgeted cost for the investment

Budget Cost Start

Displays the budgeted cost start date of an investment.

Budget Cost Finish

Displays the budgeted cost finish date of an investment.

Budget Benefit

Displays the budgeted benefit for an investment.

Budget Benefit Start

Displays the budgeted benefit start date of an investment.

Budget Benefit Finish

Displays the budgeted benefit finish date of an investment.

Budget NPV

Displays the budgeted NPV (Net Present Value) of this investment.

Budget ROI

Displays the budgeted ROI (Return on Investment) of this investment.

Budget Breakeven

Displays the date when the investment budgeted cost equals the budgeted benefit.

Budget IRR

Displays the budgeted internal rate of return for the investment.

Budget MIRR

Displays the budgeted modified internal rate of return for this investment.

Budget Payback Period

Displays the date of the investment budgeted payback period.

7. Save the changes.

Enable Financial Transactions

Use the financial page of service properties to financially enable the service for financial processing. You can identify the financial location, financial department, and other attributes that are used when processing financial transactions.

You can also associate labor transaction rates, material transaction rates, equipment transaction rates, and expense transaction rates to the service.

Verify that the following is set up before enabling a service for financial transactions:

- Entity, WIP and investment classes, location, and rate and cost matrices.

See the *Financial Management User Guide* for more information.

- A department.

See the *CA Clarity Basics User Guide* for more information.

Follow these steps:

1. Open the service.
The properties page appears.
2. Open the Properties menu, and click Financial.
3. In the General section, enter the following:

WIP Class

Defines the work-in-process class used to match the investment with rate and cost matrices. The WIP class can also be used for reporting purposes.

Investment Class

Defines the investment class used to match the investment with rate and cost matrices. The investment class can also be used for reporting purposes.

Department

Defines the department used during transaction processing of chargebacks to charge or credit departments for costs. The department can also be used to match the investment with rate and cost matrices. If a department is selected on the general properties page, this field is auto-populated. Required for chargebacks.

Location

Defines the location used to match the investment with debit and credit rules for transaction processing of chargebacks. If system or entity defaults indicate that the source location is taken from the investment, use location to match the investment with rate and cost matrices.

See the *Administration Guide* for more information.

4. In the Labor Transaction Rates, Material Transaction Rates, Equipment Transaction Rates, and Expense Transaction Rate sections, enter the following for each transaction type as needed:

Rate Source

Defines the rate used during transaction processing to charge for the cost of labor, materials, equipment, or expenses associated with the service.

Cost Source

Defines the cost of the labor, materials, equipment, or expenses associated with the service.

Exchange Rate Type

If multicurrency is enabled, the exchange rate type indicates how rates and costs are converted.

5. Save the changes.

Incidents

From service properties, you can manage incidents assigned to the service. You can also associate incident categories to the service.

Incident Category

Incident categories group incidents to capture and assess the cost incurred and to view resource utilization. You can associate incident categories to your service. The CA Clarity PPM administrator sets up and maintains the Incident categories.

See the *Demand Management User Guide* for more information.

Incidents

Incidents track the work performed on your service. You can view incidents assigned to your service or create new incidents.

See the *Project Management User Guide* for more information.

Associating the Service with Incident Categories

Use the incident categories page to associate a service with an incident category.

To associate the service with an incident category, the CA Clarity PPM administrator requires to create an incident category. The administrator can also associate any service collectively to an incident category.

See the *Administration Guide* for more information.

Follow these steps:

1. Open the service.

2. Open the Properties menu and click Incident Categories.
The properties page appears.
3. Select the incident categories to associate with the service, and click Add.
4. Save the changes.

View and Manage Incidents

Use the incidents page to view a list of incidents associated with the service. From the incidents page, you can:

- Create new incidents.
- Reassign selected incidents.
- Convert incidents into tasks or projects.

See the *Demand Management User Guide* for more information.

Follow these steps:

1. Open the service.
2. Open the Properties menu, and click Incidents.
The properties page appears.
3. View the list of service incidents associated with the incident.

View or Define Dependencies

Dependency relationships exist between services in your portfolio. Use the dependencies page of service properties to identify this relationship. Dependencies can occur between the start and completion of conflicting tasks, or from budget overruns. From the page, you can add investments with dependency constraints. You can also indicate if these investments are dependent on your investment, or if your investment is dependent on them.

The dependency information you enter on this page influences the constraints you set on portfolio scenarios.

See the *Portfolio Management User Guide* for more information.

To view the page, open the service, and click Dependencies on the page toolbar.

Follow these steps:

1. Open the service.

2. Open the Properties menu, and click Dependencies.

The investment dependencies page appears.

3. Select a mode to add the following:

- Investments that depend on this one. Displays other investments that are dependent on your investment.
- Investments this one depends on. Displays other investments that your investment is dependent on.

4. Click Add to add more dependencies to your investment.

The select investments page appears.

5. Enter the Name and select the investment type from the Type drop-down. Or, click Show All.

6. In the Investment Filter section, select the investment names check box, and click Add.

Baselines

Baselines are snapshots of your service total planned effort and cost estimates at the moment you capture it. Incident actuals are not part of the total effort for baselines. These are unplanned work and not taken into account during baselining.

Because baseline snapshots are static, the changes you make to your service after you create a baseline do not automatically appear in the current baseline. However, you can update a baseline to include your newly entered or posted information.

Create Baselines

Create multiple baselines. The first or initial baseline occurs before the resources enter time. Also, create additional baselines at various intervals, such as mid-way through the service, when different phases complete, and at the service completion. The initial baseline lets you compare estimates to actuals once the service is underway.

Follow these steps:

1. Open the service.
2. Open the Properties menu, and click Baseline.

The baselines page appears.

3. Click New.

The properties page appears.

4. Complete the following fields:

Revision Name

Defines the name of the baseline revision.

Example:

Initial Baseline, Mid-Term Baseline, or Final Baseline.

Required: Yes

Revision ID

Defines the unique identifier for the baseline revision.

Example:

The baseline version number, such as v1 or v5.

Required: Yes

Description

Defines the description for the baseline revision.

Required: No

Current Revision

Specifies to make this baseline the current baseline. The field is display only if a baseline revision exists.

Default: Selected

5. Save the changes.

Edit Baselines

Use the service baseline revision page of service properties to edit the baseline revision name, ID, and description. To edit a service baseline, click the name of a baseline revision on the page.

If you delete the current revision baseline and more than one baseline exist, then the most recent baseline becomes the current revision.

Cost and Usage Data from Baselines

View the following work effort and cost information for a baseline. The information is taken from the columns on the baseline revisions page of service properties:

- **Usage.** The total effort (actuals plus remaining ETC) at the time the baseline was taken. The actuals are posted against the assignments of the service.
- **BCWP.** Budgeted cost of work performed at the time the baseline is taken. The cost is the BAC value times the summary level percent complete.

You can use baselines to perform an Earned Value Analysis (EVA) on service performance. An EVA shows how much you have spent on your service to date.

Note: Define rates to the service staff and run the Rate Matrix Extraction job before baselining to get cost baseline values. Complete the percent values on summary task before baselining to get BWCP baseline values.

Update Baselines at the Service Level

You can update an existing baseline rather than create a new one. For example, update an existing baseline to include data from recently posted actuals. Updating a baseline changes its values accordingly.

Follow these steps:

1. Open the service.
The properties page appears.
2. Open the Properties menu, and click Baseline.
The service baseline page appears.
3. Select the check box next to the baseline.
4. Click Update Baseline.
The confirmation page appears.
5. Click Yes.

Set the current Baseline

The most recently created baseline becomes the service current baseline by default. You can verify which baseline is current on the baseline page of service properties page. An investment having one baseline is marked as the Current baseline. The baseline displays in the list with a yellow checkmark in the Current column. Open a baseline to make it the current baseline, select the Current Revision field, and save the baseline revision.

Subscriptions

A subscription is a request by a department to receive a service. Subscribing departments become consumers of the service. The department managing the service becomes the service provider. When the relationship is established, the service provider can use subscriptions to monitor and manage its relationships with subscribing departments. The subscriptions include costs charged to the subscribing department for services delivered.

You can view a list of all departments that have subscribed to a service, and add or remove departments from the subscription list.

Note: Department managers can also subscribe their departments to services.

See the *Financial Management User Guide* for more information.

Monitor Service Subscriptions

Follow these steps:

1. Open the service.
2. Open the Properties menu, and click Subscriptions.
The list page appears.
3. Browse for, or filter subscriptions.
4. View the following information in the subscriptions page of service properties:

Customer Department

Displays department that has subscribed to the service.

BRM

Displays the name of the business relationship manager for the subscribing department.

Incidents

Displays the number of incidents that the subscribing department has logged against the service.

Charges

Displays the aggregate charges that the subscribing department has currently approved for the delivered service.

SLA Violations

Defines the number of service level violations that the subscribing department had logged against the service.

Subscribe Departments to Services

To charge the department for the delivered service, update the chargeback debit rule by adding GL allocations for the newly subscribed department. Work with your IT finance manager and the subscribing department manager to determine when to start charging back for services.

See the *Financial Management User Guide* for more information.

Follow these steps:

1. Open the service.
2. Open the Properties menu, and click Subscriptions.
The subscriptions list page appears.
3. Click Add.
The add subscriber departments page appears.
4. Browse or filter departments to add to the subscription list, and click Add.
5. Click Return.

Cancel Department Subscriptions

When you cancel a subscription, be sure to update the chargeback debit rule, and remove the GL allocation for the department. Otherwise, the department continues to be charged for services.

See the *Financial Management User Guide* for more information.

Follow these steps:

1. Open the service.
The properties page appears.
2. Open the Properties menu, and click Subscriptions.
The subscriptions list page appears.
3. Select the check box next to each customer department to cancel subscription, and click Remove.
The confirmation page appears.
4. Click Yes.

Capacity Planning Scenarios

Scenarios allow you to apply a systematic methodology to optimize a service. Apply scenarios to the service to analyze how staffing changes or shifts in dates affect the outcome of your investment. You can evaluate the service by switching between a scenario and the plan of record.

See the *Portfolio Management User Guide* for more information.

Create Capacity Planning Scenarios

You can create a capacity planning scenario from any service page that displays the scenario toolbar. The scenario toolbar displays below the page toolbar.

You can create the scenario from within a portfolio but cannot create portfolio scenarios from your scenario.

See the *Portfolio Management User Guide* for more information.

Apply Capacity Planning Scenarios to Services

Use the scenario toolbar to select any existing capacity planning scenarios to which you have access rights (including any portfolio scenarios). When you open an investment and select a scenario, that scenario is set as the current scenario.

Mark Services for Deletion

Services can be deleted once the delete job for that service runs.

Note: If the service status is "Active", you cannot delete the service. To deactivate, open the service and clear the Active check box.

Follow these steps:

1. Open the service.
The list page appears.
2. Select the check box next to the service and click Mark for Deletion.
The confirmation page appears.
3. Click Yes.

Chapter 3: Hierarchies

This section contains the following topics:

[About Hierarchies](#) (see page 35)

[Filter the List of Child Investments](#) (see page 36)

[How to Build a Hierarchy](#) (see page 36)

[View Effort Rollup](#) (see page 39)

[View Total Cost of Ownership](#) (see page 39)

[How to Manage Parent Investments](#) (see page 40)

About Hierarchies

You can manage the investments and services that comprise your service from your service investment hierarchy.

To view the hierarchical list—the projects, assets, applications, products, services, and other work—select Hierarchy. The financial rollup page of service hierarchy displays.

The financial hierarchy displays an aggregation of the investment and child investments planned cost, actual cost, and remaining cost. The values displayed are time-varying and factor in the investment allocation percentages that you have defined.

The value displayed in the Planned Cost field is the planned costs rolled up from the investment and child investments. The values are rolled up after factoring in the investment allocation percentages. The value displayed in the Actual Cost field is the costs incurred from billing and invoices. If the service is unapproved, the actual costs are also rolled up from the child investment or service. The costs are rolled up after the investment allocation percentage is factored in. That is, the service status is something other than "Approved". Actual costs do not display on the financial rollup because costs are yet to incur. The value displayed in the Remaining Cost column is the difference between the planned costs and the actual costs.

The Planned ROI and Planned NPV columns display the investment and child investment ROI and NPV. The Planned Benefit column displays the planned revenue - the sum of the planned benefit from the investment, service, or idea detailed budget.

From Hierarchy, you can also access the effort rollup and parents pages of service hierarchy. For example, to access the service effort rollup, open the Hierarchy menu for the service and select Effort Rollup.

Both the financial rollup and the effort rollup are hierarchical representations of the investments, services, and ideas that comprise your service. You can expand and collapse the items listed on this page and add and remove child investments or services.

Depending on the view you select in the hierarchy, the self line item displays the work values or costs specific to the parent service. The line items that lie below the Self line item are the child investment, or services. The investment or service comprise your service and the work values or costs specific to the child investment and services.

Filter the List of Child Investments

By default, both the service financial and effort rollup display a list of approved and unapproved child investment. You can view only approved or unapproved child investment. Select the status from the Status field in the filter section of the page.

See the *CA Clarity Basics User Guide* for more information.

How to Build a Hierarchy

You can add and remove child investments, services, and ideas to and from your service investment hierarchy based on your company business rules. The child investments, services, and ideas are the ones to which you have view access rights. These investments and services are associated to the same entity as your service. Use the financial rollup or effort rollup page of service hierarchy to add or remove associations of investment and services to your service hierarchy.

As you build your hierarchy, the associated child investment or service planned costs are rolled up to the parent service, as planned costs. These costs are displayed on the financial rollup. Similarly, the associated child investment or service aggregated work values are rolled up to the parent service and are displayed on the effort rollup.

Do the following to build a service hierarchy:

- [Add child investments](#) (see page 37).
- [Remove child investments](#) (see page 37).
- [View the financial rollup](#) (see page 38).
- [Define allocations for child investments](#) (see page 38).
- [View the effort rollup](#) (see page 39).

About Sharing Services Across Investments

You can share services between other investments, services, and ideas. For example, you can share a database server that support two software applications. First add the software applications as child investments to the database server investment hierarchy. Then, edit the child investment or service cost allocation percentage and time segments.

Your service investment allocation percentage dictates the amount of service allocated to the investment, service, or idea. All cost information displayed in the investment hierarchy, are based on the allocation percentages.

Add Child Investments and Services from the Financial Rollup

You can add child investments, services, and ideas to your service from the financial rollup or effort rollup pages on the service hierarchy.

Verify that the investments, services, and ideas exist before you can add them to your hierarchy. Work with the other investment managers to define the investment or service allocations for each of the child investments and services in the hierarchy.

Note: The service hierarchy honors adding child/ parent only within the same entity.

Add a Child Investment and Service

Follow these steps:

1. Open the service.
The properties page appears.
2. Open the Hierarchy menu, and click Financial Rollup.
The financial rollup page appears.
3. Select the check box next to the desired child service, and click Add Child.
The select investments page appears.
4. Select the check box next to the investments, and click Add.
5. Click Return.

Remove a Child Investment and Service

To remove child services from the financial rollup, select the check box next to the child service, and click Remove.

View the Financial Rollup

You can view the service financial rollup on the financial rollup page of service hierarchy. The page displays a hierarchical list of the child investments, services, and ideas that comprise your service. All the child costs and benefits are rolled up to your service, the parent service, and are listed on the parent service line item.

From the page you can track the costs incurred to build, maintain, and support your service. You can also track the allocation percentages, planned costs, actual costs, remaining costs, planned benefits, planned ROI, and planned NPV. And any other metric that are applicable to the service as a whole, and add and remove child investments to and from the service.

Follow these steps:

1. Open the service.
The properties page appears.
2. Open the Hierarchy menu, and click Financial Rollup.
The financial rollup page appears.
3. View the services and child services in the financial rollup.

Define Child Investment Allocations

When you first add a child investment to your service, its investment allocation is set at 100 percent, by default. View the amount a child investment is allocated to your service from the Allocation column on your service financial and effort rollup.

Use the set allocations page to define the percentage amount a child service, investment, or idea is allocated to your service. This page displays a list of the parent investments to which an investment is allocated. You can distribute the amount the child investment is allocated to its parent investments by editing the Allocation field.

Child investment cost totals are automatically aggregated to the parent service based on the investment allocation percentages.

Follow these steps:

1. Open the service.
The properties page appears.
2. Open the Hierarchy menu and click Financial Rollup.
The financial rollup page appears.
3. Click the allocation amount for the child investment.
The set allocations page appears.

4. In the Allocation field for your service, enter the amount the child investment is allocated to your service (the parent investment).
5. Save the changes.
6. Click Return to return to the parent service financial rollup page.

View Effort Rollup

Use the effort rollup page of service hierarchy to view the effort rollup of the investments, services, and ideas that comprise your service. The page displays the aggregation of the service child investment labor-related information—such as ETC, EAC, and work variances. The aggregation takes into account the child investment or service allocation percentages. You can view these totals in the ETC, EAC, and Actual Work columns on the page.

The investments that display on the page are the same investments displayed on the financial rollup page of service hierarchy. This page provides another view of the hierarchical list of child investments.

You can establish the investment hierarchy when you select a parent service from the child investment of service properties page.

Follow these steps:

1. Open the service.
The properties page appears.
2. Open the Hierarchy menu, and click Effort Rollup.
The effort rollup page appears.
3. View the services and child services in the effort rollup.

View Total Cost of Ownership

The total cost of ownership (TCO) is the aggregated amount of costs derived from running or operating a service. Operating a service involves managing all investments such as projects, applications, and ideas that support the service. The TCO tracks where costs are being spent and how costs are being allocated and shared. The roll up of costs gives you the ability to manage a service budget compared managing aggregated costs accrued from various investment types.

Add all the child investments to the service. You can then view the aggregated cost and labor totals from the hierarchical bill of investments to determine the IT service TCO.

How to Manage Parent Investments

Use the parents page of service hierarchy to view a list of parent investments and services that a service is allocated to. Also, view the percentage the service allocated to each parent.

You can do the following:

- [Add parent investments](#) (see page 40).
- Remove parent investments.
- [Define allocations for parent investments](#) (see page 40).

Add any investment to which you have access rights as a parent investment for your service.

Add Parent Investments

Use the parents page of service hierarchy to add a parent investment association to a service. You can add one parent investment, or you can add multiple investments at one time.

Verify that the investments, services, and ideas exist before adding them as parents to the hierarchy. Work with the other investment managers to define the investment or service allocations for each of the child investments and services in the hierarchy.

You can also remove parent investment associations.

Follow these steps:

1. Open the service.
The properties page appears.
2. Open the Hierarchy menu, and click Parents.
The parents list page appears.
3. Click Add to select and add parent investments.

Define Parent Investment Allocations

Investments and services can be allocated to one or more child investments. But the total allocation requires to be 100 percent for a parent investment. You can view the service parent investments allocation amounts on the parents page of the service hierarchy.

Follow these steps:

1. Open the service.
The properties page appears.
2. Open the Hierarchy menu, and click Parents.
The parents list page appears.
3. In the Allocation field, enter percentage allocation for the parent investment.
4. Save the changes.

Chapter 4: Service Team

This section contains the following topics:

[About Building a Team](#) (see page 43)

[Edit Staff Member Details](#) (see page 43)

[About the Team: Staff Page](#) (see page 46)

[How to Staff a Team](#) (see page 47)

[Role Capacity](#) (see page 49)

[Staff Allocations](#) (see page 49)

[Staff Member Replacement](#) (see page 56)

[Change Staff Member Roles on the Service](#) (see page 59)

[Remove Staff Members](#) (see page 59)

About Building a Team

Staff members are resources or roles that can be assigned to work on a service and can record the time they work on their timesheet. Services are not associated with tasks and staffing them does not result in long-term commitments for that staff.

Use the service team page to staff your services by allocating roles and resources. Open the service and click Team. You can add both labor and non-labor resources. From this page, you can view the bottom-up aggregated work effort by role. You can switch the view to edit the service direct planned work. The Team menu contains the staff, detail, and role capacity pages.

A staff allocation is the period during which a resource is booked to a service. Unless you change the booking dates, staff members are automatically booked for the entire duration of the service. An allocation amount is generated for each resource by multiplying the total number of working days between the service start and finish dates (including the start and finish dates) with the number of hours the resource is available to work each day. ETC is based on the number of hours a resource is assigned to the service.

Edit Staff Member Details

After adding the resource or role to your service, use the resource or role staff member page to modify the details for the staffing requirement.

Follow these steps:

1. Open the service and click Team.

The staff list page appears.

2. Click the Properties icon for the resource or role.

The properties page appears.

3. Edit the staff member properties:

Requirement Name

Displays the name of the staffing requirement.

Start Date

Defines the team member allocation start date for the investment.

Default: The investment start date.

Finish Date

Defines the team member allocation finish date for the investment.

Default: The investment finish date.

Default % Allocation

Defines the percentage of time to allocate the resource to the investment (you can enter 0 percent). The change updates the Allocation and Allocation % columns on the investment team staff page.

Booking Status

Indicates the staff member booking status. Staff members can either be soft, hard, or mixed booked.

The booking status is set automatically when team members are booked or their allocation changes. Set the booking status manually as desired.

Values:

- Soft
- Hard
- Mixed. Indicates that both soft and hard allocation exist for the team member.

Note: Contact your CA Clarity PPM administrator or see the *Administration Guide* for more information.

Request Status

Determines the staffing requirement. Select another status from the drop-down.

Default: New

Resource

Displays the resource associated with the requirement.

Investment Start Date

Displays the start date of the investment for the requirement.

Investment Finish Date

Displays the end date of the investment for the requirement.

Investment Role

Defines the role for which resources are requested for the investment.

Example: Developer, Business Analyst, Architect

Staff OBS Unit

Defines the Staff OBS Unit.

Default: The investment Staff OBS Unit value, if defined.

Open for Time Entry

Specifies if the resource can track time spent on task assignments using timesheets. When cleared, the resource cannot log time on any project.

Default: Selected

4. Complete the following fields in the Resource Search section:

Resource Employment Type

Indicates if the resource is a contractor or a full-time employee.

Resume Keywords

Defines the keywords from the resume of the resource.

Planned Allocation

Defines the total percentage of time the resource is planned to be allocated to the investment, as requested by the investment manager. The allocation also specifies the start and end dates.

Hard Allocation

Defines the total percentage of hard-booked allocation of the resource to the investment (as entered by the resource manager). The allocation also specifies the start and end dates of the allocation.

No hard allocation value exists until the resource manager hard-books the allocations.

5. Save the changes.

About the Team: Staff Page

Staff members are resources or roles assigned to work on a service and who can record the actual time they work on their timesheet. Services are not associated with tasks and staffing them does not result in long-term commitments for that staff.

Use a role as a placeholder when you do not know the name of the resource. Or, use role if the resource is not available for staffing on your service. You can staff your service with multiple instances of a role. But you cannot add multiple instances of a resource.

Use the team staff page of the service to add staff to a service. The page contains the following columns and icons:

Properties icon

Opens the resource profile. You can view profile information and change allocations, including planned and hard allocations.

See the *Resource Management User Guide* for more information.

Resource Finder icon

Opens the Find Resources page for the selected resource. On this page, you can replace the resource or role with a different resource or role.

Resource Allocation

Opens the Resource/ Role Allocations page. You can update the resource allocation.

Role

Displays the role of the resource, which can be different from the primary role selected in the resource profile.

Time

Displays a yellow checkmark if the resource or role is allowed to enter time for this investment.

Booking Status

Displays the resource or role booking status.

Values

- Hard. The resource is committed to the investment
- Soft. The resource is tentatively scheduled for the investment.
- Mixed. Both soft and hard allocation exist for the resource.

Start

Displays the team member allocation start date. If the date is not defined, the default is the start date of the investment.

Finish

Displays the team member allocation finish date. If the date is not defined, the default is the finish date of the investment.

% Allocation

Displays the percentage the team member is allocated to the investment.

Allocation

Displays the number of hours the resource is tentatively booked to the investment. Unless you change the booking dates, staff members are automatically booked for the entire duration. You cannot directly edit the allocation, but change allocation using the following:

- The setting allocation options.
- The new allocation curves defined on the resource staff member properties page.
- The Shift Allocation option

Allocated Actuals

Displays the total number of hours of the resource to date on the investment.

Incident Actuals

Displays the time posted to incidents associated with this investment.

Total Actuals

Displays the aggregated total actual time posted against the investment. The value is the sum of the allocated actuals and the incident actuals.

How to Staff a Team

You can do the following to staff a service team:

- [Add resources or roles](#) (see page 48).
- [Book over-allocated resources](#) (see page 48).
- [Edit staff member details](#) (see page 43).
- [Change the default allocations of a resource](#) (see page 51).
- [Shift and scale resource allocations](#) (see page 52).
- [Replace staff members assigned to the service](#) (see page 56).

Add Resources or Roles to the Staff

The staff page of the service team displays a list of the resources or roles added to your service. All resources are automatically allocated at 100 percent of their available working days. You can adjust the value to meet your needs.

When adding resources to your service staff, the resource can be over-allocated. When over-allocated, a confirmation page appears that lets you to either over allocate the resource, or to accept any remaining availability of the resource.

You can add multiple instances of a role to a service but not multiple instances of the same named resource. For example, assign your service a programmer (1) and a programmer (2) to represent two different requirements for a resource with a programming role.

Follow these steps:

1. Open the service and click Team.

The team staff page appears.

2. Click Add.

The select resource page appears.

Note: To add team members to your service at the OBS level from the staff page of the service team, click Add/Update by OBS. The option adds all the resources in the selected OBS unit to your service.

3. Select the resources and roles to add to your service staff. Use the Search Filter to find resources or roles by name or other criteria.
4. Click Add to add the resources or roles you select.

Book Over-allocated Resources

When the resource available hours are less than the total number of requested hours, the remaining availability confirmation page appears.

If you add them to the service, the remaining availability confirmation page indicates that the resource is overbooked. If you book the resource at 100 percent (default) of their availability, the 100% Resource Allocation column lists the number of hours used. The Remaining Availability column indicates the actual number of work hours the resource has available to work on the service.

When the confirmation page appears, select one of the following options:

Overallocate

Over-allocates the resource.

Remaining Only

Books the resource for the amount listed in the Remaining Availability column.

Role Capacity

The role capacity page of service team provides an aggregated view of all role demand whether generated by role-based team members or named resources. You can view the information against the capacity of the resources that fill those roles.

To access the page, from the Team menu, click Role Capacity. Resources without a team role are captured on the page in the [No Role] row.

From the role capacity page, you can view:

- Role allocation to the service compared to allocation to other investments or services. The investment hierarchy aggregates the data of a role and each subinvestment allocates a specific percentage to the service.
- Available role capacity for the service and subinvestments.

You can view this information from inside and outside a scenario. Suppose, a role appears over-allocated. Click the Staff icon to open the staff page of service team and see the resources that are using the role.

Staff Allocations

A staff allocation is the period during which a resource is booked to a service. Unless you change the booking dates, staff members are automatically booked for the entire duration of the service.

The following formula is used to generate the allocation work hours for a resource:

Total number of working days from the service start date to the finish date
* The number of available work hours for the resource per day

ETC is based on the number of hours a resource is assigned to the service.

Edit Staff Allocations

You can use the staff page of service team to edit the allocation-related staff information.

Follow these steps:

1. Open the service, and click Team.

The staff list page appears.

2. Edit the following fields:

Resource

Displays the resource name. Click the resource name link to open the resource properties.

Role

Defines the resource role for the investment.

Time

Indicates if the resource can enter time for work completed on the investment.

Booking Status

Indicates the resource booking status for the investment.

Start and Finish

Defines the start and finish dates the resource is booked to the investment. Change in dates update the value in the Allocation column.

% Allocation

Defines the default amount this resource is allocated to this investment. You can enter 0 (zero) as the allocation percentage. Changes also update the value in the Allocation column.

Allocation

Displays the number of hours the resource is tentatively booked.

Allocated Actuals

Displays the total number of hours until date that the resource has on this investment.

Incident Actuals

Displays the time posted to incidents associated with this investment.

Total Actuals

Defines the total actuals posted for this resource.

3. Save the changes.

How to Manage Staff Member Properties

Managing the staff members of a team involves:

- Edit their properties.
- Change their roles.
- Change their default allocation.

Change a Resource's Default Allocation

You can use the Planned Allocation and Hard Allocation sections on a staff member page of service properties. The sections help indicate any deviations from the Default % Allocation field. You can unbook a hard-booked resource or extend a resource to do additional planning. The page displays the basic profile fields and a number of allocation-related fields that can be edited.

The Planned Allocation curve represents the default or total allocation amount that the service manager requests for. The Hard Allocation curve represents the allocation amount that the resource manager commits. The booking status for a resource changes according to the allocation amounts in the planned and hard allocation curves.

For example, suppose the planned or default allocation for a resource is 100 percent. The resource is booked to work on your service from 8/11 through 11/1. The resource is scheduled to work on another service 50 percent of the time through September 1 and is on vacation from September 15 to 22nd. In this case, you can create two allocation curves: one that indicates a deviation to 50 percent from 8/01/11 through 9/01/11. Another that indicates a deviation to 0 percent from 9/15/11 to 9/22/11.

Follow these steps:

1. Open the service, and click Team.
The staff list page appears.
2. Click the Properties icon next to the resource to change allocations.
The properties page appears.
3. At Default % Allocation, enter the percentage of time for the resource to allocate to the service (you can enter 0%).
The change is reflected in the Allocation and Allocation % columns on the staff page of service team.

4. In the Planned Allocation and Hard Allocation sections, create one row for each deviation from the default allocation.

Example:

Create two rows. One, to cover the period where the resource actually works at 50 percent (compared to the 100 percent default or planned allocation). Another, for the period where the resource actually works at 0 percent (compared to the 100 percent default or planned allocation).

5. Do the following to create a planned or hard allocation period:
 - a. Enter or select a Start date for the period.
 - b. Enter or select a Finish date for the period.
 - c. Enter the percentage of time you expect them to work (as tentative or committed) in the % Allocation field. You can enter 0%.
6. Save the changes.

How to Reset Staff Allocations

You can reset your service staff allocations in the following ways:

- [Shift Allocation](#) (see page 52) to shift or scale all or a portion of the resource allocations in a service. Shift by moving resource allocations back and forward in time.
- [Set Allocation](#) (see page 54) to update the allocation of multiple team members at the same time.
- [Commit Planned Allocation](#) (see page 55) to reset a resource hard allocation to equal the planned allocation.
- [Accept Hard Allocation](#) (see page 55) to reset a resource planned allocation to equal the hard-booked allocation.

The options are available from the More button on the staff and detail pages of service team.

Shift and Scale Resource Allocations

You can shift or scale all or a portion of the resource allocations in a service by moving resource allocations back and forward in time. As you move data, segmented allocation dates are kept intact, even when the percent allocated for each segment changes. Shifting resource allocations is useful when you want to shift investment allocations beyond the allowable time-scaled view, which can only extend for six months.

Use the Shift Allocation option that is available on the staff and team detail pages of service team.

As an example, consider an allocation that starts on May 1, continues at its default rate of 100 percent until May 31. Then, goes through June at the reduced allocation of 50 percent. In this case, if you shift to June 1, the allocation starts from June 1 through July 2 (for 31 calendar days) at 100 percent. Then through August 2 at 50 percent. You can also shift allocations for time spans that contain no segments.

Follow these steps:

1. Open the service, and click Team.
The staff list page appears.
2. On the staff or detail page of service team, select the check box next to the resource to shift allocations.
The list page appears.
3. Open the Actions menu, and click Shift Allocation.
The allocations page appears.
4. In the Time Span to Shift section, change the start and finish dates that the resource is allocated to work on the service.
5. In the Time Shift Parameters section, do the following:

Shift to Date

Defines the beginning date for the data being shifted.

Note: If you leave the field blank, no shifts occur.

Shift Cut-off Date

Defines the last date for shifting allocations. Allocations cannot shift beyond the last date.

Scale Allocation % By

Defines the percentage change in the allocation required for the shift.

Note: If you leave the field empty, no scaling occurs.

Required: No

6. Save the changes.
The change reflects in the Allocation column on the staff page of service team.

Set Allocations for Multiple Team Members

You can set the allocations of multiple team members at the same time.

Follow these steps:

1. Open the service, and click Team.
The staff list page appears.
2. Select the check box next to the resource to update allocation.
The list page appears.
3. Open the Actions menu, and click Set Allocation.
The allocations page appears.
4. In the General section, set the following allocations for the selected team members:

Start Date

Defines the date when the allocation starts.

Select the Reset to Match Investment Start Date check box to reset the resource staffing requirements to match the service start date.

Finish Date

Defines the date when the allocation ends.

Select the Reset to Match Investment Finish Date check box to reset the resource staffing requirements to match the service finish date.

Default Allocation %

Defines the resource allocation for the service.

5. Select the Clear existing allocation segments check box in the Existing Allocation Segments section of the page. Such selection removes all allocation segments for the selected team members.
6. Complete the following fields in the New Allocation Segments section of the page to create an allocation segment for the selected team members:

Start

Defines the date when the allocation starts.

End

Defines the date when the allocation ends.

% Allocation

Defines the percentage the resource is allocated to the service.

7. Save the changes.

Commit a Resource's Planned Allocation

Committing a planned allocation for a resource is equalizing the resource hard allocation with the planned allocation. To hard-book the segments, edit the planned allocation segment for a resource. A resource with a hard booking status implies that the resource is fully committed.

Committing planned allocation does not reset the default allocation percentage. Instead, such allocation copies the planned one into the Hard Allocation section of the resource staff member page of service properties.

Note: The Hard Allocation section displays on the page depending on your project management Allow Mixed (default) Booking setting.

See the *Administration Guide* for more information.

Follow these steps:

1. Open the service, and click Team.
The staff list page appears.
2. Select the check box next to the resource to commit planned allocation.
3. Open the Actions menu, and click Commit Planned Allocation.
The confirmation page appears.
4. Click Yes.

Accept a Resource's Hard Allocation

Use the Accept Hard Allocation option to reset a resource planned allocation to equalize with the hard-booked allocation. If soft-booked planned segments display in the Planned Allocation section, they are removed and all segments are reset to equal the hard-booked segment.

Note: The Accept Hard Allocation option displays on the page depending on your Mixed Booking settings.

Contact your CA Clarity PPM administrator or see the *Administration Guide* for more information.

Follow these steps:

1. Open the service, and click Team.
The staff list page appears.
2. Select the check box next to the resource for hard allocation.
3. Open the Actions menu, and click Accept Hard Allocation.
The confirmation page appears.

4. Click Yes.

The selection equalizes the planned allocation with the committed allocation. The % Allocation and Allocation column values can change. The Booking Status value displays "Hard" to imply that all the allocations are fully committed.

Edit Planned and Committed Resource Allocations

The detail page of service team lists the planned and committed allocation for a service by resource by time period in a graph format. This view helps you determine if a resource is overbooked or under booked and by how much. You can also ascertain a resource availability for a service.

On this page, you can edit information such as the time cells for each resource. Changing the time cells changes the way planned and committed allocation is presented in the graph.

Follow these steps:

1. Open the service.

The properties page appears.

2. Open the Team menu, and click Detail.

The details page appears. The data is displayed based on resource, allocation, and time period. Scrolling over a time period displays a note providing you with a brief summary of what you see. The time period columns are set to weekly by default, and always start with the current week. The allocation color indicates the following:

- Yellow. The resource is allocated at or under availability for that time period.
- Red. The resource is over-allocated (that is, the amount of time booked exceeds availability) for that time period.
- Green. Allocation to other investments, ideas, or services.

3. Click in the graph to edit the time-related values.

See the *CA Clarity Basics User Guide* for more information.

Staff Member Replacement

Replace a staff member assignment from the staff page of service team. Use the availability score to find a replacement at the team level. You can also replace a resource with a different resource, or replace a role with an actual resource.

Important! The replacement process can over allocate the member who is replacing the previous member or members.

Guidelines to Replace Staff Members

Consider the following before making a staff member replacement:

- When you replace a resource with a different resource, the actuals, pending actuals, and baseline of the original staff member is not transferred to the new staff member. Only the remaining ETC is transferred to the new staff member.
- The original staff member completes time entries so that the actual data is posted before the replacement occurs.
- The role of the original staff member is transferred to the new staff member, unless you are replacing a role with a different role.

How Data Transfers When Replacing Staff Members

The following table identifies how data from the replaced staff member transfers to the new staff member:

Data Type	Transfers
Available Start	Yes, if the date has not passed and if new resource is not booked on that date.
Available Finish	Yes
Remaining Allocation	Yes
Percent (%) Allocation	Yes
Investment Role	Yes
Existing Actuals	No
Pending Actuals	No
Baselines	No

Replace Staff Members

Use the staff page of service team to replace staff members assigned to your investment. Generates a list of resources who share the same role and availability as the resource being replaced. You can replace a resource using the staff or detail page.

Use the method for an availability score to select the resource best suited in terms of availability to replace the other. An availability score is generated for each of the resources to which you have access. The score indicates the close match between the replaced and replacing resources. The availability is based on the duration of the assignment and the daily availability of the resource. Generally speaking, the higher the score, the closer the match.

See the *Project Management User Guide* for more information.

Use the find resources page to replace staff members. This page lists all the resources to which you have access.

Availability

Identifies the assignment period and the number of hours the resource you are replacing was allocated to your service. Both the dates and the hours allocated are transferred to the new replacement.

Availability Match

Displays a score that factors in the work period and the availability of each resource. Suppose, no skill specifications are added to your search criteria. The Total Match column duplicates the Availability Match score and the Skill Match column becomes blank. If you search by skills and availability criteria, the Total Match column displays an average of the two scores.

The following message appears at the top of the page:

Match scores can be inaccurate if availability dates do not fall into the following range: ddmmyy - ddmmyy

The message indicates that if a discrepancy exists between the date range in the message and the dates in the Availability field, the Availability Match score can be inaccurate.

Example: If the dates in the Availability field are 9/1/05 - 2/7/06 and the date range in the message is 9/7/11 - 9/7/12, a comparison cannot be found for any resource. This situation lowers the overall availability match scores.

Follow these steps:

1. Open the service, and click Team.

The staff list page appears.

2. Next to the name of the resource to replace, click the Resource Finder icon.
The find resources page appears.
3. Select the check box next to the resource to replace the previous resource, and click Replace.
The confirmation page appears.
4. Click Yes.

Change Staff Member Roles on the Service

You can change a staff member role on a service-by-service basis. The change does not change the role identified in their resource profile. You can replace a role assignment from either the staff or detail page.

Follow these steps:

1. Open the service, and click Team.
The staff list page appears.
2. Click the Properties icon next to the resource to change the role.
The properties page appears.
3. In the General section of the page, select a value for the Investment Role field.
4. Click Add.
5. Save the changes.

Remove Staff Members

If the resource has not posted actuals nor submitted actuals pending for the service, you can remove a staff member from your service.

Note: Removing a staff member from your service does not delete the resource. Nor does it change the staff member status to inactive.

Follow these steps:

1. Open the service and click Team.
2. Select the check box next to the resource you want to remove.
3. Click Remove.
The confirmation page appears.
4. Click Yes.

Chapter 5: Managing Your Business, Service, and IT Units

This section contains the following topics:

[BRM Accelerator Overview](#) (see page 61)

[Department Subscriptions](#) (see page 62)

[Business Relationship Manager Portals](#) (see page 63)

[Business Relationship Manager Dashboards](#) (see page 64)

[How to Fully Utilize the BRM Accelerator](#) (see page 64)

[Access BRM Accelerator Dashboards and Portals](#) (see page 64)

[Service Dashboard](#) (see page 65)

[Provider Dashboard](#) (see page 76)

[Customer Dashboard](#) (see page 83)

[Customer Portal](#) (see page 85)

[Provider Portal](#) (see page 89)

BRM Accelerator Overview

The Business Relationship Manager Accelerator (BRM Accelerator) improves and facilitates IT to engage with business units in the area of service delivery. The add-in includes the following dashboards and portals:

Service Dashboard

Displays a set of portlets specific to an individual service. Lets a service manager view alerts and current metrics about the service.

Provider Dashboard

Displays a set of portlets specific to a provider department. Lets a department manager or IT executive or manager view alerts and current metrics about the department.

Customer Dashboard

Displays a set of portlets specific to a customer department. Lets a department manager or IT executive or manager view alerts and current metrics about the department.

Provider Portal

The portal displays a set of portlets providing a view of service data across all the provider departments.

Customer Portal

The portal displays a set of portlets providing a view of service data across business relationship manager customers.

Note: Before you can start viewing the BRM dashboards and portals, install and set up the BRM Accelerator.

The BRM Accelerator portlets display many data points across projects, tasks, risks, subscriptions, departments, and services.

Portlets display data in the following ways:

- Automatically from other modules
- Manually entered or imported using XOG
- Imported by running a job

Department Subscriptions

Customer departments can subscribe to services provided by provider departments. Each subscription has metrics that are used in BRM Accelerator portlets for the dashboards and the portals. Most key metrics are user-defined values. The incident data is imported from Service Desk.

To view the metrics, click Properties for a service subscription name.

The following metric is used in BRM Accelerator portlets:

Customer Satisfaction Rating

A percentage value indicating the level of customer satisfaction with the subscription. This field accepts percentage values limited to values of 1-100. Based on this percent amount, stoplight rules for customer satisfaction are hard-coded. This field appears on the Subscription Properties: Main page.

No. of SLA Violations

The total number of SLA violations for this subscription. This field appears on the Subscription Properties: Main page.

SLA Violations Threshold

The threshold number for SLA violations for this subscription. This field appears on the Subscription Properties: Main page.

Number of Incidents

The total number of open incidents for this subscription.

Incidents Threshold

The incident threshold number for the incident stoplight values. This field appears on the Subscription Properties: Main page.

No. of Change Orders

The total number of change orders for this subscription.

Subscription Charges

The amount charged to the customer for this subscription.

No. of Total Users

The total number of users or customers for this subscription.

No. of Active Users

The number of active users or customers for this subscription.

No. of Page Hits

The number of times this subscription website (if one exists) has been visited.

Key Metrics

A link to the Key Metrics page for the user to define the key metric type being created. For example, Closed Incidents, Created Incidents, Other, Utilization, or Value. The stoplights are based on metric type; whether the value is over the target threshold or not; and whether the Higher Values Better check box is selected. Only user-defined teams are applicable. If there is no predefined key metric for Created Incidents or Closed Incidents, import them from Service Desk creates one on the subscription.

Business Relationship Manager Portals

The following BRM Accelerator portal views are available:

Customer Portal

Provides a view across BRM customers, detailing statistics about the services subscribed.

The Provider Portal

Provides a view of service data across all provider departments. Used by IT executives and managers.

Business Relationship Manager Dashboards

The BRM Accelerator consists of multiple dashboards designed for IT executives, IT managers, and business relationship managers. The dashboards each contain portlets that provide snapshots of information.

How to Fully Utilize the BRM Accelerator

To benefit from BRM Accelerator dashboards and portlets, verify that the organizational structure includes the following:

- Multiple customer and provider departments with department managers
- Business relationship managers who work with customer departments and IT
- Services owned by provider departments
- Customer departments that subscribe to services
- Key metrics tracked on the customer departments
- Assets, applications, and projects assigned to services.

Access BRM Accelerator Dashboards and Portals

To access and view BRM Accelerator portlets, you require specific access rights. To access the BRM Accelerator, select Provider Portal or Customer Portal from the IT Service Management menu.

You can view data from the following portals:

Provider Portal

Displays metrics such as financial, customer, resource, and service request information. The portlets on the portal, use stoplights and graphs to alert the IT executive or manager to any areas that need attention. The view aggregates all service information based on the departments handled by the IT executive or manager.

Customer Portal

Focuses on service metrics and costs. The customer portal also contains portlets with graphs, grids, and information to notify the Business Relationship manager of any issues with their customer services. The view on the customer portal is limited to the departments assigned to the Business Relationship manager.

You can access the service and department dashboards from the Service and Department.

Access the Dashboard from the Service

Follow these steps:

1. Open Home, and from IT Service Management, click Services.
2. Open a service to view its dashboard.
3. Click Dashboard.

Access the Dashboard from the Department

Follow these steps:

1. Open Home, and from Organization, click Departments.
2. Open a department to view its dashboards.
3. Click Provider Dashboard or Customer Dashboard.

Service Dashboard

The Service dashboard is available from the Service object and includes multiple portlets with drill-downs. Individual service managers or high-level IT managers typically use the dashboard.

Service Health

This portlet contains a list of metrics. Each metric appears with a stoplight to indicate its status. The service owner can quickly determine service areas that:

- Are over set thresholds (red)
- Should be watched (yellow)
- Are running smoothly (green)

The data is displayed for currently active and approved investments, change orders, and risks, or investments waiting to begin. Canceled or completed investments are not included.

Data on the portlet is derived from a set of user-defined key metrics on the key metrics page of subscription properties. The metrics include a target and actual start and finish displayed by time period.

Service Health is presented in a hierarchical grid containing the Metric and Status columns. The top-level metrics of the portlet (Service Support, Management, and Projects and Change Orders) each have a stoplight. The top-level stoplights aggregate or roll-up all the included stoplights.

When you expand the top-level metrics, the following additional metrics are available:

Value

Displays all the key metrics that have the Value type. If values below the threshold are desirable, the following stoplights appear:

- Red. Any value for any customer within the last three months is >100 percent.
- Yellow. Any value for any customer within the last three months is >80 percent (if no red stoplight, then checks for yellow).
- Green. Any value for any customer within the last three months is ≤80 percent.

If values above the threshold are desirable, the following stoplights appear:

- Green. Any value for any customer within the past three months is >120 percent.
- Yellow. Any value for any customer within the past three months is >100 percent (if no green stoplight, then checks for yellow).
- Red. Any value for any customer within the last three months is <100 percent.

Click the Value metric link to go to the Metrics portlet prefiltered to display only the Value tagged key metrics for department subscriptions. The portlet displays data in a grid format with embedded time-scaled value (TSV) graphs. The number of rows in this portlet is based on the number of key metrics there are for a given type. The number of rows is also based on the selected value from the drop-down (that is, Closed Incidents, Created Incidents, Other, Utilization, or Value).

By default, the TSV section uses a time period of the past three months and the next three months based on the current date. The actual value and the threshold value are displayed for comparison.

ROI

Indicates the return on investment. Click the ROI metric link to go to the Service Properties: Budget page for the selected service. The following stoplights appear:

- Red. The ROI value is <0 percent.
- Yellow. The ROI value is <15 percent.
- Green. The ROI value is ≥15 percent.

Utilization

Displays all key metrics that have the Utilization type. If values below the threshold are desirable, the following stoplights appear:

- Red. The utilization value is ≥ 100 percent of target threshold for any customer with the last three months.
- Yellow. The utilization value is ≥ 90 percent of target threshold for any customer with the last three months (if no red, then checks for yellow).
- Green. The utilization value is < 90 percent of target threshold for any customer with the last three months.

If values above the threshold are desirable, the following stoplights appear:

- Red. The utilization value is ≤ 70 percent of target threshold for any customer within the last three months.
- Yellow. The utilization value is ≤ 90 percent of target threshold for any customer within the last three months (if no red, then checks for yellow).
- Green. The utilization value is > 90 percent of target threshold for any customer with the last three months.

Click the Utilization metric link to go to the Metrics portlet prefiltered to display only the Utilization tagged key metrics for department subscriptions. The Metrics portlet is described in the Value metric section.

Incidents

This metric is determined based on the aggregation of open incidents for any customer subscribing to the service. The Incidents Threshold attribute on the subscription properties page stores the incident threshold value. The following stoplights appear depending on the number of open incidents:

- Red. The incidents are > 30 percent above their designated threshold.
- Yellow. The incidents are > 10 percent above their designated threshold (if no red, then checks for yellow).
- Green. The incidents are ≤ 10 percent above their designated threshold.

Click the Incidents metric link to go to the Service Incidents Analysis page. The portlet page houses the incident portlets that are part of the Service Dashboard drill downs, including:

New Incidents Trend

Provides information about the number of created or new incidents filed over a six month time period, including the current month. Incident data is retrieved from Service Desk using the Import Data job. You can also manually enter created incident data from the Subscription Properties: Key Metrics page. Select Created Incidents for the key metric type, and enter the target and actual values for each desired time period.

New Incidents Trend is presented in a grid with a histogram. The Customer column displays the department name and the Service column displays the service name to which the customer has subscribed. One portion of the histogram displays the total number of new incidents by customer for this service across the past six months (including the current month). The second portion displays the threshold line for the created incidents. The threshold line can be different for each customer and is part of the target values for each created incident row.

Open Incidents by Customer

Graphically Displays open incidents categorized by customer. Incident data is retrieved from Service Desk using the Import Data job. Data appears in columns and shows the total number of open incidents for this specific service for each customer. The X-axis displays customers and the Y-axis displays the number of incidents.

SLA

This metric is based on each subscribing customer service level agreement (SLA) violations. Anything above the threshold is considered undesirable. The following stoplights appear depending on the number of SLA violations:

- Red. A customer is over their threshold limit.
- Yellow. A customer is between 1 and their threshold limit. For example, if threshold is 3, then the numbers for a yellow stoplight can be 1, 2 and 3.
- Green. The value is 0 (zero) for all SLA violations for all customers.

Click the SLA metric link to go to the Customer Scorecard portlet which lists specific service metrics broken out by the customers for this service. Data appears as a grid showing stoplights and stack bars for certain metrics for all the customers of the selected service. Includes the following columns:

Customer

The name of the customer department subscribing to the service.

Charges

The subscription charges for the department.

Incidents

The total number of open incidents across all customers for this specific service. The following stoplights appear:

- Red. The incidents are >30 percent above their designated threshold.
- Yellow. The incidents are >10 percent above their designated threshold.
- Green. The incidents are ≤10 percent above their designated threshold.

Satisfaction

This column refers to the Customer Satisfaction Rating field on the subscription properties page. The following stoplights appear:

- Red. The customer is <50 percent satisfied.
- Yellow. The customer is <80 percent satisfied.
- Green. The customer is ≥80 percent satisfied.

SLA

This column refers to the SLA Violations Threshold field on the subscription properties page. The following stoplights appear:

- Red. The customer is over their threshold limit.
- Yellow. The customer is between 1 and their threshold limit. For example, if threshold is 3, then the numbers for a yellow stoplight can be 1, 2 and 3.
- Green. SLA violations are zero in this case.

Satisfaction

This metric derives its data from the Customer Satisfaction Rating field located on the subscription properties page. The value in the field is a percentage from 1 to 100. The following stoplights appear depending on the satisfaction rating:

- Red. A customer satisfaction is <50 percent.
- Yellow. A customer satisfaction is <80 percent (if no red, then checks for yellow).
- Green stoplight. A customer satisfaction is ≥80 percent.

Click the Satisfaction metric link to go to the Customer Scorecard portlet. This portlet is described in the SLA metric section.

Budget

The metric is determined based on the comparison of the actual costs and the planned costs. The comparison is made from the beginning of the year to the date of the latest actuals. Click the metric link to go to the service financial plan page which lists the cost plans for the specific service. The following stoplights appear for this metric depending on the comparison value:

- Red. The comparison value is >120 percent of the planned cost.
- Yellow. The comparison value is >100 percent of the planned cost (if no red, then checks for yellow).
- Green. The comparison value is <=100 percent of the planned cost.

Cost Recovery

This metric is based on recovered costs in comparison to the total costs for the service for the current year. The total costs are the actual costs for the service as calculated on the financial rollup page of service hierarchy. The recovered costs are calculated from the transactions listed on the chargebacks page and include all recovered costs for the current calendar year. Click the Cost Recovery link to refresh the page.

The following stoplights appear for this metric depending on the costs recovered:

- Red. The costs recovered are <80 percent of the total actual costs over the current year.
- Yellow. The costs recovered are <100 percent of the total actual costs over the current year (If no red, then checks for yellow).
- Green stoplight. The costs recovered are >=100 percent of the total actual costs over the current year.

Workload

The metric is based on the sum of the actuals, ETC for the past month, and the current month in comparison to the baseline work for the service over the same time. Any actuals, ETC, and baseline work of the child investments for the service are not included. Click the metric link to go to the effort rollup page of service hierarchy. The page displays how the allocations of the child investments roll up to the parent investment on the service hierarchy.

The following stoplights appear for this metric depending on the workload:

- Red. The workload is >120 percent of baseline work.
- Yellow. The workload is >100 percent of the baseline work (if no red, then checks for yellow).
- Green. The workload is <=100 percent of the baseline work.

Compliance

This metric aggregates all the service compliance factors. Click the metric link to go to the compliance page of service properties. The following stoplight definitions are based on the overall Compliance stoplight that aggregates all the compliance fields on the compliance page:

- Red. The Compliance attribute on the compliance page has a red stoplight.
- Green. The Compliance attribute on the compliance page has a green stoplight.

Assets and Applications

This stoplight represents a single aggregated compliance value for both the Assets and Applications compliance pages. Click the metric link to go to the service assets page which displays portlets for the assets and the applications assigned to this service.

The following stoplight definitions are based on the overall Compliance stoplight that aggregates all the compliance fields on the service assets page:

- Red. One or more of the aggregated asset or application compliance metrics are red.
- Yellow. One or more of the aggregated asset or application compliance metrics are yellow and none are red.
- Green. One or all of the aggregated asset or application compliance metrics are green and none are red or yellow.

Projects

This metric is based on the aggregation of the Status Indicator field across all projects associated with the service through its hierarchy.

The following stoplights appear depending on the project status:

- Red. A project associated to the service has a red status indicator.
- Yellow. A project associated to the service has a yellow status indicator.
- Green. A project associated to the service has a green status indicator.

Milestones

This metric is based on the completion date for key tasks that belong to projects associated with the service hierarchy. Any tasks that are tagged as Change Orders are not included.

The following stoplights appear depending on the key task milestones:

- Red. A key task that is due within a three month window (including the current month, the prior month, and the next month) is more than two weeks beyond the baseline finish date.
- Yellow. A key task that was due within a three month window is more than two days beyond the baseline finish date (if no red, then checks for yellow).
- Green. If there are no red or yellow stoplights, green appears.

Click the Milestones metric link to go to the service key tasks and milestones page. This page includes the Key Tasks and Milestones portlet that uses the key tasks data in CA Clarity PPM. This portlet only displays those key tasks that belong to the investments listed on the service hierarchy page.

The data is selected based on the following field values:

- Project Status. Approved
- Project Active Field. Selected
- Project Progress. Started, Not Started
- Task Status. Started, Not Started
- Task Percent Complete. Must be <100 percent

Data on the portlet appears as a grid displaying data for up to three months in the future, including the current month.

The following columns appear:

- Project. The project name attribute on the Project object. Clicking a project name link takes you to the project properties page.
- Name. The task name attribute on the Task object. Clicking a task name takes you to the task properties page.
- Start. The Start Date attribute on the Task object.
- Finish. The Finish Date attribute on the Task object.
- Status. The Status attribute on the Task object.
- % Complete. The percent completed attribute on the Task object.
- Gantt. The Gantt chart uses the current baseline and the finish date for the Gantt bars. The chart uses the same stoplight rule to color the Gantt chart as the Milestones stoplight on the Service Health portlet.

Risks

This metric is based on the aggregation of project risks and change order (task) risks. Project risk is an attribute on the Project object. Change order and task risks are attributes on the Task object. The data is pulled from the investments on the service hierarchy.

The following stoplights appear depending on the nature of the risks:

- Red. One or more high priority risks exist.
- Yellow. One or more medium priority risks exist.
- Green. No high or medium priority risks exist.

Click the Risks metric link to go to the service risks page which includes the Risks portlet. The portlet is similar to the Milestones portlet and includes risks for projects and change orders (tasks) that are part of the service hierarchy.

The data is selected based on the following field values:

- Project Status. Approved
- Project Active Field. Selected
- Project Progress. Started, Not Started
- Task Status. Started, Not Started
- Task Percent Complete. Must be <100 percent
- Task Type. Change Order
- Risk Status. Open, Work in Progress

The portlet displays data in grid format for up to three months into the future, including the current month. All the tasks associated to a project are displayed, including those tasks with change order associations.

The following columns are included:

- Project. The Name attribute on the Project object. Clicking a project name takes you to the project dashboard.
- Risk. The Name attribute on the Risk object. Clicking a risk name takes you to the risk properties page.
- Change Order. The Name attribute on the Change Order (Task) object. Clicking a change order name takes you to the task properties page.
- Priority. The priority attribute on the Risk object.
- Owner. The assigned owner for the risk. The Owner attribute on the Risk object.
- Impact. The Impact attribute on the Risk object. The following stoplights appear:
 - Red. The risk impact is high.
 - Yellow. The risk impact is medium.
 - Green. The risk impact is not high nor medium.

Probability

The Probability attribute on the Risk object. The following stoplights appear:

- Red. The risk probability is high.
- Yellow. The risk probability is medium.
- Green stoplight. The risk probability is not high nor medium.

Status

The value from the Status field drop-down (Open, Work in Progress, Resolved, or Closed).

Change Orders

The Task Finish Date attribute is used in this stoplight. Tasks labeled as “Change Orders” with the Task Type attribute are selected. Click the metric link to refresh the page. The following stoplights appear:

- Red. Any change order that is due within a three month window (starting from the current date, including one month before and one month after) is more than two weeks beyond the baseline finish date.
- Yellow. Any change order that is due within a three month window, is more than two days beyond the baseline finish date.
- Green. Any change order that is due within a three month window, is less than or equal to two days beyond the baseline finish date.

Customer Watch

The Customer Watch portlet shows the relationship of customers to the service by highlighting utilization, amount charged, incident count, and SLA violations. The data is presented in a bubble chart, with the larger customers to the upper right. The smaller customers shown to the lower left of the chart. The service owner can view all their subscribing customers in relation to pertinent service metrics.

Note the following about the bubble chart:

- Each bubble represents a customer department. Clicking a bubble takes you to the department subscriptions page that lists all customers subscribed to that department.
- The bubble size represents the incident count (that is, the total number of open incidents that the customer logged against the service). The higher the incident count, the larger the bubble.
- The X-axis displays charges (an attribute on the subscriptions page of service properties).
- The Y-axis displays utilization numbers based on the Utilization key metric type on the key metric type page.
- The bubble color represents SLA violations. A field for entry of SLA violations exists on the subscription properties page accompanied by a field to indicate the threshold. The customer manually enters the fields.

The following colors apply:

- Red. The customer is over their threshold limit.
- Yellow. The customer is not over their threshold. For example, if threshold is 3, then the numbers for using a yellow bubble can be 1, 2 and 3.
- Green. The SLA Violation field is 0 (zero) for the customer.

Project Analysis

The Project Analysis portlet displays data representing the different projects and change orders currently in progress. Anything that is canceled or completed is not used in the portlet. The service owner can manage the planned modifications for their services using this portlet.

The Project Analysis portlet displays data in a hierarchal grid format. The top level of hierarchy displays project names. Click a project name to go to the project properties page. When you expand a project name, the key task and change order names for that project are displayed on the second level. Click a change order name to go to the task properties page for the change order. Click a task name to go to the task properties page for that task.

The portlet includes the following columns:

Name

Displays the project, key task, or change order name.

Baseline Cost

Displays the project baseline cost or monetary value.

Actual Cost

Displays the actual costs for the project.

Cost Variance

Displays a percentage deduced by comparing the baseline cost and the actual cost.

Gantt

Displays the Gantt chart graphic for the project or the task. The Gantt bars are colored based on the lateness of the task or proximity of the task to its completion date. They are blue until they are late. Once considered late, they appear in red.

Cost Analysis

The Cost Analysis portlet compares actual costs with planned costs for the service. The portlet provides the service owner current information about the service budget with regard to the actual cost for delivering the service. Data appears in stacked columns, one for actuals and one for planned costs. The X-axis displays the past six months and the Y-axis displays cost amounts.

Provider Dashboard

The Provider Dashboard is available on the Department object and shows data for departments marked as providers. Includes multiple portlets with drill downs that highlight customer statistics, delivery of services, cost of delivering services, and future service requests. An individual provider department manager or high-level IT management use the dashboard.

Using the following portlets, the department managers can view the aggregate of their services:

- Customer Watch
- Project Analysis
- Cost Analysis
- All Services

Customer Watch

The Customer Watch portlet shows the relationship of subscribing customers with the services that the provider department owns. The portlet highlights utilization, amount charged, incident count, and SLA violations. This data is presented in a bubble chart. The larger customers appear to the upper right and the smaller customers to the lower left.

Note the following about the bubble chart:

- Each bubble represents a customer that subscribes to a service owned by this provider department.
- The Y-axis displays the number of services. Each customer department includes a list of services as part of the subscriptions. The count also includes the sub department services.
- The X-axis displays the subscription charges.
- The data for the bubbles is across all the services that the customer subscribes to and supported by the provider department. For incidents and charges, the data is summed for all the services.
- The following logic is used for coloring the SLA Violations stoplight:
 - Red. Any subscription has a red stoplight.
 - Yellow. Any subscription has a yellow stoplight.
 - Green. No red or yellow stoplight.

Project Analysis

The Project Analysis portlet displays data representing the different projects and change orders currently in progress. The portlet is similar to the Projects Analysis portlet on the Service Dashboard except for the following differences:

- You can filter by project, project manager, or service
- The column names include: Name, Service, Baseline, Actual, CV, and Gantt
- Any sub department services are also included

Cost Analysis

The Cost Analysis portlet compares actual costs and planned costs for the services the department provides. The portlet provides the department manager with access to current information about the services budget with regard to the actual cost for delivering the services. The portlet is similar to the Cost Analysis portlet on the Service Dashboard. They vary in the data aggregated across all services the provider department supports and includes all sub department services.

All Services

The All Services portlet contains a list of metrics with a stoplight to indicate the status for each metric. The IT executive or manager can quickly determine the service areas. The areas include over set thresholds (red), requiring a watch (yellow), and running smoothly (green). Includes sub department services, if any.

The All Services portlet on the Department object is similar to the Service Health portlet on the Service object except for the following differences:

- The provider department can own multiple services.
- The provider department can include any sub department services.
- All the stoplights are aggregated across all services that the provider department owns.

The following is a list of portlets that you can drill down through the metrics in the All Services portlet. The portlets are different from the drill-down portlets accessible from Service Health on the Service Dashboard.

Metrics

Click the Value or Utilization metric link to access the portlet. The portlet displays key metrics data as a list by service (prefiltered to display either Value or Utilization key metric type data only). The provider department owns the services.

Service ROI

Click the ROI metric link to access the portlet. The portlet is a grid showing ROI metrics for each service that the provider department supports. Shows all services owned by departments that you as the current user manages (and all of their sub departments).

Data is displayed in a grid and includes the following columns:

Name

The Name column uses every service name that the provider department owns, provided the service is active and within the start and retirement period.

ROI

The ROI column refers to the Planned ROI field on the Service Properties: Budget page for an individual service.

NPV

The net present value or the NPV attribute for the Service object.

Planned Cost

The Planned Cost attribute on the Service object.

Planned Breakeven

This field refers to the Planned Breakeven date field on the budget page of service properties page for an individual service.

Status

The following stoplights appear based on the Planned ROI percentage on the budget page of service properties for the specific service:

- Red. The ROI value is <0 percent.
- Yellow. The ROI value is <15 percent.
- Green. The ROI value is >=15 percent.

New Incidents Trend

Access this portlet by clicking the Incidents metric link. The portlet displays the total number of the incidents that the customer creates for all the services. Services are the ones that the provider department has owned in the past six months (starting with the current date).

Open Incidents by Customer

Access this portlet by clicking the Incidents metric link. The portlet displays the total number of open incidents for all services the provider department owns, for each subscribing customer.

Budget Analysis

Access this portlet by clicking the Budget metric link. The portlet shows the actual and planned costs for each service the provider supports. Data is displayed in a grid and includes the following columns:

Service

The Service Name attribute on the Service object. Clicking a service name takes you to the service budget page.

Actual Cost

The Actual Cost attribute on the Service object.

Planned Cost

The Planned Cost attribute on the Service Object.

Variance

The difference between Planned Cost and Actual Cost.

Status

The following stoplights appear based on the comparison value of the actual costs and the planned costs. The costs are considered from the beginning of the year to the date of the latest actuals.

- Red. The comparison value is >120 percent of the planned cost.
- Yellow. The comparison value is >100 percent of the planned cost.
- Green. The comparison value is <=100 percent of the planned cost.

Workload Analysis by Service

Access this portlet by clicking the Workload metric link. The portlet shows the actual work and remaining work compared to baseline work for each individual service that the provider department supports. Data is presented in a grid and includes the following columns:

Service

The Service Name attribute on the Service object.

Actual Work

The total amount of work in number of hours.

ETC

The ETC attribute (in number of hours) on the Service object.

Baseline Work

The Baseline Work attribute (in number of hours) on the Service object.

Service compliance

Access the portlet by clicking the Compliance metric link. The portlet shows each individual service for the provider department and their compliance stoplights. Used with the compliance stoplight on the Service Health portlet on Service Dashboard instead. Data is displayed in a grid and retrieved from the individual compliance pages for each service. The following columns appear:

- Name. The Service Name attribute on the Service object. Clicking a service name link takes you to the compliance page for that service.
- License Compliance. The overall Compliance stoplight on the compliance page for that service.

Key Tasks and Milestones

Access this portlet by clicking the Milestones metric link. The data on this portlet is based on the projects associated to each service hierarchy that the provider department owns. The following columns are displayed:

Service

Displays the service name attribute for each service that the provider department supports.

Project

Displays the project name on the service hierarchy.

Name

Displays the key task or milestone name for the project.

Start/Finish

Displays the start and finish dates for the task or milestone.

Status

Displays the status of the key task or milestone.

% Complete

Displays the completion status of the key task or milestone expressed as a percentage.

Schedule

Displays the project schedule.

Risks

Access this portlet by clicking the Risks metric link. The data on this portlet is based on the projects and key tasks associated to each service (through the hierarchy) that the provider department supports. The Service Name attribute on this portlet refers to each service that the provider department supports.

Assets

Access this portlet by clicking the Assets and Applications metric link. The data for this portlet is retrieved from the Asset object. Data is selected based on the following field values:

- Asset Status. Approved
- Asset Progress. Started, Not Started

Data appears in grid format and includes all assets associated with the service through the hierarchy. The following columns appear on this portlet:

Name

The asset name attribute on the Asset object.

Category

The asset category.

Status

This stoplight is based on the Status Indicator stoplight on the asset properties page, aggregated across all assets on the service hierarchy. The following determines which stoplight appears:

- Red. One or more red stoplights.
- Yellow. One or more yellow stoplights.
- Green. No red or yellow stoplights.

Regulatory Compliance

This stoplight is based on the Regulatory Compliance stoplight on the compliance page of asset properties, aggregated across all the assets on the service hierarchy. The following determines which stoplight appears:

- Red. An asset regulatory compliance metric is a red stoplight.
- Green. No red stoplight.

License Compliance

This stoplight is based on the License Compliance stoplight on the compliance page of asset properties, aggregated across all the assets on the service hierarchy. The following determines which stoplight appears:

- Red. An asset license compliance metric is a red stoplight.
- Green. No red stoplight.

Maintenance Compliance

This stoplight is based on the Maintenance Compliance stoplight on the compliance page of asset properties, aggregated across all the assets on the service hierarchy. The following determines which stoplight appears:

- Red. An asset maintenance compliance metric is a red stoplight.
- Green. No red stoplight.

Risk

The Risk attribute on the Asset object.

Applications

Click the Assets and Applications metric link to access the Applications portlet. The portlet is identical to the Assets portlet except that all the data is retrieved from the Application object based on the service hierarchies.

Customer Dashboard

The Customer Dashboard available on the Department object shows data for departments selected as customers. Includes multiple portlets with drill downs. An individual customer department manager or a business relationship manager use the dashboard.

The department manager can view the statistics about the following:

- Service delivery
- Utilization
- Cost of services subscribed to
- Current requests for service change
- Specific charges to the customer for using the service.

The following portlets are available:

- Subscription Watch
- Project Analysis
- Customer Charge Analysis
- All subscriptions

Subscription Watch

The Subscription Watch portlet shows services subscribed based on utilization, amount charged, incident count, and SLA violations.

The department manager can view the most expensive subscriptions, and utilization and number of SLA violations. The data is presented in a bubble chart. Each bubble represents a service.

Click a bubble to go to the Service Dashboard. Mouseover a bubble to display the service name.

Project Analysis

The Project Analysis portlet displays data representing different projects and change orders. Such projects and orders would be currently in progress for all the services subscribed by the department. The portlet is similar to the Project Analysis portlet on the Service Dashboard, except that it includes an extra Service attribute. The attribute lists the service name that a project or change order is associated with through the hierarchy.

Customer Charge Analysis

The Customer Charge Analysis portlet compares actual costs and planned costs for each service over a six month window. The portlet provides the department manager with access to current information about the service budget with regard to the actual cost for delivering the service. Data is displayed in a column graph with a vertical column for each service. The X-axis displays cost amounts and the Y-axis displays service names based on services that the customer is subscribed to.

All Subscriptions

A subscription is a service to which the customer department is subscribed and is being charged to use.

The All Subscriptions portlet is similar to the Service Health portlet on the Service Dashboard. Contains a list of metrics with a stoplight to indicate the status for each metric.

Unlike the Service Health portlet, there is no Management section for this portlet. The department manager can quickly determine areas of their subscriptions that are over set thresholds (red), requiring a watch (yellow), and running smoothly (green). The display includes one or more services that the customer department has subscribed to.

The following describes the metrics and the portlets that All Subscriptions metrics link to.

Value

Click this link to access a list of key metrics by service and all such services are included that the customer is subscribed to. Click this link to go to the Metrics portlet prefiltered by the Value metric type.

Utilization

Click this link to access the Metrics portlet prefiltered by the Utilization metric type.

Incidents

Click the Incidents link to access the following portlets on the customer incidents analysis page:

New Incidents Trend

The New Incidents Trend portlet is the same as the New Incidents Trend portlet on the Service Dashboard. Except that the data displayed being the total number of new incidents by customer. The data applies to all services subscribed in the past six months (starting from the current date).

Customer Open Incidents by Service

The portlet is the same as the Open Incidents portlet on the Service Dashboard. Except that the data displayed is the total number of open incidents for all services that the customer subscribes to.

SLA

Click the SLA link to access the Scorecard portlet. The portlet lists service names and includes specific service metrics and stoplights (charges, incidents, satisfaction, SLA) for each service the customer subscribes to.

Satisfaction

Click the link to access the Scorecard portlet.

Projects

Click to refresh the page.

Milestones

Click the link to display the Key Tasks and Milestones portlet. The portlet is similar to the Key Tasks and Milestones portlet accessible from the Service Dashboard. Except that the data displayed is based on the projects associated with each service hierarchy that the customer subscribes to. Therefore, multiple services instead of a single service. The Service Name attribute on the portlet refers to service names from the provider department.

Risks

Click this link to display the Risks portlet. The portlet is similar to the Risks portlet accessible from the Service Dashboard. Except that the data displayed is based on the projects associated with each service hierarchy that the customer subscribes to. Therefore, multiple services instead of a single service. The Service Name attribute on this portlet refers to service names from the provider department.

Customer Portal

You can view the Customer Portal in the capacity of a business relationship manager for at least one customer department.

The Customer portal is designed to let the business relationship manager get up-to-the-minute information about all the customers supported and the serviced.

The portlet comprises the following:

- Subscription Delivery
- Subscription Requests
- Subscription Charges

You can access the Customer portal from IT Service Management.

Subscription Delivery

The subscription delivery page contains the following portlets:

Subscription Watch

Displays a bubble chart showing subscribed services by highlighting utilization, amount charged, incidents count, and SLA violations. The business relationship manager can see subscriptions that cost the most, and utilization and number of SLA violations. This portlet includes all the subscribed services for all the customers of the business relationship manager. Each bubble on the graph represents a service. Clicking a bubble drills you down to the Service Dashboard. The Y-axis displays the number of customers that the business relationship manager has been assigned to. This count includes the sub departments for the customers. The X-axis displays the subscription charges.

Scorecard

Displays a grid showing stoplights for certain metrics. Displays a list of customers that the business relationship manager manages and aggregates the stoplights based on all the subscriptions of those customers. Click a customer name to access the Customer Dashboard.

Metrics

Displays utilization key metrics data from each customer subscription. Lets the business relationship manager view the metrics their customers are tracking. Also, if any of the metrics have over set thresholds. Click a customer name to access the Customer Dashboard.

Action Items

Supports the use of the customer portal as the default overview page. An out-of-the-box action items portlet.

Subscription Requests

The subscription requests page contains the following portlets:

Ideas

Pulls pertinent idea statistics together across all the services to which the business relationship manager customers subscribe. Ideas are retrieved based on the user belonging to one of the departments with which the business relationship manager is associated. Each idea displayed is associated to a service to which the department subscribes. The attributes in the portlet derive their information from the following objects:

- Idea
- Service
- Department

Data appears on this portlet as a grid and includes the following columns:

Priority

Displays the priority from the Idea object. The following are the stoplights:

- Red. A high priority idea.
- Yellow. A medium priority idea.
- Green. A low priority idea.

Service

Displays the service name listed on the idea hierarchy. The Service Name attribute is associated with the Service object.

Idea Subject

Displays the idea subject from the Idea object.

Department

Displays the department that the user belongs to.

Estimated Benefit

Displays the estimated benefit from the Idea object.

Estimated Cost

Displays the estimated cost from the Idea object.

Submitted Date

Displays the submitted date from the Idea object.

Approval Date

Displays the approval date from the Idea object.

Project Analysis

Displays the data representing the different projects and change orders currently in progress for the services subscribed by all of the business relationship customers. Data is presented in a hierarchal grid. The top-level displays project names.

Click a project name takes to access the project properties page. If you expand a project (click the plus icon before it), tasks are listed below the project.

Click a task name to access the task properties page. The Service attribute displays the service name that a project or change order is associated with through the hierarchy.

Subscription Charges

The subscription charges page contains the following portlets:

Department Invoices

Displays a view of the current invoice amount for each of the business relationship managers customers in the current and prior fiscal period. The attributes in the portlet derive their information from the following objects:

- Department
- Invoice

Data is displayed in a grid format and includes the following columns:

Name

Displays the customer department names from the Department object that the business relationship manager supports. Click a customer name to access the Consumer Dashboard.

ID

Displays the invoice number from the Invoice object. Click an invoice number to access Invoice from the customer department.

Invoice Date

Displays the invoice date from the Invoice object.

Amount

Displays the invoice amount from the Invoice object.

Period

Displays the fiscal period for which the invoice includes charges.

Status

Displays the status from the Invoice object.

Charges by Service Over Time

Displays all the services to which the business relationship manager customers subscribe. Also, the total invoice amounts aggregated for each service over the last six months. The data is displayed as a line graph with one line per service. For example, if a business relationship manager has three services that the customers use, three lines appear with plotted spots for the specified time period. The X-axis displays months and the Y-axis displays cost amounts.

Invoice History

Provides a snapshot of invoice charges for each customer over a six month time period. The charges are aggregated across all services subscribed by the customer. The data is displayed as a line graph with one line per customer. For example, if a business relationship manager has three customers, three lines appear with plotted spots for the specified time period. The X-axis lists the six months backwards, starting from the current date. The Y-axis displays the cost amounts.

Provider Portal

You can view the Provider Portal in the capacity of a department manager with at least one provider department. Approve all invoices before the data appears in the financial portlets.

The portal is available as a link in IT Service Management. Designed to provide the IT executive or manager with up-to-the-minute information about services and customers across multiple provider departments.

The portlets have the following:

- Overview
- Customers
- Incidents
- Projects/Change Orders
- Workload
- Financials

Note: A case of an overlap: An IT executive or manager handles a department and a service. The service is a part of the hierarchy of a second service that the same IT executive or manager handles. Both services are counted.

Overview

The Overview page contains the following portlets:

Service Portfolio

Displays a high-level overview of total ROI for specific areas of a service. The information in the portlet relates to how service areas are aligned with the business. Includes all services owned by departments and sub departments that the current user manages. Data is displayed as a bubble chart. Each bubble represents one service type. Click a bubble to access the Service Dashboard.

The following describes how data is displayed in the bubble chart:

- The X-axis displays service ROI percentages. The ROI percentage is an attribute on the Service object. Actual and recovered costs are also attributes on the Service object.
- The Y-axis displays the business alignment numbers. The numbers are based on the Business Alignment attribute on the Service object. The input of a number to indicate the degree of alignment with overall organizational goals. The stoplights for the values drives the coloring on the background colors.
- The size of a bubble represents the actual cost for the service.
- The bubble color represents the service type. The following service types are supported as a default:
 - Red. Mission Critical
 - Yellow. Infrastructure
 - Green. Revenue Generation Support
 - Blue. Maintenance
- The following background color represents varying levels of alignment:
 - Red. Poor alignment
 - Yellow. Good Alignment
 - Green. Excellent Alignment

Action Items

Supports the use of the Customer Portal as the default overview page. An out-of-the-box action items portlet that exists elsewhere in the product.

All Services

Displays a list of metrics with a stoplight to indicate status for the metric. The IT executive or manager can determine areas of services that are over set thresholds (red), requiring a watch (yellow), and running smoothly (green).

Note: The portlet differs from the Service Health portlet on the Service Dashboard. The IT executive or manager can view multiple departments and their services, rather than merely one department and its services. The following metrics are included in the portlet:

Value

Click to access the Metrics portlet prefiltered to display key metrics of the Value type.

ROI

Click to access the Service ROI portlet. The stoplight is aggregated as follows:

- Red. Any service represented has a red stoplight.
- Yellow. Any service represented has a yellow stoplight.
- Green. Any service represented has a green stoplight.

Utilization

Click to access the Metrics portlet prefiltered to display key metrics of the Utilization type.

Incidents

Click to access Incidents on the Provider Portal.

SLA

Click to access the Customer Scorecard portlet. The portlet is a link with specific service metrics aggregated across customers.

Satisfaction

Click to access the Customer Scorecard portlet.

Budget

First calculate the aggregate values for the services represented to stoplight the metric. Then apply the stoplight rules defined for the Service Health portlet on the Service Dashboard. Click the metric link to go to the Budget Analysis portlet. The portlet displays the same data as when accessed from the Provider Department – Budget metric link.

Cost Recovery

First calculate the aggregate values for the services represented to stoplight the metric. Then apply the stoplight rules defined for the Service Health portlet on the Service Dashboard. Click the metric link to refresh the page.

Workload

First calculate the aggregate values for the services represented to stoplight the metric. Then apply the stoplight rules defined for the Service Health portlet on the Service Dashboard. Click the metric link to go to the Workload Analysis by Service portlet.

Compliance

Click to access the Service Compliance portlet. The stoplight is aggregated as follows:

- Red. Any service represented has a red stoplight.
- Yellow. Any service represented has a yellow stoplight.
- Green. Any service represented has a green stoplight.

Assets and Applications

Click to access the service assets page, which includes portlets for Assets and for Applications.

Projects

Click to refresh the page. The stoplight shows the overall status of the projects. Such projects are associated with services that the IT manager is in charge of across all provider departments that they own.

Milestones

Click to access the Key Tasks and Milestones portlet.

Risks

Click to access the Risks portlet.

Change Orders

Click to refresh the page. The stoplight shows the overall status of all change orders inside or outside of a project. The projects are associated with all the services that the IT manager is in charge of across all provider departments that they own.

Customers

The Customers page contains the following portlets:

Value

Displays value key metrics data on each customer subscription. Lets the IT executive or manager view the metrics that their subscribing customers are tracking, and if any of the metrics are over set thresholds.

Click a customer name link from this portlet to go to the department Customer Dashboard. Click a service name link to go to the Service Dashboard. Click a metric name to go to the key metric properties page.

Utilization

Displays utilization key metrics data on each customer subscription. Lets business relationship managers view the metrics that their subscribing customers are tracking. Also, if any of the metrics are over set thresholds.

Customer Scorecard

Displays a grid showing stoplights for certain metrics. Displays a list of services that the IT executive or manager manages. Also, aggregates the stoplights based on all the services the IT executive or manager owns.

Incidents

You can track incidents using external systems including CA Unicenter Service Desk. The incident data can be manually entered in CA Clarity PPM, imported through XOG, or the Import Unicenter Service Desk Data job.

The Incidents page contains the following portlets:

Open Incidents by Service

Displays the number of open incidents for each service that the IT executive or manager own. The data is imported from Service Desk. Data appears in this portlet as a pie chart. Each pie slice represents a service. The width of the pie represents the number of incidents for that service. Mouseover a pie slice (a service) to view the number of open incidents for that service.

Services Incident Watch

Displays the relationship between individual services with number of subscribing customers and their incident counts and SLA violations. The data comes from all the services owned by the IT executive or manager. The portlet displays a bubble graph with each graph bubble representing one service. Only those services are included that this provider supports. The following provides details about the graph:

- The X-axis displays charges, part of the Subscriptions object aggregated across customers for the service.
- The Y-axis displays number of customers subscribing to the service.
- The bubble size represents incident count (that is, all open incidents for that service). The higher the incident count, the larger the bubble. This number is aggregated across all customers using the service.
- The bubble color represents SLA violations. The violation is determined based on the subscribing customer SLA violations aggregated for each service. This information is derived from the SLA violation fields on the Subscription Properties: Main page. The customer manually enters the field values.

The following stoplights appear:

- Red. The customer is over their threshold limit.
- Yellow. The customer is not over their threshold. The customer is between 1 and their threshold limit. For example, if threshold is 3, then the numbers for using a yellow bubble can be 1, 2 and 3.
- Green. The number of SLA violations is 0 for the customer.
- When you mouseover a bubble, the service name that this bubble represents, appears.

Open Incidents by Customer

Displays the number of open incidents for each customer across all the services that the IT executive or manager owns. The data is imported from Service Desk. Data in the portlet appears as a pie chart. Each pie slice represents a customer department and the pie width represents the number of incidents for that customer department. Mouseover a pie slice (a customer) to view the number of open incidents for that customer.

Open and Closed Incidents

Compares the number of open incidents to the number of closed incidents for a specific time period. The data comes from all the services that the IT executive or manager owns. The portlet displays a column graph with two columns for each time period. One column represents open Incidents and the other represents closed incidents. The X-axis displays the past six months starting from the current date. The Y-axis displays the number of incidents.

Projects/Change Orders

The projects/change orders page contains the following portlets for services owned by IT executives and managers:

Project Analysis

Provides a set of stoplights and other data representing the projects and change orders in progress for the services. The analysis is similar to the Project Analysis portlet on the Service Dashboard. Except that data in the portlet can include multiple departments comprising multiple services. The Service attribute represents a service name that a project or change order is associated to (through the hierarchy).

Risks

Displays the Project and Change Order risks for the projects listed on the service hierarchy for each of the services. The portlet is also accessible from the Service Dashboard through the Risks metric. The only difference is that on the Provider Portal, the portlet handles multiple departments with multiple services.

Key Tasks and Milestones

Displays the key tasks that belong to the projects listed on the service hierarchy for each of the services. The portlet is also accessible from the Service Dashboard through the Milestones metric. The only difference is that on the Provider Portal, the portlet handles multiple departments having multiple services.

Workload

The workload page contains the following portlets:

OBS Resource Aggregation

Displays specific data about resource demand for OBS structures.

Time Spent by Service Type

Compares number of hours worked across specific monthly time periods. The service type breaks the data for the IT executive or manager to view the service areas receiving the most resources. The data is retrieved from the Service Type attribute on the Service object and the total number of days for each resource. The resource must be assigned to services of that type or to any investment on the service hierarchies, as the hierarchy allocation percentage scales. Stacked columns are displayed in this portlet and each stack in a column represents a service type. The X-axis displays time periods in months (three months before the current date and three months after the current date). The Y-axis displays the number of hours (calculated using actuals and remaining allocations).

Employee/Contractor Time Comparison

Displays a histogram detailing the differences between the dollar amounts spent for outside contractors in relation to the dollar amounts spent for internal workers. The histogram shows to an IT manager how their labor is being handled across all services that they own. The histogram displays two columns per time period. One column displays total number of hours for all employee resources working on a service, or the investments associated to the service hierarchy. The hierarchy percentages scale the columns. The other column displays total number of hours for all contractor resources that are assigned to a service. The total number of hours is the resource assignment. The Type attribute on the resource object designate contractors and employees. The X-axis displays time periods in months (three months before the current date and three months after the current date). The Y-axis displays the number of hours (calculated using actuals and remaining allocations).

Financials

The financials page contains the following portlets:

Service ROI

Displays ROI, NPV, and other pertinent data points for each service the IT executive or manager handles. The portlet is also accessible from the Provider Dashboard through the ROI metric. The only difference is that, when accessed from the Provider Portal, this portlet handles multiple departments that can have multiple services.

Portfolio Budget Status

Displays specific time periods and tracks them against planned and actual costs. The IT manager can view three separate budget years to compare performance. Data appears in a grid and includes the following columns:

Budget Period

Displays the entire budget period including past year, current year, and next year.

Budget Total

Displays the total planned costs aggregated across all services the IT manager owns.

Performance

Displays the total services cost aggregated across all services the IT manager owns.

Budget Status

Displays the budget status (Approved or Not Approved).

Recovery Statement

Displays all the chargeback dollars that are recovered. Also, calculates any variance between total service cost and monies received. A list of services displays with their charge amounts per quarter. Data is displayed in a grid and includes the following columns:

Service

Displays the service name that the IT manager owns. Click a service name to access the Service Dashboard.

Cost

Displays the total cost for a service.

Charges

Displays the amount charged for delivery of the service.

Variance

Displays the difference between cost and charges.

Variance%

Displays the variance amount expressed as a percentage of cost.

Status

Displays the status indicated by the following stoplights:

- Red. The variance is <20 percent.
- Yellow. The variance is <5 percent.
- Green. No red or yellow stoplight values.

Portfolio Budget Summary

Displays a line graph comparing total service cost with actual cost across quarters. The planned costs on the services associated with the departments that the IT manager handles are aggregated. Displays them in relation to the actual amount spent. The line graph displays one line for planned costs and a second line for the actual amounts. The X-axis displays time periods in quarters (for the current year). The Y-axis displays costs.

Appendix A: BRM Accelerator Setup

BRM Accelerator portlets is an add-in that is part of the IT Service Management module. To access and use the BRM Accelerator, perform some additional setup tasks.

The Accelerator: Business Relationship Manager add-in is an optional component that your CA Clarity PPM administrator can apply.

How to Set up BRM with Required Attributes

Perform additional setup tasks to view certain attributes as part of the BRM Accelerator add-in. Although the attributes become available with the add-in, they can be viewed only after your CA Clarity PPM administrator sets them up using Studio.

Note: To view data in the BRM Accelerator portlets, set up additional fields or attributes for specific objects using Studio.

Contact your CA Clarity PPM administrator, or See the *Administration Guide* for more information.

The following objects fields require BRM setup:

- [Service Object](#) (see page 99)
- [Key Metric Object](#) (see page 100)

Service Object

Set up the following fields for the service object using Studio:

Service Type

The type of service. Add the field to the service properties page. The service types are defined in a lookup table that includes the following values by default:

- Infrastructure
- Maintenance
- Mission Critical
- Revenue Generation Support

Note: The Service Type field is a standard search field. You can use this field to search on services by their type attribute.

Business Alignment

Add the Business Alignment field to the service properties page. The page indicates how well the service aligns to the business goals of the organization. The field takes a numerical value from 1 to 100. The standard stoplight is named “Alignment”. The Alignment stoplights indicate the following:

- Red. The value in the Business Alignment field is between 0-33.
- Yellow. The value in the Business Alignment field is between 33-66.
- Green. The value in the Business Alignment field is between 66-100.

Key Metric Object

Set up the following fields on the Key Metric object, a child of the Subscription object.

Threshold Indicator

Add the Threshold Indicator field to the Create Keymetric, Edit Keymetric, and Keymetric list pages. The field appears as the Higher Values Better check box. If the check box is selected, the values above the threshold are acceptable. If the check box is cleared, the values below the threshold are desirable.

The Higher Values Better check box indicates how the stoplights are determined for a specific key metric field. For example, if you create a new key metric named Number of Suspended Users and clear the check box. Indicates to the data provider for the Value Metrics portlet that values below the threshold are better.

Type

The Type field appears on the Create Keymetric, Edit Keymetric, and Keymetric list and filter pages for a department subscription. A standard text field with drop-down selection from a lookup table. The lookup table includes the following values by default:

- Value
- Utilization
- Closed Incidents
- Created Incidents
- Other

The Type field categorizes the custom metrics for BRM Accelerator portlets. For example, the Metrics portlet uses values labeled with the Value category when you select the Value link in the Service Health portlet on the Service Layout: Dashboard page.

Service Desk Integration

The BRM Accelerator provides visibility into financial, resource, and service delivery metrics for services and investments that IT departments manage and customer departments use. Some of the data displayed in BRM Accelerator portlets include information and counts about incidents. You can track the incidents using external systems including CA Unicenter Service Desk. The incident data is manually entered in CA Clarity PPM, imported using XOG, or the Import Unicenter Service Desk Data job.

How Incidents Portlets are Populated

The Import Unicenter Service Desk Data job calls a process that uses a GEL tag to communicate with the Service Desk database to retrieve incident data. The job runs on a schedule and performs the following:

- Retrieves customer-by-service incident counts from Service Desk.
- Infers the correct customer and service in CA Clarity PPM.
- Stores the counts in attributes on the Subscription object in CA Clarity PPM.

Each time the job runs, it replaces the previous values. When the integration method is used, Service Desk is the system-of-record for incidents. CA Clarity PPM is the system of record for the targets (or thresholds) for acceptable incident counts that are shown in some BRM Accelerator portlets.

For the job to run successfully, the following parameters must be correct:

- The Service Desk Contact ID matches a CA Clarity PPM username.
- The Service Desk incident configuration item matches a CA Clarity PPM Service ID.
- The incident affected User is a CA Clarity PPM user.
- The CA Clarity PPM user definition includes the OBS Department association to the same department that is subscribing to the service that the user is reporting against in Service Desk. When importing incident data, the association lets the system know to look for the match between Service Desk contact ID and CA Clarity PPM username.

Relevant CA Clarity PPM Fields

CA Clarity PPM stores the incident data as part of the Key Metrics object (child of the Subscriptions object). This object has general attributes of code, name, type, and start and finish dates with a target value and an actual value. The Service Desk data is displayed in monthly increments. Only the past six months plus the current month of Service Desk incident information is used. Two key metrics types exist for incidents: Created Incidents and Closed Incidents. Open incidents are handled separately as only a total count of open incidents is needed.

Created Incidents

Customer-created incidents by service are stored in CA Clarity PPM as key metrics for the appropriate subscription. New subscriptions are created, if necessary, to hold this information.

Key metrics can represent both time-varying actual values and time-varying target values. The data import from Service Desk populates the actual values whereas you need manually enter, or otherwise import, the target values. The minimum granularity of this data in CA Clarity PPM is by month, because portlets are defined to show it at that level.

All created incidents display the following attributes in CA Clarity PPM:

Key Metric ID or Name

The ID or name of the created incident.

Note: The integration updates the key metric with the expected ID, not necessarily the expected name.

Actual Value

The count of incidents based on when they were created (that is, by their open date or time). Includes closed incidents from that date or time.

Closed Incidents

Closed Incidents by customer by service are also stored as key metrics. All closed incidents display the following attributes:

Key Metric ID or Name

Displays ID or name of the closed incident.

Actual Value

Displays the count of incidents by when they were closed (that is, by their close date or time).

Open Incidents

The count of open incidents by customer by service is stored in a scalar (that is, not time-scaled) format. The count is stored in the No. of Incidents attribute on the Subscription Properties: Main page. The target value is also a scalar attribute shown on this page (Incidents Threshold).

The open incidents count is a snapshot (as of the last time the integration was run) of the number of incidents that do not have a close date or time.

Relevant Service Desk Fields

The following lists the Service Desk fields that the Import Unicenter Service Desk Data job uses for calculations for the incident portlets. Not all the fields are stored in CA Clarity PPM. Certain fields are necessary only for matching up Service Desk values with CA Clarity PPM objects. The Service Desk values are retrieved from the Incident, Request, and Problem objects. The objects contain the same fields on their details pages. The database schema, therefore, is virtually the same for each of the objects.

Tracking ID (Service Desk DBS ID)

The database unique ID from Service Desk. If differentiating already-counted incidents and new incidents is required, the logic that counts incidents uses the tracking ID field.

Reported By

The user name in Service Desk entered in the System Login field. The Reported By field determines the CA Clarity PPM user. The user name requires matching with the CA Clarity PPM user name. Based on the CA Clarity PPM username, the job locates the specific CA Clarity PPM department.

Open Date/Time

The create date for the incident in Service Desk. The open date and time are necessary for time variance calculations.

Close Date/Time

The close date for the incident in Service Desk. The close date and time are necessary for time variance calculations.

Configuration Item

The configuration item in Service Desk. This field associates the Service Desk object (in this case, incident) with the service in CA Clarity PPM. Administrators require entering manually the CA Clarity PPM service names into the Service Desk lookup table for configuration items. Thus, a configuration item name in Service Desk matches with the CA Clarity PPM service name to assign an incident.

Relevant BRM Portlets

The following lists and describes BRM Accelerator portlets that use the data imported from Service Desk and how they retrieve the data:

Service Delivery spotlight

This spotlight on the provider portal page is based on open incidents for all the customers that subscribe to the service. The data is retrieved as follows:

- a. Each customer open incident data is considered.
- b. The open incident data is compared to the incident threshold on their subscriptions.
- c. The spotlight is determined. Then, compared across each subscribing customer stoplights to see what the overall spotlight is.

Customer Watch portlet

This portlet on the Service Layout: Dashboard page is a bubble chart that uses the number of open incidents for one customer subscribing to a service. The portlet retrieves this data using an individual customer open incident count for a specific service.

New Incidents Trend portlet

This portlet on the Service Layout Dashboard page and the provider dashboard page of department layout uses created incidents logged by all the customers subscribing to a specific service. The portlet gathers the data using the created incidents for the past six months. Also considers the current month for each customer that has a subscription to the service. The portlet also shows a threshold line, based on manual entry of a target value for the created incident key metrics. Only one target line appears that aggregates the target values for all customers.

Open Incidents by Customer portlet

This portlet on the service incidents analysis and provider portal pages uses open incidents by customer for a specific service. The portlet derives the data by selecting the open incidents that a customer logs against any service that the provider department includes as an investment.

Customer Scorecard portlet

If the open incident count is beyond the threshold on the subscription definition, the Customer Scorecard portlet shows a spotlight for each customer per service. In alternative forms, the portlet shows the incident count in aggregate. The aggregate represents whether the customer has an incident count beyond threshold on any service or not).

Open Incidents by Service portlet

This portlet on the provider portal page uses open incidents for a specific service. The portlet derives this data by aggregating the open incidents for each customer that has a subscription to the service.

Services Incident Watch portlet

This portlet on the provider portal page uses open incidents per service. The portlet derives this data by aggregating the open incidents that customers have logged against each service that the provider department includes as an investment.

Open and Closed Incidents portlet

The portlet on the provider portal page uses created incidents and closed incidents across all services that the provider department has as an investment. The portlet retrieves the data by aggregating both created and closed incidents. The customers log such incidents against each service that the provider department includes as an investment.

Set up the Import Unicenter Service Desk Data Job

Before setting up the Import Data job:

- Create Contact IDs in Service Desk that match the user IDs for the BRM in CA Clarity PPM.
- Set up the CA Clarity PPM service names (against which the incidents are assigned) as configuration items in Service Desk.
- Create incidents in Service Desk and attach them to the configuration items and the affected end users or Contact IDs.

See the *Administration Guide* for more information.

Follow these steps:

1. Open the Personal menu, and click Reports and Jobs.
The list page appears.
2. Click the Import Unicenter Service Desk Data job.
The properties page appears.
3. Enter the following required parameters:

Unicenter Service Desk URL

Defines the URL for the Service Desk system from where the incident data is imported. The URL is the address of the Axis service for Service Desk.

Unicenter Service Desk Password

Defines the password for the Service Desk system from where the incident data is imported.

Unicenter Service Desk Username

Defines the user name for the Service Desk system from where the incident data is imported.

4. Specify when to run the job. You can run it immediately, or schedule it to run at a future date or time. Optionally, set recurrence.
5. Optionally, specify resources or groups to notify about failure or completion of job.
6. Save the changes.

Appendix B: Access Rights

This section contains the following topics:

[Service Access Rights](#) (see page 107)

[BRM Accelerator Access Rights](#) (see page 109)

Service Access Rights

Before you begin working with services, you must have the necessary access rights. If you require access to additional modules, contact your CA Clarity PPM administrator.

The following access rights are available to access, view, or edit services:

Service - Approve All

Allows resource to approve all instances of this object type.

Type: Global

Service - Create

Lets the resource create service. This access right includes the right to navigate to the service pages.

Type: Global

Service - Edit

Lets the resource edit only selected service. Includes the ability to delete the service.

Type: Instance

Service - Edit - All

Lets the user edit all Services. Includes the ability to delete Services, and the Service - View - All access right.

Type: Global

Service - Edit Access Rights

Allows resource to edit only selected service access rights.

Type: Instance

Service - Edit Access Rights - All

Lets the user edit the access rights for all Services. Does not include the Service - Navigate or Service - View access rights.

Type: Global

Service - Edit Allocation Information

Allows resource to edit chargeback rules only for selected service.

Type: Instance

Service - Edit Chargebacks Information

Allows user to edit chargeback rules for service.

Type: Instance

Service - Edit Chargebacks Information All

Allows user to edit chargeback rules for service.

Type: Global

Service - Modify Baseline

Allows resource to baseline only selected service. The access right requires to be granted with the Service - Edit access right.

Type: Instance

Service - Modify Baseline - All

Lets the resource baseline all services. The access right requires to be granted with the Service - Edit - All access right

Type: Global

Service - Navigate

Lets the user navigate to Service pages. The user requires additional access rights to view individual Services.

Type: Global

Service - Reverse Charges

Allows resource to reverse charges only for selected service.

Type: Instance

Service - View

Lets the resource view only the selected service.

Type: Instance

Service - View - All

Lets the user view all Services. Includes the Service - Navigate access right.

Type: Global

Service - View Allocations

Allows resource to view allocations only for selected service.

Type: Instance

Service - View Allocations - All

Allows resource to access chargebacks for all services.

Type: Global

Service - View Chargebacks Information

Allows user to view chargeback rules for service.

Type: Instance

Service - View Chargebacks Information All

Allows user to view chargeback rules for service.

Type: Global

Service Investment - Modify Baseline - All

Allows a resource to baseline all service investments. The access right also allows a resource to view the general properties and processes for service investments.

Type: Global

BRM Accelerator Access Rights

To work with the BRM Accelerator, you require the necessary access rights. If you find that you require access to additional modules, contact your CA Clarity PPM administrator.

The business relationship manager is assigned when defining the department properties. The business relationship manager then determines who has access to Provider or Customer portlets. For example, a user can be assigned as the BRM on the customer departments, but the IT manager can be assigned as the BRM on the provider departments. The IT manager does not see the data that the BRM sees on the customer department dashboard, and likewise with the BRM.

The following access rights are required for viewing and navigating the BRM Accelerator dashboards and portlets:

Department - Edit

Lets the user edit and delete specific departments.

Includes: *Department - View* access right

Requires: *Department - Navigate* right

Type: Instance

Department - Navigate

Lets the user navigate to department pages.

Requires: *Department - View - All* right

Type: Global

Department - View Chargeback Information

Lets the user view invoices and recovery statements of specific departments.

Type: Instance

Ideas - Create

Lets you create instances of the idea object. The right includes the Ideas - Navigate access.

Type: Global

Ideas - Navigate

Lets the user navigate to the Ideas pages to include the right to view the Ideas link.

Type: Global

Page Viewer - All

Lets the user view any configured portlet page. Before the users can view them, link the portlet pages to a menu. The user requires the rights to navigate the menu. For example, if a page links to the Administration menu, the users require the *Administration - Access* right.

Type: Global

Portlet Viewer - All

Portlet Viewer - All

Lets you view and add stock portlets to portlet pages. The right helps add a stock portlet to a personal dashboard.

Type: Global

Service - Create

Lets the resource create service. This access right includes the right to navigate to the service pages.

Type: Global

Service - Edit - All

Lets the user edit all Services. Includes the ability to delete Services, and the Service - View - All access right.

Type: Global

Service - Edit Access Rights - All

Lets the user edit the access rights for all Services. Does not include the Service - Navigate or Service - View access rights.

Type: Global

Service - Modify Baseline - All

Lets the resource baseline all services. The access right requires to be granted with the Service - Edit - All access right

Type: Global

Service - Navigate

Lets the user navigate to Service pages. The user requires additional access rights to view individual Services.

Type: Global

Service - View - All

Lets the user view all Services. Includes the Service - Navigate access right.

Type: Global

Resource - Approve Ideas - All

Lets the user approve Ideas for all Resources. Includes the *Resource - Edit Ideas - All* access right.

Type: Global

Customer Department Manager Access Rights

The following access rights are required for a Customer Department Manager:

Department - Edit

Lets the user edit and delete specific departments.

Includes: *Department - View* access right

Requires: *Department - Navigate* right

Type: Instance

Department - Navigate

Lets the user navigate to department pages.

Requires: *Department - View - All* right

Type: Global

Department - View Chargeback Information

Lets the user view invoices and recovery statements of specific departments.

Type: Instance

Ideas - Create

Lets you create instances of the idea object. The right includes the Ideas - Navigate access.

Type: Global

Ideas - Navigate

Lets the user navigate to the Ideas pages to include the right to view the Ideas link.

Type: Global

Page Viewer - All

Lets the user view any configured portlet page. Before the users can view them, link the portlet pages to a menu. The user requires the rights to navigate the menu. For example, if a page links to the Administration menu, the users require the *Administration - Access* right.

Type: Global

Portlet Viewer - All

Lets you view and add stock portlets to portlet pages. The right helps add a stock portlet to a personal dashboard.

Type: Global

Resource - Approve Ideas - All

Lets the user approve Ideas for all Resources. Includes the *Resource - Edit Ideas - All* access right.

Type: Global

Service - Edit

Lets the resource edit only selected service. Includes the ability to delete the service.

Type: Instance

Service - View

Lets the resource view only the selected service.

Type: Instance

IT Manager Access Rights

The following instance-level access rights are required for an IT Manager:

Department - Edit

Lets the user edit and delete specific departments.

Includes: *Department - View* access right

Requires: *Department - Navigate* right

Type: Instance

Department - Navigate

Lets the user navigate to department pages.

Requires: *Department - View - All* right

Type: Global

Department - View Chargeback Information

Lets the user view invoices and recovery statements of specific departments.

Type: Instance

Ideas - Navigate

Lets the user navigate to the Ideas pages to include the right to view the Ideas link.

Type: Global

Page Viewer - All

Lets the user view any configured portlet page. Before the users can view them, link the portlet pages to a menu. The user requires the rights to navigate the menu. For example, if a page links to the Administration menu, the users require the *Administration - Access* right.

Type: Global

Portlet Viewer - All

Lets you view and add stock portlets to portlet pages. The right helps add a stock portlet to a personal dashboard.

Type: Global

Service - Create

Lets the resource create service. This access right includes the right to navigate to the service pages.

Type: Global

Service - Edit - All

Lets the user edit all Services. Includes the ability to delete Services, and the Service - View - All access right.

Type: Global

Service - Edit Access Rights - All

Lets the user edit the access rights for all Services. Does not include the Service - Navigate or Service - View access rights.

Type: Global

Service - Navigate

Lets the user navigate to Service pages. The user requires additional access rights to view individual Services.

Type: Global

Service - View - All

Lets the user view all Services. Includes the Service - Navigate access right.

Type: Global

Service Investment - Modify Baseline - All

Allows a resource to baseline all service investments. The access right also allows a resource to view the general properties and processes for service investments.

Type: Global

Service Manager Access Rights

The following access rights are required for a Service Manager:

Timesheets - Navigate

Lets you navigate to timesheet pages.

Type: Global

Department - View

Allows users to view specific departments.

Requires: *Department - Navigate* right

Type: Instance

Department - View Chargeback Information

Lets the user view invoices and recovery statements of specific departments.

Type: Instance

Page Viewer - All

Lets the user view any configured portlet page. Before the users can view them, link the portlet pages to a menu. The user requires the rights to navigate the menu. For example, if a page links to the Administration menu, the users require the *Administration - Access* right.

Type: Global

Portlet Viewer - All

Lets you view and add stock portlets to portlet pages. The right helps add a stock portlet to a personal dashboard.

Type: Global

Service - Edit

Lets the resource edit only selected service. Includes the ability to delete the service.

Type: Instance

Service - Navigate

Lets the user navigate to Service pages. The user requires additional access rights to view individual Services.

Type: Global

Service - View

Lets the resource view only the selected service.

Type: Instance

Provider Department Manager Access Rights

The following access rights are required for a Provider Department Manager:

Department - Edit

Lets the user edit and delete specific departments.

Includes: *Department - View* access right

Requires: *Department - Navigate* right

Type: Instance

Department - Navigate

Lets the user navigate to department pages.

Requires: *Department - View - All* right

Type: Global

Department - View Chargeback Information

Lets the user view invoices and recovery statements of specific departments.

Type: Instance

Page Viewer - All

Lets the user view any configured portlet page. Before the users can view them, link the portlet pages to a menu. The user requires the rights to navigate the menu. For example, if a page links to the Administration menu, the users require the *Administration - Access* right.

Type: Global

Portlet Viewer - All

Lets you view and add stock portlets to portlet pages. The right helps add a stock portlet to a personal dashboard.

Type: Global

Service - Edit

Lets the resource edit only selected service. Includes the ability to delete the service.

Type: Instance

Service - Navigate

Lets the user navigate to Service pages. The user requires additional access rights to view individual Services.

Type: Global

Service - View

Lets the resource view only the selected service.

Type: Instance