

CA Virtual Assurance for Infrastructure Managers

Release Notes

Release 12.8



This Documentation, which includes embedded help systems and electronically distributed materials, (hereinafter referred to as the "Documentation") is for your informational purposes only and is subject to change or withdrawal by CA at any time.

This Documentation may not be copied, transferred, reproduced, disclosed, modified or duplicated, in whole or in part, without the prior written consent of CA. This Documentation is confidential and proprietary information of CA and may not be disclosed by you or used for any purpose other than as may be permitted in (i) a separate agreement between you and CA governing your use of the CA software to which the Documentation relates; or (ii) a separate confidentiality agreement between you and CA.

Notwithstanding the foregoing, if you are a licensed user of the software product(s) addressed in the Documentation, you may print or otherwise make available a reasonable number of copies of the Documentation for internal use by you and your employees in connection with that software, provided that all CA copyright notices and legends are affixed to each reproduced copy.

The right to print or otherwise make available copies of the Documentation is limited to the period during which the applicable license for such software remains in full force and effect. Should the license terminate for any reason, it is your responsibility to certify in writing to CA that all copies and partial copies of the Documentation have been returned to CA or destroyed.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, CA PROVIDES THIS DOCUMENTATION "AS IS" WITHOUT WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL CA BE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, FROM THE USE OF THIS DOCUMENTATION, INCLUDING WITHOUT LIMITATION, LOST PROFITS, LOST INVESTMENT, BUSINESS INTERRUPTION, GOODWILL, OR LOST DATA, EVEN IF CA IS EXPRESSLY ADVISED IN ADVANCE OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The use of any software product referenced in the Documentation is governed by the applicable license agreement and such license agreement is not modified in any way by the terms of this notice.

The manufacturer of this Documentation is CA.

Provided with "Restricted Rights." Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-14, and 52.227-19(c)(1) - (2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Copyright © 2013 CA. All rights reserved. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

CA Technologies Product References

This document references the following CA Technologies products:

- CA eHealth®
- CA Embedded Entitlements Manager (CA EEM)
- CA IT Asset Manager (CA ITAM)
- CA IT Client Manager (CA ITCM)
- CA Network and Systems Management (CA NSM)
- CA Patch Manager
- CA Server Automation
- CA Service Desk Manager (CA SDM)
- CA Spectrum®
- CA SystemEDGE
- CA Systems Performance for Infrastructure Managers
- CA Virtual Assurance for Infrastructure Managers
- CA Software Delivery

Contact CA Technologies

Contact CA Support

For your convenience, CA Technologies provides one site where you can access the information that you need for your Home Office, Small Business, and Enterprise CA Technologies products. At <http://ca.com/support>, you can access the following resources:

- Online and telephone contact information for technical assistance and customer services
- Information about user communities and forums
- Product and documentation downloads
- CA Support policies and guidelines
- Other helpful resources appropriate for your product

Providing Feedback About Product Documentation

If you have comments or questions about CA Technologies product documentation, you can send a message to techpubs@ca.com.

To provide feedback about CA Technologies product documentation, complete our short customer survey which is available on the CA Support website at <http://ca.com/docs>.

Contents

Chapter 1: Introduction 7

Chapter 2: System Requirements 9

Manager Requirements	9
Hardware Requirements	9
Software Requirements	10
Optional CA Software for CA Virtual Assurance	14
CA Virtual Assurance AIM Server and Managed Node Requirements	14
Hardware Requirements for Managed Nodes and AIM Servers	15
SystemEDGE Operating System Support	15
CA Virtual Assurance AIM Operating System Support	18
CA Systems Performance LiteAgent Operating System Support	20
Supported Integration Platforms	22
Active Directory and Exchange Server	22
Cisco Unified Computing System (UCS)	22
Citrix XenDesktop	23
Citrix XenServer	23
Huawei GalaX	23
IBM PowerHA for AIX	23
IBM Power VM (Logical Partitions, LPAR)	23
Microsoft Cluster (MSCS)	24
Microsoft Hyper-V Server	24
Oracle Solaris Zones	24
Red Hat Enterprise Virtualization	24
VMware vCenter Server	25
VMware vCenter Site Recovery Manager	25
VMware vCloud	26
Internationalization (i18n)	26

Chapter 3: New Features and Enhancements 31

Citrix XenDesktop AIM	31
Documentation	32
Huawei GalaX	32
Key Performance Database	33
Oracle Solaris Zones	33
Software Requirements	34

User Interface.....	34
VMware vCenter	34
Chapter 4: Patches and Published Fixes	37
SNMPv3 Trap Forwarding Issue	37
Chapter 5: Documentation	39
Related Publications.....	39
Chapter 6: Known Issues	41
Localized Service Desk Template Name is Truncated	41
Login Process is Slow	42
Mozilla Firefox Automatic Upgrade	42
Appendix A: Acknowledgements	43
Third-Party Software Acknowledgments	43

Chapter 1: Introduction

The CA Virtual Assurance Release Notes provide you details about new and enhanced features of this release, the prerequisites of the product installation, and integration with Third-party tools.

For the most recent CA Virtual Assurance Release Notes, see the [bookshelf](#) at CA Support Online.

For details about installing CA Virtual Assurance, see the *Installation Guide*. For a brief description of the entire documentation set, see chapter *Related Publications* in this guide.

Chapter 2: System Requirements

Your system must meet or exceed the requirements in this section for successful installation and operation of CA Virtual Assurance.

This product relies on TCP/IP, SNMP, Domain Name Service (DNS) and other networking technologies. If these technologies are not available, failing, slow, or have incorrect or out-of-date information, product functionality can be adversely affected.

This section contains the following topics:

[Manager Requirements](#) (see page 9)

[Optional CA Software for CA Virtual Assurance](#) (see page 14)

[CA Virtual Assurance AIM Server and Managed Node Requirements](#) (see page 14)

[Supported Integration Platforms](#) (see page 22)

[Internationalization \(i18n\)](#) (see page 26)

Manager Requirements

This section provides details on the hardware and software requirements for a manager installation of CA Virtual Assurance Release 12.8.

Hardware Requirements

The following hardware is required to implement distributed and nondistributed CA Virtual Assurance component implementations.

- CPU: Intel Xeon 51xx 2.6 GHz or equivalent, or Intel Core 2 Duo 2.6 GHz or equivalent

Note: The CPU requirements also apply to client desktops/workstations running the CA Virtual Assurance web browser-based UI.

- RAM:
 - 4 GB for deployments managing up to 1,000 systems
 - 8 GB on a 64-bit operating system for deployments managing up to 5,000 systems
 - 16 GB on a 64-bit operating system for deployments managing more than 5,000 systems
- Network Interface Controller (NIC): 100 Mbps or more
- Free disk space for main installation drive: 30 GB

- Free disk space for drive with databases: 30 GB

Note: In addition, the Performance Chart data collection can require up to 3.5 GB of disk space and 2 GB of RAM on the manager, depending on the number of machines and metrics being monitored.

- Free disk space for upgrade: >30 GB, depending on the size of the existing database

Note: The disk space for the drive holding the databases is required wherever you have configured Microsoft SQL Server to store the databases for this product. The drive can be anywhere: on the same drive that is used for the product installation, on a different drive, or on a different system. If the drive is on the same drive as the product installation, the required free disk space is the sum of the two values. The product databases grow in size depending on the product usage, potentially consuming 30 GB or more, depending on the maintenance that is being done.

Important! If you install CA Virtual Assurance with other CA products, consider the combined impact and adjust the hardware specifications accordingly. For example, if you install CA Virtual Assurance (4-GB RAM) and CA Service Desk Manager (3-GB RAM) on one server, use a server with minimum 7-GB RAM. Review integration product Release Notes on the CA Support Online website: <http://supportconnect.ca.com>.

Software Requirements

This section provides information about the software that is required to implement distributed and nondistributed components.

Manager on Windows

The CA Virtual Assurance manager supports and is certified for the following operating systems:

- Windows Server 2008 Standard, Enterprise, and Datacenter Edition (x86, x64), SP2 optional
- Windows Server 2008 R2 Standard, Enterprise, and Datacenter Edition (x86, x64), SP1 optional
- Windows Server 2012 Standard and Datacenter Edition (x64)

CA Virtual Assurance supports the following Windows versions only for new SystemEDGE installations:

- Windows Server 2003 SP2 and 2003 R2 SP2 Standard, Enterprise, and Datacenter Edition (x86, x64)

The [compatibility matrix](#) on the CA Support Online website provides the most current list of supported operating environments.

Note: For seamless time zone operation, verify that your distributed computing environment is synchronized to a common time source (for example, NTP server, GPS).

Database Requirements

CA Virtual Assurance uses Microsoft SQL Server as its database. Because CA Virtual Assurance integrates with other CA products, review the database requirements for integration products.

This release supports and is certified for the following versions:

- 2008 R2 (32 bit, 64 bit), Standard and Enterprise Editions, SP1 optional
- 2008 R2 Express (32 bit, 64 bit), Database with Management Tools, and Database with Advanced Services Editions, SP1 optional
- 2012 (32 bit, 64 bit), Standard and Enterprise Editions
- 2012 Express (32 bit, 64 bit), Database with Management Tools, and Database with Advanced Services Editions

SQL Server Tools (OSQL.EXE) are required on the manager system to connect to a local or remote SQL Server database.

Important! If you are upgrading an existing 12.6, 12.7, or 12.7.1 installation with SQL Server 2005 or SQL Server 2008, upgrade the SQL Server to a supported version. Then verify that the 12.6, 12.7, or 12.7.1 product is still operational and upgrade to CA Virtual Assurance Release 12.8.

Note the following:

- For your convenience, SQL Server 2012 Express Edition (32 bit) is available on the CA Virtual Assurance installation media at the following location:
DVD1\Installers\Windows\External\MSSQLExpress\SQLEXPRT_x86_ENU.exe.
- Named instances and SQL Server clusters are supported. Enable TCP/IP and use static port assignments for each instance. Dynamic ports are not supported.
- The system that is installed with the manager components also must have the SQL client (server tools) installed.
- After SQL Server Tools installation, verify that OSQL.EXE is installed properly to this location (if using the default install path):
 - MS SQL 2012 C:\Program Files\Microsoft SQL Server\110\Tools\Binn

Remote Databases

If you are using a remote database, the local system must have an appropriate matching version of the SQL Server Native Client.

Examples

- A remote 2008 R2, or R2 Express database requires a local 2008 R2 Native Client. A remote 2012 database requires a local 2012 Native Client.

The SQL Server Native Client is available from the Microsoft Download Center by searching, "Feature Pack for Microsoft SQL Server." Based on your *remote* database and operating environment, complete these steps:

1. Select the most recent appropriate version.
2. Download and install the appropriate module for your operating environment on your *local* system.

Example: ENU\<x86 or x64>\sqlncli.msi

Browser Requirements

CA Virtual Assurance supports the following browsers for the user interfaces. These web browsers are supported for the duration of their lifecycles (as determined by the manufacturer), or until CA Technologies ends support.

- Microsoft Internet Explorer 8.0, 9.0
 - Note:** If you get the message, "A script on this page is causing Internet Explorer to run slowly," review Microsoft KB Article 175500.
- Mozilla Firefox 16.0, including all minor versions

CA Virtual Assurance requires a supported browser with the Adobe Flash Player plug-in to display diagrams and charts. The following versions are supported:

- Adobe Flash Player versions 10.0, 11.1, 11.4

Note: CA Virtual Assurance supports the major versions of the Adobe Flash Player. The minor versions can also work, but they are not certified.

Required CA Software

CA Virtual Assurance requires the following software shipped with the installation media:

CA Embedded Entitlements Manager (CA EEM)

CA Virtual Assurance distributes, supports, and is certified to work with the following CA EEM releases:

- CA EEM release 8.4 SP4 CR15 (8.4.415)
- CA EEM version 12.0 CR 07 (12.0.7.57 and later)
- CA EEM release 12.5 (12.5.0.7)

Note: If you use CA EEM version 12.0, the following functionality is not supported: CA EEM installation, CA EEM user creation using Native Security, and CA EEM configuration of LDAP service. To complete the mentioned actions, perform those procedures from the CA EEM UI and follow the CA EEM procedures.

Note: If you use CA EEM 12.5, CA EEM installation is not supported.

Note: CA EEM FIPS mode is not supported.

CA Virtual Assurance also supports:

- All "CA EEM 8.4" sub-versions – from CA EEM 8.4 SP4 (8.4.244) up to and including the version we distribute, up to and including new "CA EEM 8.4" SP. CR sub-versions that ship after the release of this product.

If an insufficient version of CA EEM is detected during installation, the installation program displays the minimum and you can upgrade to a supported version.

To request support, or to certify this product with other versions of CA EEM, contact your CA representative.

Note: If your site has multiple instances of CA Server Automation or CA Virtual Assurance, the CA EEM server cannot be shared.

Note: If this product installs CA EEM, the "Use Transport Layer Security" option is not enabled by default. For additional security, log in to the CA EEM interface and select the TLS option on the Configuration tab.

CA Network Discovery Gateway

This software is required for system and network discovery.

SystemEDGE

CA Virtual Assurance Release 12.8 distributes with SystemEDGE Release 5.8.

Release 5.x.y corresponds to CA Virtual Assurance release 12.x.y.

Example: SystemEDGE 5.7.1 for CA Virtual Assurance 12.7.1

Note: If the latest version of SystemEDGE is not already on your system, the installation program installs it. SystemEDGE is required for the CA Virtual Assurance AIMS. AIMS are functional extensions to the SystemEDGE agent.

SystemEDGE Releases 4.3.4, 4.3.5, 4.3.6, 5.1.0, 5.6.0, 5.7.0, 5.7.1, and 5.8 are supported for managing remote servers in your environment.

Optional CA Software for CA Virtual Assurance

You can install the following optional CA software and configure CA Virtual Assurance accordingly to enable specific integration functionality:

CA Service Desk Manager

Version 12.5 or higher is required to open help desk tickets.

CA Virtual Assurance AIM Server and Managed Node Requirements

This section provides details on the hardware requirements and operating systems supported by an AIM Server or a Managed Node.

Hardware Requirements for Managed Nodes and AIM Servers

The hardware requirements for SystemEDGE and AIMs are as follows:

Minimum

CPU: Same as OS vendor

RAM: Same as OS vendor

Free disk space: 50 MB (Managed Node, SystemEDGE only *)

Free disk space: 250 MB (AIM Server with all CA Virtual Assurance AIMs installed)

Network Interface Controller (NIC): 100 Mbps

Recommended

CPU: Same as OS vendor

RAM: Same as OS vendor

Free disk space: 150 MB or more (Managed Node, SystemEDGE only **)

Free disk space: 500 MB (AIM Server with all CA Virtual Assurance AIMs installed)

Network Interface Controller (NIC): 100 Mbps or more

(*) The disk space requirement varies for UNIX and Windows platforms. For Windows installations, MSI installer requires the disk space to install SystemEDGE.

(**) Disk space requirements for runtime files increase when diagnostic traces are enabled. By default, the size of diagnostic trace is limited to 10 MB.

SystemEDGE Operating System Support

A system running SystemEDGE Release 5.8 requires one of the following operating systems:

Windows

- Windows Server 2003 SP2 Standard, Enterprise, Datacenter, and Small Business Server Edition (32 bit, x86)
- Windows Server 2003 R2 SP2 Standard, Enterprise, and Datacenter Edition (32 bit, x86)
- Windows Server 2003 SP2 Standard, Enterprise, Datacenter (64 bit, x64)
- Windows Server 2003 R2 SP2 Standard, Enterprise, and Datacenter Edition (64 bit, x64)
- Windows Server 2003 SP2 x64 Edition (64 bit)
- Windows Server 2008 Standard, Enterprise, and Datacenter Edition (32 bit, x86)
- Windows Server 2008 Standard, Enterprise, and Datacenter Edition (64 bit, x64)

- Windows Server 2008 R2 Standard, Enterprise, and Datacenter Edition (64 bit, x64)
- Windows Server 2012 Standard and Datacenter Edition (64 bit, x64)
- Windows XP Professional SP3 (32 bit, x86)
- Windows Vista SP1 Business, Enterprise, and Ultimate Edition (32 bit, x86)
- Windows Vista SP1 Business, Enterprise, and Ultimate Edition (64 bit, x64)
- Windows 7 Professional, Ultimate Edition (32 bit, x86)
- Windows 7 Professional, Ultimate Edition (64 bit, x64)

HP

- HP-UX 11.11 PA-RISC (64 bit)
- HP-UX 11.23 PA-RISC (64 bit)
- HP-UX 11.23 ia64 (64 bit)
- HP-UX 11.31 PA-RISC (64 bit)
- HP-UX 11.31 ia64 (64 bit)

IBM AIX

- IBM AIX Version 6.1 (64 bit)
- IBM AIX Version 7.1 (64 bit)

Linux

- Red Hat Linux Web Server, Advanced Server, and Enterprise Server 5.0 (32 bit, x86)
- Red Hat Linux Web Server, Advanced Server, and Enterprise Server 5.0 (64 bit, x64)
- Red Hat Enterprise Linux 6.0 (32 bit, x86)
- Red Hat Enterprise Linux 6.0 (64 bit, x64)
- SUSE Linux Enterprise Server 10.0 (32 bit, x86)
- SUSE Linux Enterprise Server 10.0 (64 bit, x64)
- SUSE Linux Enterprise Server 11 (32 bit, x86)
- SUSE Linux Enterprise Server 11 (64 bit, x64)
- Debian Linux Version 5.0 (Lenny) (32 bit, x86)
- Debian Linux Version 5.0 (Lenny) (64 bit, x64) - Legacy Mode Only
- Debian Linux Version 6.0 (Squeeze) (32 bit, x86)
- Debian Linux Version 6.0 (Squeeze) (64 bit, x64) - Legacy Mode Only

zLinux

- SUSE Linux Enterprise Server 10 (zSeries) - Legacy Mode Only
- SUSE Linux Enterprise Server 11 (zSeries) - Legacy Mode Only
- Red Hat Enterprise Server 5.0 (zSeries) - Legacy Mode Only
- Red Hat Enterprise Server 6.0 (zSeries) - Legacy Mode Only

Linux on pSeries

- SUSE Linux Enterprise Server 10
- SUSE Linux Enterprise Server 11
- Red Hat Enterprise Server 5.0
- Red Hat Enterprise Server 6.0

Solaris

Note: SystemEDGE supports all Solaris Zone configurations for the Solaris 10 and Solaris 11 operating systems.

- Solaris UltraSPARC 9 (64 bit)
- Solaris UltraSPARC 10 (64 bit)
- Solaris 9 (32 bit, x86)
- Solaris 10 (32 bit, x86)
- Solaris 10 (64 bit, x64)
- Solaris 11 (32bit, x86)
- Solaris 11 (64bit, x64)

Note: CA Virtual Assurance-specific features such as deployment and configuration is not supported on all platforms.

CA Virtual Assurance AIM Operating System Support

The SystemEDGE AIMs and Advanced Encryption shipped with CA Virtual Assurance run on the following operating systems:

Windows: Advanced Encryption

- Windows XP Professional SP3 (32 bit, x86)
- Windows Vista Business, Enterprise, Ultimate SP1 (32 bit, x86)
- Windows Vista Business, Enterprise, Ultimate SP1 (64 bit, x64)
- Windows 7 Professional, Ultimate (32 bit, x86)
- Windows 7 Professional, Ultimate (64 bit, x64)
- Windows Server 2003 SP2 Standard, Enterprise, Datacenter, and Small Business Server Edition (32 bit, x86)
- Windows Server 2003 SP2 x64 Edition (64 bit)
- Windows Server 2003 R2 SP2 Standard, Enterprise, and Datacenter Edition (32 bit, x86)
- Windows Server 2003 R2 SP2 Standard, Enterprise, and Datacenter Edition (64 bit, x64)
- Windows Server 2008 Standard, Enterprise, and Datacenter Edition (32 bit, x86)
- Windows Server 2008 Standard, Enterprise, and Datacenter Edition (64 bit, x64)
- Windows Server 2008 R2 Standard, Enterprise, and Datacenter Edition (64 bit, x64)
- Windows Server 2012 Standard and Datacenter Edition (64 bit, x64)

Windows: Cisco UCS AIM, Huawei GalaX AIM, IBM LPAR AIM, IBM PowerHA AIM, KVM AIM, Remote Monitoring AIM, Solaris Zones AIM, vCenter Server AIM, vCloud AIM, XenServer AIM, XenDesktop AIM

- Windows Server 2008 Standard, Enterprise, and Datacenter Edition (32 bit, x86)
- Windows Server 2008 Standard, Enterprise, and Datacenter Edition (64 bit, x64)
- Windows Server 2008 R2 Standard, Enterprise, and Datacenter Edition (64 bit, x64)
- Windows Server 2012 Standard and Datacenter Edition (64 bit, x64)

Windows: Hyper-V AIM

- Windows Server 2008 R2 Standard, Enterprise, and Datacenter Edition (64 bit, x64)

HP: Advanced Encryption, Service Response Monitoring AIM

- HP-UX 11.11 PA-RISC (64 bit)
- HP-UX 11.23 PA-RISC (64 bit)
- HP-UX 11.23 IA64 (64 bit)
- HP-UX 11.31 PA-RISC (64 bit)
- HP-UX 11.31 IA64 (64 bit)

IBM AIX: Advanced Encryption, Service Response Monitoring AIM

- IBM AIX Version 6.1 (64 bit)
- IBM AIX Version 7.1 (64 bit)

Note: JRE is shipped with the SRM AIM for AIX.

Linux: Advanced Encryption AIM

- Red Hat Linux Web Server, Advanced Server, and Enterprise Server 5.0 (32 bit, x86)
- Red Hat Linux Web Server, Advanced Server, and Enterprise Server 5.0 (64 bit, x64)
- Red Hat Enterprise Linux 6.0 (32 bit, x86)
- Red Hat Enterprise Linux 6.0 (64 bit, x64)
- SUSE Linux Enterprise Server 10.0 (32 bit, x86)
- SUSE Linux Enterprise Server 10.0 (64 bit, x64)
- SUSE Linux Enterprise Server 11 (32 bit, x86)
- SUSE Linux Enterprise Server 11 (64 bit, x64)
- Debian Linux Version 5.0 (Lenny) (32 bit, x86)
- Debian Linux Version 5.0 (Lenny) (64 bit, x64) - Legacy Mode Only
- Debian Linux Version 6.0 (Squeeze) (32 bit, x86)
- Debian Linux Version 6.0 (Squeeze) (64 bit, x64) - Legacy Mode Only

Linux: Service Response Monitoring AIM

- Red Hat Linux Web Server, Advanced Server, and Enterprise Server 5.0 (32 bit, x86)
- Red Hat Linux Web Server, Advanced Server, and Enterprise Server 5.0 (64 bit, x64)
- Red Hat Enterprise Linux 6.0 (32 bit, x86)
- Red Hat Enterprise Linux 6.0 (64 bit, x64)
- SUSE Linux Enterprise Server 10.0 (32 bit, x86)
- SUSE Linux Enterprise Server 10.0 (64 bit, x64)

- SUSE Linux Enterprise Server 11 (32 bit, x86)
- SUSE Linux Enterprise Server 11 (64 bit, x64)
- Debian Linux Version 5.0 (Lenny) (32 bit, x86)
- Debian Linux Version 6.0 (Squeeze) (32 bit, x86)
- Debian Linux Version 6.0 (Squeeze) (64 bit, x64) - Legacy Mode Only

Solaris: Advanced Encryption, Service Response Monitoring AIM

Note: SystemEDGE supports all Solaris Zone configurations for the Solaris 10 and Solaris 11 operating systems.

- Solaris UltraSPARC 9 (64 bit)
- Solaris UltraSPARC 10 (64 bit)
- Solaris 9 (32 bit, x86)
- Solaris 10 (32 bit, x86)
- Solaris 10 (64 bit, x64)
- Solaris 11 (32bit, x86)
- Solaris 11 (64bit, x64)

CA Systems Performance LiteAgent Operating System Support

A computer running CA Systems Performance LiteAgent requires one of the following operating systems:

Windows

Note: The following Windows 2003 operating systems are supported only when upgrading from CA Virtual Assurance 12.6.

- Windows Server 2008 (32 bit, x86)
- Windows Server 2008 (64 bit, x64)
- Windows Server 2008 R2 (64 bit, x64)
- Windows Server 2003 Standard, Enterprise, Datacenter, and Small Business Server Edition (32 bit, x86)
- Windows Server 2003 (64 bit, x64)
- Windows Server 2003 R2 Standard, Enterprise, and Datacenter Edition (32 bit, x86)
- Windows Server 2003 R2 (64 bit, x64)

- Windows XP Professional SP3+ (32 bit, x86)
- Windows XP Professional SP2+ (64 bit, x64)
- Windows Vista Business, Enterprise, Ultimate (32 bit, x86)
- Windows Vista Business, Enterprise, Ultimate (64 bit, x64)

Linux

- Red Hat Linux Enterprise Server 5.0 (32 bit, x86)
- Red Hat Linux Enterprise Server 5.0 (64 bit, x64)
- SUSE Linux Enterprise Server 10.0 (32 bit, x86)
- SUSE Linux Enterprise Server 10.0 (64 bit, x64)

Solaris

Note: CA Virtual Assurance-specific features such as deployment and configuration is not supported on all platforms.

- Solaris UltraSPARC 9 (32 bit)
- Solaris UltraSPARC 9 (64 bit)
- Solaris UltraSPARC 10 (64 bit)
- Solaris 10 (32 bit, x86)
- Solaris 10 (64 bit, x64)

HP

- HP-UX 11.23 PA-RISC (64 bit)
- HP-UX 11.23 IA64 (64 bit)
- HP-UX 11.31 PA-RISC (64 bit)
- HP-UX 11.31 IA64 (64 bit)

Note: For HP-UX 11, we recommend PHNE 27063 s700 800 11 cumulative ARPA Transport patch or later. This patch fixes memory issues with HP-UX libraries.

IBM AIX

- IBM AIX Version 5.3 (32 bit, 64 bit)
- IBM AIX Version 6.1 (64 bit)
- IBM AIX Version 7.1 (64 bit)
- IBM AIX Version 7 (64 bit)

Supported Integration Platforms

CA Virtual Assurance integrates with virtual and physical platforms in your environment. To manage these platforms, install and configure the appropriate SystemEDGE AIMs on the CA Virtual Assurance manager server or on separate AIM servers.

Supported Platforms

[Active Directory and Exchange Server](#) (see page 22)

[Cisco Unified Computing System \(UCS\)](#) (see page 22)

[Citrix XenDesktop](#) (see page 23)

[Citrix XenServer](#) (see page 23)

[Huawei GalaX](#) (see page 23)

[IBM PowerHA for AIX](#) (see page 23)

[IBM Power VM \(Logical Partitions, LPAR\)](#) (see page 23)

[Microsoft Cluster \(MSCS\)](#) (see page 24)

[Microsoft Hyper-V Server](#) (see page 24)

[Oracle Solaris Zones](#) (see page 24)

[Red Hat Enterprise Virtualization](#) (see page 24)

[VMware vCenter Server](#) (see page 25)

[VMware vCenter Site Recovery Manager](#) (see page 25)

[VMware vCloud](#) (see page 26)

Active Directory and Exchange Server

To enable monitoring for Active Directory and Exchange Server, verify that you have the following product installed in your environment:

- .Net 3.5 or higher versions
- Power shell v2.0
- Exchange Management Tools SP3 on the AIM host to monitor Exchange Server 2007.

Note: Exchange Management Tools SP3 is not required for monitoring Exchange Server 2010.

Cisco Unified Computing System (UCS)

To enable management for Cisco UCS, verify that you have the following product installed in your environment:

- Cisco UCS 1.3, 1.4, and 2.0

Citrix XenDesktop

To enable virtual management for Citrix XenDesktop, verify that you have the following component installed in your environment:

- Citrix XenDesktop version 5.6

Citrix XenServer

To enable virtual management for Citrix XenServer, verify that you have the following component installed in your environment:

- Citrix XenServer version 6.0

Huawei GalaX

To enable monitoring and management for Huawei GalaX, verify that you have the following component installed in your environment:

- Huawei GalaX8800 version 1.0

IBM PowerHA for AIX

To enable monitoring IBM IBM PowerHA Cluster Manager for AIX (formerly HACMP), verify that the following component is installed in your environment:

IBM PowerHA 6.1

IBM PowerHA for AIX version 6.1 platforms let you monitor clusters, nodes, and network interfaces status.

IBM Power VM (Logical Partitions, LPAR)

To enable virtual management for IBM LPAR, verify that you have the following components installed in your environment:

IBM AIX LPAR

IBM LPAR POWER5, POWER6, or POWER7 platforms let you manage logical partitions on AIX and their managed systems.

IBM Hardware Management Console (HMC)

To manage logical partitions of IBM POWER5, POWER6, or POWER7 platforms, install HMC V7R3.5, V7R7.1, V7R7.2, V7R7.3, or V7R7.4.

Note: HMC V7R7.1 is the minimum level for POWER7 support.

IBM Integrated Virtualization Manager (IVM)

Alternative to HMC for managing logical partitions. Runs on the Virtual I/O Server (VIOS). Versions 1.5, 2.1, and 2.2 are supported.

IBM Virtual I/O Server (VIOS)

IBM Virtual I/O Server (VIOS) lets you configure IBM AIX POWER5, POWER6, and POWER7 logical partitions.

Note: VIOS versions 1.5, 2.1, and 2.2 are supported.

Microsoft Cluster (MSCS)

To enable the management for Microsoft Clusters, verify that your cluster environment is based on *any* of the following servers:

- Windows Server 2003
- Windows Server 2008
- Windows Server 2008 R2

Microsoft Hyper-V Server

To enable virtual management for Microsoft Hyper-V Server, verify that you have at least one of the following products installed in your environment:

- Hyper-V Server 2008 R2 (64 bit, x64)

Important! For Microsoft Hyper-V, install SystemEDGE and the Microsoft Hyper-V AIM on each physical Microsoft Hyper-V Server that you want to manage.

Oracle Solaris Zones

To enable virtual management for the Oracle Solaris Zones server, verify that you have the following component installed in your environment:

- Solaris 10 or 11 with zones compatibility to manage Solaris Zones.

Red Hat Enterprise Virtualization

To enable virtual management for Red Hat Enterprise Virtualization, verify that you have the following component installed in your environment:

- RHEV 3.0

VMware vCenter Server

To enable virtual management for VMware vCenter Server, verify that you have one of the following components installed in your environment:

VMware ESX Server

VMware ESXi Server Version 4.0, 4.1, 5.0, or 5.1 is required to create VM sessions.

Note: ESX and ESXi Server support require that a vCenter Server is configured to manage the ESX or ESXi servers.

VMware vCenter Server

VMware vCenter Server version 4.0, 4.1, 5.0, or 5.1 is required to clone and migrate virtual machines and to manage the VMware vSphere or Virtual Infrastructure environment.

Note: VMware Tools optimize the virtualization of VMs and it is strongly recommended that they are installed on each VM in your VMware environment. Some features of this product will not be available or may not function correctly for VMs that do not have VMware Tools installed. For this reason, VMs that do not have VMware tools installed are not supported.

VMware vCenter Site Recovery Manager

To enable VMware vCenter Site Recovery Manager, verify that you have one of the following components installed in your environment:

VMware ESX Server/VMware ESXi Server

Version 5.0 or higher is required.

Note: ESX and ESXi Server support require that a vCenter Server is configured to manage the ESX or ESXi servers.

VMware vCenter Server

VMware vCenter Server version 5.0 or higher is required.

Note: VMware Tools optimize the virtualization of VMs and it is strongly recommended that they are installed on each VM in your VMware environment. Some features of this product will not be available or may not function correctly for VMs that do not have VMware Tools installed. For this reason, VMs that do not have VMware tools installed are not supported.

VMware vCloud

To enable virtual management for VMware vCloud, verify that you have the following component installed in your environment:

- VMware vCloud Director 1.0, 1.0.1, 1.5
- VMware vCloud Director 5.1

Internationalization (i18n)

CA Virtual Assurance is an internationalized product (i18n) that uses UTF-8 character encoding to display language-specific characters. For example, the German ü (umlaut), the French è (grave accent), or Japanese characters in input and output data are displayed.

The UTF-8-encoded character support includes, but is not limited to, the following areas:

- Textual descriptions of objects or resources
- Messages
- User names and passwords to connect to manageable resources
- Regular expressions (SystemEDGE)

The installation of this product is supported on English, French, German, Japanese, and Simplified Chinese versions of the supported operating systems. Also, for Windows, you can use a supported version of SQL Server that is either English, or the appropriate localized version for that operating system.

Important! If you edit a product file that uses UTF-8 encoding, be sure to save it with UTF-8 encoding. Operating systems that are not English and have multibyte characters must be saved with UTF-8 encoding. Windows Notepad can save with UTF-8 encoding.

General Limitations

Because CA Virtual Assurance integrates with other CA products, review the international support statements for integration products.

CA Virtual Assurance supports only host or cluster names with the characters 'a - z', 'A - Z', '0 - 9' and '-'. A host or cluster name cannot start with a hyphen ('-') or be all numeric. The NetBIOS name of a Windows system must match its DNS host name.

CA Virtual Assurance supports only ASCII characters in:

- SQL Server host names (subject to host name limitations), instance names, user names, and passwords
- CA EEM/Security host names (subject to host name limitations), user names, and passwords
- All CA SystemEDGE parameters with the exception of policy names
- SystemEDGE Privilege Separation User (UNIX and Linux only)
- SNMP read, read/write, and trap community strings
- %TEMP% environment variable
- Installation target paths of all CA Virtual Assurance components

Customize Console Display

If you want to display console data that contains language-specific characters, verify the following prerequisites for CLI commands and the NodeCfgUtil utility:

- Verify that the appropriate language support is available on your operating system.
- Enable the Lucida Console font in the Windows Command Prompt for running commands or NodeCfgUtil utility.
- Enable UTF-8 character encoding in the UNIX or Linux console that you want to use to run your commands. Enter the following command in the terminal console to display the current language setting:

```
echo $LANG
```

If UTF-8 is not enabled, enter, for example, the following command in a console window (use the appropriate character encoding: en_US.UTF-8, ja_JP.UTF-8, fr_BE.UTF-8, de_DE.UTF-8, and so on):

```
LANG=en_US.UTF-8; export LANG
```

AutoShell and CA Virtual Assurance CLI Commands

AutoShell and CA Virtual Assurance CLI commands support the `-locale` switch that allows you to specify a locale based on an ISO 639_3166 combination (for example: fr_FR for French). See the *Invoking AutoShell* section and *CLI Commands* in the *Reference Guide*.

Solaris Zones Uptime

The Solaris Zone Uptime MIB attribute (zoneAimStatZoneUpTime) is specified as DisplayString that supports ASCII characters only. The corresponding fields in the user interface do not display UTF-8 characters.

Default Package Wrapper Name

The default package wrapper name is not localized and reads 'default' in all supported languages. Custom package wrapper names support UTF-8 characters.

Service Response Monitoring AIM Configuration File

When you modify the svcrsp.cf configuration file to add language-specific characters, verify that the text editor you use supports UTF-8 as a storage format. If your text editor inserts a UTF-8 Byte Order Mark when saving the file, SystemEDGE ignores the Byte Order Mark when reading the configuration file.

SRM CLI Commands

The svcwatch CLI supports localized output and console-help information.

If you use the optional `-L` switch, the utility detects the current locale of the console and language catalog if available. If a language catalog is not found, the utility falls back to English as a default language.

Cisco UCS Limitations

The Cisco Unified Computing System (Cisco UCS) only supports English language characters. Because the UCS Manager treats non-English characters as invalid, CA Virtual Assurance disallows unsupported characters in UCS fields for service profile, pools, and so on.

Business Objects Reports

Business Object reports require Microsoft SQL Server, English, or Japanese versions; no other languages are supported.

Installation Limitations

You can specify the language for a silent installation by using the parameter, `-L locale` (for example, `Install.exe -L fr`). The following locales are supported: en (English), ja (Japanese), de (German), and fr (French). If you do not specify a locale, the installer chooses the best fit (system locale or English (en)).

The DVD install path that you specify cannot contain Chinese characters, unless it is a Chinese system. If you specify Chinese characters on a non-Chinese system, the installer fails with the following message:

Unable to extract the compressed file. Please get another copy of the installer and try again.

Chapter 3: New Features and Enhancements

This section contains the following topics:

[Citrix XenDesktop AIM](#) (see page 31)

[Documentation](#) (see page 32)

[Huawei GalaX](#) (see page 32)

[Key Performance Database](#) (see page 33)

[Oracle Solaris Zones](#) (see page 33)

[Software Requirements](#) (see page 34)

[User Interface](#) (see page 34)

[VMware vCenter](#) (see page 34)

Citrix XenDesktop AIM

In this release, the following new features or changes are available:

Citrix XenDesktop Monitoring

CA Virtual Assurance monitors Citrix XenDesktop 5.6 environments. The monitoring includes but is not limited to desktops, controllers, machines, catalogs, hypervisor connections, and service statistics.

Multi-instances

The XenDesktop AIM can manage multiple XenDesktop environments.

Documentation

In this release, the documentation includes an End-to-End bookshelf with links to scenarios and auxiliary information, such as product details, support materials, and education.

You can open the bookshelf directly from the Start menu or click Back to Bookshelf in the navigation pane of the Online Help or Local Help.

The following scenarios and use cases have been added to the documentation and can be accessed directly from the bookshelf:

- How to Adjust SQL Server User Permissions to the Required Minimum
- How to Import an OVF Package
- How to Prepare Windows Templates for GalaX Provisioning

The Performance Metrics chapter has been removed from the Reference Guide. You can access a new Performance Metrics Reference directly from the bookshelf page.

Huawei GalaX

In this release, the following new features or changes are available:

Huawei GalaX Monitoring

CA Virtual Assurance monitors Huawei GalaX environments.

Huawei GalaX Management

CA Virtual Assurance manages Huawei GalaX environments.

Multi-instances

The SystemEDGE GalaX AIM can manage multiple Huawei GalaX environments.

Key Performance Database

In this release, the following changes are available:

Key Performance DB

Collects the performance metrics. The collected metrics are displayed in the Performance Charts. The tooltips provide the corresponding descriptions. Key Performance DB provides:

- A scalable solution that is able to store up to 1 million metrics using a common setup.
- Efficiently used storage space and lower I/O usage
- A user-friendly interface that provides the following information:
 - Categorized metrics
 - Localized metric names and description
 - Units for all metric types

Note: For a list of performance metrics and descriptions, see the *Performance Metrics Reference*.

Important! The Key Performance Database collects the performance data. The Collection Engine that has collected the performance data in previous releases is still available for compatibility reasons.

Oracle Solaris Zones

In this release, the following new features are available:

Zone CPU Cap

CA Virtual Assurance monitors the restriction of the CPU utilization to the defined percentage in the cpu cap resource control.

Solaris 11

CA Virtual Assurance monitors Solaris 11 zones.

Software Requirements

In this release, consider the following changes to the CA Virtual Assurance software requirements:

- Added CA Virtual Assurance manager support for Windows Server 2012, CA EEM release 12 and 12.5, Microsoft SQL Server 2012.
- Added SystemEDGE and AIM support for Windows Server 2012.
- Added SystemEDGE, Advanced Encryption, and Service Response Monitor support for Debian 6.
- Removed SystemEDGE support for AIX 5.3 and Linux on IA64.

User Interface

In this release, the following new features or changes are available:

Localized User Interface

The user interface is available in Simplified Chinese and Japanese.

Product Banner

The top section of the user interface contains the following changes:

- Search can be used to find service templates and applications.

Performance Charts

Provide a graphical representation of performance data collection for monitored platforms. The performance charts offer an up-to-date overview of your data center performance.

Support Agent

The Support Agent collects diagnostics information. To access the Support Agent, use the following address:

`http://<Manager Server>:8556`

VMware vCenter

In this release, CA Virtual Assurance supports the following features:

OVF file import

CA Virtual Assurance supports the Open Virtualization Format (OVF) file import. This capability allows you to create VMs and vApps based on the OVF file.

Note: For more information about importing the OVF files, see the *Reference Guide*.

VMware vCenter Site Recovery Manager 5

CA Virtual Assurance supports VMware vCenter Site Recovery Manager (SRM) 5.

Chapter 4: Patches and Published Fixes

Patches and published fixes may be available for this version of the product. Go to the CA Support Online website <http://supportconnect.ca.com> to download patches or view published fixes before proceeding with the product installation or upgrade. Patches and published fixes are available from the Download Center, Published Solutions pane.

This section contains the following topics:

[SNMPv3 Trap Forwarding Issue](#) (see page 37)

SNMPv3 Trap Forwarding Issue

The CA NSM Event Manager must be configured in a specific manner to successfully receive CA Virtual Assurance SNMPv3 traps. If the CA NSM Event Manager is not configured properly, trap processing terminates.

Important! CA NSM 11.1: You must apply CA fix QO99777 and Microsoft fix 931565.

For more information about the CA NSM issue, see fix number QO99777 on CA Support Online at <http://ca.com/support>. Click Technical Support, then Download Center, and enter fix number QO99777 in the Quick Search field to locate the Product Information Bulletin.

You should also search the Microsoft Support website for Knowledge Base article 931565, which discusses the situation in which a WinSNMP application stops responding when you run third-party security scanning software on a Windows Server 2003-based computer.

Chapter 5: Documentation

This section contains the following topics:

[Related Publications](#) (see page 39)

Related Publications

The CA Virtual Assurance documentation consists of the following deliverables:

Administration Guide

Explores how to administer and use CA Virtual Assurance to manage virtual resources in your environment.

Installation Guide

Contains brief architecture information, various installation methods, post-installation configuration information, and Getting Started instructions.

Online Help

Provides window details and procedural descriptions for using the CA Virtual Assurance user interface.

Reference Guide

Provides detailed information about AutoShell, CLI commands, and MIB attributes.

Performance Metrics Reference

Describes the performance metrics that are available for monitoring the systems performance of the supported platforms.

Release Notes

Provides information about operating system support, system requirements, published fixes, international support, known issues, and the documentation roadmap.

Service Response Monitoring User Guide

Provides installation and configuration details of SRM.

SystemEDGE User Guide

Provides installation and configuration details of SystemEDGE.

SystemEDGE Release Notes

Provides information about operating system support, system requirements, and features.

Chapter 6: Known Issues

The *CA Virtual Assurance Release Notes* on CA Support Online contain issues and other information discovered after publication.

For the latest version of the Release Notes, visit <http://ca.com/support>.

1. Log in to CA Support Online.
2. Select Enterprise/Small and Medium Business.
3. Select Documentation.
4. Select the CA Virtual Assurance Bookshelf from the Bookshelf drop-down list, and click Go.
5. Open the Release Notes from the Bookshelf window.

This section contains the following topics:

[Localized Service Desk Template Name is Truncated](#) (see page 41)

[Login Process is Slow](#) (see page 42)

[Mozilla Firefox Automatic Upgrade](#) (see page 42)

Localized Service Desk Template Name is Truncated

Symptom:

When CA Virtual Assurance is integrated with CA Service Desk (CA Service Desk Manager) and the Service Desk template name is localized, template names might be truncated. CA Service Desk Manager cannot handle template names that exceed the maximum length. The maximum template name length is 30 single-byte or 15 double-byte characters.

Solution:

Open a Technical Support issue, and request a test fix patch. Report problem number USRD 2248.

Login Process is Slow

Symptom:

If the user management connects to Active Directory, the login process can take a long time.

Solution:

CA EEM can bind with Active Directory using the default LDAP port 389. If the login process takes a long time, change to the Global Catalog port 3268.

Follow these steps:

1. Start CA EEM.
The login page appears.
2. Select AIP as application, EiamAdmin as user, and log in.
The user interface appears.
3. Select Configure, EEM Server.
The EEM Server pane appears.
4. Select Global Users/Global Groups.
The user interface displays Global Users/Global Groups properties.
5. Change the Port number to 3268, and click Save.
The change takes effect immediately. You do not have to recycle any services after this change.

Mozilla Firefox Automatic Upgrade

Symptom:

After a Mozilla Firefox browser upgrade, you can face page rendering issues when using the CA Virtual Assurance web application.

Solution:

Mozilla Firefox could have been upgraded automatically. If you encounter page rendering issues, verify that your browser was upgraded and perform browser cache cleanup.

Appendix A: Acknowledgements

This appendix contains copyright and licensing agreement information for third-party software used in CA Virtual Assurance.

This section contains the following topics:

[Third-Party Software Acknowledgments](#) (see page 43)

Third-Party Software Acknowledgments

This section provides information about third-party software acknowledgments. The third-party license agreements are available in the \Bookshelf Files\TXT folder in the CA Bookshelf.

- ActiveMQ 5.4.2
- Adobe Flex SDK
- AIX JRE
- Apache Axis2 1.5.2
- Apache HTTP Web Server 2.2.23
- Apache Software Foundation
- Apache Solr 1.4.1
- Apache Tomcat 6.0.36
- base64 0.00.00B
- Boost 1.42
- bzip2 1.0.2
- Castor 0.9.5.4
- concurrent utilities 1.3.4
- curl 7.25.0
- Eclipse BIRT Runtime v. 2.3.2.2
- Expat 2.0.1
- GNUPlot 6.4
- Hibernate 3.2.2
- HP-UX JRE 6.0.14 PA-RISC

- HSQLDB 1.8
- ICU4C 3.4
- ipmitool 1.8.10
- JAXB 2.1
- JAXP 1.4.2
- JGoodies Looks 2.2.0
- JSMin
- json-lib 2.4
- JSW v.3.2.3
- JXTA 2.3.6
- libarchive 3.0.2
- libcurl 7.21.0 and libcurl 7.21.1
- libssh2 1.2.6
- libtorrent 0.15.7
- Libxml2 2.7.7, Libxml2 2.7.8, Libxml2 2.8.0, and Libxml2 2.9.0
- Libxslt 1.1.24
- MIT Kerberos v5 release 1.4
- Mod_gsoap 0.7
- NetApp NMSDK 4.0
- Netscape Portable Runtime 4.7.1
- netx 0.5
- node.js 0.4.12
- NUNIT 2.2.8
- OpenFire 3.7.1
- OpenLDAP 2.1
- openSSH for Windows CE 0.0.2 Alpha
- OpenSSL 0.9.8g, 0.9.8h, 0.9.8j, and 0.9.8o
- OpenSSL 0.9.8r and OpenSSL 0.9.8u
- OpenSSL 0.9.8x
- openwsman 2.0
- Oracle JDBC Driver 10G Release 2

- Oracle JDK 1.6.0_43
- Oracle JRE v.1.6
- PCRE 8.1 and PCRE Library 8.12
- Pegasus 2.7
- Perl 5.12.2
- PHP 5.3.13
- POCO 1.3.2
- PuTTY 0.60
- py2exe for Python 2.6.x 0.6.9
- Python 2.6
- Rhino 1.6R4
- swfobject 2.1
- Ubuntu 10.04
- VIX API
- Windows Installer XML (WiX)
- Zlib 1.2.3 and Zlib 1.2.5